

*Plastic Professional
Provider of Equipment*

VINOT. 威诺

› *Stretch Film* › *Cling Film*
› *Bubble Film* › *Blowing Film*

Zhejiang Vinot Machinery Technology Co.,Ltd.

chinamachine@outlook.com



radybj@gmail.com ; radybjchinamachine@outlook.com



64864352



0086-15067765856(whatsapp)



0086-577-66888886



*AD: No.28 Yangyu Road ,Binhai New Area ,Pingyang
County,Wenzhou City ,Zhejiang province ,China*



whatsapp website

<http://www.dybj.com/>

<http://www.plastic-machine-china.com/>



Zhejiang Vinot Machinery Technology Co.,Ltd.

In the field of plastic machinery,our company has rapid development on the basis of constant researches and application advanced technology.During more than twenty years,our enter prose has always been devoting itself to the technologic improvement and the managerial idea of scientific management organizing production and sales and strengthening the ability to participate in acute marker competition by international level new technology.

We are specialized in manufacturing the plastic machine such as stretch film machine, film blowing machine, bubble film machine, bag making machine, printing machine, film laminating machine and so on. Various Plastic machines have been sold to a lot of regions as Southeast Asia, Europe, America and Middle East, etc. We are emphasizing product excellent quality using of high quality materials, adopting advanced technology and managements to guarantee products quality and can supply perfect products and aftersales service. We have been well received and trusted by personality fo various circles at home and abroad.

Our enterprise has been always persisting in the management purpose of : Taking Science and Technology as Guide, Pioneering and Being Enterprising, Taking Prestige as Foundation: And doing its best to provide customers with perfect full and accurate technical service We will warmly welcome old and new customers at home and abroad to cooperate with us hand in hand so as to jointly march toward success.



Bset Quality Ensure Circulation

VINOT 威诺



Our commitment is to unswervingly create new achievements, to support our innovation in the field of plastic machinery. Vinot cares for the user, be clear that requirements of user for quality and reliability of product is higher, so we never slacken the importance of product quality. Keep in close contact with the high quality materials, advanced design, strict manufacturing standards and quality assurance control system. We also continue to improve the personal business, no matter where our customers are in the city, they will get professional technical advice, a wide range of the latest product information and first-class customer service.

Model No.DYYT Series

Main Technical Parameter

Model	YT-4600	YT-4800	YT-41000	YT-41200
Suitable Material	LDPE HDPE			
Screw Diameter	Φ50	Φ55	Φ65	Φ70
L/D	28:1	28:1	28:1	28:1
Printing Color	4	4	4	4
Precision of printing color 套印精度	0.2mm	0.2mm	0.2mm	0.2mm
	0.2mm	0.2mm	0.2mm	0.2mm
Printing Extrance Width(mm)	600	800	1000	1200
Max. Printing Width(mm)	580	760	980	1160
Length of Printing Product(mm)	191-1000	191-914	191-914	191-1200
Diameter of Roll Material(mm)	Φ450	Φ450	Φ450	Φ450
Printing Speed (m/min)	5-50	5-50	5-50	5-50
Thickness of Printing Plate(mm)	2.3	2.3	2.3	2.3
Total Power(kw)	12.2	16.2k	19.25	23.55
Overall Dimension(m)	4.2*1.6*2.4	4.2*1.8*2.4	4.2*2.0*2.4	4.2*2.0*2.4
Weight(kg)	3000kg	3500kg	4000kg	4200kg



Four-color Flexographic Printing Machine

Feature: **VINOT 威诺**

1. Easy operation, flexible starting, accurate color register .
- 2.The meter counter can set printing quantity according to the requirements,stop the machine a utomatically at the quantity or when the material is cut off.
- 3.Pneumatic printing cylinder lift and lower, it will stir the printing ink automati-cally after lifting.
- 4.The printing ink is spread by the anilox cylinder with even ink color.
- 5.Reliable drying system coordinated with high-speed rotation, it will automati-cally break circuit when the machine stops.360continuous and adjustable longitudinal register device.
- 6.The frequency control of motor speed adapts to different printing speeds.
- 8.Suitable for printing the packing material as PE and PP plastic bags,glass pap-ers rolling papers,etc.



Model No.DYSJ-YT-45



Feature:

The machine take the HDPE or LDPE as raw material, through heating, extrusion, blowing, stretch, printing winder and final be roll thin film.the finished plastic thin film is widely used for supermarket bag, garbage bag, various plastic package bag, farml and film.cote film and compound thin film.



MODEL	SJYT-600		
SUITABLE RAW MATORIAL	HDPE	LDPE	LLDPE
THICKNESS OF SINGLE FILM	600mm		
FILM THICKNESS (HD)	0.009-0.05		
FILM THICKNESS (LD)	0.025-0.11		
MAX.EXTRUSION OUTPUT(HD)	45kg/hr		
MAX EXTRUSION OUTPUT(LD)	55 kg/hr		
COVER DIMENSION (M)	5.0x2.0x4.0		
EXTRUDER			
SCREW DIAMETER (mm)	Φ45		
SCREW L/D	30: 1		
SCREW MATERIAL	SACM-65/38CRMOLA		
CYLINDER MATERIAL	SACM-65/38CRMOLA		
CYLINDER COOLING	370x3		
DRIVING MOTOR (KW)	13		
TEMPERLURE CONTROL	3		
TYPE OF DIE			
DIE SIZE	50/80		
TEMPERTURE CONTROL	2		
AIR RING	1		
CENTER STEADY STICK	1		
TAKE-UPUNIT			
ROLLER WIDTH	650		
HEIGHT ADJUSTABLE TYPE	600		
TAKE-UP SPEED (M/min)	10-80		
TAKE-UP MOTOR (kw)	0.75		
WINDING UNIT			
TYPE	SURFACE FRICTION/CENTER REWINDER		
WINDING MOTOR (KW)	4		
WINDING SPEED (M/min)	10-80		



Mini Film Blowing Machine with Two Color Printing