

*Plastic Professional
Provider of Equipment*

VINOT. 威诺

› *Stretch Film* › *Cling Film*
› *Bubble Film* › *Blowing Film*

Zhejiang Vinot Machinery Technology Co.,Ltd.

chinamachine@outlook.com



radybj@gmail.com ; radybjchinamachine@outlook.com



64864352



0086-15067765856(whatsapp)



0086-577-66888886



*AD: No.28 Yangyu Road ,Binhai New Area ,Pingyang
County,Wenzhou City ,Zhejiang province ,China*



whatsapp website

<http://www.dybj.com/>

<http://www.plastic-machine-china.com/>



Zhejiang Vinot Machinery Technology Co.,Ltd.

In the field of plastic machinery,our company has rapid development on the basis of constant researches and application advanced technology.During more than twenty years,our enter prose has always been devoting itself to the technologic improvement and the managerial idea of scientific management organizing production and sales and strengthening the ability to participate in acute marker competition by international level new technology.

We are specialized in manufacturing the plastic machine such as stretch film machine, film blowing machine, bubble film machine, bag making machine, printing machine, film laminating machine and so on. Various Plastic machines have been sold to a lot of regions as Southeast Asia, Europe, America and Middle East, etc. We are emphasizing product excellent quality using of high quality materials, adopting advanced technology and managements to guarantee products quality and can supply perfect products and aftersales service. We have been well received and trusted by personality fo various circles at home and abroad.

Our enterprise has been always persisting in the management purpose of : Taking Science and Technology as Guide, Pioneering and Being Enterprising, Taking Prestige as Foundation: And doing its best to provide customers with perfect full and accurate technical service We will warmly welcome old and new customers at home and abroad to cooperate with us hand in hand so as to jointly march toward success.



Bset Quality Ensure Circulation

VINOT 威诺



Our commitment is to unswervingly create new achievements, to support our innovation in the field of plastic machinery. Vinot cares for the user, be clear that requirements of user for quality and reliability of product is higher, so we never slacken the importance of product quality. Keep in close contact with the high quality materials, advanced design, strict manufacturing standards and quality assurance control system. We also continue to improve the personal business, no matter where our customers are in the city, they will get professional technical advice, a wide range of the latest product information and first-class customer service.

Model No.DYSJ-65 / 85 / 95 (Flat Type)



The Main Technology Parameter

MODEL	SJ-65	SJ-85	SJ-95
THICKNESS OF TAPE	0.015-0.07	0.015-0.07	0.015-0.07
PRODUCTION CAPACITY	0.015-0.07 40-60 kg/hr	0.015-0.07 65-85kg/hr	0.015-0.07 90-130 kg/h
COVER DIMENSION (M)	9.5*1.25*4.0	9.5*1.25*4.0	9.5*1.25*4.0
Width side	Max 800	Max 1000	Max 1200
WIDTH OF OVEN(MM)	900	1100	1300
HEATING POWER OF OVEN	4	6kw	8kw
WEIGHT(KG)	3000	4000	5000
EXTRUDER			
SCREW DIAMETER (mm)	Φ65	Φ65	Φ950
SCREW L/D	28:1	28: 1	28: 1
SCREW MATERIAL	SACM-65/38CRMOLA		
CYLINDER MATERIAL	SACM-65/38CRMOLA		
ROTATIONAL SPEED OF SCREW	30-80	30-80	30-80
MOTO POWER OF EXTRUDER	15	22	30
HEATING POWER OF EXTRUDER	12	15.5	19
TAKE-UP UNIT			
NUMBER OF OVEN	12	16	20
POWER OF DRIVING MOTOR	4	4	5.5
WINDING UNIT			



Feature:

Absorbs domestic and international advanced technology, through a large number of production practices, development, innovation.

Rewinder adopts single torque motor. The PP and PE raw material are available.

Produce various slitting film that used for packing things.

When it is with the red ball making machine ,it can produce various model, specification line ball



PP Rope Making Machine (Flat Type)

Model No.DYSJ-65 / 85 / 95(Vertical Type)



The Main Technology Parameter

MODEL	SJ-65	SJ-85	SJ-95
THICKNESS OF TAPE	0.015-0.07	0.015-0.07	0.015-0.07
PRODUCTION CAPACITY	0.015-0.07 40-60 kg/hr	0.015-0.07 65-85kg/hr	0.015-0.07 90-130 kg/h
COVER DIMENSION (M)	9.5*1.25*4.0	9.5*1.25*4.0	9.5*1.25*4.0
Width side	Max 800	Max 1000	Max 1200
WIDTH OF OVEN(MM)	900	1100	1300
HEATING POWER OF OVEN	4	6kw	8kw
WEIGHT(KG)	3000	4000	5000
EXTRUDER			
SCREW DIAMETER (mm)	Φ65	Φ85	Φ950
SCREW L/D	28:1	28: 1	28: 1
SCREW MATERIAL	SACM-65/38CRMOLA		
CYLINDER MATERIAL	SACM-65/38CRMOLA		
ROTATIONAL SPEED OF SCREW	30-80	30-80	30-80
MOTO POWER OF EXTRUDER	15	22	30
HEATING POWER OF EXTRUDER	12	15.5	19
TAKE-UP UNIT			
NUMBER OF OVEN	12	16	20
POWER OF DRIVING MOTOR	4	4	5.5
WINDING UNIT			



Feature:

Absorbs domestic and international advanced technology, through a large number of production practices, development, innovation.

Rewinder adopts single torque motor. The PP and PE raw material are available.

Produce various slitting film that used for packing things.

When it is with the red ball making machine ,it can produce various model, specification line ball



PP Rope Making Machine (Vertical Type)

Auxiliary equipments

VINOT. 威诺



Plastic Grinding Milling Granulator



Hydraulic Punching Machine



High-strength Hard Tooth Surface Reduction Gearbox



Digital Corona Tranger



Plastic Crushing Machine



Sigh-Speed Net Changer



Double Air Vent Ait Ring