

<b>T (n.m)</b>	<b>N (r.p.m.)</b>	<b>I (amps)</b>	<b>Pout(w)</b>	<b>Eff.(%)</b>	<b>Loss(w)</b>	<b>Pin(w)</b>
0.00	2110	1.27	0.00	0.0%	15.20	15.20
0.10	1987	3.08	20.80	56.4%	16.11	36.92
0.20	1935	4.89	40.53	69.1%	18.10	58.63
0.30	1884	6.70	59.19	73.7%	21.16	80.35
0.40	1833	8.51	76.77	75.2%	25.30	102.07
0.50	1781	10.32	93.28	75.4%	30.51	123.78
0.60	1730	12.12	108.71	74.7%	36.79	145.50
0.70	1679	13.93	123.07	73.6%	44.14	167.21
0.80	1628	15.74	136.35	72.2%	52.58	188.93
0.90	1576	17.55	148.57	70.5%	62.08	210.65
1.00	1525	19.36	159.70	68.7%	72.66	232.36
1.10	1474	21.17	169.77	66.8%	84.31	254.08
1.20	1423	22.98	178.76	64.8%	97.04	275.79
1.30	1371	24.79	186.67	62.7%	110.84	297.51
1.40	1320	26.60	193.51	60.6%	125.71	319.23
1.50	1269	28.41	199.28	58.5%	141.66	340.94
1.60	1217	30.22	203.98	56.2%	158.68	362.66
1.70	1166	32.03	207.60	54.0%	176.78	384.37
1.80	1115	33.84	210.14	51.7%	195.95	406.09
1.90	1064	35.65	211.61	49.5%	216.19	427.81
2.00	1012	37.46	212.01	47.2%	237.51	449.52
2.10	961	39.27	211.34	44.8%	259.90	471.24
2.20	910	41.08	209.59	42.5%	283.37	492.95
2.30	858	42.89	206.76	40.2%	307.91	514.67
2.40	807	44.70	202.86	37.8%	333.52	536.39
2.50	756	46.51	197.89	35.5%	360.21	558.10
2.60	705	48.32	191.85	33.1%	387.97	579.82
2.70	653	50.13	184.73	30.7%	416.81	601.54
2.80	602	51.94	176.53	28.3%	446.72	623.25
2.90	551	53.75	167.26	25.9%	477.70	644.97
3.00	499	55.56	156.92	23.5%	509.76	666.68