

<b>T (n.m)</b>	<b>N (r.p.m.)</b>	<b>I (amps)</b>	<b>Pout(w)</b>	<b>Eff.(%)</b>	<b>Loss(w)</b>	<b>Pin(w)</b>
0.00	1474	0.29	0.00	0.0%	6.84	6.84
0.10	1378	0.92	14.43	65.5%	7.61	22.04
0.20	1328	1.55	27.81	74.7%	9.44	37.24
0.30	1277	2.19	40.12	76.5%	12.33	52.44
0.40	1226	2.82	51.37	75.9%	16.27	67.65
0.50	1176	3.45	61.56	74.3%	21.28	82.85
0.60	1125	4.09	70.70	72.1%	27.35	98.05
0.70	1075	4.72	78.77	69.6%	34.48	113.25
0.80	1024	5.35	85.78	66.8%	42.67	128.45
0.90	973	5.99	91.73	63.9%	51.92	143.65
1.00	923	6.62	96.63	60.8%	62.23	158.85
1.10	872	7.25	100.46	57.7%	73.59	174.05
1.20	822	7.89	103.23	54.5%	86.02	189.26
1.30	771	8.52	104.95	51.3%	99.51	204.46
1.40	720	9.15	105.60	48.1%	114.06	219.66
1.50	670	9.79	105.19	44.8%	129.67	234.86
1.60	619	10.42	103.72	41.5%	146.34	250.06
1.70	568	11.05	101.20	38.1%	164.07	265.26
1.80	518	11.69	97.61	34.8%	182.85	280.46
1.90	467	12.32	92.96	31.4%	202.70	295.66
2.00	417	12.95	87.25	28.1%	223.61	310.87
2.10	366	13.59	80.49	24.7%	245.58	326.07
2.20	315	14.22	72.66	21.3%	268.61	341.27
2.30	265	14.85	63.77	17.9%	292.70	356.47
2.40	214	15.49	53.83	14.5%	317.85	371.67
2.50	164	16.12	42.82	11.1%	344.05	386.87
2.60	113	16.75	30.75	7.6%	371.32	402.07
2.70	62	17.39	17.62	4.2%	399.65	417.27
2.80	12	18.02	3.44	0.8%	429.04	432.48
2.90	-39	18.65	-11.81	-2.6%	459.49	447.68
3.00	-90	19.29	-28.12	-6.1%	491.00	462.88