

<b>T (n.m)</b>	<b>N (r.p.m.)</b>	<b>I (amps)</b>	<b>Pout(w)</b>	<b>Eff.(%)</b>	<b>Loss(w)</b>	<b>Pin(w)</b>
0.00	2561	0.36	0.00	0.0%	17.18	17.18
0.10	2432	0.91	25.47	58.4%	18.15	43.62
0.20	2377	1.46	49.78	71.1%	20.28	70.06
0.30	2321	2.01	72.91	75.6%	23.58	96.49
0.40	2265	2.56	94.88	77.2%	28.05	122.93
0.50	2209	3.11	115.68	77.4%	33.69	149.37
0.60	2154	3.66	135.31	77.0%	40.50	175.81
0.70	2098	4.21	153.77	76.0%	48.47	202.24
0.80	2042	4.76	171.06	74.8%	57.61	228.68
0.90	1986	5.31	187.19	73.4%	67.93	255.12
1.00	1930	5.87	202.15	71.8%	79.41	281.55
1.10	1875	6.42	215.93	70.1%	92.06	307.99
1.20	1819	6.97	228.55	68.3%	105.87	334.43
1.30	1763	7.52	240.00	66.5%	120.86	360.86
1.40	1707	8.07	250.29	64.6%	137.02	387.30
1.50	1651	8.62	259.40	62.7%	154.34	413.74
1.60	1596	9.17	267.34	60.7%	172.83	440.18
1.70	1540	9.72	274.12	58.7%	192.49	466.61
1.80	1484	10.27	279.73	56.7%	213.32	493.05
1.90	1428	10.82	284.17	54.7%	235.32	519.49
2.00	1372	11.37	287.44	52.7%	258.48	545.92
2.10	1317	11.92	289.54	50.6%	282.82	572.36
2.20	1261	12.47	290.48	48.5%	308.32	598.80
2.30	1205	13.03	290.24	46.4%	334.99	625.23
2.40	1149	13.58	288.84	44.3%	362.83	651.67
2.50	1093	14.13	286.27	42.2%	391.84	678.11
2.60	1038	14.68	282.53	40.1%	422.02	704.55
2.70	982	15.23	277.62	38.0%	453.36	730.98
2.80	926	15.78	271.54	35.9%	485.88	757.42
2.90	870	16.33	264.30	33.7%	519.56	783.86
3.00	814	16.88	255.88	31.6%	554.41	810.29