

<i>T (n.m)</i>	<i>N (r.p.m.)</i>	<i>I (amps)</i>	<i>Pout(w)</i>	<i>Eff.(%)</i>	<i>Loss(w)</i>	<i>Pin(w)</i>
0.00	1945	0.68	0.00	0.0%	50.45	50.45
0.50	1873	2.05	98.05	64.8%	53.30	151.35
1.00	1836	3.41	192.29	76.2%	59.96	252.25
1.50	1800	4.77	282.73	80.1%	70.42	353.16
2.00	1764	6.14	369.37	81.3%	84.69	454.06
2.50	1727	7.50	452.20	81.5%	102.76	554.96
3.00	1691	8.86	531.22	81.0%	124.64	655.86
3.50	1655	10.23	606.45	80.1%	150.32	756.76
4.00	1618	11.59	677.86	79.0%	179.80	857.67
4.50	1582	12.95	745.48	77.8%	213.09	958.57
5.00	1546	14.32	809.28	76.4%	250.19	1059.47
5.50	1509	15.68	869.29	74.9%	291.08	1160.37
6.00	1473	17.04	925.49	73.4%	335.79	1261.27
6.50	1437	18.41	977.88	71.8%	384.29	1362.17
7.00	1400	19.77	1026.47	70.2%	436.60	1463.08
7.50	1364	21.13	1071.26	68.5%	492.72	1563.98
8.00	1328	22.50	1112.24	66.8%	552.64	1664.88
8.50	1291	23.86	1149.42	65.1%	616.37	1765.78
9.00	1255	25.23	1182.79	63.4%	683.90	1866.68
9.50	1219	26.59	1212.36	61.6%	755.23	1967.59
10.00	1182	27.95	1238.12	59.9%	830.37	2068.49
10.50	1146	29.32	1260.08	58.1%	909.31	2169.39
11.00	1110	30.68	1278.23	56.3%	992.06	2270.29
11.50	1073	32.04	1292.58	54.5%	1078.61	2371.19
12.00	1037	33.41	1303.13	52.7%	1168.97	2472.10
12.50	1001	34.77	1309.87	50.9%	1263.13	2573.00
13.00	964	36.13	1312.81	49.1%	1361.09	2673.90
13.50	928	37.50	1311.94	47.3%	1462.86	2774.80
14.00	892	38.86	1307.27	45.5%	1568.44	2875.70
14.50	855	40.22	1298.79	43.6%	1677.81	2976.60
15.00	819	41.59	1286.51	41.8%	1791.00	3077.51