

<i>T (n.m)</i>	<i>N (r.p.m.)</i>	<i>I (amps)</i>	<i>Pout(w)</i>	<i>Eff.(%)</i>	<i>Loss(w)</i>	<i>Pin(w)</i>
0.00	3780	5.40	0.00	0.0%	129.59	129.59
0.50	3676	13.58	192.45	59.0%	133.49	325.94
1.00	3631	21.76	380.20	72.8%	142.09	522.29
1.50	3586	29.94	563.26	78.4%	155.38	718.64
2.00	3541	38.12	741.62	81.1%	173.37	914.99
2.50	3496	46.31	915.28	82.4%	196.06	1111.34
3.00	3451	54.49	1084.25	82.9%	223.44	1307.69
3.50	3406	62.67	1248.51	83.0%	255.52	1504.04
4.00	3362	70.85	1408.08	82.8%	292.30	1700.39
4.50	3317	79.03	1562.96	82.4%	333.78	1896.74
5.00	3272	87.21	1713.13	81.8%	379.95	2093.09
5.50	3227	95.39	1858.61	81.2%	430.82	2289.44
6.00	3182	103.57	1999.39	80.4%	486.39	2485.79
6.50	3137	111.76	2135.48	79.6%	546.66	2682.13
7.00	3092	119.94	2266.87	78.8%	611.62	2878.48
7.50	3048	128.12	2393.55	77.8%	681.28	3074.83
8.00	3003	136.30	2515.55	76.9%	755.64	3271.18
8.50	2958	144.48	2632.84	75.9%	834.69	3467.53
9.00	2913	152.66	2745.44	74.9%	918.44	3663.88
9.50	2868	160.84	2853.34	73.9%	1006.89	3860.23
10.00	2823	169.02	2956.55	72.9%	1100.04	4056.58
10.50	2778	177.21	3055.05	71.8%	1197.88	4252.93
11.00	2734	185.39	3148.86	70.8%	1300.42	4449.28
11.50	2689	193.57	3237.97	69.7%	1407.66	4645.63
12.00	2644	201.75	3322.39	68.6%	1519.59	4841.98
12.50	2599	209.93	3402.11	67.5%	1636.22	5038.33
13.00	2554	218.11	3477.13	66.4%	1757.55	5234.68
13.50	2509	226.29	3547.45	65.3%	1883.58	5431.03
14.00	2464	234.47	3613.08	64.2%	2014.30	5627.38
14.50	2420	242.66	3674.00	63.1%	2149.72	5823.73
15.00	2375	250.84	3730.24	62.0%	2289.84	6020.08