

<i>T (n.m)</i>	<i>N (r.p.m.)</i>	<i>I (amps)</i>	<i>Pout(w)</i>	<i>Eff.(%)</i>	<i>Loss(w)</i>	<i>Pin(w)</i>
0.00	1588	0.76	0.00	0.0%	18.12	18.12
0.50	1492	4.19	78.15	77.7%	22.36	100.51
1.00	1426	7.62	149.34	81.7%	33.55	182.89
1.50	1360	11.05	213.59	80.5%	51.69	265.28
2.00	1293	14.49	270.89	77.9%	76.78	347.66
2.50	1227	17.92	321.23	74.7%	108.81	430.05
3.00	1161	21.35	364.63	71.2%	147.80	512.43
3.50	1094	24.78	401.08	67.4%	193.73	594.82
4.00	1028	28.22	430.58	63.6%	246.62	677.20
4.50	962	31.65	453.13	59.7%	306.45	759.58
5.00	895	35.08	468.74	55.7%	373.23	841.97
5.50	829	38.51	477.39	51.6%	446.96	924.35
6.00	762	41.95	479.09	47.6%	527.65	1006.74
6.50	696	45.38	473.85	43.5%	615.28	1089.12
7.00	630	48.81	461.65	39.4%	709.86	1171.51
7.50	563	52.25	442.51	35.3%	811.38	1253.89
8.00	497	55.68	416.41	31.2%	919.86	1336.28
8.50	431	59.11	383.37	27.0%	1035.29	1418.66
9.00	364	62.54	343.38	22.9%	1157.67	1501.04
9.50	298	65.98	296.44	18.7%	1286.99	1583.43
10.00	232	69.41	242.55	14.6%	1423.27	1665.81
10.50	165	72.84	181.71	10.4%	1566.49	1748.20
11.00	99	76.27	113.92	6.2%	1716.67	1830.58
11.50	33	79.71	39.18	2.0%	1873.79	1912.97
12.00	-34	83.14	-42.51	-2.1%	2037.86	1995.35
12.50	-100	86.57	-131.15	-6.3%	2208.88	2077.74
13.00	-167	90.00	-226.73	-10.5%	2386.85	2160.12
13.50	-233	93.44	-329.27	-14.7%	2571.77	2242.50
14.00	-299	96.87	-438.75	-18.9%	2763.64	2324.89
14.50	-366	100.30	-555.19	-23.1%	2962.46	2407.27
15.00	-432	103.74	-678.57	-27.3%	3168.23	2489.66