

<b>T (n.m)</b>	<b>N (r.p.m.)</b>	<b>I (amps)</b>	<b>Pout(w)</b>	<b>Eff.(%)</b>	<b>Loss(w)</b>	<b>Pin(w)</b>
0.00	1588	0.34	0.00	0.0%	16.48	16.48
0.50	1484	2.06	77.73	78.6%	21.14	98.86
1.00	1410	3.78	147.69	81.5%	33.56	181.25
1.50	1336	5.49	209.88	79.6%	53.75	263.63
2.00	1262	7.21	264.32	76.4%	81.70	346.01
2.50	1188	8.92	310.98	72.6%	117.42	428.40
3.00	1114	10.64	349.89	68.5%	160.90	510.78
3.50	1040	12.36	381.02	64.2%	212.14	593.17
4.00	965	14.07	404.40	59.9%	271.15	675.55
4.50	891	15.79	420.01	55.4%	337.93	757.94
5.00	817	17.51	427.85	50.9%	412.47	840.32
5.50	743	19.22	427.93	46.4%	494.77	922.71
6.00	669	20.94	420.25	41.8%	584.84	1005.09
6.50	595	22.66	404.80	37.2%	682.68	1087.47
7.00	521	24.37	381.59	32.6%	788.27	1169.86
7.50	446	26.09	350.61	28.0%	901.64	1252.24
8.00	372	27.80	311.87	23.4%	1022.76	1334.63
8.50	298	29.52	265.36	18.7%	1151.65	1417.01
9.00	224	31.24	211.09	14.1%	1288.31	1499.40
9.50	150	32.95	149.05	9.4%	1432.73	1581.78
10.00	76	34.67	79.25	4.8%	1584.92	1664.17
10.50	2	36.39	1.68	0.1%	1744.87	1746.55
11.00	-73	38.10	-83.65	-4.6%	1912.58	1828.93
11.50	-147	39.82	-176.74	-9.2%	2088.06	1911.32
12.00	-221	41.54	-277.60	-13.9%	2271.30	1993.70
12.50	-295	43.25	-386.22	-18.6%	2462.31	2076.09
13.00	-369	44.97	-502.61	-23.3%	2661.08	2158.47
13.50	-443	46.68	-626.76	-28.0%	2867.62	2240.86
14.00	-517	48.40	-758.68	-32.7%	3081.92	2323.24
14.50	-592	50.12	-898.36	-37.3%	3303.99	2405.63
15.00	-666	51.83	-1045.81	-42.0%	3533.82	2488.01