

<i>T (n.m)</i>	<i>N (r.p.m.)</i>	<i>I (amps)</i>	<i>Pout(w)</i>	<i>Eff.(%)</i>	<i>Loss(w)</i>	<i>Pin(w)</i>
0.00	2187	2.45	0.00	0.0%	29.45	29.45
0.50	2048	11.89	107.26	75.1%	35.47	142.73
1.00	1957	21.33	204.96	80.1%	51.05	256.01
1.50	1866	30.77	293.11	79.4%	76.18	369.29
2.00	1775	40.21	371.70	77.0%	110.86	482.57
2.50	1684	49.65	440.74	74.0%	155.10	595.85
3.00	1592	59.09	500.22	70.5%	208.90	709.12
3.50	1501	68.53	550.15	66.9%	272.25	822.40
4.00	1410	77.97	590.52	63.1%	345.16	935.68
4.50	1319	87.41	621.34	59.2%	427.62	1048.96
5.00	1227	96.85	642.60	55.3%	519.64	1162.24
5.50	1136	106.29	654.31	51.3%	621.21	1275.52
6.00	1045	115.73	656.46	47.3%	732.34	1388.80
6.50	954	125.17	649.05	43.2%	853.02	1502.07
7.00	862	134.61	632.10	39.1%	983.26	1615.35
7.50	771	144.05	605.58	35.0%	1123.05	1728.63
8.00	680	153.49	569.51	30.9%	1272.40	1841.91
8.50	589	162.93	523.89	26.8%	1431.30	1955.19
9.00	497	172.37	468.71	22.7%	1599.76	2068.47
9.50	406	181.81	403.97	18.5%	1777.78	2181.75
10.00	315	191.25	329.68	14.4%	1965.35	2295.02
10.50	224	200.69	245.83	10.2%	2162.47	2408.30
11.00	132	210.13	152.43	6.0%	2369.15	2521.58
11.50	41	219.57	49.47	1.9%	2585.39	2634.86
12.00	-50	229.01	-63.04	-2.3%	2811.18	2748.14
12.50	-141	238.45	-185.11	-6.5%	3046.52	2861.42
13.00	-233	247.89	-316.73	-10.6%	3291.42	2974.70
13.50	-324	257.33	-457.91	-14.8%	3545.88	3087.97
14.00	-415	266.77	-608.64	-19.0%	3809.89	3201.25
14.50	-506	276.21	-768.93	-23.2%	4083.46	3314.53
15.00	-598	285.65	-938.77	-27.4%	4366.58	3427.81