

<i>T (n.m)</i>	<i>N (r.p.m.)</i>	<i>I (amps)</i>	<i>Pout(w)</i>	<i>Eff.(%)</i>	<i>Loss(w)</i>	<i>Pin(w)</i>
0.00	1747	0.83	0.00	0.0%	19.94	19.94
0.50	1642	4.61	85.96	77.7%	24.60	110.56
1.00	1569	8.38	164.28	81.7%	36.91	201.18
1.50	1496	12.16	234.95	80.5%	56.86	291.81
2.00	1423	15.93	297.97	77.9%	84.45	382.43
2.50	1350	19.71	353.36	74.7%	119.69	473.05
3.00	1277	23.49	401.10	71.2%	162.58	563.67
3.50	1204	27.26	441.19	67.4%	213.11	654.30
4.00	1131	31.04	473.64	63.6%	271.28	744.92
4.50	1058	34.81	498.45	59.7%	337.09	835.54
5.00	985	38.59	515.61	55.7%	410.56	926.17
5.50	912	42.37	525.13	51.6%	491.66	1016.79
6.00	839	46.14	527.00	47.6%	580.41	1107.41
6.50	766	49.92	521.23	43.5%	676.80	1198.03
7.00	693	53.69	507.82	39.4%	780.84	1288.66
7.50	620	57.47	486.76	35.3%	892.52	1379.28
8.00	547	61.25	458.05	31.2%	1011.85	1469.90
8.50	474	65.02	421.71	27.0%	1138.82	1560.53
9.00	401	68.80	377.72	22.9%	1273.43	1651.15
9.50	328	72.57	326.08	18.7%	1415.69	1741.77
10.00	255	76.35	266.80	14.6%	1565.59	1832.39
10.50	182	80.13	199.88	10.4%	1723.14	1923.02
11.00	109	83.90	125.31	6.2%	1888.33	2013.64
11.50	36	87.68	43.10	2.0%	2061.17	2104.26
12.00	-37	91.45	-46.76	-2.1%	2241.65	2194.89
12.50	-110	95.23	-144.26	-6.3%	2429.77	2285.51
13.00	-183	99.01	-249.41	-10.5%	2625.54	2376.13
13.50	-256	102.78	-362.20	-14.7%	2828.95	2466.75
14.00	-329	106.56	-482.63	-18.9%	3040.01	2557.38
14.50	-402	110.33	-610.71	-23.1%	3258.71	2648.00
15.00	-475	114.11	-746.43	-27.3%	3485.05	2738.62