

<i>T (n.m)</i>	<i>N (r.p.m.)</i>	<i>I (amps)</i>	<i>Pout(w)</i>	<i>Eff.(%)</i>	<i>Loss(w)</i>	<i>Pin(w)</i>
0.00	1746	0.55	0.00	0.0%	19.94	19.94
0.50	1649	3.07	86.32	78.1%	24.24	110.56
1.00	1581	5.59	165.57	82.3%	35.61	201.18
1.50	1514	8.11	237.77	81.5%	54.04	291.81
2.00	1446	10.62	302.90	79.2%	79.53	382.43
2.50	1379	13.14	360.97	76.3%	112.08	473.05
3.00	1311	15.66	411.99	73.1%	151.69	563.67
3.50	1244	18.17	455.94	69.7%	198.36	654.30
4.00	1177	20.69	492.83	66.2%	252.09	744.92
4.50	1109	23.21	522.66	62.6%	312.88	835.54
5.00	1042	25.73	545.43	58.9%	380.73	926.17
5.50	974	28.24	561.14	55.2%	455.64	1016.79
6.00	907	30.76	569.79	51.5%	537.62	1107.41
6.50	839	33.28	571.38	47.7%	626.65	1198.03
7.00	772	35.80	565.91	43.9%	722.75	1288.66
7.50	705	38.31	553.38	40.1%	825.90	1379.28
8.00	637	40.83	533.79	36.3%	936.12	1469.90
8.50	570	43.35	507.13	32.5%	1053.39	1560.53
9.00	502	45.87	473.42	28.7%	1177.73	1651.15
9.50	435	48.38	432.65	24.8%	1309.13	1741.77
10.00	367	50.90	384.81	21.0%	1447.58	1832.39
10.50	300	53.42	329.92	17.2%	1593.10	1923.02
11.00	233	55.93	267.96	13.3%	1745.68	2013.64
11.50	165	58.45	198.94	9.5%	1905.32	2104.26
12.00	98	60.97	122.87	5.6%	2072.02	2194.89
12.50	30	63.49	39.73	1.7%	2245.78	2285.51
13.00	-37	66.00	-50.47	-2.1%	2426.60	2376.13
13.50	-104	68.52	-147.73	-6.0%	2614.48	2466.75
14.00	-172	71.04	-252.05	-9.9%	2809.42	2557.38
14.50	-239	73.56	-363.43	-13.7%	3011.43	2648.00
15.00	-307	76.07	-481.87	-17.6%	3220.49	2738.62