

<b><i>T (n.m)</i></b>	<b><i>N (r.p.m.)</i></b>	<b><i>I (amps)</i></b>	<b><i>Pout(w)</i></b>	<b><i>Eff.(%)</i></b>	<b><i>Loss(w)</i></b>	<b><i>Pin(w)</i></b>
0.00	1637	0.15	0.00	0.0%	13.59	13.59
0.50	1517	1.10	79.41	80.6%	19.14	98.55
1.00	1425	2.04	149.26	81.3%	34.26	183.51
1.50	1334	2.98	209.53	78.0%	58.94	268.47
2.00	1243	3.93	260.25	73.6%	93.18	353.43
2.50	1151	4.87	301.39	68.8%	136.99	438.39
3.00	1060	5.81	332.98	63.6%	190.37	523.35
3.50	969	6.76	354.99	58.4%	253.32	608.31
4.00	877	7.70	367.44	53.0%	325.83	693.26
4.50	786	8.65	370.32	47.6%	407.90	778.22
5.00	695	9.59	363.64	42.1%	499.54	863.18
5.50	603	10.53	347.39	36.6%	600.75	948.14
6.00	512	11.48	321.58	31.1%	711.52	1033.10
6.50	420	12.42	286.20	25.6%	831.86	1118.06
7.00	329	13.37	241.25	20.1%	961.77	1203.02
7.50	238	14.31	186.74	14.5%	1101.24	1287.98
8.00	146	15.25	122.66	8.9%	1250.28	1372.94
8.50	55	16.20	49.02	3.4%	1408.88	1457.90
9.00	-36	17.14	-34.19	-2.2%	1577.05	1542.85
9.50	-128	18.09	-126.97	-7.8%	1754.78	1627.81
10.00	-219	19.03	-229.31	-13.4%	1942.08	1712.77
10.50	-310	19.97	-341.22	-19.0%	2138.95	1797.73
11.00	-402	20.92	-462.69	-24.6%	2345.38	1882.69
11.50	-493	21.86	-593.73	-30.2%	2561.38	1967.65
12.00	-584	22.81	-734.34	-35.8%	2786.95	2052.61
12.50	-676	23.75	-884.51	-41.4%	3022.08	2137.57
13.00	-767	24.69	-1044.25	-47.0%	3266.77	2222.53
13.50	-858	25.64	-1213.55	-52.6%	3521.04	2307.48
14.00	-950	26.58	-1392.42	-58.2%	3784.86	2392.44
14.50	-1041	27.53	-1580.85	-63.8%	4058.26	2477.40
15.00	-1132	28.47	-1778.86	-69.4%	4341.22	2562.36