

<b>T (n.m)</b>	<b>N (r.p.m.)</b>	<b>I (amps)</b>	<b>Pout(w)</b>	<b>Eff.(%)</b>	<b>Loss(w)</b>	<b>Pin(w)</b>
0.00	1457	1.38	0.00	0.0%	16.61	16.61
0.50	1359	7.68	71.18	77.3%	20.96	92.13
1.00	1291	13.97	135.24	80.7%	32.42	167.65
1.50	1223	20.26	192.18	79.0%	50.99	243.17
2.00	1155	26.56	242.00	75.9%	76.69	318.69
2.50	1088	32.85	284.71	72.2%	109.50	394.21
3.00	1020	39.14	320.30	68.2%	149.43	469.73
3.50	952	45.44	348.77	64.0%	196.47	545.25
4.00	884	51.73	370.13	59.6%	250.64	620.77
4.50	816	58.02	384.37	55.2%	311.92	696.29
5.00	748	64.32	391.49	50.7%	380.32	771.80
5.50	680	70.61	391.49	46.2%	455.84	847.32
6.00	612	76.90	384.37	41.7%	538.47	922.84
6.50	544	83.20	370.14	37.1%	628.22	998.36
7.00	476	89.49	348.79	32.5%	725.09	1073.88
7.50	408	95.78	320.32	27.9%	829.08	1149.40
8.00	340	102.08	284.74	23.2%	940.18	1224.92
8.50	272	108.37	242.03	18.6%	1058.40	1300.44
9.00	204	114.66	192.21	14.0%	1183.74	1375.96
9.50	136	120.96	135.28	9.3%	1316.20	1451.48
10.00	68	127.25	71.22	4.7%	1455.77	1527.00
10.50	0	133.54	0.05	0.0%	1602.47	1602.51
11.00	-68	139.84	-78.24	-4.7%	1756.27	1678.03
11.50	-136	146.13	-163.65	-9.3%	1917.20	1753.55
12.00	-204	152.42	-256.17	-14.0%	2085.25	1829.07
12.50	-272	158.72	-355.82	-18.7%	2260.41	1904.59
13.00	-340	165.01	-462.58	-23.4%	2442.69	1980.11
13.50	-408	171.30	-576.45	-28.0%	2632.08	2055.63
14.00	-476	177.60	-697.45	-32.7%	2828.60	2131.15
14.50	-544	183.89	-825.56	-37.4%	3032.23	2206.67
15.00	-612	190.18	-960.79	-42.1%	3242.98	2282.19