

Liwin Electronic Technology Co.,Ltd.



ADD: 6th floor, Guaner yongtai building no.810 chongyun road, yongping street, baiyun district,
 Tel: 86 20 66656962 Web: www.liwin.en.alibaba.com www.liwin-china.com
 Yahoo: kirbyke168@yahoo.com Msn: kirby.ke@hotmail.com Sky: davi.ke
 Email: liwinchina@liwin-china.com Company Email: liwinchina@liwin-china.com
 Kirby Ke (General Manager) Mobile: +86 15920871181

LED Work Light

Picture	Model No	Power W	Size Inch	Product Description	Packing
	LW28360W	360W	9"	*Working voltage:10-30V DC *Lamp bead specifications:36pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot(cylindrical)/Flood *Shade color: white/yellow/red/blue/green *Life: 30000H	QTY: 2pcs/ctn N.W: 5kg/pcs G.W.:17.5 KG Carton size:51*28*14
	LW29320W	320W	9"	*Working voltage:10-30V DC *Lamp bead specifications:32pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/ Flood *Life: 30000H	QTY: 4pcs/ctn N.W: 4kg/pcs G.W.:17.5 KG Carton size:52*34*32cm
	LW28320W	320W	9"	*Working voltage:10-30V DC *Lamp bead specifications:32pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/ Flood *Life: 30000H	QTY: 4pcs/ctn N.W: 4kg/pcs G.W.:15 KG
	LW0225C	225W	10"	*Working voltage:10-30V DC *Lamp bead specifications:45pc*5W OSR *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: spot *Life: 30000H	Qty: 2pcs/ctn NG:4.1kg Packing size: 24*18*14cm Carton size: 39*32*32cm
	LW0185C	185W	9"	*Working voltage:10-30V DC *Lamp bead specifications:37pc*5W OSR *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: spot *Life: 30000H	Qty: 4pcs/ctn NG:4.1kg Packing size: 24*18*14cm Carton size: 53*35*32cm

Liwin Electronic Technology Co.,Ltd.

	LW29180C	180W	9"	<p>*Working voltage:10-30V DC *Lamp bead specifications:36pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy+PC *Attachment screw: stainless steel *Light beam: Spot(cylindrical)/Flood *Shade color: white/yellow/red/blue/green *Life: 30000H</p>	<p>Qty: 2pcs/ctn NG:5kg Packing size: Carton size: 51*28*14</p>
	LW28180C	180W	9"	<p>*Working voltage:10-30V DC *Lamp bead specifications:12pc*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot *Life: 30000H *Color lampshade:white,yellow,red,blue,green</p>	<p>QTY: 4 pcs/ctn NG:3.9kg PKG size: Ctn Size: 52*34*34cm</p>
	LW0160C	160W	9"	<p>*Working voltage:10-30V DC *Lamp bead specifications:32pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless steel *Light beam: spot *Life: 30000H</p>	<p>Qty: 4pcs/ctn NG:3.5kg Packing size: 24*18*14cm Carton size: 47*30*36cm</p>
	LW29140W	140W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:28pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy+PC *Attachment screw: stainless steel *Light beam: Spot(cylindrical)/Flood *Shade color: white/yellow/red/blue/green *Life: 30000H</p>	<p>Qty: 4pcs/ctn NG:3.6kg Packing size: Carton size: 51*27*41</p>
	LW28135C	135W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:9pc*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot *Life: 30000H *Color lampshade:white,yellow,red,blue,green</p>	<p>Qty: 4pcs/ctn NG:2.8kg Packing size: Carton size: 46*26*33cm</p>
	LW32120	120W	6.3"	<p>*Working voltage:10-30V DC *Lamp bead specifications:12pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy+PC *Attachment screw: stainless steel *Light beam: Flood *Life: 30000H</p>	<p>Qty: 8pcs/ctn NG:3kg Packing size: Carton size: 40*40*32</p>
	LW31120	120W	9"	<p>*Working voltage:10-30V DC *Lamp bead specifications:24pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy+PMMA *Attachment screw: stainless steel *Light beam: Spot(cylindrical) *Shade color: white/yellow/red/blue/green *Life: 30000H</p>	<p>Qty: 4pcs/ctn NG:4kg Packing size: Carton size: 52*34*34</p>

Liwin Electronic Technology Co.,Ltd.

	LW2120C	120W	9"	<p>*Working voltage:10-30V DC *Lamp bead specifications:12pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless ste</p>	<p>Qty: 4pcs/ctn NG:4kg Packing size: 24*18*14cm Carton size: 52*34*32cm</p>
	LW0111C	111W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:37pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless steel *Light beam: flood/Spot *Life: 30000H</p>	<p>Qty: 4pcs/ctn NG:3.5kg Packing size: 24*18*14cm Carton size: 47*30*36cm</p>
	LW29105	105W	7"	<p>*Working voltage:10-30V DC **Power connector:H4 *Lamp bead specifications:105W (OSR) *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 Stainless Steel *Light beam: High Beam+Low Beam *Life: 30000H</p>	<p>Qty: 12pcs/ctn NG:1.1kg Packing size: Carton size: 49*39*34</p>
	LW0105C	105W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:21pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless steel *Light beam: flood/Spot *Life: 30000H</p>	<p>Qty: 6pcs/ctn NG:2.5kg Packing size: 24x22x13cm Carton size: 46x25x37cm</p>
	LW0100C	100W	6.3"	<p>*Working voltage:10-30V DC *Lamp bead specifications:20pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless steel *Light beam: flood *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.6kg PKG size: 21*21*16 cm Ctn Size: 41*41*33 cm</p>
	LW2896C	96W	9"	<p>*Working voltage:10-30V DC *Lamp bead specifications:32pc*3W OSR *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless steel *Light beam: spot *Life: 30000H</p>	<p>QTY: 4 pcs/ctn NG:4.1kg PKG size: 25*19*15cm Ctn Size: 53*35*33cm</p>
	LW3590	90W	6"	<p>*Working voltage:10-60V DC *Lamp bead specifications:9pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy+PC *Attachment screw: stainless steel *Light beam: Spot/Flood *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.5kg PKG size: Ctn Size: 40*40*32</p>







Liwin Electronic Technology Co.,Ltd.

	LW3490	90W	5"	<p>*Working voltage:10-30V DC *Lamp bead specifications:6pc*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless steel *Color lampshade:white/yellow/red/blue/green *Light beam: spot/flood/combo *Life: 30000H</p>	<p>QTY: 12 pcs/ctn NG:1.7kg PKG size: Ctn Size: 48*32*40cm</p>
	LW3390C	90W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:18pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 stainless steel *Light beam: spot *Life: 30000H</p>	<p>QTY: 4 pcs/ctn NG:3.4kg PKG size: 50*41*26cm Ctn Size: 58*44*28cm</p>
	LW3090C	90W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:18pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: spot *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.3kg PKG size: 40*41*40cm Ctn Size: 52*47*36cm</p>
	LW3190C	90W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:18pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/Flood *Life: 30000H</p>	<p>QTY: 4 pcs/ctn NG:3.9kg PKG size: Ctn Size: 51*27*41cm</p>
	LW2890C	90W	5.2"	<p>*Working voltage:10-30V DC *Lamp bead specifications:9pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/Flood *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.9kg PKG size: 21*19*17cm Ctn Size: 46*41*39cm</p>
	LW2885	85W	7"	<p>*Working voltage:10-30V DC **Power connector:H4 *Lamp bead specifications:85W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 Stainless Steel *Light beam: High Beam+Low Beam *Life: 30000H</p>	<p>QTY: 12 pcs/ctn NG:1.2kg PKG size: Ctn Size: 49*39*34</p>
	LW3080	80W	5"	<p>*Working voltage:10-30V DC *Lamp bead specifications:16pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/Flood *Shade color: white/yellow/red/blue/green *Life: 30000H</p>	<p>QTY: 12 pcs/ctn NG:1.7kg PKG size: Ctn Size: 48*32*40</p>


Liwin Electronic Technology Co.,Ltd.

	LW2980	80W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:16pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/Flood *Shade color: white/yellow/red/blue/green *Life: 30000H</p>	<p>QTY: 4 pcs/ctn NG:2.4kg PKG size: Ctn Size: 51*27*41</p>
	LW2880C	80W	5.5"	<p>*Working voltage:10-60V DC *Lamp bead specifications:8pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/Flood *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.4kg PKG size: 27*21*13cm Ctn Size: 49*40*36cm</p>
	LW2872C	72W	7"	<p>*Working voltage:10-30V DC **Power connector:H4 *Lamp bead specifications:7pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 Stainless Steel *Light beam: High Beam+Low Beam *Life: 30000H</p>	<p>QTY: 12 pcs/ctn NG:1.1kg PKG size: Ctn Size: 49*39*34cm</p>
	LW3170	70W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:7pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: stainless steel *Light beam: Spot/Flood *Shade color: white/yellow/red/blue/green *Life: 30000H</p>	<p>QTY: 4 pcs/ctn NG:2.2kg PKG size: Ctn Size: 50*26*41</p>
	LW3070C	70W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:7pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 Stainless Steel *Light beam: Spot *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.2kg PKG size: 40*41*40cm Ctn Size: 52*47*36cm</p>
	LW2970C	70W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:7pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot/Flood/ Combo *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.3kg PKG size: 40*41*40cm Ctn Size: 40*40*41cm</p>
	LW2870C	70W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:7pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot/Flood/ Combo *Life: 30000H</p>	<p>QTY: 8 pcs/ctn NG:2.3kg PKG size: 40*41*40cm Ctn Size: 52*47*37cm</p>













Liwin Electronic Technology Co.,Ltd.

	LW2965	65W	6.5"	*Working voltage:10-30V DC *Lamp bead specifications:13pc*5W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot/Flood *Life: 30000H	QTY: 12 pcs/ctn NG:1.2kg PKG size: Ctn Size: 42*38*34
	LW2865B	65W	6"	*Working voltage:10-30V DC *Lamp bead specifications:13pc*5W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H	PKG size:15*19*17cm Qty:12pcs/ctn Ctn Size: 48*42*38cm
	LW2963	63W	7"	*Working voltage:10-30V DC *Lamp bead specifications:21pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot/Flood *Life: 30000H	QTY: 6 pcs/ctn NG:2.5kg PKG size: 24*22*13cm Ctn Size: 46*25*37cm
	LW2863E (Black, White, Red)	63W	7"	*Working voltage:10-30V DC *Lamp bead specifications:21pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: Spot *Life: 30000H	QTY: 6 pcs/ctn NG:2.1kg PKG size: 14*11*11cm Ctn Size: 48*40*27cm
	LW4660	60W	3.9"	*Working voltage:10-30V DC *Lamp bead specifications:12pc*5W Flips *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: Spot/Flood *Life: 30000H	QTY: 20 pcs/ctn NG:0.8kg PKG size:cm Ctn Size: 59*22*25
	LW4560C	60W	7"	*Working voltage:10-30V DC *Power connector:H4 *Lamp bead specifications:12pc*5W CREE *Lamp color temperature:6000K *Lamp shell material: Diecast aluminum+PC *Attachment screw: 304 Stainless Steel*Light beam: High Beam+Low Beam *Life: 30000H	QTY: 12 pcs/ctn NG:1.7kg PKG size:cm Ctn Size: 51*46*25
	LW4460C	60W	5"	*Working voltage:10-60V DC *Lamp bead specifications:12pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: Spot/Flood *Life: 30000H	QTY: 12 pcs/ctn NG:1.5kg PKG size:cm Ctn Size: 53*35*29






Liwin Electronic Technology Co.,Ltd.

	LW4360C	60W	5"	*Working voltage:10-30V DC **Power connector:H4 *Lamp bead specifications:60W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: High Beam /Low Beam *Life: 30000H	QTY: 23 pcs/ctn NG:0.9kg PKG size:cm Ctn Size: 62*47*34cm
	LW4060C	60W	7"	*Working voltage:10-50V DC *Lamp bead specifications:12pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: Combo *Life: 30000H	QTY: 12 pcs/ctn NG:1.7kg PKG size:cm Ctn Size: 51*46*25cm
	LW3860C	60W	7"	*Working voltage:10-30V DC *Lamp bead specifications:3pc*20W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket	QTY: pcs/ctn NG:kg PKG size:cm Ctn Size:cm
	LW3960C	60W	9"	*Light beam: Spot *Life: 30000H	
	LW3160C-4D	60W	7"	*Working voltage:10-30V DC *Lamp bead specifications:12pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Alu firm bracket *Light beam: Spot (cylindrical) *Shade color: transparent/yellow *Life: 30000H	QTY: 18 pcs/ctn N.W: 2.4 kg/pcs PKG size: Ctn Size: 54*42*27
	LW3760C	60W	5.5"	*Working voltage:10-30V DC *Lamp bead specifications:10pc*6W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: Spot / Flood *Life: 30000H	QTY: 10 pcs/ctn NG:1.6kg PKG size:cm Ctn Size:cm
	LW3660C (Black, White)	60W	6.3"	*Working voltage:10-30V DC *Lamp bead specifications:12pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: Spot / Flood *Life: 30000H	QTY: 6 pcs/ctn N.W: 2.5 kg/pcs PKG size: 14*11*11 cm Ctn Size: 48*40*27 cm
	LW4160C	60W	6"	*Working voltage:10-30V DC *Lamp bead specifications:12pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: 304 Stainless Steel *Light beam: Spot *Life: 30000H	QTY: 8 pcs/ctn N.W: 2.2 kg/pcs PKG size: 40*41*40 cm Ctn Size: 52*47*36 cm








Liwin Electronic Technology Co.,Ltd.

	LW3060C	60W	7"	<ul style="list-style-type: none"> *Working voltage:10-50V DC *Lamp bead specifications:6pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 8 pcs/ctn N.W: 1.6 kg/pcs Ctn Size: 45*43*25 cm
  	LW2860C	60W	5.2"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot/flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 8 pcs/ctn N.W: 2.9 kg/pcs PKG size: 21*19*17 cm Ctn Size: 46*40*39 cm
	LW3260C	60W	7"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 8 pcs/ctn N.W: 3.1 kg/pcs PKG size: 24*21*15cm Qty:8pcs/ctn Ctn Size: 50*45*34cm
 	LW3360C	60W	7"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Alu firm bracket *Light beam: Spot /Flood *Life: 30000H 	<ul style="list-style-type: none"> PKG size: 19*9*22cm Qty:6pcs/ctn Ctn Size: 46*25*37cm
	LW2851E-H	51W	6.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:17pc*3W Epsitar *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot /Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 6 pcs/ctn N.W: 2.5 kg/pcs PKG size: 14*11*11cm Ctn Size: 48*40*27cm
	LW2851E-B				
 	LW3750	50W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:5pc*10W CREE *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.2 kg/pcs PKG size: 66*30*24 Ctn Size: 66*30*24
 	LW3650	50W	5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:5pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Flood/Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.5 kg/pcs PKG size: 53*35*29 Ctn Size: 53*35*29

Liwin Electronic Technology Co.,Ltd.

	LW3350C	50W	9"	<p>*Working voltage:10-30V DC *Lamp bead specifications:2pc*25W CREE *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: European light (diamond) *Life: 30000H</p>	<p>QTY: 4 pcs/ctn N.W: 2.5 kg/pcs PKG size: 24*18*14cm Ctn Size: 58*45*28cm</p>
	LW3450C	50W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:2pc*25W CREE *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: European light (diamond) *Life: 30000H</p>	<p>QTY: 8 pcs/ctn N.W: 2.1 kg/pcs PKG size: 24*18*14cm Ctn Size: 53*45*41cm</p>
	LW3550C	50W	4.3"	<p>*Working voltage:10-60V DC *Lamp bead specifications:5pc*10W CREE *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot/ Flood *Life: 30000H</p>	<p>QTY: 12 pcs/ctn N.W: 1.8 kg/pcs PKG size: 19*17*16cm Ctn Size: 46*41*39cm</p>
	LW2850C	50W	5.7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:5pc*10W CREE *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: 120 degree *Life: 30000H</p>	<p>QTY: 12 pcs/ctn N.W: 1.6 kg/pcs PKG size: 17*15*11cm Ctn Size: 39*38*34cm</p>
	LW3050E (Black, White)	50W	7"	<p>*Working voltage:12-24V DC *Lamp bead specifications:10pc*5W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H</p>	<p>Qty:4pcs/ctn PKG size: 20*20*24cm Ctn Size: 52*30*50cm</p>
	LW3150E (Black, White)	50W	7"	<p>*Working voltage:12-24V DC *Lamp bead specifications:10pc*5W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H</p>	<p>Qty:4pcs/ctn PKG size: 18*18*175cm Ctn Size: 50*26*47cm</p>
	LW3250C (Black, White)	50W	7"	<p>*Working voltage:10-30V DC *Lamp bead specifications:10pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H</p>	<p>Qty:4pcs/ctn PKG size: 28*25*26cm Ctn Size: 53*53.5*33cm</p>







Liwin Electronic Technology Co.,Ltd.

	LW3548	48W	5"	*Working voltage:10-30V DC *Power connector:H4 *Lamp bead specifications:10pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: High Beam+Low Beam *Life: 30000H	Qty:23pcs/ctn 0.9kg/pcs PKG size: Ctn Size: 62*47*34cm
	LW3648	48W	5"	*Working voltage:10-30V DC *Lamp bead specifications:16pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot /Flood *Life: 30000H	Qty:12pcs/ctn N.W: 1.5kg/pcs PKG size: Ctn Size: 53*35*29
	LW3448C	48W	4.4"	*Working voltage:10-30V DC *Lamp bead specifications:16pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PC *Attachment screw: Stainless Steel *Light beam: Spot /Flood *Life: 30000H	Qty:20pcs/ctn N.W: 0.9 kg/pcs PKG size: 12*8*12cm Ctn Size: 42*32*25cm
	LW3248C	48W	5"	*Working voltage:10-30V DC *Lamp bead specifications:16pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot /Flood *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.7 kg/pcs PKG size: 19*15*12cm Ctn Size: 59*32*26cm
	LW2948E 65MM	48W	4.3"	*Working voltage:10-30V DC *Lamp bead specifications:16pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot /Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 1.2 kg/pcs PKG size: 16*14*9cm Ctn Size: 36*32*50cm
	LW2948E 58MM				
	LW2948E 48MM				
	LW3845	45W	4.3"	*Working voltage:10-30V DC *Lamp bead specifications:15pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: 90/120degree *Shade color: white/yellow/red *Life: 30000H	QTY: 20 pcs/ctn N.W: 1.5 kg/pcs PKG size: Ctn Size: 58*31*25
	LW2845E	45W	6"	*Working voltage:10-30V DC *Lamp bead specifications:15pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot /Flood *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.5 kg/pcs PKG size: 19*17*9cm Ctn Size: 40*37*32cm

Liwin Electronic Technology Co.,Ltd.

	LW3045C	45W	5.5"	*Working voltage:10-30V DC *Lamp bead specifications:9pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot(cylindrical) *Lampshade color: transparent/yellow *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.7 kg/pcs PKG size: Ctn Size: 51*46*26
	LW3145C	45W	5"	*Working voltage:10-30V DC *Lamp bead specifications:9pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot /Flood *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.8 kg/pcs PKG size: 16*20*12cm Ctn Size: 45*41*37cm
	LW3245C	45W	7"	*Working voltage:10-30V DC *Lamp bead specifications:3pc*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H	QTY: 8 pcs/ctn N.W: 2 kg/pcs PKG size: 24*19*15cm Ctn Size: 53*45*41cm
	LW3745	45W	7"	*Working voltage:10-60V DC *Lamp bead specifications:3pc*15W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum+PMMA *Attachment screw: Stainless Steel *Light beam: Spot *Life: 30000H	QTY: 10 pcs/ctn N.W: 1 kg/pcs Ctn Size: 520*370*240 mm Gross Weight: 11.2 KG
	LW2945C CREE PC	45W	6"	*Working voltage:10-30V DC *Lamp bead specifications:15pc*3W *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel *Light beam: Combo Beam *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.4 kg/pcs PKG size: 20*19*10cm Ctn Size: 44*41*36cm
	LW2945E Epsitar PMMA				
	LW3645B	45W	6"	*Working voltage:10-30V DC *Lamp bead specifications:15pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel *Light beam: Combo Beam *Life: 30000H	QTY: 24 pcs/ctn N.W: 0.8 kg/pcs PKG size: 19*17*14cm Ctn Size: 56*43*33cm
	LW3345B	45W	6"	*Working voltage:10-30V DC *Lamp bead specifications:15pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel *Light beam: Combo Beam *Life: 30000H	QTY: 24 pcs/ctn N.W: 0.8 kg/pcs PKG size: 19*17*14cm Ctn Size: 56*43*33cm

Liwin Electronic Technology Co.,Ltd.

	LW2844C (Black, White)	44W	8"	*Working voltage:10-50V DC *Lamp bead specifications: 8pc*3W+4pcs*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel *Light beam: Combo Beam *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.7 kg/pcs PKG size:cm Ctn Size: 51*46*25cm
	LW3442 (Black, White)	42W	6"	*Working voltage:10-50V DC *Lamp bead specifications: 9pc*3W+1pcs*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Combo Beam *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.7 kg/pcs PKG size:cm Ctn Size: 54*42*27cm
	LW3342C (Black, White)	42W	8"	*Working voltage:10-50V DC *Lamp bead specifications: 9pc*3W+1pcs*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Combo Beam *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.7 kg/pcs PKG size:cm Ctn Size: 51*46*25cm
	LW3242C (Black, White)	42W	8"	*Working voltage:10-50V DC *Lamp bead specifications: 9pc*3W+1pcs*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Combo Beam *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.8 kg/pcs Ctn Size: 51*47*26cm
	LW3142C (Black, White)	42W	6"	*Working voltage:10-50V DC *Lamp bead specifications: 9pc*3W+1pcs*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Combo Beam *Life: 30000H	QTY: 12 pcs/ctn N.W: 1.8 kg/pcs Ctn Size: 54*43*27cm
  	LW2842E 70MM	42W	4.5"	*Working voltage:10-30V DC *Lamp bead specifications:14pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/ Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 1.1 kg/pcs PKG size: 16*14*9cm Ctn Size: 36*32*50cm
	LW2842E 60MM				
	LW2842E 50MM				
	LW4140	40W	4.4"	*Working voltage:10-60V DC *Lamp bead specifications:4pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: Ctn Size: 42*32*25

Liwin Electronic Technology Co.,Ltd.

	LW3840C	40W	6.5"	<ul style="list-style-type: none"> *Working voltage:10-60V DC *Lamp bead specifications:8pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Aluminum alloy+PMMA *Light beam: Spot/ Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*22*50cm
	LW3640C	40W	5.5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:8pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 16 pcs/ctn N.W: 1 kg/pcs PKG size: 15*13*12cm Ctn Size: 67*30*24cm
	LW2940C	40W	5"	<ul style="list-style-type: none"> *Working voltage:10-50V DC *Lamp bead specifications:4pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 8 pcs/ctn N.W: 1.2 kg/pcs Ctn Size: 43*39*21cm
 	LW3140C	40W	5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:4pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.7 kg/pcs PKG size: 19*15*12cm Ctn Size: 59*32*26cm
	LW3540C	40W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:4pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 1.2 kg/pcs PKG size: 16*14*9cm Ctn Size: 36*32*50cm
	LW3340C	40W	4.7"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:4pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.3 kg/pcs PKG size: 19*16*15cm Ctn Size: 48*38*31cm
 	LW3440C (Black, White)	40W	5.5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:4pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PMMA *Light beam: Flood/ Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 8 pcs/ctn N.W: 4.6 kg/pcs PKG size: 14*9*18cm Ctn Size: 59*29*32cm




Liwin Electronic Technology Co.,Ltd.

	LW2939	39W	5.7"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:13pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PMMA *Light beam: Flood/ Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 0.7 kg/pcs Ctn Size: 36*32*35 Gross Weight:
	LW2839	39W	7"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:13pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 10 pcs/ctn N.W: 1 kg/pcs Ctn Size: 520*370*240 mm Gross Weight: 11.2 KG
	LW3436	36W	6"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:12pc*3W OSR *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: iron+PMMA *Light beam: Spot(cylindrical) *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1 kg/pcs Ctn Size: 35*47*36 Gross Weight: 11.2 KG
	LW2936C	36W	7"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:12pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/ Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.5 kg/pcs PKG size: 23*19*11cm Ctn Size: 49*33*41cm
	LW3036B	36W	5.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:12pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 1.1 kg/pcs PKG size: 15*10*16cm Ctn Size: 49*32*34cm
	LW3336B (With switch, cigarette lighter lines, handle)	36W	6"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:12pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Aluminum allo *Attachment screw: Stainless Steel+PC *Light beam: Combo *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 1.1 kg/pcs PKG size: 15*10*16cm Ctn Size: 49*32*34cm
	LW3035	35W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:7pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum allo *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.2 kg/pcs PKG size: 66*30*24 Ctn Size: 66*30*24








Liwin Electronic Technology Co.,Ltd.

	LW2935	35W	4.5"	<p>*Working voltage:10-30V DC *Lamp bead specifications:7pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot(cylindrical)/ Flood *Shade color: white/yellow/red/blue/green *Life: 30000H</p>	<p>QTY: 8 pcs/ctn N.W: 1.2 kg/pcs PKG size: Ctn Size: 48*38*31</p>
	LW2833E	33W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:11pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H</p>	<p>QTY: 12 pcs/ctn N.W: 1.4 kg/pcs PKG size: 19*17*9cm Ctn Size: 41*37*32cm</p>
	LW3930	30W	3"	<p>*Working voltage:10-30V DC *Lamp bead specifications:6pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/Flood *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.7kg/pcs PKG size: Ctn Size: 54*23*28</p>
	LW3830	30W	3"	<p>*Working voltage:10-30V DC *Lamp bead specifications:6pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/Flood *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.7kg/pcs PKG size: Ctn Size: 54*23*28</p>
	LW3730	30W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:6pc*5W *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: iron+PMMA *Light beam: Spot(cylindrical) *Life: 30000H</p>	<p>QTY: 10 pcs/ctn N.W: 1 kg/pcs PKG size: Ctn Size: 35*47*36</p>
	LW3630C	30W	4"	<p>*Working voltage:10-30V DC *Lamp bead specifications:3pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 1.1 kg/pcs PKG size: 15*13*12cm Ctn Size: 64*30*35cm</p>
	LW3530C	30W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:6pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood/Spot *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*22*50cm</p>








Liwin Electronic Technology Co.,Ltd.

	LW3430B	30W	4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:10pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Combo Beam *Life: 30000H 	<ul style="list-style-type: none"> QTY: 24 pcs/ctn N.W: 1.4 kg/pcs PKG size: 20*19*10cm Ctn Size: 44*41*36cm
	LW3330C	30W	5.5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:2pc*15W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.2 kg/pcs PKG size: 17*14*15cm Ctn Size: 43*36*32cm
	LW2830C	30W	4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 1.2 kg/pcs PKG size: 15*13*12cm Ctn Size: 65*31*36cm
	LW2930C	30W	5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:30pc*1W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 12 pcs/ctn N.W: 1.7 kg/pcs PKG size: 20*16*11cm Ctn Size: 45*37*38cm
	LW3030C	30W	5.5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:3pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Flood/ Spot *Life: 30000H 	<ul style="list-style-type: none"> PKG size: 26*22*19cm Qty:8pcs/ctn Ctn Size: 52.5*44*40cm
	LW3130E (Black, White)	30W	7"	<ul style="list-style-type: none"> *Working voltage:12-24V DC *Lamp bead specifications:6pc*5W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> PKG size: 20*20*24cm Qty:4pcs/ctn Ctn Size: 52*30*50cm
	LW3230E (Black, White)	30W	7"	<ul style="list-style-type: none"> *Working voltage:12-24V DC *Lamp bead specifications:6pc*5W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> PKG size: 18*18*17.5cm Qty:4pcs/ctn Ctn Size: 50*26*47cm

Liwin Electronic Technology Co.,Ltd.

	LW3327C	27W	4.4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:9pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot/ Flood *Life: 30000H 	QTY: 20 pcs/ctn N.W: 1 kg/pcs PKG size: 12*8*12cm Ctn Size: 42*33*26cm
	LW2927E/ 55cm	27W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:9pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PMMA *Light beam: Spot/ Flood *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 15*12*7cm Ctn Size: 37*34*28cm
	LW2927E/ 50cm				
	LW2927E/ 45cm				
	LW2927E/ 35cm				
	LW3027E/ 55cm	27W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:9pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 15*12*7cm Ctn Size: 37*34*28cm
	LW3027E/ 50cm				
	LW3027E/ 45cm				
	LW3027E/ 35cm				
	LW3127C	27W	5.8"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:9pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H 	QTY: 12 pcs/ctn N.W: 1.5 kg/pcs PKG size: 23*19*11cm Ctn Size: 49*33*41cm
	LW2925C	25W	4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:1pc*25W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot *Life: 30000H 	QTY: 12 pcs/ctn N.W: 2 kg/pcs PKG size: 24*18*14cm Ctn Size: 53*45*41cm
	LW2825C (Black, White)	25W	4.2"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:1pc*25W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+Tempered glass *Light beam: Flood *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 16*12*9cm Ctn Size: 50*36*27cm
	LW3924	24W	6.3"	<ul style="list-style-type: none"> *Working voltage:10-60V DC *Lamp bead specifications:8pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Aluminum alloy+PMMA *Light beam: Flood/Spot *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.45 kg/pcs Ctn Size: 350*320*280 mm Gross Weight: 14.1 KG








Liwin Electronic Technology Co.,Ltd.

	LW3024E	24W	4.3"	*Working voltage:10-30V DC *Lamp bead specifications:8pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 7*15*12cm Ctn Size: 38*36*29cm
	LW2824E	24W	4.3"	*Working voltage:10-30V DC *Lamp bead specifications:8pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 7*15*12cm Ctn Size: 38*36*29cm
	LW3424B-4D	24W	6"	*Working voltage:10-30V DC *Lamp bead specifications:8pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.8 kg/pcs PKG size: 16*12*9cm Ctn Size: 50*36*28cm
	LW3424B	24W	6"	*Working voltage:10-30V DC *Lamp bead specifications:8pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.8 kg/pcs PKG size: 16*12*9cm Ctn Size: 50*36*28cm
	LW3524B	24W	4.5"	*Working voltage:10-30V DC *Lamp bead specifications:8pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 15*12*6cm Ctn Size: 38*35*29cm
	LW4024	24W	5.5"	*Working voltage:10-30V DC *Lamp bead specifications:8pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs Ctn Size: 48*34*26
	LW3624B	24W	4.3"	*Working voltage:10-30V DC *Lamp bead specifications:8pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 15*12*6cm Ctn Size: 38*35*29cm







Liwin Electronic Technology Co.,Ltd.

	LW2821B	21W	4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:7pc*3W Brodgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 16*12*9cm Ctn Size: 51*37*28cm
	LW3920	20W	4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:4pc*5W FIHPILS *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Combo *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: 46*27*22 Ctn Size: 46*27*22
	LW3820	20W	6.3"	<ul style="list-style-type: none"> *Working voltage:10-60V DC *Lamp bead specifications:20pc*1W FIHPILS *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PMMA *Light beam: Flood/Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 30 pcs/ctn N.W: 0.3 kg/pcs PKG size: 35*29*26 Ctn Size: 35*29*26
	LW3720	20W	3.2"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:4pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PMMA *Light beam: Flood *Life: 30000H *With EMC 	<ul style="list-style-type: none"> QTY: 18 pcs/ctn N.W: 0.7 kg/pcs PKG size: 33*23*42cm Ctn Size: 33*23*42cm
	LW2920C (Black, White)	20W	4.2"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:1pc*20W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PMMA *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 16*12*9cm Ctn Size: 50*36*27cm
	LW2820C	20W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:2pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 13*11*8cm Ctn Size: 30*26*43cm
	LW3220C Color lampshade: White/red/yell ow/blue/green	20W	3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:2pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy *Attachment screw: iron+PMMA *Light beam: Spot *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.45 kg/pcs Ctn Size: 660*300*230 mm Gross Weight: 10 KG









Liwin Electronic Technology Co.,Ltd.

	LW3520-4D can choose colourful	20W	3"	*Working voltage:10-30V DC *Lamp bead specifications:2pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy *Attachment screw: stainless steel+PMMA *Light beam: Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: 15*13*12cm Ctn Size: 67*31*24cm
	LW3620 can choose colourful	20W	3"	*Working voltage:10-30V DC *Lamp bead specifications:2pc*10W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy *Attachment screw: stainless steel+PMMA *Light beam: Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.45 kg/pcs Ctn Size: 66*30*23 Cm Gross Weight: 10 KG
	LW4318	18W	3.5"	*Working voltage:10-30V DC *Lamp bead specifications:6pc*3Wr *Lamp color temperature:6000K/3000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot(cylindrical) *Life: 30000H	QTY: 320 pcs/ctn N.W: 0.5 kg/pcs Ctn Size: 27*23*40 Gross Weight: KG
	LW4218	18W	6.3"	*Working voltage:10-60V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H	QTY: 30 pcs/ctn N.W: 0.5 kg/pcs Ctn Size: 35*29*26 Gross Weight: KG
	LW4018	18W	3.2"	*Working voltage:10-60V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.5 kg/pcs Ctn Size: 160*115*90 mm Gross Weight: 10.7 KG
	LW4018-4D (Black, White)	18W	3"	*Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot/ Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 16*12*9cm Ctn Size: 50*36*27cm
	LW4518	18W	4"	*Working voltage:10-30V DC *Lamp bead specifications:6pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Wide Flood /Full Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size:46*27*22

Liwin Electronic Technology Co.,Ltd.

	LW4418	18W	4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Combo *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 46*27*22
	LW3918C	18W	4.4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 15*12*7cm Ctn Size: 37*34*28cm
	LW3818B	18W	3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Bridgelux *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H 	QTY: 80 pcs/ctn N.W: 0.5 kg/pcs PKG size: 18*6*11cm Ctn Size: 65*37*22cm
	LW3018E	18W	6.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*23*51cm
	LW3018E-4D	18W	6.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*23*51cm
	LW4118	18W	6.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*23*51cm
	LW3218E	18W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H 	QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 13*11*8cm Ctn Size: 31*26*43cm

Liwin Electronic Technology Co.,Ltd.

	LW2918E	18W	4.5"	*Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 15*13*5cm Ctn Size: 35*31*30cm
	LW3418C-H	18W	3"	*Working voltage:10-30V DC *Lamp bead specifications:6pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H	QTY: 18 pcs/ctn N.W: 0.8 kg/pcs PKG size: 11*10*12cm Ctn Size: 36*26*43cm
	LW3418C-B				
	LW3618C-H	18W	3"	*Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Bridgelux *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 15*13*12cm Ctn Size: 36*31*65cm
	LW3618E-B				
	LW2818E	18W	4.5"	*Working voltage:10-30V DC *Lamp bead specifications:6pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 15*13*5cm Ctn Size: 35*31*30cm
	LW3016C-H	16W	3"	*Working voltage:10-30V DC *Lamp bead specifications:4pc*4W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: Spot *Life: 30000H	QTY: 18 pcs/ctn N.W: 0.8 kg/pcs PKG size: 11*10*12cm Ctn Size: 36*26*43cm
	LW3016C-B				
	LW3216W-4D	16W	3"	*Working voltage:10-30V DC *Lamp bead specifications:4pc*4W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: spot/flood *Life: 30000H	QTY: 18 pcs/ctn N.W: 0.8 kg/pcs PKG size: 11*10*12cm Ctn Size: 36*26*43cm
	LW3216W-5D	16W	3"	*Working voltage:10-30V DC *Lamp bead specifications:4pc*4W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs PKG size: 42*40*27 Ctn Size:
	LW2816C-H	16W	3"	*Working voltage:10-30V DC *Lamp bead specifications:4pc*4W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum	QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 15*13*12cm

Liwin Electronic Technology Co.,Ltd.

		LW2816E-B				*Attachment screw: Stainless Steel+PC *Light beam: spot/flood *Life: 30000H	Ctn Size: 36*30*65cm
		LW2816-4D	16W	3"		*Working voltage:10-60V DC *Lamp bead specifications:4pc*4W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: spot/flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.55 kg/pcs Ctn Size: 550*280*230 mm Gross Weight: 11.6 KG
		LW2816-5D	16W	3"		*Working voltage:10-30V DC *Lamp bead specifications:4pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.9 kg/pcs Ctn Size: 42*40*27
		LW3415C	15W	3"		*Working voltage:10-30V DC *Lamp bead specifications:1pc*15W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: spot/flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 15*13*12cm Ctn Size: 67*31*24cm
		LW3115C (Black, White)	15W	3.6"		*Working voltage:10-30V DC *Lamp bead specifications:1pc*15W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 15*12*10cm Ctn Size: 49*24*33cm
		LW3015E-5D	15W	5.7"		*Working voltage:10-30V DC *Lamp bead specifications:5pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*23*51cm
		LW3015E	15W	5.7"		*Working voltage:10-30V DC *Lamp bead specifications:5pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*23*51cm
		LW3015E-B	15W	5.7"		*Working voltage:10-30V DC *Lamp bead specifications:5pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 19*10*9cm Ctn Size: 45*23*51cm




Liwin Electronic Technology Co.,Ltd.

	LW2915E	15W	4.3"	<p>*Working voltage:10-30V DC *Lamp bead specifications:5pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: flood/Spot *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.7 kg/pcs PKG size: 15*13*5cm Ctn Size: 35*31*30cm</p>
	LW2815E	15W	4.3"	<p>*Working voltage:10-30V DC *Lamp bead specifications:5pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: flood/Spot *Life: 30000H</p>	<p>QTY: 80 pcs/ctn N.W: 0.5 kg/pcs PKG size: 18*6*11cm Ctn Size: 65*37*22cm</p>
	LW3712	12W	4"	<p>*Working voltage:10-30V DC *Lamp bead specifications:4pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Combo *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 46*27*22</p>
	LW3612	12W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:4pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 35*31*49</p>
	LW3512	12W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:4pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 35*31*49</p>
	LW3412	12W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:4pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 35*31*49</p>
	LW3312	12W	6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:4pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H</p>	<p>QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 35*31*49</p>





Liwin Electronic Technology Co.,Ltd.

		LW2812E	12W	3.2"	*Working voltage:10-30V DC *Lamp bead specifications:4pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: 13*9*10cm Ctn Size: 50*31*25cm
		LW3212	12W	3.1"	*Working voltage:10-60V DC *Lamp bead specifications:4pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: flood/Spot *Life: 30000H	QTY: 60 pcs/ctn N.W: 0.3 kg/pcs Ctn Size: 530*240*140 mm Gross Weight: 18 KG
		LW2912E	12W	3"	*Working voltage:10-30V DC *Lamp bead specifications:4pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PMMA *Light beam: flood/Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.6 kg/pcs PKG size: 10*9*8cm Ctn Size: 50*29*21cm
		LW3810	10W	3"	*Working voltage:10-30V DC *Lamp bead specifications:2pc*5W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 35*31*49
		LW3710	10W	4"	*Working voltage:10-30V DC *Lamp bead specifications:2pc*5W CREE *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot *Life: 30000H	QTY: 24 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 35*31*49
		LW3610	10W	2.5"	*Working voltage:10-60V DC *Lamp bead specifications:1pc*10W CREE *Lamp color temperature:6500K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot/Flood *Life: 30000H	QTY: 24 pcs/ctn N.W: 0.5 kg/pcs PKG size: Ctn Size: 41*40*27
	LW3410	10W white	3.6"	*Working voltage:10-30V DC *Lamp bead specifications:2pc*5W CREE/ 2pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Aluminum alloy *Attachment screw: Stainless Steel+PMMA *Light beam: flood *Life: 30000H	QTY: 20 pcs/ctn N.W: 0.3 kg/pcs PKG size: Ctn Size: 45*25*19cm	
	LW2906	6W Blue				

Liwin Electronic Technology Co.,Ltd.

	LW3510	10W	3"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:2pc*4W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot/Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: pcs/ctn N.W: kg/pcs PKG size:cm Ctn Size:cm
	LW2910C	10W	2.5"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:1pc*10W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.5 kg/pcs PKG size: 10*9*8cm Ctn Size: 50*29*21cm
	LW2810C	10W	2"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:1pc*10W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.4 kg/pcs PKG size: 11*10*7cm Ctn Size: 55*28*19cm
	LW3210C	10W	2"	<ul style="list-style-type: none"> *Working voltage:10-60V DC *Lamp bead specifications:1pc*10W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.4 kg/pcs PKG size: 11*10*7cm Ctn Size: 55*28*19cm
	LW2809E	9W	4.3"	<ul style="list-style-type: none"> *Working voltage:10-60V DC *Lamp bead specifications:3pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 20 pcs/ctn N.W: 0.9 kg/pcs Ctn Size: 28*23*30cm
	LW3009	9W	2.4"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:3pc*3W CREE *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot *Life: 30000H *With EMC 	<ul style="list-style-type: none"> QTY: 20pcs/ctn N.W: 0.4kg/pcs PKG size:cm Ctn Size:45*25*19cm
	LW2909B	9W	3.2"	<ul style="list-style-type: none"> *Working voltage:10-30V DC *Lamp bead specifications:3pc*3W Epsitar *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Stainless Steel+PC *Light beam: Spot/Flood *Life: 30000H 	<ul style="list-style-type: none"> QTY: 40 pcs/ctn N.W: 0.3 kg/pcs PKG size: 13*9*10cm Ctn Size: 50*30*25cm

Liwin Electronic Technology Co.,Ltd.

	LW3006	6W	3.6"	<p>*Working voltage:10-30V DC *Lamp bead specifications:33*0.2W *Lamp color temperature:6000K *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Flood *Life: 30000H</p>	<p>QTY: 50pcs/ctn N.W: 0.3kg/pcs PKG size:cm Ctn Size:40*25*28cm</p>
	LW2806C	6W	6.3"	<p>*Working voltage:10-30V DC *Lamp bead specifications:2pc*3W CREE *Lamp color temperature:6000K/3000k *Lamp shell material:Diecast aluminum *Attachment screw: Alu firm bracket+PC *Light beam: Spot/Flood *Life: 30000H</p>	<p>QTY: pcs/ctn N.W: kg/pcs PKG size:cm Ctn Size:cm</p>
	LW-001			<p>relay for led bars lights: DT joint PKG size: 3.5M</p>	
	LW-002			<p>relay for led bars lights: DT joint PKG size: 3.5M</p>	