

## 9W Economic LED Ceiling Lamp Specifications

### 1. Features

- ◆ Energy conservation, environmental protection, low heat radiation, fast security response.
- ◆ Energy-Saving, surface temperature <math><60^{\circ}\text{C}</math>.
- ◆ Has the absolute advantages of energy saving, environmental friendly, easy to control, and free of UV, etc.
- ◆ High color rendering index, the original color reproduction, clearer vision.
- ◆ Products with long life and super bright SMD LED, the product life of up to 30,000 hours, is 10 times the traditional fluorescent tube.
- ◆ The products have been certified by CE, ROHS certification.

**CE RoHS**

### 2. Application

- ◆ Its products are widely used in homes, offices, hotels, shopping malls, hospitals, schools, government departments, industrial lighting, automotive lighting and other lighting applications.


### 3. Technical Specifications

Model No.	JCL009W8C07	JCL009N7C07	JCL009S7C07
Color Temperature	27000-3500K	4000-5000K	5700-6300K
Luminous Flux	550lm $\pm$ 10%	600lm $\pm$ 10%	650lm $\pm$ 10%
Color Rendering Index(R)	>80	>70	>70
LED Quantity	7 PCS		
Input	AC 85-264V, 47-63HZ		
Input Power	9W $\pm$ 15%		
LED Power	7W		
Power Factor	>0.9		
Type of Power	External Installation and Isolation		
Operation Ambient Temperature	-20 $^{\circ}$ C ~ 40 $^{\circ}$ C		
Storage Ambient Temperature	-20 $^{\circ}$ C ~ 50 $^{\circ}$ C		
Operation Ambient Humidity	10% ~ 90%		
Shell Material	Unique Aluminum Shell and Lens		
Beam Angle	30 $^{\circ}$ /45 $^{\circ}$ /60 $^{\circ}$		
Product Dimensions	D110 $\times$ L55mm		
Mounting Dimensions	$\phi$ 95mm		
Packaging Dimensions	Paper Box: L150 $\times$ W132 $\times$ H70mm		
	Carton: L475 $\times$ W555 $\times$ H405mm		
Packaging Quantity	60PCS/Carton		
Packaging	12 $\times$ 5		
GW	30.4KG		
Product Life Time	$\geq$ 30,000 Hrs		

Figure:



Dimensional Drawings:



IES Diagram:

