

Mesh Cutting Machine










规格参数 : specification :

网机型号Model	Mesh width	钢筋直径 Wire diameter	钢筋材料Material	钢筋间距 Space	剪网机型号 Mesh cutting machine type
舒乐板焊机1200 Welded Wire Mesh Welding Machine	1200	1.5-2.4	低碳钢Low carbon steel	50-200	简易剪网机1×1300 Primitive 1×1300
养殖网焊机1200 Animal cages mesh machine	1200	2.0-3.5	低碳钢Low carbon steel	50-200	简易剪网机2×1600 Primitive 2×1600
建筑网焊机1200 Construction mesh welding machine	1200	2.0-4.0	低碳钢Low carbon steel	50-200	精密剪网机3×1300 Precise 3×1300
	1200	3.0-5.0	低碳钢Low carbon steel	50-200	精密剪网机3×1600 Precise 3×1600
	1600	3.0-5.0	低碳钢Low carbon steel	50-200	精密剪网机3×2100 Precise 3×2100
全自动钢筋网焊接生产线II型 Full automatic reinforcing mesh production line II	2100	3.0-5.0	低碳钢Low carbon steel	50-200	精密剪网机3×2500 Precise 3×2500
	2500	3.0-5.0	低碳钢Low carbon steel	50-200	高速精密剪网机3×2500 High speed and precise 3×2500
全自动钢筋网焊接生产线II型 Full automatic reinforcing mesh production line II		3.0-5.0	低碳钢Low carbon steel	50-200	高速精密剪网机6×2500 High speed and precise 6×2500
		5.0-8.0	低碳钢、标准建筑钢筋 Low carbon steel, standard construction reinforced	50-200	高速精密剪网机8×2500 High speed and precise 8×2500
		5.0-12.0		100-300	



Mesh Rolling Machine







规格参数 : specification :

项目Item	方管卷网机2500 Standard mesh rolling machine	自动卸网卷网机2500 Automatic mesh rolling and unloading machine
 钢筋直径Wire diameter	3-6 mm	3-6 mm
 钢筋间隔Wire space	100 mm	100 mm
 网卷外径coil external diameter	≤840 mm	≤840 mm
 最大网宽Max. mesh width	2500 mm	2500 mm
 工作速度Rolling speed	18 r/min	16r/min
 网卷内径Coil internal diameter	240 mm	240 mm
 网卷长度Mesh rolling length	≤50 m	≤50 m
 网卷重量Max. weight	≤800kg	≤800kg
 卷网动力Mesh rolling motor	1.5kw	1.5kw



Wire Straightening and Cutting Machine

规格参数 : specification :

项目Item	调直切断机 wire straightening and cutting machine (3-6) mm	调直切断机 wire straightening and cutting machine (6-12) mm
 钢筋直径wire diameter	3-6mm	6-12mm
 剪切长度cutting length	0.8-6m	0.8-12m
 工作速度Welding Speed	80-100m/min	90-120m/min
 叼丝动力Wire holding motor	2.2kw	与调直共用 share with straightening
 切丝动力wire cutting motor	1.5kw	4kw
 调直动力Wire straightening motor	4kw	22kw
 落料长度customized cutting length	3/6m	3/6/9/12m

