



**atli**

杭州腾力



*Creaf Value For Customers*



**atlipower**

**HANGZHOU ATLI AUTO ACCESSORIES CO.,LTD.**

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1019

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1020B

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1021A

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1021B

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1021C

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1022A

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1022B

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1022C

Product Size: 13x6.6x1.6  
Working tem.: -20°C/-80°C  
Output: 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity: 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

ATJS-1001



Product Size : 13x6.6x1.6  
Working tem. : -20 °C /-80 °C  
Output : 5v=2A 12V=2A(vehicle output),  
19v=3.5A Import:12V/A  
Capacity : 12000mAh

**ATPI-8080Y**



Max power:80W(10win)  
Continuous power:70W  
Peak power:160W  
Input voltage:DC 12V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:140x73x73mm  
Packing:Color Box,30pcs/ctn  
G.W/N.W:13.0/12.0kgs  
Means:46.5x41x36.5cm/ctn

**ATPI-8083Y**



Continuous power:150W  
Peak power:300W  
Input voltage:DC 12V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:150x73x73mm  
Packing:Color Box,30pcs/ctn  
G.W/N.W:15.0/14.0kgs  
Means:44x41x36.5cm/ctn

**ATPI-8084Y**



Continuous power:200W  
Peak power:400W  
Input voltage:DC 12V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:150x73x73mm  
Packing:Color Box,30pcs/ctn  
G.W/N.W:15.0/14.0kgs  
Means:44x41x36.5cm/ctn

**ATPI-8091U**



Continuous power:150W  
Peak power:300W  
Input voltage:DC 12V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:152x103x61mm  
Packing:Blister,20pcs/ctn  
G.W/N.W:16.3/14.8kgs  
Means:44x36.5x25cm/ctn

**ATPI-8092U**



Continuous power:200W  
Peak power:400W  
Input voltage:DC 12V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:152x103x61mm  
Packing:Blister,20pcs/ctn  
G.W/N.W:16.3/14.8kgs  
Means:44x36.5x25cm/ctn

**ATPI-8093U**



Continuous power:300W  
Peak power:600W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:185x103x60mm  
Packing:Blister,10pcs/ctn  
G.W/N.W:10.2/9.2kgs  
Means:57.5x34x23cm/ctn

**ATPI-8094U**



Continuous power:400W  
Peak power:800W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:140x73x73mm  
Packing:Blister,10pcs/ctn  
G.W/N.W:10.8/9.8kgs  
Means:57.5x34x23cm/ctn

**ATPI-8095U**



Continuous power:500W  
Peak power:1000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/- 10%  
Frequency:50+/- 3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:240x103x60mm  
Packing:Blister,10pcs/ctn  
G.W/N.W:13.5/12.5kgs  
Means:57.5x34x23cm/ctn

**ATPI-8096U**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 240X103X60mm  
Packing: Blister, 10pcs/ctn  
G.W/N.W: 13.5/12.5kgs  
Means: 57.5x34x23cm/ctn

**ATPI-8097U**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 210x167x70  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 9.0/8.4kgs  
Means: 59.5x25.5x23.5cm/ctn

**ATPI-8098U**



Continuous power: **800W**  
Peak power: **1600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 210x167x70  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 9.0/8.4kgs  
Means: 59.5x25.5x23.5cm/ctn

**ATPI-8099U**



Continuous power: **1000W**  
Peak power: **2000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 210x167x70  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11.3/110.6kgs  
Means: 59.5x25.5x23.5cm/ctn

**ATPI-80101U**



Continuous power: **1200**  
Peak power: **2400**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 210x167x70mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11.7/10.7kgs  
Means: 46.5x41x36.5cm/ctn

**ATPI-80102U**



Continuous power: **1500W**  
Peak power: **3000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 270x160x70mm  
Packing: Color Box, 30pcs/ctn  
G.W/N.W: 14.0/13.0kgs  
Means: 59.5x31x23.5cm/ctn

**ATPI-80104U**



Continuous power: **2000W**  
Peak power: **4000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 380x218x100  
Packing: Color Box, 2pcs/ctn  
G.W/N.W: 12.1/11.5kgs  
Means: 47.5x31x29.5cm/ctn

**ATPI-80105U**



Continuous power: **2500W**  
Peak power: **5000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 420x218x100  
Packing: Color Box, 2pcs/ctn  
G.W/N.W: 14.0/13.2kgs  
Means: 47.5x31x29.5cm/ctn

**ATPI-8106U**



Continuous power:3000W  
Peak power:6000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/-10%  
Frequency:50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:420X218X100mm  
Packing:Color Box,2pcs/ctn  
G.W/N.W:14.0/13.2  
Means:47.5x31x29.5cm/ctn

**ATPI-8800U**



Continuous power:800W  
Peak power:1600W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
AC110V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:420X218X100mm  
Packing:Color Box,10pcs/ctn  
G.W/N.W:21.5/20.5kgs  
Means:56x30.5x35cm/ctn

**ATPI-81000**



Continuous power:1000W  
Peak power:2000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
AC110V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:250X130X65mm  
Packing:Color Box,10pcs/ctn  
G.W/N.W:22/21kgs  
Means:56x30.5x35cm/ctn

**ATPI-81500**



Continuous power:1500W  
Peak power:3000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
AC110V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:280X130X65mm  
Packing:Color Box,10pcs/ctn  
G.W/N.W:22/21kgs  
Means:45.5x33.5x35cm/ctn

**ATPI-82000**



Continuous power:2500W  
Peak power:5000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
AC110V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:420x200x102mm  
Packing:Color Box,3pcs/ctn  
G.W/N.W:17.7/16.7kgs  
Means:49x42.5x25cm/ctn

**ATPI-83000**



Continuous power:3000W  
Peak power:6000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
AC110V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:420x200x102mm  
Packing:Color Box,3pcs/ctn  
G.W/N.W:19.3/18.5kgs  
Means:49x42.5x25cm/ctn

**ATPI-8093U-D**



Continuous power:300W  
Peak power:600W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/-10%  
Frequency:50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:195x103x60mm  
Packing:Blister,10pcs/ctn  
G.W/N.W:10.2/9.2kgs  
Means:57.5x34x23cm/ctn

**ATPI-8094U-D**



Continuous power:400W  
Peak power:800W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/-10%  
Frequency:50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:195x103x60mm  
Packing:Blister,10pcs/ctn  
G.W/N.W:10.4/9.4kgs  
Means:57.5x34x23cm/ctn

**ATPI-8195U-D**



Continuous power: **500W**  
Peak power: **1000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 245x103x60mm  
Packing: Blister, 10pcs/ctn  
G.W/N.W: 13.5/12.5kgs  
Means: 57.5x34x23cm/ctn

**ATPI-8096U-D**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 245x103x60mm  
Packing: Blister, 10pcs/ctn  
G.W/N.W: 13.7/12.7kgs  
Means: 57.5x34x23cm/ctn

**ATPI-8097U-D**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 213x165x70mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 9.0/8.4kgs  
Means: 59x31x23.5cm/ctn

**ATPI-8098U-D**



Continuous power: **800W**  
Peak power: **1600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 213x165x70mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 9.0/8.4kgs  
Means: 59x31x23.5cm/ctn

**ATPI-8099U-D**



Continuous power: **1000W**  
Peak power: **2000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 245x165x70mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11.5/10.5kgs  
Means: 59x31x23.5cm/ctn

**ATPI-8101U-D**



Continuous power: **1200W**  
Peak power: **2400W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 245x165x70mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11.7/10.7kgs  
Means: 59x31x23.5cm/ctn

**ATPI-80102U-D**



Continuous power: **1500W**  
Peak power: **3000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
  
Product Size: 270x165x70mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 14.0/13.0kgs  
Means: 59x31x23.5cm/ctn

**ATPI-8125U**



Continuous power: **300W**  
Peak power: **600W**  
Input voltage: DC 12V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
  
Product Size: 222x115x65mm  
Packing: Color Box, 10pcs/ctn  
G.W/N.W: 10.5/10kgs  
Means: 36.5x28.5x45cm/ctn

**ATPI-8126U**



Continuous power: **420W**  
Peak power: **840W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 230x115x65mm  
Packing: Color Box, 10pcs/ctn  
G.W/N.W: 10.5/10kgs  
Means: 36.5x28.5x45cm/ctn

**ATPI-8127U**



Continuous power: **500W**  
Peak power: **1000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 228x115x65mm  
Packing: Color Box, 10pcs/ctn  
G.W/N.W: 12.7/12.5kgs  
Means: 36.5x28.5x45cm/ctn

**ATPI-8128U**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 228x115x65mm  
Packing: Color Box, 10pcs/ctn  
G.W/N.W: 12.8/12.6kgs  
Means: 36.5x28.5x45cm/ctn

**ATPI-8129U**



Continuous power: **800W**  
Peak power: **1600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 255x185x85mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11/10.6kgs  
Means: 63x31.5x64.5cm/ctn

**ATPI-8130U**



Continuous power: **1000W**  
Peak power: **2000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 255x185x55mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11/10.6kgs  
Means: 63x31.5x25.5cm/ctn

**ATPI-8131U**



Continuous power: **1200W**  
Peak power: **2400W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 307x185x85mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 14.4/13.6kgs  
Means: 63x36.5x25.5cm/ctn

**ATPI-80132U**



Continuous power: **1500W**  
Peak power: **3000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 307x185x85mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 14.6/13.8kgs  
Means: 63x36.5x25.5cm/ctn

**ATPI-3003U**



Continuous power: **300W**  
Peak power: **600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
Product Size: 185x146x63mm  
Packing: Color Box, 10pcs/ctn  
G.W/N.W: 11.5/10.5  
Means: 39x21x36cm/ctn



**ATPI-3004U**



Continuous power: **400W**  
Peak power: **800W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 185x146x63mm  
Packing: Color Box, 10pcs/ctn  
G.W/N.W: 11.5/10.5kgs  
Means: 39x21x36cm/ctn

**ATPI-3005U**



Continuous power: **500W**  
Peak power: **1000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 242x146x63mm  
Packing: Color Box, 10pcs/ctn  
Means: 40.5x26.5x36cm/ctn

**ATPI-3006U**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 242x146x63mm  
Packing: Color Box, 10pcs/ctn  
Means: 40.5x26.5x36cm/ctn

**ATPI-3010U**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 175x216x74mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 10.5/9.5kgs  
Means: 62.5x26.5x25.5cm/ctn

**ATPI-3011U**



Continuous power: **800W**  
Peak power: **1600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 175x216x74mm  
Packing: Color Box, 3pcs/ctn  
Means: 62.5x26.5x25.5cm/ctn  
G.W/N.W: 10.5/9.5kgs

**ATPI-3021U**



Continuous power: **1000W**  
Peak power: **2000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 255x243x84mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 13.5/12.5kgs  
Means: 66x33.5x29.5cm/ctn

**ATPI-3022U**



Continuous power: **1200W**  
Peak power: **2400W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 255x243x84mm  
Packing: Color Box, 5pcs/ctn  
Means: 62.5x29x27cm/ctn

**ATPI-3023U**



Continuous power: **1500W**  
Peak power: **3000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 315x243x84mm  
Packing: Color Box, 5pcs/ctn  
Means: 62.5x32x27cm/ctn

ATPI-8030U



Max power:75W(10win)  
Continuous power:60W  
Peak power:150W  
Input voltage:DC 12V  
Output voltage:AC 100V-120V/AC220V-240V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave

Product Size:120X60X39mm  
Packing:Blister,50pcs/ctn  
G.W/N.W:11.6/9.6kgs  
Means:47.5x29x57 cm/ctn

ATPI-8030U-A



ATPI-8030U-B



ATPI-8030U-C



ATPI-8030U-D



ATPI-8032U



Max power:75W(10win)  
Continuous power:60W  
Peak power:150W  
Input voltage:DC 12V  
Output voltage:AC 100V-120V/AC220V-240V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave

Product Size:127x65x35mm  
Packing:Blister,50pcs/ctn  
G.W/N.W:12.5/10.5kgs  
Means:47.5x29x57 cm/ctn

ATPI-8032U-A



ATPI-8032U-B



ATPI-8032U-C



ATPI-8032U-D



ATPI-8175U



Continuous power:175W  
Peak power:350W  
Input voltage:DC 12V  
Output voltage:AC 100V-120V /AC220V-240V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:95x75x49mm  
Packing:Blister,40pcs/ctn  
G.W/N.W:11.5/9.7kgs  
Means:56.5x35x37.5cm/ctn

ATPI-8081Y



Continuous power:150W  
Peak power:300W  
Input voltage:DC 12V  
Output voltage:AC 100V-120V /AC220V-240V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave.  
Product Size:150x73x73mm  
Packing:Color Box,30pcs/ctn  
G.W/N.W:15.0/14.0kgs  
Means:4x41x46.5cm/ctn

ATPI-8081N



Continuous power: 150W  
Peak power: 300W  
Input voltage: DC 12V  
Output voltage: AC 100V-120V/AC220V-240V  
Frequency: 60+/-3HZ 50+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 115x83x29mm  
Packing: Blister, 40pcs/ctn  
G.W/N.W: 12.5/10.4kgs  
Means: 47.5x29x57cm/ctn

ATPI-8081N-A



ATPI-8023U



Continuous power: 150W  
Peak power: 300W  
Input voltage: DC 12V  
Output voltage: AC 100V-120V  
AC220V-240V  
Frequency: 60+/-3HZ 50+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
Product Size: 130x73x48mm  
Packing: Blister, 40pcs/ctn  
G.W/N.W: 9.6/8.0  
Means: 59.5x32x29.5cm/ctn

ATPI-8023U-B



Continuous power: 150W  
Peak power: 300W  
Input voltage: DC 12V  
Output voltage: AC 100V-120V  
AC220V-240V  
Frequency: 60+/-3HZ 50+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
Product Size: 90x75x48mm  
Packing: Blister, 40pcs/ctn  
G.W/N.W: 12/10  
Means: 59.5x38.5x37.5cm/ctn

ATPI-3023U



Continuous power: 150W  
Peak power: 300W  
Input voltage: DC 12V  
Output voltage: AC 100V-120V  
AC220V-240V  
Frequency: 60+/-3HZ 50+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
Product Size: 140x72x50mm  
Packing: Blister, 40pcs/ctn  
G.W/N.W: 13.4/11.4kgs  
Means: 47.5x29x57cm/ctn

ATPI-3018U



Continuous power: 2500W  
Peak power: 5000W  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V+/-10%  
Frequency: 50+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
Product Size: 320x243x150mm  
Packing: Corrugated Carton, 1pcs/ctn  
G.W/N.W: 9.5/8.5kgs  
Means: 52x30x24.5cm/ctn

ATPI-3019U



Continuous power: 3000W  
Peak power: 6000W  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V+/-10%  
Frequency: 50+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
Product Size: 320x243x150mm  
Packing: Corrugated Carton, 1pcs/ctn  
G.W/N.W: 9.5/8.5kgs  
Means: 52x30x24.5cm/ctn

ATPI-3024U



Continuous power: 2000W  
Peak power: 4000W  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V+/-10%  
Frequency: 50+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave.  
Product Size: 365x243x84mm  
Packing: Color Box, 5pcs/ctn  
Means: 62.5x32x27cm/ctn

**ATPI-8121U**



Max power:75W(10min)  
Continuous power:60W  
Peak power:150W  
Input voltage:DC 12V  
Output voltage:AC100V-120V  
Frequency:60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:156X67X49mm  
Packing:Blister, 40pcs/ctn  
G.W/N.W:11.4/9.4kgs  
Means:47.5x29x57cm/ctn

**ATPI-8122U**



Continuous power:100W  
Peak power:200W  
Input voltage:DC 12V  
Output voltage:AC100V-120V  
Frequency:60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:108x67x40mm  
Packing:Blister, 40pcs/ctn  
G.W/N.W:13.3/11.3kgs  
Means:47.5x29x57cm/ctn

**ATPI-8123U**



Continuous power:120W  
Peak power:240W  
Input voltage:DC 12V  
Output voltage:AC100V-120V  
Frequency:60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:108x67x40mm  
Packing:Blister, 40pcs/ctn  
G.W/N.W:13.3/11.3kgs  
Means:47.5x29x57cm/ctn

**ATPI-8124U**



Continuous power:155W  
Peak power:310W  
Input voltage:DC 12V  
Output voltage:AC100V-120V  
Frequency:60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:108x67x40mm  
Packing:Blister, 40pcs/ctn  
G.W/N.W:13.3/11.3kgs  
Means:47.5x29x57cm/ctn

**ATPI-8125U**



Continuous power:300W  
Peak power:600W  
Input voltage:DC 12V DC 24V  
Output voltage:AC100V-120V  
Frequency:60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:220x115x63mm  
Packing:Color Box, 10pcs/ctn  
G.W/N.W:10.2/9.8kgs  
Means:40.5x28.5x45cm/ctn

**ATPI-8126U**



Continuous power:420W  
Peak power:840W  
Input voltage:DC 12V DC 24V  
Output voltage:AC100V-120V  
Frequency:60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:220x115x63mm  
Packing:Color Box, 10pcs/ctn  
G.W/N.W:10.2/9.8kgs  
Means:40.5x28.5x45cm/ctn

**ATPI-8127U**



Continuous power:500W  
Peak power:1000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/-10%  
Frequency:60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:220x115x63mm  
Packing:Color Box, 10pcs/ctn  
G.W/N.W:12.7/12.2kgs  
Means:40.5x28.5x45cm/ctn

**ATPI-8128U**



Continuous power:600W  
Peak power:1200W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 230V+/-10%  
Frequency:50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:220x115x63mm  
Packing:Color Box, 10pcs/ctn  
G.W/N.W:12.7/12.2kgs  
Means:40.5x28.5x45cm/ctn

**ATPI-8129U**



Continuous power: **800W**  
Peak power: **1600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 60 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 255x180x85mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11/11.6kgs  
Means: 63x31.5x24.5cm/ctn

**ATPI-8130U**



Continuous power: **1000W**  
Peak power: **2000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 60 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 255x180x85mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 11/11.6kgs  
Means: 63x31.5x24.5cm/ctn

**ATPI-8131U**



Continuous power: **1200W**  
Peak power: **2400W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 60 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 305x180x85mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 14.4/13.6kgs  
Means: 63x36.5x25.5cm/ctn

**ATPI-8132U**



Continuous power: **800W**  
Peak power: **1600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 230V +/- 10%  
Frequency: 60 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 305x180x85mm  
Packing: Color Box, 5pcs/ctn  
G.W/N.W: 14.6/13.8kgs  
Means: 63x36.5x25.5cm/ctn

**ATPI-8033U**



Continuous power: **300W**  
Peak power: **600W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 220V-240V / 10V-120V  
Frequency: 50 +/- 3HZ 60 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 180x102x60mm  
Packing: Blister, 20pcs/ctn  
Means: 57.5x34x45cm/ctn  
G.W/N.W: 19/18kgs

**ATPI-8034U**



Continuous power: **400W**  
Peak power: **800W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 220V-240V / 10V-120V  
Frequency: 50 +/- 3HZ 60 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 180x102x60mm  
Packing: Blister, 20pcs/ctn  
G.W/N.W: 19.3/17.3kgs  
Means: 57.5x34x45cm/ctn

**ATPI-8035U**



Continuous power: **500W**  
Peak power: **1000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 220V-240V / 10V-120V  
Frequency: 50 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 230x102x60mm  
Packing: Blister, 20pcs/ctn  
Means: 57.5x34x45cm/ctn  
G.W/N.W: 26/24kgs

**ATPI-8036U**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 220V-240V / 10V-120V  
Frequency: 50 +/- 3HZ 60 +/- 3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 230x102x60mm  
Packing: Blister, 20pcs/ctn  
Means: 57.5x34x45cm/ctn  
G.W/N.W: 26.5/24.5kgs

ATPI-8073U



G.W/N.W:16.5/15.5kgs

Continuous power:300W/400W  
Peak power:600W/800W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:197X100X60mm  
Packing:Color Box,20pcs/ctn  
Means:42x30.5x36cm/ctn

ATPI-8074U



G.W/N.W:17.2/16.2kgs

ATPI-8075U



G.W/N.W:16.5/15.5kgs

Continuous power:500W/600W  
Peak power:1000W/1200W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:250x100x60mm  
Packing:Color Box,20pcs/ctn  
Means:51.5x30.5x36cm/ctn

ATPI-8076U



G.W/N.W:17.2/16.2kgs

ATPI-8800N



Continuous power:800W/1000W  
Peak power:1600W/2000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:280X137X66mm  
Packing:Color Box,5pcs/ctn  
Means:55x33.3x18cm/ctn  
G.W/N.W:11.0/10.5kgs

ATPI-81000N



ATPI-81200N



Continuous power:800W/1000W  
Peak power:1600W/2000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:297x137x66mm  
Packing:Color Box,5pcs/ctn  
Means:56x35.5x18cm/ctn  
G.W/N.W:12.0/11.5kgs

ATPI-81500N



ATPI-X08300U



Continuous power:300W/400W  
Peak power:600W/800W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:185x105x60mm  
Packing:Blister, 10pcs/ctn  
Means:45.5x37x28.5cm/ctn  
G.W/N.W:10/8.6kgs

ATPI-X08400U



ATPI-X08500U



G.W/N.W:12.7/11.5kgs

Continuous power:500W/600W  
Peak power:1000W/1200W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:242x105x60mm  
Packing:Blister, 10pcs/ctn  
Means:58.5x34x29cm/ctn

ATPI-X08600U



G.W/N.W:13.5/12kgs

ATPI-85000



Continuous power:5000W  
Peak power:1000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
/AC 10V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:445x250x180mm  
Packing:Corrugated Carton, 1 pcs/ctn  
Means:39x31.5x25cm/ctn  
G.W/N.W:10/9.5kgs

ATPI-81200



Continuous power:1200W  
Peak power:2400W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
/AC 10V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:250X130X65mm  
Packing:Color Box, 10pcs/ctn  
G.W/N.W:23/22kgs  
Means:56x30.5x35cm/ctn

ATPI-82500U



Continuous power:500W  
Peak power:1000W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
/10V-120V  
Frequency:50+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:230x102x60mm  
Packing:Blister, 20pcs/ctn  
Means:57.5x34x45cm/ctn  
G.W/N.W:26/24kgs

ATPI-X08500U



Continuous power:600W  
Peak power:1200W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V  
/10V-120V  
Frequency:50+/-3HZ 60+/-3HZ  
USB output:DC5 V(0.5A, 1A, 2A)  
Output waveform:Modified sine wave  
Product Size:230x102x60mm  
Packing:Blister, 20pcs/ctn  
Means:57.5x34x45cm/ctn  
G.W/N.W:26.5/24.5kgs

ATPI-6041U



Continuous power:300W/400W  
Peak power:600W/800W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/AC 110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:225X122X60mm  
Packing:Color Box,10pcs/ctn  
Means:53.2X28.5X45cm/ctn  
G.W/N.W:12/11.6kgs

ATPI-6042U



ATPI-6043U



G.W/N.W:11.7/11.3kgs

Continuous power:500W/600W  
Peak power:1000W/1200W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:255x182x85mm  
Packing:Color Box,5pcs/ctn  
Means:63x31.5x25cm/ctn

ATPI-6044U



G.W/N.W:11.7/11.2kgs

ATPI-6045U



Continuous power:1000W/1200W  
Peak power:2000W/2400W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave  
Product Size:355x185x85mm  
Packing:Color Box,5pcs/ctn  
Means:63x41.5x25.5cm/ctn  
G.W/N.W:17.5/16.5kgs

ATPI-6046U



ATPI-6048U



Product Size:355x185x85mm  
Means:63x41.5x25.5cm/ctn  
G.W/N.W:19.2/18.2kgs

Continuous power:1500W/300W  
Peak power:3000W/600W  
Input voltage:DC 12V DC 24V  
Output voltage:AC 220V-240V/110V-120V  
Frequency:60+/-3HZ 50+/-3HZ  
USB output:DC5 V(0.5A,1A,2A)  
Output waveform:Modified sine wave/Pure sine wave  
Packing:Color Box,5pcs/ctn

ATPI-PSW8300



Product Size:205x203x78mm  
Means:66x26x24.5cm/ctn  
G.W/N.W:9.6/9.0kgs



ATPI-PSW81200



Continuous power: **1200W**  
Peak power: **2400W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 220V-240V  
/AC 10V-120V  
Frequency: 50+/-3HZ 60+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 333X202X74mm  
Packing: Color Box, 3pcs/ctn  
Means: 40x39.5x24.5cm/ctn  
G.W/N.W: 12.1/11.6kgs

ATPI-PSW81500



Continuous power: **1500W**  
Peak power: **3000W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 220V-240V  
/AC 10V-120V  
Frequency: 50+/-3HZ 60+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 335x203x78mm  
Packing: Color Box, 3pcs/ctn  
G.W/N.W: 12.2/11.7kgs  
Means: 40x39.5x24.5cm/ctn

ATPI-PSW82000



Continuous power: **2200W**  
Peak power: **4400W**  
Input voltage: DC 12V DC 24V  
Output voltage: AC 220V-240V  
/AC 10V-120V  
Frequency: 50+/-3HZ, 60+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 330x250x180mm  
Packing: Corrugated Carton, 1pcs/ctn  
Means: 39x31.5x25cm/ctn  
G.W/N.W: 8/7.5kgs

ATPI-PSW83000



Continuous power: **3000W**  
Peak power: **6000W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
/10V-120V  
Frequency: 50+/-3HZ, 60+/-3HZ  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 335x250x180mm  
Packing: Corrugated Carton, 1pcs/ctn  
Means: 39x31.5x25cm/ctn  
G.W/N.W: 10/9.5kgs

ATPI-PIC300



Continuous power: **300W**  
Peak power: **600W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
AC220V-240V(Input)  
Frequency: 50+/-3HZ/50-60Hz(Input)  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 445x250x180mm  
Packing: Corrugated Carton, 1pcs/ctn  
Means: 39x31.5x25cm/ctn  
G.W/N.W: 10/9.5kgs  
Max charging Current: 5A

ATPI-PIC600



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
AC220V-240V(Input)  
Frequency: 50+/-3HZ/50-60Hz(Input)  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 280X132X62mm  
Packing: White Box, 10pcs/ctn  
Means: 56x31.5x35cm/ctn  
G.W/N.W: 18/17kgs  
Max charging Current: 5A

ATPI-PIC1000



Continuous power: **1000W**  
Peak power: **2000W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
AC220V-240V(Input)  
Frequency: 50+/-3HZ/50-60Hz(Input)  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 420x200x100mm  
Packing: White Box, 3pcs/ctn  
Means: 49x46x25.5cm/ctn  
G.W/N.W: 17/16kgs  
Max charging Current: 10A

ATPI-PIC1600



Continuous power: **1600W**  
Peak power: **3200W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
AC220V-240V(Input)  
Frequency: 50+/-3HZ/50-60Hz(Input)  
USB output: DC5 V(0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 420x200x102mm  
Packing: White Box, 2pcs/ctn  
Means: 49x46x25.5cm/ctn  
G.W/N.W: 18/17kgs  
Max charging Current: 15A

**ATPI-PIC2000**



Continuous power: **2000W**  
Peak power: **4000W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
AC 220V-240V (Input)  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 50x200x100mm  
Packing: White Box, 2pcs/ctn  
Means: 57.5x30.5x25cm/ctn  
G.W/N.W: 15.2/14.4kgs  
Max charging Current: 20A

**ATPI-PIC2500**



Continuous power: **2500W**  
Peak power: **5000W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
AC 220V-240V (Input)  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 500x200x100mm  
Packing: White Box, 2pcs/ctn  
Means: 57.5x30.5x25cm/ctn  
G.W/N.W: 15.8/15kgs  
Max charging Current: 20A

**ATPI-PIC3000**



Continuous power: **3000W**  
Peak power: **6000W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V  
AC 220V-240V (Input)  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 50x200x100mm  
Packing: White Box, 2pcs/ctn  
Means: 57.5x30.5x25cm/ctn  
G.W/N.W: 15.8/15kgs  
Max charging Current: 20A

**ATPI-PIC6021**



Continuous power: **300W**  
Peak power: **600W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V,  
AC 220V-240V (Input)  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 335x214x73mm  
Packing: White Box, 5pcs/ctn  
Means: 42.5x39x25cm/ctn  
Max charging Current: 10A, 15A, 20A

**ATPI-PIC6022**



Continuous power: **600W**  
Peak power: **1200W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V,  
AC 220V-240V (Input)  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 335x214x73mm  
Packing: White Box, 5pcs/ctn  
Means: 42.5x39x25cm/ctn  
Max charging Current: 10A, 15A, 20A

**ATPI-PIC6023**



Continuous power: **1200W**  
Peak power: **2400W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V,  
AC 220V-240V (Input)  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 460x214x73mm  
Packing: White Box, 2pcs/ctn  
Means: 55x26.5x25cm/ctn  
Max charging Current: 10A, 15A, 20A

**ATPI-PIC6024**



Continuous power: **1500W**  
Peak power: **3000W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V,  
AC 220V-240V (Input)  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Pure sine wave  
Product Size: 460x214x73mm  
Packing: White Box, 2pcs/ctn  
Means: 55x26.5x25cm/ctn  
Max charging Current: 10A, 15A, 20A

**ATPI-8200Y**



Continuous power: **200W**  
Peak power: **400W**  
Input voltage: DC 12V  
Output voltage: AC 220V-240V,  
AC 110V-120V  
Frequency: 50+/-3HZ, 50/60Hz (Input)  
USB output: DC5 V (0.5A, 1A, 2A)  
Output waveform: Modified sine wave  
Product Size: 150x73x73mm  
Packing: Color Box, 30pcs/ctn  
Means: 44x41x36.5cm/ctn  
G.W/N.W: 15.0/14.0kgs

# 世界各国 (地区) 电压/频率 · 插头型式简表














Form on volts/Hz and plug style for worldwide country (Area)

国家(地区)名称 Country/Area		电压/频率 Volts/Hz	插头型式 Plug style
<b>北美洲 NORTH AMERICA</b>			
加拿大	Canada	120V/60Hz	A&B
美国	U.S.A	120V/60Hz	A&B
<b>中美洲 CENTRAL AMERICA</b>			
安圭拉岛	Anguilla	110V/60Hz	C
安提瓜岛	Antigua	230V/60Hz	A&B
巴哈马	Bahamas	120V/60Hz	A&B
巴巴多斯	Barbedos	115V/50Hz	A&B
贝里斯	Belize	110V/220V/60Hz	B&G
百慕远群岛	Bermuda	120V/60Hz	A&B
哥斯达黎加	Costa Rica	120V/60Hz	A&B
古巴	Cuba	110V/220V/60Hz	A&B C&L
多米尼克	Dominica	230V/50Hz	D&G
多明尼加	Dominican	110V/60Hz	A
格瑞那达	Grenade	230V/50Hz	G
瓜地马拉	Guatemala	120V/60Hz	A,B,G,&I
海地	Haitai	110V/60Hz	A&B
宏都拉斯	Honduras	110V/60Hz	A&B
牙买加	Jamaica	110V/50Hz	A&B
墨西哥	Mexico	127V/60Hz	A
荷兰	Netherlands	230V/50Hz	C&F
尼加拉瓜	Nicaragua	230V/50Hz	I
巴拿马	Panama	110V/60Hz	A&B
波多黎各	Puerto Rico	120V/60Hz	A&B
维尔京群岛	Virgin Islands	110V/60Hz	A&B
<b>南美洲 SOUTH AMERICA</b>			
阿根廷	Argentina	220V/50Hz	C&I
巴西	Brazil	110V/220V/60Hz	A&B&C
智利	Chile	220V/50Hz	C&L
哥伦比亚	Columbia	110V/60Hz	A&B
厄瓜多尔	Ecuador	120-127V/60Hz	A&B
圭亚那	Guyana	240V/60Hz	ABD&G
巴拉圭	Paraguay	220V/50Hz	C
秘鲁	Peru	220V/60Hz	A&B&C
苏利南	Surinam	127V/60Hz	C&F
乌拉圭	Uruguay	220V/50Hz	CFIB&L
委内瑞拉	Venezuela	120V/60Hz	
<b>大洋洲 AUSTRALIA OCEANIA</b>			
澳大利亚	Australia	230V/50Hz	I
斐济群岛	Fiji Island	40V/50Hz	I
关岛	Guam	110V/60Hz	A&B
苏格兰	New Caledonia	20V/60Hz	F
纽西兰	New Zealand	230V/50Hz	I
塔希提岛	Tahiti	110V/220V/60Hz	A&B&E
汤加	Tonga	240V/50Hz	I
<b>欧洲 EUROPE</b>			
奥地利	Austria	230V/50Hz	C,F
亚述尔群岛	Azores	220V/50Hz	B,C,F
比利时	Belgium	230V/50Hz	E
保加利亚	Bulgaria	230V/50Hz	C&F
海峡群岛	Channel Islands	240V/50Hz	C,G
捷克斯洛伐克	Czechoslovakia	230V/50Hz	E
丹麦	Denmark	230V/50Hz	C&K
芬兰	Finland	230V/50Hz	C&F
法国	France	230V/50Hz	C&E
德国	Germany	230V/50Hz	C&F
希腊	Greece	220V/50Hz	C,D,E,F
格陵兰	Greenland	220V/50Hz	C&K
匈牙利	Hungary	230V/50Hz	C&F
冰岛	Iceland	220V/50Hz	C&F
曼岛	Isle of Mun	230V/50Hz	H&C
意大利	Italy	230V/50Hz	F&L
卢森堡	Luxembourg	220V/50Hz	C&F
马而他	Malta	240V/50Hz	G
摩纳哥	Monaco	127/220V/50Hz	C,D,E,F
荷兰	Netherlands	230V/50Hz	C&F
挪威	Norway	230V/50Hz	C&F
波兰	Poland	230V/50Hz	C&F
葡萄牙	Portugal	220V/50Hz	C&F


国家(地区)名称 Country/Area		电压/频率 Volts/Hz	插头型式 Plug style
罗马尼亚	Romania	230V/50Hz	C&F
西班牙	Spain	230V/50Hz	C&F
瑞典	Sweden	230V/50Hz	C&F
瑞士	Switzerland	230V/50Hz	J
英国	England	230V/50Hz	G
南斯拉夫	Yugoslavia	220V/50Hz	C&F
<b>非洲 AFRICA</b>			
甘比亚	Gambia	230V/50Hz	G
加纳	Ghana	230V/50Hz	D&G
几内亚	Guinea	220V/50Hz	C,F&K
肯尼亚	Kenya	240V/50Hz	G
莱索托	Lesotho	220V/50Hz	M
利比亚	Libya	127V/50Hz	D
马利	Mali	220V/50Hz	C&E
摩洛哥	Morocco	127/220V/50Hz	C&E
卢旺达	Rwanda	230V/50Hz	C&J
塞内加尔	Senegal	230V/50Hz	C,D,E,&K
塞舌尔	Seychelles	240V/50Hz	G
索马利亚	Somalia	220V/50Hz	C
南非	South Afiea	220/230V/50Hz	M
苏丹	Sudan	230V/50Hz	C&D
坦桑尼亚	Tanzania	230V/50Hz	D&G
多哥	Togo	220V/50Hz	C
乌干达	Uganda	240V/50Hz	G
辛巴威	Zimbabwe	220V/50Hz	D&G
阿尔及利亚	Algeria	230V/50Hz	C&F
安哥拉	Angola	220V/50Hz	C
贝南	Benin	220V/50Hz	E
布隆迪	Burundi	220V/50Hz	C&E
喀麦隆	Cameroon	220V/50Hz	C&E
乍得湖	Chad	220V/50Hz	D,E,F
刚果	Congo	230V/50Hz	C&E
吉布地	Djibouti	220V/50Hz	C&E
埃及	Egypt	220V/50Hz	C
埃塞俄比亚	Ethiopia	220V/50Hz	D,J,L
加蓬	Gabon	220V/50Hz	C
<b>中东 MIDDLE EAST</b>			
阿富汗	Afghanistan	220V/50Hz	C&FD
伊朗	Iran	230V/50Hz	C
伊拉克	Iraq	230V/50Hz	C,D&G
约旦	Jordan	230V/50Hz	D,F,G,J
科威特	Kuwait	240V/50Hz	C&G
黎巴嫩	Lebanon	230V/50Hz	A,B,C,D,G
阿曼	Oman	240V/50Hz	C&G
巴基斯坦	Pakistan	230V/50Hz	C,D
卡塔尔	Qutar	240V/50Hz	D&G
沙特阿拉伯	Saudi Arabia	127/220V/50Hz	A,B,F,G
叙利亚	Syria	220V/50Hz	C,E,L
土耳其	Turkey	230V/50Hz	C,F
阿拉伯	United Arab Emirates	220V/50Hz	C,D,G
<b>亚洲 ASIA</b>			
孟加拉	Bengal	220V/50Hz	A,C,D,G,K
文莱	Brunei	240V/50Hz	G
高棉	Cambodia	230V/50Hz	A,C
中国	China	220V/50Hz	A,I,G
香港	Hong Kong	220V/50Hz	D,G
印度	India	240V/50Hz	C,D,G
印尼	Indonesia	127/230V/50Hz	C,F,G
日本	Japan	100V50/60Hz	A,B
南韩	Korea(South)	220V/60Hz	C,F
老挝国	Laos	230V/50Hz	A,B,C,E,F
澳门	Macao	220V/50Hz	D,G
马来西亚	Malaysia	240V/50Hz	G
尼泊尔	Nepal	230V/50Hz	C,D
菲律宾	Philippines	220V/60Hz	A,B,C
新加坡	Singapore	230V/50Hz	G
斯里兰卡	Sri Lanka	230V/50Hz	D
台湾	Taiwan	110V/60Hz	A,B
泰国	Thailand	220V/50Hz	A,C
俄罗斯	Russian	220V/50Hz	C
越南	Vietnam	220V/50Hz	A,C,G

注:上述数据仅供参考,请以各国家/地区实际为准。  
All the data are for reference only,please refer to actual data of country/Area.


## 插头型式 Plug style

Configuration Code	Configuration Diagram
A	
B	
C	
D	
E	
F	
G	
H	
I	
J	
K	
L	
M	

Metal case, good to assemble the following output sockets:



# Battery Clamps





Package	Desp.	10GA/12FT	8GA/12FT	8GA/16FT
Color Sleeve	G.W/N.W	16/15kg	12.5/11.5kg	15/14kg
	Qty/ctn	12pcs	6pcs	6pcs
	Ctn. size(cm)	47x30x22	55.5x27x25	55.5x27x25
Zip.Bag	G.W/N.W	12.5/11.5kg	18.5/17.5kg	14.5/13.5kg
	Qty/ctn	10pcs	10pcs	6pcs
	Ctn. size(cm)	50x25x25	56x28x27cm	60x30x16.5cm



Package	Desp.	4GA/12FT	16FT	20FT
Color Sleeve	G.W/N.W	18/17kg	22/21kg	25.5/24.5kg
	Qty/ctn	6pcs	6pcs	6pcs
	Ctn. size(cm)	55.5x27x25	55.5x27x25	58.5x32.5x25
Zip.Bag	G.W/N.W	17.5/16.5kg	20.5/19.5kg	25/24kg
	Qty/ctn	6pcs	6pcs	6pcs
	Ctn. size(cm)	60X30X16.5	60X30X16.5	33x33x33



Package	Desp.	6GA/12FT	6GA/16FT	2GA/20FT	2GA/25FT
Color Sleeve	G.W/N.W	15.5/14.5kg	18.5/17.5kg	17/16kg	19.5/18.5kg
	Qty/ctn	6pcs	6pcs	(color box)4pcs	(color box)4pcs
	Ctn. size(cm)	55.5X27X25	55.5x27x25	40.5x32x25	40.5x32x25
Zip.Bag	G.W/N.W	14.5/13.5kg	18/17kg	-	10/9kg
	Qty/ctn	6pcs	6pcs	-	2pcs
	Ctn. size(cm)	60X30X16.5	60X30X16.5	-	37X37X17



Package	Desp.	Pvc Bag	Color Sleeve	Zip.Bag
8FT	G.W/N.W	12.5/11.5kg	8/7kg	7/6kg
	Qty/ctn	20pcs	12pcs	10pcs
	Ctn. size(cm)	56x28x23.5	47x27x22	48x24x24
12FT	G.W/N.W	15.5/14.5kg	9.5/8.5kg	8.5/7.5kg
	Qty/ctn	20pcs	12pcs	10pcs
	Ctn. size(cm)	60x30x25	47x29x22cm	50x25x25cm



Package	Desp.	Pvc Bag	Color Sleeve	Zip.Bag
8FT	G.W/N.W	14/13kg	11/10kg	15/14kg
	Qty/ctn	20pcs	15pcs	20pcs
	Ctn. size(cm)	56x30x20	42X30X25	48x48x22.5
12FT	G.W/N.W	18/17kg	11/10kg	11.5/10.5kg
	Qty/ctn	20pcs	12pcs	12pcs
	Ctn. size(cm)	58x32x21	47x30x22cm	50x25x27.5cm



Package	Desp.	10GA/8FT	10GA/12FT	8GA/8FT	8GA/12FT
Color Sleeve	G.W/N.W	11.5/10.5kg	14.5/13.5kg	9/8kg	11.5/10.5kg
	Qty/ctn	15pcs	12pcs	10pcs	10pcs
	Ctn. size(cm)	42x30x25	47x30x22	58X32X16	64X32X16
Zip.Bag	G.W/N.W:	8/7kg	10.5/9.5kg	9.5/8.5kg	12/11kg
	Qty/ctn	10pcs	10pcs	10pcs	10pcs
	Ctn. size(cm)	48x24x24	50x25x25	50X25X26	52X26X25



Package	Desp.	10GA/8FT	10GA/12FT	8GA/8FT	8GA/12FT
Color Sleeve	G.W/N.W	11.5/10.5kg	14.5/13.5kg	9/8kg	11.5/10.5kg
	Qty/ctn	15pcs	12pcs	10pcs	10pcs
	Ctn. size(cm)	42x30x25	47x30x22	58X32X16	64X32X16
Zip.Bag	G.W/N.W	8/7kg	10.5/9.5kg	9.5/8.5kg	12/11kg
	Qty/ctn	10pcs	10pcs	10pcs	10pcs
	Ctn. size(cm)	48x24x24	50x25x25	50X25X26	52X26X25



Package	Desp.	Color Sleeve	Zip.Bag	-
10FT	G.W/N.W	5.5/4.5kg	5/4kg	-
	Qty/ctn	6pcs	6pcs	-
	Carton size(cm)	32x21.5x21.5	37x18.5x12	-

ATBC-6009  
8GA/6GA



Clamp:ATBC-5034

ATBC-6010  
8GA/6GA/4GA



Clamp:ATBC-5032a

ATBC-6011  
8GA/6GA/4GA



Clamp:ATBC-5031

Package	Desp.	8GA/12FT	8GA/16FT	6GA/12FT	6GA/16FT	4GA/12FT	4GA/16FT	4GA/20FT	-
Color Sleeve	G.W/N.W	10/9kg	11.5/10.5kg	11.5/10.5kg	13.5/12.5kg	13/12kg	15.5/14.5kg	18/17kg	-
	Qty/ctn	16pcs	6pcs	6pcs	6pcs	6pcs	6pcs	6pcs	-
	Ctn. size(cm)	55.5x27x25	55.5x27x25	55.5x27x25	55.5x27x25	55.5x27x25	55.5x27x25	59x32.5x25	-
Zip.Bag	G.W/N.W	15/14kg	11/10kg	11/10kg	12.5/11.5kg	12.5/11.5kg	15/14kg	12/11kg	-
	Qty/ctn	10pcs	6pcs	6pcs	6pcs	6pcs	6pcs	4pcs	-
	Ctn. size(cm)	56x28x27	60x30x16.5	60x30x16.5	64x32x19	64x32x19.5	64x32x20	32x32x27	-

ATBC-6012

Clamp:ATBC-5032b



ATBC-6013

Clamp:ATBC-5086



ATBC-6014

Clamp:ATBC-5033



Package	Desp.	8GA/12FT	8GA/16FT	6GA/12FT	6GA/16FT	4GA/12FT	4GA/16FT	4GA/20FT	-
Color Sleeve	G.W/N.W	10/9kg	11.5/10.5kg	11.5/10.5kg	13.5/12.5kg	13/12kg	15.5/14.5kg	18/17kg	-
	Qty/ctn	6pcs	6pcs	6pcs	6pcs	6pcs	6pcs	6pcs	-
	Ctn. size(cm)	55.5x27x25	55.5x27x25	55.5x27x25	55.5x27x25	55.5x27x25	55.5x27x25	59x32.5x25	-
Zip.Bag	G.W/N.W	15/14kg	11/10kg	11/10kg	12.5/11.5kg	12.5/11.5kg	15/14kg	12/11kg	-
	Qty/ctn	10pcs	6pcs	6pcs	6pcs	6pcs	6pcs	6pcs	-
	Ctn. size(cm)	56x28x27	60x30x16.5	64x32x19	64x32x19	60x30x19.5	64x32x20	32x32x27	-

ATBC-6015

Clamp:ATBC-5036



ATBC-6016

Clamp:ATBC-5037



ATBC-6017/3MM<sup>2</sup>

Clamp:ATBC-5052



Package	Desp.	4GA/12FT	4GA/16FT	4GA/20FT	2GA/20FT	2GA/25FT
Color.Box	G.W/N.W	13.5/12.5kg	16/15kg	18.5/17.5kg	14.5/13.5kg	17.5/16.5kg
	Qty/ctn	6pcs	6pcs	4pcs	4pcs	4pcs
	Ctn. size(cm)	55.5x27x25	58.5x32.5x25	59x33x25	59x33x25	40.5x33x25
Zip.Bag	G.W/N.W	13kg	15.5kg	18kg	13kg	17kg
	Qty/ctn	6pcs	6pcs	6pcs	4pcs	4pcs
	Ctn. size(cm)	30x30x29	33x33x29	33x33x30	35x35x26	35x35x27.5

Package	Desp.	2.0M	2.5M	-
Pvc Bag	G.W/N.W	11.5/10.5kg	12.5/11.5kg	-
	Qty/ctn	20pcs	20pcs	-
	Ctn. size(cm)	48x28x21	50x29x22	-
Zip.Bag	G.W/N.W	12/11kg	13/12kg	-
	Qty/ctn	20pcs	20pcs	-
	Ctn. size(cm)	44x44x21	44x44x21	-

ATBC-6018

Clamp:ATBC-5036



ATBC-6019

Clamp:ATBC-5034



ATBC-6020

Clamp:ATBC-5053



Package	Desp.	1GA/25FT
Plastic.Box	G.W/N.W	13.5/12.5kg
	Qty/ctn	2pcs
	Ctn. size(cm)	43.5x32.5x38

Package	Desp.	8GA/12FT
Color.Box	G.W/N.W	10/9kg
	Qty/ctn	6pcs
	Ctn. size(cm)	55.5x27x25

Package	Desp.	5MM <sup>2</sup> /2.0M	5MM <sup>2</sup> /2.5M	-
Pvc Bag	G.W/N.W	9.5/8.5kg	10.5/9.5kg	-
	Qty/ctn	20pcs	12pcs	-
	Ctn. size(cm)	40X30X20	40X30X21.5	-
Zip.Bag	G.W/N.W	10/9kg	11/10kg	-
	Qty/ctn	12pcs	12pcs	-
	Ctn. size(cm)	48X24X30	48X24X31	-

ATBC-6021/5MM<sup>2</sup> Clamp:ATBC-5053



Package	Desp.	2.0M	2.5M
Plastic Box	G.W./N.W	9.5/8.5kg	10.5/9.5kg
	Qty/ctn	12pcs	12pcs
	Ctn. size(cm)	40x30x20	40x30x21.5
Zip.Bag	G.W./N.W	10/9kg	11/9kg
	Qty/ctn	12pcs	12pcs
	Ctn. size(cm)	48x24x30	48x24x31

ATBC-6022/10MM<sup>2</sup> Clamp:ATBC-5045



Package	Desp.	2.5M	2.8M
Plastic Box	G.W./N.W	6/5kg	6.5/5.5kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	61.5X31X26	61.5X31X26
Zip.Bag	G.W./N.W	9/8kg	9.5/8.5kg
	Qty/ctn	10pcs	10pcs
	Ctn. size(cm)	48x24x25	50X25X25

ATBC-6023/5MM<sup>2</sup> Clamp:ATBC-5048



Package	Desp.	CU16MM <sup>2</sup> /3.0M	CU16MM <sup>2</sup> /3.0M
Plastic Box	G.W./N.W	9.5/8.5kg	12.5/11.5kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Zip.Bag	G.W./N.W	9/8kg	11/10kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	60x30x17.5	57x28.5x16

ATBC-6024  
Clamp:ATBC-5049



Package	Desp.	CU25MM <sup>2</sup> /3.5M	CCA25MM <sup>2</sup> /3.5M
Plastic Box	G.W./N.W	18/17kg	14/13kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Zip.Bag	G.W./N.W	16.5/15.5kg	13.5/12.5kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	57x28.5x16	64x32x18.5

ATBC-6025

16MM<sup>2</sup> Clamp:ATBC-5048-1  
25/35MM<sup>2</sup> Clamp:ATBC-5049-1



Package	Desp.	CU16MM <sup>2</sup> /3.0M	CCA25MM <sup>2</sup> /3.5M	CCA35MM <sup>2</sup> /4.5M
Color Box	G.W./N.W	9/8kg	11.5/10.5kg	14/13kg
	Qty/ctn	6pcs	5pcs	4pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5	38x34x31.5
Zip.Bag	G.W./N.W	13.5/12.5kg	12.5/11.5kg	13.5/12.5kg
	Qty/ctn	10pcs	6pcs	4pcs
	Ctn. size(cm)	56x28x28.5	64x32x19	34x34x28

ATBC-6026  
Clamp:ATBC-5049



Package	Desp.	CU35MM <sup>2</sup> /4.5M	CCA35MM <sup>2</sup> /4.5M
Plastic Box	G.W./N.W	15/14kg	13/12kg
	Qty/ctn	3pcs	3pcs
	Ctn. size(cm)	51x34x30.5	50x34x30.5
Zip.Bag	G.W./N.W	18/17kg	14.5/13.5kg
	Qty/ctn	4pcs	4pcs
	Ctn. size(cm)	35x35x24	35x35x27.5

ATBC-6027

16MM<sup>2</sup> Clamp:ATBC-5048-1  
25/35MM<sup>2</sup> Clamp:ATBC-5049-1



Package	Desp.	CCA16MM <sup>2</sup> /3.0M	CCA25MM <sup>2</sup> /3.5M	CCA35MM <sup>2</sup> /4.5M
Color Box	G.W./N.W	9/8kg	11.5/10.5kg	14/13kg
	Qty/ctn	6pcs	5pcs	4pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5	38x34x31.5
Zip.Bag	G.W./N.W	14/13kg	12.5/11.5kg	13.5/12.5kg
	Qty/ctn	10pcs	6pcs	4pcs
	Ctn. size(cm)	56x28x28.5	64x32x19	34x34x28

ATBC-6028  
Clamp:ATBC-5080



Package	Desp.	CA16MM <sup>2</sup> /3.0M	CCA25MM <sup>2</sup> /3.5M
Color Box	G.W./N.W	9/8kg	9/8kg
	Qty/ctn	6pcs	5pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5
Zip.Bag	G.W./N.W	8.5/7.5kg	10/9kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	56x28x17.5	64x32x18.5

ATBC-6029  
Clamp:ATBC-5053



Package	Desp.	AL16MM <sup>2</sup> /3.0M	AL25MM <sup>2</sup> /3.5M	AL25MM <sup>2</sup> /4.5M
Color Box	G.W./N.W	9/8kg	11.5/10.5kg	14/13kg
	Qty/ctn	6pcs	5pcs	4pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5	38x34x31.5
Zip.Bag	G.W./N.W	14/13kg	12.5/11.5kg	13.5/12.5kg
	Qty/ctn	10pcs	6pcs	4pcs
	Ctn. size(cm)	56x28x28.5	64x32x19	34x34x28



ATBC-6030  
Clamp:ATBC-5080



Package	Desp.	CCA16MM <sup>2</sup> /3.0M	CCA25MM <sup>2</sup> /3.5M
ColorBox	G.W/N.W	9/8kg	9/8kg
	Qty/ctn	6pcs	5pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5
Zip.Bag	G.W/N.W	8.5/7.5kg	10/9kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	56x28x17.5	64x32x18.5

ATBC-6031  
16MM<sup>2</sup> Clamp:ATBC-5048-1  
25MM<sup>2</sup>/35MM<sup>2</sup> Clamp:ATBC-5049-1



Package	Desp.	AL16MM <sup>2</sup> /3.0M	AL25MM <sup>2</sup> /3.5M	ALMM <sup>2</sup> /4.5M
PlasticBox	G.W/N.W	9/8kg	11.5/10.5kg	14/13kg
	Qty/ctn	6pcs	5pcs	4pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5	38x34x31.5
Zip.Bag	G.W/N.W	14/13kg	12.5/11.5kg	13.5/12.5kg
	Qty/ctn	10pcs	6pcs	4pcs
	Ctn. size(cm)	56x28x28.5	64X32X19	34x34x28

ATBC-6032  
Clamp:ATBC-5080



ATBC-6033  
Clamp:ATBC-5080



ATBC-6034  
Clamp:ATBC-5044



Package	Desp.	AL16MM <sup>2</sup> /3.0M	AL25MM <sup>2</sup> /3.5M
ColorBox	G.W/N.W	9/8kg	9/8kg
	Qty/ctn	6pcs	5pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5
Zip.Bag	G.W/N.W	8.5/7.5kg	10/9kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	56x28x17.5	64x32x18.5

Package	Desp.	AL16MM <sup>2</sup> /3.0M	AL25MM <sup>2</sup> /3.5M
ColorBox	G.W/N.W	9/8kg	9/8kg
	Qty/ctn	6pcs	5pcs
	Ctn. size(cm)	51x28x26.5	47.5x34x31.5
Zip.Bag	G.W/N.W	8.5/7.5kg	10/9kg
	Qty/ctn	6pcs	6pcs
	Ctn. size(cm)	56x28x17.5	64x32x18.5

Package	Desp.	50MM <sup>2</sup> /5.0M	70MM <sup>2</sup> /7.0M
PlasticBox	G.W/N.W	13/12kg	18/17kg
	Qty/ctn	2pcs	2pcs
	Ctn. size(cm)	43.5x32.5x38	43.5x32.5x38

ATBC-6035  
Clamp:ATBC-5055



ATBC-6036  
Clamp:ATBC-5034



Package	Desp.	16MM <sup>2</sup> /3.0M	25MM <sup>2</sup> /3.5M	35MM <sup>2</sup> /4.5M
Zip.Bag	G.W/N.W	10/9kg	13/12kg	12/11kg
	Qty/ctn	6pcs	6pcs	4pcs
	Ctn. size(cm)	60x30x18	64x32x19.5	35x35x27.5

Package	Desp.	8GA/12FT	8GA/16FT	6GA/12FT	6GA/16FT	4GA/12FT	4GA/16FT
Zip.Bag	G.W/N.W	18/17kg	14/13kg	13.5/12.5kg	15/14kg	15/14kg	17.5/16.5kg
	Qty/ctn	10pcs	6pcs	6pcs	6pcs	6pcs	6pcs
	Ctn. size(cm)	56X28X27	60x30x16.5	60x30x16.5	64x32x19	64x32x19	64x32x20

ATBC-6037  
Clamp:ATBC-5067



ATBC-6038  
Cu16mm<sup>2</sup>/CCA16mm<sup>2</sup>/Cu25mm<sup>2</sup>  
CCA25mm<sup>2</sup>/Cu35mm<sup>2</sup>/CCA35mm<sup>2</sup>  
16MM<sup>2</sup> Clamp:ATBC-5048-1  
25MM<sup>2</sup>/35MM<sup>2</sup> Clamp:ATBC-5049-1



Package	Desp.	Cu10MM <sup>2</sup> /2.5M	2.8M	Cu16MM <sup>2</sup> /3.0M
Zip.Bag	G.W/N.W	12.5/11.5kg	13.5kg	15.5/14.5kg
	Qty/ctn	12pcs	12pcs	10pcs
	Ctn. size(cm)	48x24x30	48x24x30	52x26x30

Package	Desp.	3.0M	3.0M	3.5M	3.5M	4.5M	4.5M
Zip.Bag	G.W/N.W	11/10kg	9/8kg	16/15kg	13.5/12.5kg	18/17kg	14/13kg
	Qty/ctn	6pcs	6pcs	6pcs	6pcs	4pcs	4pcs
	Ctn. size(cm)	57x28.5x16	60x30.5x17.5	64x32x17.5	64x32x18.5	35x35x24	35x35x27.5

ATBC-6039  
Clamp:ATBC-5087



Package	Desp.	Cu10MM <sup>2</sup> /2.5M	2.8M	Cu16MM <sup>2</sup> /3.0M
Zip.Bag	G.W/N.W	12.5/11.5g	13.5/12.5kg	15.5/14.5kg
	Qty./ctn	12pcs	12pcs	10pcs
	Ctn. size(cm)	48x24x30	48x24x30	52x26x30

ATBC-6040  
Clamp:ATBC-5043/42a/42b



Package	Desp.	16MM <sup>2</sup> /3.0M	25MM <sup>2</sup> /3.5M	4.5M	35MM <sup>2</sup> /4.5M	50MM <sup>2</sup> /5.0M	70MM <sup>2</sup> /5.0M
Zip.Bag	G.W/N.W	15.5/14.5kg	17.5/16.5kg	14.5/13.5kg	14/13kg	16/15kg	22.5/21.5kg
	Qty./ctn	6pcs	4pcs	2pcs	2pcs	2pcs	2pcs
	Ctn. size(cm)	61.5x31x26	41x31x26	34x34x30.5	34x34x30.5	34x34x30.5	43.5x32.5x38

ATBC-6041 Cu16mm<sup>2</sup>/Cu25mm<sup>2</sup>/Cu35mm<sup>2</sup>/Cu50mm<sup>2</sup>/Cu70mm<sup>2</sup>  
Clamp:ATBC-5061



ATBC-6042  
Clamp:ATBC-5007



Package	Desp.	50A/3.5M	80A/3.8M
PlasticBox	G.W/N.W	6/5kg	6.5/5.5kg
	Qty./ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Pvc Bag	G.W/N.W	15/14kg	17.5/16.5kg
	Qty./ctn	20pcs	20pcs
	Ctn. size(cm)	52x26x26	55x28x27.5

ATBC-6043  
Clamp:ATBC-5022



Package	Desp.	100A/3.8M	120A/3.8M
PlasticBox	G.W/N.W	9/8kg	10.5/9.5kg
	Qty./ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Pvc Bag	G.W/N.W	13.5/12.5kg	15.5/14.5kg
	Qty./ctn	10pcs	10pcs
	Ctn. size(cm)	33.5x33.5x33.5	33.5x33.5x33.5

ATBC-6044  
Clamp:ATBC-5083



Package	Desp.	50A/3.5M	80A/3.8M
PlasticBox	G.W/N.W	12.5/11.5kg	14.5/13.5kg
	Qty./ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Pvc Bag	G.W/N.W	20.5/19.5kg	25.5/24.5kg
	Qty./ctn	20pcs	20pcs
	Ctn. size(cm)	52x26x26	55x28x27.5

ATBC-6045  
Clamp:ATBC-5084



Package	Desp.	100A/3.8M	120A/3.8M
PlasticBox	G.W/N.W	14.5/13.5kg	16.5/15.5kg
	Qty./ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Pvc Bag	G.W/N.W	18.5/17.5kg	21/20kg
	Qty./ctn	10pcs	10pcs
	Ctn. size(cm)	33.5x33.5x33.5	33.5x33.5x33.5

ATBC-6046  
Clamp:ATBC-5085



Package	Desp.	50A/3.5M	80A/3.8M
PlasticBox	G.W/N.W	12.5/11.5kg	14.3/13.5kg
	Qty./ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Pvc Bag	G.W/N.W	20.5/19.5kg	25.5/24.5kg
	Qty./ctn	20pcs	20pcs
	Ctn. size(cm)	52x26x26	55x28x27.5

ATBC-6047  
Clamp:ATBC-5038




Package	Desp.	50A(3MM <sup>2</sup> )/5M
PlasticBox	G.W/N.W	8/7kg
	Qty./ctn	2pcs
	Ctn. size(cm)	43.5x32.5x38

ATBC-6048  
Clamp:ATBC-5024



Package	Desp.	PvcBag	Zip.Bag	Color Box	DoubleBlister
2.5M	G.W/N.W	18/17kg	18/17kg	19/18kg	18/17kg
	Qty./ctn	20pcs	20pcs	20pcs	20pcs
	Ctn. size(cm)	56x28x23.5	44x44x23.5	45x32x49	58x37x34

ATBC-6049  
Clamp:ATBC-5027



Package	Desp.	PvcBag	Zip.Bag	Color Box	DoubleBlister
2.5M	G.W/N.W	19.5/18.5kg	20/19kg	11/10kg	10.5/9.5kg
	Qty./ctn	20pcs	20pcs	10pcs	10pcs
	Ctn. size(cm)	58x29x28	48x48x26.5	42.5x26x52	37x29x34

ATBC-6050  
Clamp:ATBC-5027



ATBC-6051  
Clamp:ATBC-5027



Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	23/22kg	23.5/22.5kg	13/12kg	12/11kg
	Qty.ctn	20pcs	20pcs	10pcs	10pcs
	Ctn. size(cm)	60x30x28	48x48x27	42.5x26x52	37x29x34

Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	23.5/22.5kg	24/23kg	13.5/12.5kg	12.5/11.5kg
	Qty.ctn	20pcs	20pcs	10pcs	10pcs
	Ctn. size(cm)	60x30x29	48x48x27	42.5x26x52	37x29x34

ATBC-6052  
Clamp:ATBC-5033



ATBC-6053  
Clamp:ATBC-5038



Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	23.5/22.5kg	13.5/12.5kg	13.5/12.5kg	12.5/12.5kg
	Qty.ctn	20pcs	10pcs	10pcs	10pcs
	Ctn. size(cm)	62x32.5x32.5	52x26x28	42.5x26x52	55x38x36

Package	Desp.	PvcBag	Zip.Bag	Color Box	-
2.5M	G.W/N.W	18.5/17.5kg	14.5/13.5kg	23/22kg	-
	Qty.ctn	8pcs	6pcs	10pcs	-
	Ctn. size(cm)	52x30x20	30x30x36	52x44x26.5	-

ATBC-6054



ATBC-6055  
Clamp:ATBC-5010



Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	15.5/14.5kg	16/15kg	16.5/15.5kg	16/15kg
	Qty.ctn	20pcs	20pcs	20pcs	20pcs
	Ctn. size(cm)	50x29x22	44x44x22	45x32x49	58x37x34

Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	15.5/14.5kg	16/15kg	16.5/15.5kg	16/15kg
	Qty.ctn	20pcs	20pcs	20pcs	20pcs
	Ctn. size(cm)	50x29x22	44x44x22	45x32x49	58x37x34

16MM<sup>2</sup> Clamp:ATBC-5048  
25MM<sup>2</sup>/35MM<sup>2</sup> Clamp:ATBC-5049

ATBC-6056



ATBC-6057  
Clamp:ATBC-5003



ATBC-6058  
Clamp:ATBC-5005



Package	Desp.	16MM <sup>2</sup> /3.0M	16MM <sup>2</sup> /3.0M	35MM <sup>2</sup> /3.0M
Zip.Bag	G.W/N.W	9/8kg	13.5/12.5kg	14.5/13.5kg
	Qty.ctn	6pcs	6pcs	6pcs
	Ctn. size(cm)	60x30x17.5	64x32x18.5	35x35x27.5

Package	Desp.	PvcBag	Zip.Bag
2.5M	G.W/N.W	8.5/7.5kg	9/8kg
	Qty.ctn	20pcs	20pcs
	Ctn. size(cm)	40x23x28	36x36x14

Package	Desp.	PvcBag	Zip.Bag
2.5M	G.W/N.W	17/16kg	14.5/13.5kg
	Qty.ctn	25pcs	20pcs
	Ctn. size(cm)	60x24x22.5	40x40x19

ATBC-6059  
Clamp:ATBC-5011



ATBC-6060  
Clamp:ATBC-5019



Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	17.5/16.5kg	18/17kg	18.5/17.5kg	18/17kg
	Qty.ctn	20pcs	20pcs	20pcs	20pcs
	Ctn. size(cm)	56x28x23.5	44x44x23.5	45x32x49	58x37x34

Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	17.5/16.5kg	18/17kg	18.5/17.5kg	18/17kg
	Qty.ctn	20pcs	20pcs	20pcs	20pcs
	Ctn. size(cm)	56x28x23.5	44x44x23.5	45x32x49	58x37x34

ATBC-6061  
Clamp:ATBC-5012



ATBC-6062  
Clamp:ATBC-5013



Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	17.5/16.5kg	18/17kg	18.5/17.5kg	18/17kg
	Qty.ctn	20pcs	20pcs	20pcs	20pcs
	Ctn. size(cm)	56x28x23.5	44x44x23.5	45x32x49	58x37x34

Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	17.5/16.5kg	18/17kg	18.5/17.5kg	18/17kg
	Qty.ctn	20pcs	20pcs	20pcs	20pcs
	Ctn. size(cm)	56x28x23.5	44x44x23.5	45x32x49	58x37x34

ATBC-6063  
Clamp:ATBC-5046



ATBC-6064  
Clamp:ATBC-5026



Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	21.5/20.5kg	11.5/10.5kg	12.5/11.5kg	21.5/20.5kg
	Qty.ctn	20pcs	10pcs	10pcs	20pcs
	Ctn. size(cm)	58x29x28	44x24x27	42.5x26x52	70x40x37

Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	22.5/20.5kg	23/22kg	12.5/11.5kg	11.5/10.5kg
	Qty.ctn	20pcs	20pcs	10pcs	10pcs
	Ctn. size(cm)	60x30x28	48x48x27	52x44x26.5	37x29x34

ATBC-6065  
Clamp:ATBC-5027



ATBC-6066  
Clamp:ATBC-5047



Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	22.5/20.5kg	23/22kg	12.5/11.5kg	11.5/10.5kg
	Qty.ctn	20pcs	20pcs	10pcs	10pcs
	Ctn. size(cm)	60x30x28	48x48x27	52x44x26.5	37x29x34

Package	Desp.	PvcBag	Zip.Bag	Color Box	Double Blister
2.5M	G.W/N.W	23.5/22.5kg	13.5/12.5kg	13.5/12.5kg	12.5/11.5kg
	Qty.ctn	20pcs	10pcs	10pcs	10pcs
	Ctn. size(cm)	62x32.5x32.5	56x28x30	52x44x26.5	55x38x36

ATBC-6067  
Clamp:ATBC-5073



ATBC-6068  
Clamp:ATBC-5072



Package	Desp.	4GA/12FT	4GA/16FT	4GA/20FT
Color Box	G.W/N.W	13/12kg	15.5/14.5kg	18/17kg
	Qty.ctn	6pcs	6pcs	6pcs
	Ctn. size(cm)	55.5x27x25	58.5x32.5x25	58.5x32.5x25

Package	Desp.	8GA/12FT	8GA/16FT	6GA/12FT	6GA/16FT
Color Box	G.W/N.W	9.5/8.5kg	11/12kg	11/10kg	13/12kg
	Qty.ctn	6pcs	6pcs	6pcs	6pcs
	Ctn. size(cm)	55.5x27x25	55.5x27x25	55.5x27x25	55.5x27x25

ATBC-6069  
Clamp:ATBC-5028



ATBC-6070  
Clamp:ATBC-5039



ATBC-6071



Package	Desp.	PvcBag	Zip.Bag	ColorBox
2.5M	G.W/N.W	18.5/17.5kg	19/18kg	19.5/18.5kg
	Qty.ctn	10pcs	10pcs	10pcs
	Ctn. size(cm)	60x30x28	48x48x27	42.5x26x52

Package	Desp.	PvcBag	Zip.Bag	ColorBox
2.5M	G.W/N.W	18.5/17.5kg	14.5/13.5kg	23/22kg
	Qty.ctn	8pcs	6pcs	10pcs
	Ctn. size(cm)	52x30x20	30x30x36	42.5x26x52

Package	Desp.	6M
Color Box	G.W/N.W	10.5/9.5kg
	Qty.ctn	12pcs
	Ctn. size(cm)	50x29.5x20.5

ATBC-6072  
Clamp:ATBC-5069



ATBC-6073  
Clamp:ATBC-5070



ATBC-6074  
Clamp:ATBC-5071



Package	Desp.	PvcBag
Zip.Bag	G.W/N.W	18/17kg
	Qty.ctn	20pcs
	Ctn. size(cm)	44x44x23.5

Package	Desp.	Zip.Bag	Color Box
2.5M	G.W/N.W	23/22kg	12.5/11.5kg
	Qty.ctn	20pcs	10pcs
	Ctn. size(cm)	48x48x27	52x44x26.5

Package	Desp.	Zip.Bag	Color Box
2.5M	G.W/N.W	20.5/19.5kg	22/21kg
	Qty.ctn	6pcs	6pcs
	Ctn. size(cm)	33x33x29	58.5x32.5x25

ATBC-6075  
Clamp:ATBC-5074



ATBC-6076  
Clamp:ATBC-5079



ATBC-6077  
Clamp:ATBC-5048



Package	Desp.	1GA/25FT	2GA/20FT	25FT
Color Box	G.W/N.W	-	16.5/15.5kg	19/18kg
	Qty.ctn	-	4pcs	4pcs
	Ctn. size(cm)	-	40.5x32x25	40.5x32x25
PlasticBox	G.W/N.W	12.5/11.5kg	-	11.5/10.5kg
	Qty.ctn	2pcs	-	2pcs
	Ctn. size(cm)	43.5x32.5x38	-	43.5x32.5x38

Package	Desp.	Cu16mm <sup>2</sup> /3.0M	3.0M
PlasticBox	G.W/N.W	12.5/11.5kg	11/10kg
	Qty.ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61.5x31x26
Zip.Bag	G.W/N.W	11/10kg	9.5/8.5kg
	Qty.ctn	6pcs	6pcs
	Ctn. size(cm)	57x28.5x16	60x30.5x16.5

Package	Desp.	PlasticBox	Zip.Bag
3.0M	G.W/N.W	11/10kg	9.5/8.5kg
	Qty.ctn	6pcs	6pcs
	Ctn. size(cm)	61.5x31x26	61x30.5x16.5



ATBC-5001



ATBC-5001-1



ATBC-5002



ATBC-5003



ATBC-5004



ATBC-5005



ATBC-5006



ATBC-5007



ATBC-5008



ATBC-5009



ATBC-5010



ATBC-5011



ATBC-5012



ATBC-5013



ATBC-5014



ATBC-5015



ATBC-5016



ATBC-5017



ATBC-5018



ATBC-5019

Name	Insulation	N.W	length	Width
ATBC5001	PVC	16g/pc	70mm	45mm
ATBC5001-1	PVC	8g/pc	60mm	30mm
ATBC5002	PVC	28g/pc	80mm	50mm
ATBC5003	PVC	29g/pc	100mm	50mm
ATBC5004	PVC	36g/pc	90mm	65mm
ATBC5005	PVC	41g/pc	110mm	90mm
ATBC5006	PVC	51g/pc	110mm	90mm
ATBC5007	PVC	61g/pc	110mm	90mm
ATBC5008	PVC	58g/pc	140mm	85mm
ATBC5009	PVC	62g/pc	140mm	85mm

Name	Insulation	N.W	length	Width
ATBC5010	PVC	62g/pc	140mm	100mm
ATBC5011	PVC	79g/pc	160mm	95mm
ATBC5012	PVC	73g/pc	160mm	95mm
ATBC5013	PVC	81g/pc	150mm	95mm
ATBC5014	PVC	82g/pc	150mm	95mm
ATBC5015	PVC	75g/pc	155mm	105mm
ATBC5016	PVC	75g/pc	140mm	85mm
ATBC5017	PVC	82g/pc	155mm	105mm
ATBC5018	PVC	103g/pc	155mm	105mm
ATBC5019	PVC	121g/pc	165mm	95mm



ATBC-5020



ATBC-5021



ATBC-5022



ATBC-5023



ATBC-5024



ATBC-5025



ATBC-5026



ATBC-5027



ATBC-5028



ATBC-5029



ATBC-5030



ATBC-5031



ATBC-5032a



ATBC-5032b



ATBC-5033



ATBC-5034



ATBC-5035



ATBC-5036



ATBC-5037



ATBC-5038

Name	Insulation	N.W	length	Width
ATBC5020	PVC	104g/pcS	165mm	115mm
ATBC5021	PVC	115g/pc	140mm	105mm
ATBC5022	PVC	118g/pc	145mm	105mm
ATBC5023	PVC	88g/pc	145mm	105mm
ATBC5024	PVC	98g/pc	155mm	110mm
ATBC5025	PVC	101g/pc	155mm	90mm
ATBC5026	PVC	90g/pc	165mm	110mm
ATBC5027	PVC	92g/pc	150mm	115mm
ATBC5028	PVC	111g/pc	175mm	125mm
ATBC5029	PVC	109g/pc	175mm	110mm

Name	Insulation	N.W	length	Width
ATBC5030	PE ColdSteel	80g/pc	145mm	90mm
ATBC5031	PE ColdSteel	110g/pc	165mm	80mm
ATBC5032a	PE ColdSteel	141g/pc	195mm	70mm
ATBC5032b	PE-Clad Steel	150g/pc	185mm	70mm
ATBC5033	PE-Clad Steel	126g/pc	175mm	100mm
ATBC5034	PE-Clad Steel	127g/pc	175mm	90mm
ATBC5035	PE-Clad Steel	133g/pc	165mm	110mm
ATBC5036	PE-Clad Steel	182g/pc	150mm	115mm
ATBC5037	PE-Clad Steel	173g/pc	150mm	115mm
ATBC5038	PVC	270g/pc	155mm	115mm



ATBC-5039



ATBC-5039-1



ATBC-5039-2



ATBC-5040



ATBC-5041



ATBC-5042a



ATBC-5042b



ATBC-5043



ATBC-5044



ATBC-5045



ATBC-5046



ATBC-5047



ATBC-5048



ATBC-5048-1



ATBC-5049



ATBC-5049-1



ATBC-5050



ATBC-5051



ATBC-5052



ATBC-5053

Name	Insulation	N.W	length	Width
ATBC5039	PVC	249g/pc	155mm	115mm
ATBC5039-1	PVC	212g/pc	150mm	100mm
ATBC5039-2	PVC	279g/pc	180mm	125mm
ATBC5040	PVC	276g/pc	160mm	135mm
ATBC5041	PVC	329g/pc	160mm	135mm
ATBC5042a	PVC	495g/pc	185mm	125mm
ATBC5042b	PVC	303g/pc	170mm	105mm
ATBC5043	PVC	175g/pc	145mm	85mm
ATBC5044	PVC	435g/pc	160mm	100mm
ATBC5045	ABS	67g/pc	130mm	95mm

Name	Insulation	N.W	length	Width
ATBC5046	ABS	72g/pc	150mm	90mm
ATBC5047	ABS	97g/pc	165mm	90mm
ATBC5048	PP	90g/pc	155mm	125mm
ATBC5048-1	PP	82g/pcS	175mm	110mm
ATBC5049	PP	125g/pc	185mm	120mm
ATBC5049-1	PP	95g/pc	190mm	130mm
ATBC5050	PVC	22g/pc	80mm	55mm
ATBC5051	PVC	50g/pc	125mm	95mm
ATBC5052	PVC	65g/pc	145mm	75mm
ATBC5053	PVC	97g/pc	175mm	115mm





ATBC-5054



ATBC-5055



ATBC-5056



ATBC-5057



ATBC-5058



ATBC-5059



ATBS-5060



ATBS-5061



ATBS-5062



ATBS-5063



ATBC-5064



ATBC-5065



ATBC-5066



ATBS-5067



ATBC-5068



ATBC-5069



ATBC-5070



ATBC-5071



ATBC-5072



ATBC-5073

Name	Insulation	N.W	length	Width
ATBC5054	PVC	271g/pc	220mm	150mm
ATBC5055	PVC	201g/pc	190mm	130mm
ATBC5056	PP	343g/pc	-	-
ATBC5057	Nylon	116g/pc	-	-
ATBC5058	-	189g/pc	-	-
ATBC5059	PVC	318g/pc	190mm	120mm
ATBC5060	PP	362g/pc	190mm	120mm
ATBC5061	PP	388g/pc	190mm	120mm
ATBC5062	PVC	253g/pc	175mm	110mm
ATBC5063	PVC	138g/pc	150mm	115mm

Name	Insulation	N.W	length	Width
ATBC5064	PVC	152g/pc	175mm	110mm
ATBC5065	PVC	258g/pc	200mm	120mm
ATBC5066	PVC	192g/pc	190mm	130mm
ATBC5067	PP	54g/pc	150mm	90mm
ATBC5068	PVC	128g/pc	175mm	110mm
ATBC5069	PVC	85g/pc	158mm	110mm
ATBC5070	PVC	128g/pc	162mm	115mm
ATBC5071	PE Clad Steel	176g/pc	165mm	53mm
ATBC5072	ABS	94g/pc	170mm	85mm
ATBC5073	ABS	94g/pc	150mm	120mm



ATBC-5074



ATBC-5075



ATBC-5076



ATBC-5077



ATBC-5078



ATBC-5079



ATBC-5080



ATBC-5081



ATBC-5082



ATBC-5083



ATBC-5084



ATBC-5085



ATBC-5086



ATBC-5087



ATBC-5088



ATBC-5089



ATBC-5090



ATBC-5091



ATBC-5092



ATBC-S01

Name	Insulation	N.W	length	Width
ATBC5074	ABS	124g/pc	155mm	100mm
ATBC5075	PE	423g/pc	170mm	110mm
ATBC5076	-	20g/pc	80mm	-
ATBC5077	PVC	233g/pc	155mm	115mm
ATBC5078	PVC	87g/pc	175mm	115mm
ATBC5079	PP	74g/pcS	170mm	95mm
ATBC5080	PP	84g/pc	160mm	120mm
ATBC5081	PP	-	160mm	135mm
ATBC5082	PVC	244g/pc	155mm	115mm
ATBC5083	PVC	78g/pc	110mm	90mm

Name	Insulation	N.W	length	Width
ATBC5084	PVC	128g/pc	140mm	110mm
ATBC5085	PVC	78g/pc	130mm	90mm
ATBC5086	PE-CladSteel	132g/pc	145mm	110mm
ATBC5087	PP	57g/pc	170mm	95mm
ATBC5088	PVC	35g/pc	78mm	55mm
ATBC5089	PVC	22g/pc	75mm	45mm
ATBC5090	PE-Clad Steel	124g/pc	160mm	100mm
ATBC5091	PE-Clad Steel	103g/pc	145mm	95mm
ATBC5092	PE-Clad Steel	139g/pc	165mm	85mm
ATBC-S01	-	54.5g/pc	89.5mm	54mm




ATBC-S02



ATBC-S03




ATBC-S04



ATBC-1001



ATBC-1002



ATBC-1003



ATBC-1004



ATBC-1007




ATBC-1008



ATBC-1009



ATBC-1010



ATBC-1011



ATBC-1012




ATBC-1013



ATBC-1014



ATBC-1015



ATBC-1016



ATBC-1017



ATBC-1018

<b>Name</b>	ATBC-S02	ATBC-S03	ATBC-S04	ATBC-1001	ATBC-1002	ATBC-1003	ATBC-1004	ATBC-1007	ATBC-1008	ATBC-1009
<b>Length</b>	101.6mm	152.4mm	228.6mm	80mm	100mm	140mm	145mm	140mm	145mm	145mm
<b>Width</b>	62mm	85mm	157mm	45mm	90mm	90mm	95mm	85mm	110mm	85mm
<b>N.W</b>	30g/pc	120g/pc	300g/pc	-	-	-	-	-	-	-
<b>Name</b>	ATBC-1010	ATBC-1011	ATBC-1012	ATBC-1013	ATBC-1014	ATBC-1015	ATBC-1016	ATBC-1017	ATBC-1018	—
<b>Length</b>	155mm	155mm	120mm	160mm	165mm	150mm	150mm	95mm	115mm	—
<b>Width</b>	80mm	80mm	95mm	115mm	110mm	90mm	100mm	165mm	90mm	—
<b>Current</b>	-	-	-	-	-	-	-	50	100	—



ATBC-1019



ATBC-1020



ATBC-1021



ATBC-1022



ATBC-1023



ATBC-1024



ATBC-1025



ATBC-1026



ATBC-1027



ATBC-1028



ATBC-1029



ATBC-1030



ATBC-1031



ATBC-1032



ATBC-1033



ATBC-1034



ATBC-1035



ATBC-1036



ATBC-1037



ATBC-1038

Name	ATBC-1019	ATBC-1020	ATBC-1021	ATBC-1022	ATBC-1023	ATBC-1024	ATBC-1025	ATBC-1026	ATBC-1027	ATBC-1028
Length	145mm	145mm	105mm	160mm	160mm	145mm	165mm	150mm	150mm	150mm
Width	85mm	85mm	90mm	90mm	100mm	95mm	125mm	80mm	95mm	95mm
Current	100Amp	100Amp	100Amp	200Amp	200Amp	200Amp	200Amp	200Amp	200Amp	200Amp

Name	ATBC-1029	ATBC-1030	ATBC-1031	ATBC-1032	ATBC-1033	ATBC-1034	ATBC-1035	ATBC-1036	ATBC-1037	ATBC-1038
Length	130mm	125mm	140mm	125mm	150mm	185mm	155mm	170mm	140mm	185mm
Width	110mm	95mm	100mm	85mm	90mm	130mm	100mm	125mm	115mm	115mm
Current	200Amp	200Amp	400Amp	400Amp	400Amp	400Amp	400Amp	400Amp	400Amp	400Amp



ATBC-1039



ATBC-1040



ATBC-1041



ATBC-1042



ATBC-1043



ATBC-1044



ATBC-1045



ATBC-1046



ATBC-1047



ATBC-1048



ATBC-1049



ATBC-1050



ATBC-1051



ATBC-1052



ATBC-1053



ATBC-1054



ATBC-1055



ATBC-1056



ATBC-1057



ATBC-1058

Name	ATBC-1039	ATBC-1040	ATBC-1041	ATBC-1042	ATBC-1043	ATBC-1044	ATBC-1045	ATBC-1046	ATBC-1047	ATBC-1048
Length	165mm	170mm	165mm	200mm	195mm	215mm	185mm	180mm	145mm	195mm
Width	130mm	140mm	130mm	80mm	125mm	135mm	140mm	95mm	110mm	125mm
Current	400Amp	400Amp	400Amp	400Amp	600Amp	600Amp	600Amp	600Amp	600Amp	600Amp

Name	ATBC-1049	ATBC-1050	ATBC-1051	ATBC-1052	ATBC-1053	ATBC-1054	ATBC-1055	ATBC-1056	ATBC-1057	ATBC-1058
Length	180mm	185mm	180mm	160mm	160mm	155mm	195mm	215mm	190mm	185mm
Width	130mm	145mm	85mm	110mm	115mm	110mm	125mm	135mm	130mm	120mm
Current	600Amp	600Amp	600Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp



ATBC-1059



ATBC-1060



ATBC-1061



ATBC-1062



ATBC-1063



ATBC-1064



ATBC-1065



ATBC-1066



ATBC-1067



ATBC-1068



ATBC-1069



ATBC-1070



ATBC-1071



ATBC-1072



ATBC-1073



ATBC-1075



ATBC-1076



ATBC-1077



ATBC-1078



ATBC-1079

Name	ATBC-1059	ATBC-1060	ATBC-1061	ATBC-1062	ATBC-1063	ATBC-1064	ATBC-1065	ATBC-1066	ATBC-1067	ATBC-1068
Length	170mm	170/240mm	140mm	145mm	150mm	140mm	165mm	155mm	165mm	165mm
Width	100mm	100mm	90mm	100mm	90mm	95mm	85mm	115mm	90mm	120mm
Current	700-1200Amp	700-1200Amp	10/8GA	10/8/6/4GA	10/8GA	10/8/6/4GA	8/6/4/2GA	4/2/1/0/00GA	8/6/4/2GA	4/2/1/0/00GA

Name	ATBC-1069	ATBC-1070	ATBC-1071	ATBC-1072	ATBC-1073	ATBC-1075	ATBC-1076	ATBC-1077	ATBC-1078	ATBC-1079
Length	155mm	170mm	85mm	95mm	85mm	115mm	160mm	145mm	200mm	155mm
Width	115mm	125mm	55mm	65mm	55mm	90mm	100mm	95mm	80mm	115mm
Current	8/6/4/2GA	4/2/1/0/00GA	50Amp	50Amp	50Amp	100Amp	200Amp	200Amp	400Amp	600Amp



ATBC-1080



ATBC-1081



ATBC-1082



ATBC-1083



ATBC-1084



ATBC-1085



ATBC-1086



ATBC-1087



ATBC-1088

Name	ATBC-1080	ATBC-1081	ATBC-1082	ATBC-1083	ATBC-184	ATBC-1085	ATBC-1086	ATBC-1087	ATBC-1088	-
Length	180mm	180mm	155mm	165mm	170mm	190mm	185mm	170mm	145mm	-
Width	95mm	85mm	115mm	120mm	125mm	130mm	120mm	100mm	110mm	-
Current	600Amp	600Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp	700-1200Amp	-



# PRODUCT PACKAGE



ATBCP-001  
Zipper Bag



ATBCP-002  
Zipper Bag



ATBCP-003  
Zipper Bag



ATBCP-004  
EVA Bag



ATBCP-005  
EVA Bag



ATBCP-006  
EVA Bag



ATBCP-007  
EVA Bag



ATBCP-008  
Plastic Box



ATBCP-009  
Plastic Box



ATBCP-010  
Plastic Box



ATBCP-011  
Plastic Box



ATBCP-012  
Plastic Box



ATBCP-013  
Plastic Box



ATBCP-014  
Plastic Box



ATBCP-015  
Plastic Box



ATBCP-016  
Plastic Box



ATBCP-017  
Double Blister



ATBCP-018  
Double Blister



ATBCP-019  
PVC Bag



ATBCP-020  
PVC Bag



ATBCP-021  
Color Box



ATBCP-022  
Color Box



ATBCP-023  
Zipper Bag



ATBCP-024  
Zipper Bag



ATBCP-025  
Color Sleeve



ATBCP-025  
PVC Bag



ATBCP-025  
Plastic Box



ATBCP-025  
Plastic Box





**atlipower**

HANGZHOU ATLI AUTO ACCESSORIES CO.,LTD.  
杭州腾力汽配有限公司  
ATLI INDUSTRY CO.,LIMITED  
杭州腾力工贸有限公司

NO.1-1207 Tongren Jinhua Bld  
NO.616,Gudun Rd.HangZhou,310015,ZheJing,China  
浙江省杭州市古墩路616号同人精华大厦1号楼1207室  
www.atlipower.com sales@atlipower.com  
TEL:+86571 85839981 FAX:+86571 85839982