

Eljintek, Inc.
Ms. Lydia Zhang
-
6F-1, No.286-3, Shin Ya Road
Chien Chen Dist.
Kaohsiung 806
Taiwan

Date : 05.07.2016
Our ref. : YFR ZTW1
Your ref.: 12089647/GW130616

Ref : S GS-Mark Approval

Type of Equipment : SWITCHING POWER SUPPLY
Model Designation : See Certificate
Certificate No. : S 50350935 0001
Report No. : 10056155 002

Dear Ms. Lydia Zhang,

Enclosed please find above certification documents.
Please forward these originals to the certificate holder.


If you contact our office, please quote our reference above.

We thank you for your cooperation.

the certificate holder is: MEAN WELL Enterprises Co., Ltd.

With kind regards,

Certification Body


Dipl.-Ing. F. Staelzel

Enclosure

TÜV RHEINLAND TAIWAN LTD.

11F., No. 758, Sec. 4, Bade Rd.,
Songsshan Dist., Taipei City 105,
Taiwan R. O. C.
Tel. (02) 2172-7000
Fax (02) 2528-0018
<http://www.tuv.com>

TAICHUNG BRANCH:
No. 9, Lane 36, Sec. 3, Minsheng Rd.,
Daya Dist., Taichung City 428
Taiwan, R. O. C.
Tel. (04) 2560-2998
Fax (04) 2566-3598

MEAN WELL Enterprises Co., Ltd.
Ms. Karen Lin Safety Engineer
-
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248
Taiwan

Date : 05.07.2016
Our ref. : YFR ZTW1
Your ref.: 12089647/GW130616

Ref : S GS-Mark Approval

Type of Equipment : SWITCHING POWER SUPPLY
Model Designation : See Certificate
Certificate No. : S 50350935 0001
Report No. : 10056155 002

Dear Ms. Karen Lin,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.


Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProDSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body


Dipl.-Ing. F. Stoelzel

cc: Eljintek, Inc.

Enclosure

TÜV RHEINLAND TAIWAN LTD.

11F., No. 758, Sec. 4, Bade Rd.,
Songsshan Dist., Taipei City 105,
Taiwan R. O. C.
Tel. (02) 2172-7000
Fax (02) 2528-0018
<http://www.tuv.com>

TAICHUNG BRANCH:
No. 9, Lane 36, Sec. 3, Minsheng Rd.,
Daya Dist., Taichung City 428
Taiwan, R. O. C.
Tel. (04) 2560-2998
Fax (04) 2566-3598

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
S 50350935

Blatt *Page*
0001

| Ihr Zeichen <i>Client Reference</i> | Unser Zeichen <i>Our Reference</i> | Längstens gültig bis | <i>Latest expiration date</i> |
|-------------------------------------|------------------------------------|----------------------|-------------------------------|
| 12089647/GW130616 | ZTW1-YFR-10056155 002 | 02.06.2021 | (day/mo/yr) |

Genehmigungsinhaber *License Holder*
MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu Dist., New Taipei City 248
Taiwan

Fertigungsstätte *Manufacturing Plant*
ZTW1-RNK-10056155 001

Prüfzeichen *Test Mark*



www.tuv.com
ID 1419037279

Geprüft nach *Tested acc. to*
EN 60950-1:2006+A11+A1+A12+A2
AfPS GS 2014:01 Par. 3.1

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit
License Fee - Unit

Schaltnetzteil (SWITCHING POWER SUPPLY)

| | | |
|-----------------------------------------------------|---------------------------------------------------------------------------------|---|
| Bezeichnung (Type Designation) | : GP25xyzzzzz (MW) | 1 |
| x steht für (stands for) | : A oder (or) C | 1 |
| y steht für (stands for) | : 13, 13A, 13D, 14, 14A, 14E, 16, 3D oder (or) 58F | 1 |
| z steht für (stands for) | : 0 bis (to) 9, A bis (to) Z oder strich (or dash) oder freibleibend (or blank) | 1 |
| Nennspannung (Rated Voltage) | : AC 100-240V, 50/60Hz | |
| Nennstrom (Rated Current) | : 0.8A | |
| Ausgang (Output) | : siehe Anlage (see appendix) | |
| max. Betriebshöhe (max. Operating Altitude) | : 5000m | |
| max. Umgebungstemperatur (max. Ambient Temperature) | : 40°C | |
| Schutzklasse (Protection Class) | : I | |

Hinweis: Dieses Netzgerät ist geprüft und erfüllt die Anforderungen nach Abschnitt 2.5 als Stromquelle mit begrenzter Leistung. (Remark: The equipment is also tested and complies with sub-clause 2.5 as limited power source.)

4


Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde. Produkt und Fertigungsstätte erfüllen § 20 und § 21 des Produktsicherheitsgesetzes.
This certificate is based on our Testing and Certification Regulation. Product and production fulfill par § 20 and § 21 of the Product Safety Law.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Ausstellungsdatum *Date of Issue* : 05.07.2016 (day/mo/yr)

Zertifizierungsstelle



Dipl.-Ing. F. Stöelzel

Appendix to TÜV approved Certificate No.: S 50350935

Certified Product : SWITCHING POWER SUPPLY

Report Number : 10056155 002

Type Designation : GP25xyzzzzz (x can be A or C; y can be 13, 13A, 13D, 14, 14A, 14E, 16, 3D, 58F; z can be 0 to 9, A to Z or dash or blank)


DC Output Rating:

| Model Name | Output#1 | | Output#2 | | Output#3 | | Maximum output power |
|---------------|----------|-----------------|----------|-----------------|-------------|-----------------|----------------------|
| | Voltage | Maximum current | Voltage | Maximum current | Voltage | Maximum current | |
| GP25x13Azzzzz | 5V | 2.5A | 12V | 1.2A | -5V | 0.3A | 28.5W |
| GP25x14Azzzzz | 5V | 2.5A | 15V | 1.0A | -5V | 0.3A | 29W |
| GP25x13zzzzz | 5V | 2.5A | 12V | 1.5A | / | / | 30.5W |
| GP25x13Dzzzzz | 5V | 2.5A | 12V | 1.0A | -12V | 0.3A | 28W |
| GP25x14zzzzz | 5V | 2.5A | 15V | 1.2A | / | / | 30.5W |
| GP25x14Ezzzzz | 5V | 2.5A | 15V | 0.8A | -15V | 0.3A | 29W |
| GP25x16zzzzz | 5V | 2.5A | 24V | 0.8A | / | / | 31.7W |
| GP25x3Dzzzzz | 11-16V | 1.05A | / | / | -11 - -16V | 1.05A | 33.6W |
| GP25x58Fzzzzz | 16-21V | 1.05-0.8A | 48-58V | 0.087-0.072A | -16V - -21V | 1.05-0.8A | 37.77W |

Date: Jul. 05, 2016



Certification Body



Dipl.-Ing. F. Stoelzel