



LINAN WEIMAI ELECTRON CO.LTD

Address: No.399 North HuanCheng Road Linan Hangzhou China www.weimaicable.com
 Phone:0086-61077585 Mobile:0086-13758296286 Email: sales@weimaicable.com

Alarm cable

Description:

1)Structure: unshielded, shield

- a> Conductor : CCA (TC,BC,TCCA are available)
- b> Cable core: 2C, 4C, 6C, 8C, 10C, 12C, 14C, 16C, 20C
- c> Insulation: PVC
- d> rip cord : yes
- e> Shield: Al/foil
- f> Drain wire: no
- g> Jecket : PVC

2)Application:

These cables are used for installation in signaling and alarm system.
 This is suitable for the connection of contacts, detectors and sensors, infra-red as well as micro wave or mixed technology systems to the switch board .

3)Standard packing:

100m/rolll, 100m/box ; 100m/plastic spool;300m/wooden spool .

Item No.	Decription	Conductor Spec.	Insulation		Jacket		Packing
			Nom.Thick (mm)	Nom.Diam (mm)	Nom.Thick (mm)	Nom.Diam. (mm)	
ALARM CABLE	TC/BC/CCA/TC CA Screened Unscreened Rip cord or No Drain wire or No	2*7*0.2	0.22	1.05	0.45	3.1	Box Coil Drum Paper reel Plastic reel Wooden reel
		4*7*0.2	0.22	1.05	0.45	3.4	
		6*7*0.2	0.22	1.05	0.5	4.1	
		8*7*0.2	0.22	1.05	0.5	4.5	
		10*7*0.2	0.22	1.05	0.6	5.1	
		12*7*0.2	0.22	1.05	0.6	5.5	
		14*7*0.2	0.22	1.05	0.7	6.1	
		16*7*0.2	0.22	1.05	0.7	6.4	
		20*7*0.2	0.22	1.05	0.8	7.2	



Email: sales@weimaicable.com Skype: weimaicable wechat:13758296286



LINAN WEIMAI ELECTRON CO.LTD

Address: No.399 North HuanCheng Road Linan Hangzhou China www.weimaicable.com
 Phone:0086-61077585 Mobile:0086-13758296286 Email: sales@weimaicable.com

Alarm cable

Description:							
1)Structure: shield							
Center conductor		4×0.5mm Solid Bare Copper					
Dielectric		PVC					
Drain wire		0.5mm Solid Tinned Copper					
Foil shield		Al/PE Foil Shield					
Rip cord		Rip Cord					
Outer jacket		PVC					
Item No.	Decription	Conductor Spec.	Insulation		Jacket		Packing
			Nom.Thick (mm)	Nom.Diam (mm)	Nom.Thick (mm)	Nom.Diam. (mm)	
ALARM	TC/BC/CCA/TCCA Screened Unscreened Rip cord or No Drain wire or No	2*7*0.2	0.22	1.05	0.45	3.1	Box Coil Drum Paper reel Plastic reel Wooden reel
		4*7*0.2	0.22	1.05	0.45	3.4	
		6*7*0.2	0.22	1.05	0.5	4.1	
		8*7*0.2	0.22	1.05	0.5	4.5	
		10*7*0.2	0.22	1.05	0.6	5.1	
		12*7*0.2	0.22	1.05	0.6	5.5	
		14*7*0.2	0.22	1.05	0.7	6.1	
		16*7*0.2	0.22	1.05	0.7	6.4	
		20*7*0.2	0.22	1.05	0.8	7.2	





LINAN WEIMAI ELECTRON CO.LTD

Address: No.399 North HuanCheng Road Linan Hangzhou China www.weimaicable.com
 Phone:0086-61077585 Mobile:0086-13758296286 Email: sales@weimaicable.com

Alarm cable

Description:							
1)Structure: shield							
Center conductor		6×0.5mm Solid Bare Copper					
Dielectric		PVC					
Drain wire		0.5mm Solid Tinned Copper					
Foil shield		Al/PE Foil Shield					
Rip cord		Rip Cord					
Outer jacket		PVC					
Item No.	Decription	Conductor Spec.	Insulation		Jacket		Packing
			Nom.Thick (mm)	Nom.Diam (mm)	Nom.Thick (mm)	Nom.Diam. (mm)	
ALARM	TC/BC/CCA/TCCA Screened Unscreened Rip cord or No Drain wire or No	2*7*0.2	0.22	1.05	0.45	3.1	Box Coil Drum Paper reel Plastic reel Wooden reel
		4*7*0.2	0.22	1.05	0.45	3.4	
		6*7*0.2	0.22	1.05	0.5	4.1	
		8*7*0.2	0.22	1.05	0.5	4.5	
		10*7*0.2	0.22	1.05	0.6	5.1	
		12*7*0.2	0.22	1.05	0.6	5.5	
		14*7*0.2	0.22	1.05	0.7	6.1	
		16*7*0.2	0.22	1.05	0.7	6.4	
		20*7*0.2	0.22	1.05	0.8	7.2	





LINAN WEIMAI ELECTRON CO.LTD

Address: No.399 North HuanCheng Road Linan Hangzhou China www.weimaicable.com
 Phone:0086-61077585 Mobile:0086-13758296286 Email: sales@weimaicable.com

Alarm cable

Description:							
1)Structure: shield							
Center conductor	12x(7x0,2)mm, TC						
Dielectric	PVC						
Drain wire	(7x0,2)mm, TC						
Foil shield	Al/PE Foil Shield						
Rip cord	Rip Cord						
Outer jacket	PVC						
Item No.	Decription	Conductor Spec.	Insulation		Jacket		Packing
			Nom.Thick (mm)	Nom.Diam (mm)	Nom.Thick (mm)	Nom.Diam. (mm)	
ALARM	TC/BC/CCA/TCCA Screened Unscreened Rip cord or No Drain wire or No	2*7*0.2	0.22	1.05	0.45	3.1	Box Coil Drum Paper reel Plastic reel Wooden reel
		4*7*0.2	0.22	1.05	0.45	3.4	
		6*7*0.2	0.22	1.05	0.5	4.1	
		8*7*0.2	0.22	1.05	0.5	4.5	
		10*7*0.2	0.22	1.05	0.6	5.1	
		12*7*0.2	0.22	1.05	0.6	5.5	
		14*7*0.2	0.22	1.05	0.7	6.1	
		16*7*0.2	0.22	1.05	0.7	6.4	
		20*7*0.2	0.22	1.05	0.8	7.2	



Email: sales@weimaicable.com Skype: weimaicable wechat:13758296286