



国际因特汽车配件有限公司

INTERNATIONAL AUTO PARTS CHINA LIMITED

ADD:37#HONGYUN AUTO PARTS SQUARE,BAIYUN DISTRICT,GUANGZHOU 51047,CHINA

Tel 0086-20-26296679 Fax 0086-20-26296679 Web <http://www.intl2008.com>

Skype intl007@intl2008.com.cn

Email intl007@intl2008.com.cn

Contact Mr Jason

Specification:

Model number: INTL-C118A

Car name for: universal

Compressor Type: SD7H13

Clutch DIA: 125mm

Grooves: 2pk

Volt: 12V/24V

OEM#

8949


S8949

8908

CAN USED FOR:

FORD LASER KC 1985 – 1987

FORD LASER KE 1987 – 1991



FORD METEOR GC 1985 – 1987

HOLDEN GEMINI RB 1985 – 1987

MAZDA 323 BF 1985 – 1989

MITSUBISHI COLT RA 1978 – 1982

MITSUBISHI COLT RB – RC 1983 – 1992

Compressor Specifications

Bore: \varnothing 29.3

Stroke: 27.4 mm

Displacement Per Revolution: 129.2 cc/rev

Number of Cylinders: 7

Max. Allowable Continuous Speed: 6000 RPM

Max. Downshift Speed: 7000 RPM

Refrigerant: HFC134A

Oil (SP-10 or Equiv): 135 cc

Rotation (Clutch View): Clockwise

Clutch Specifications

Rated Voltage: 24V / 12V

Breakaway Torque: 3.2 Kg-m

Minimum Engagement Voltage: 7.5 V Max

Power Consumption: 43 W (AL / CU)

Max. Allowable Continuous Speed: 6000 RPM

Max. Downshift Speed: 7000 RPM

Belt Type: A2

Pulley Diameter: \varnothing 12

