# **Body Protection**

## **BODY PROTECTION**



Product
catalogue

### **Welding Protective Gloves Series**

Hands Back Protection Gloves/LEATHER HAND SHIELDS	135
Hight Heat Resistant Gloves(Blast Use)	135
High Qulity Leather Welding Gloves(Reinforced Palm)	136
Premium Comfortable Welding Gloves	137
Premium Quality Welding Gloves-14"(Could offer 16" Long)	138
Economy Quality Welding Glove	138
Quality Welding Gloves-14"	139
Quality Welding LONG Gloves-18"	140

### **Professional TIG/MIG Gloves Series**

Outstanding Fit & Dexterity Grain Goatskin TIG Gloves	141
Quality Grain Calfskin TIG/MIG Gloves	142

### CLOTHING

Full Leather Welder Jacket	14
Washable FR Cotton Fabric Body W/ Leather Sleeves Welder Jacket	14
Premium Leather Jacket	14
Cape Sleeces System	14
PFIREMAN Jacket	14
Leather Front W/ Washable FR Cotton Fabric Back Werlder Jacket	14
Leather Welder Pants	14
Leather Welder Chaps	14
$LeatherWelderApron(BIBAPRONSFORFRONTMIDDLEBODYPROTECTION)\_\_\_\_$	14
Leather Welder Apron(FOR ARMS AND BODY PROTECTION)_	14
Washable FR Cotton Fabric Waist Apron	18
Washable FR Cotton Fabric Coverall	1
Washable FR Cotton Fabric Jacket	15
Washahla EP Cotton Eahric Pants	1.6

#### **FOOT PROTECTION**

Leather Legging Spats	153
Safety Shoes	153

#### **HEAD PROTECTION**

Leather Welder Hoods	. 134
Washable FR Cotton Hood	154
Leather Helmet	155

#### **WORKSHOP PROTECTION**

High Transparency Welding Curtain	150
eather Legging Spats	15
Ajustable Modular Frame( for Transpancy Welding Curtains)	15
Glass Firber Welding Blanket	158

### **Welding Protective Gloves Series**



# Hands Back Protection Gloves/LEATHER HAND SHIELDS BL-1000

PT.NO	DESCRIPTION
BL-1000	golden color,size M,L,XL,length 14"
Specificat  Split cowhide Soft lining; Back reinfore Double leath Wing thumb Sewn with D	e leather; ced



PT.	NO	DESCRIPTION
BL-	1001	Aluminized & split cowhide, size 6.5" W*7.5" L
H • A	luminized PFR	tive protection Rayon outer shell reflets 95% of radant heat, ner layer provides extra duralibity;



PT.NO	DESCRIPTION
BL-1002	Aluminized & split cowhide, size 6.5" W*8.5" L
<ul> <li>Aluminized I</li> </ul>	eflective protection PFR Rayon outer shell reflets 95% of radant heat, innner layer provides extra duralibity;




Specification	s:	
<ul><li>Polyester;</li><li>Temp rating 260</li><li>KEVLAR stitche</li><li>Cotton lining;</li><li>Fabirc hemming</li></ul>	i;	

DESCRIPTION




PT.NO	DESCRIPTION
BL-1004	metamax, white color,length 14", size L, XL
Specificati  Metamas; Temp rating 3  KEVLAR stit Cotton lining; Fabirc hemm	550℃; ched;

### **Welding Protective Gloves Series**









PT.NO	DESCRIPTION	
BL-1006	aramin fiber & aluminized, length 14", size L, XL	
<ul> <li>Temp rating 6</li> <li>Thickening s</li> </ul>	with Aluminum back; 500℃	



BL-1007	aluminized & split cowhite, length 14", size L, XL
Aramid fiber     Temp rating	with Aluminum back;

DESCRIPTION



	BL-1008 cowhide leather, blue color, length 14", size M, L, XL  Specifications:  Popular styles for welding protection  • Premium split cowhide Leather, Double leather reinforced Leahter Palm and Cuff;  • KEVLAR stitched;  • Cotton lining;  • Wing thumb.
BL-1008	


PT.NO



PT.NO	DESCRIPTION
BL-1009	cowhide leather,gray color,length 14",size M,L,XL
	les for welding protection it cowhide Leather;Double leather reinforced Leahter Palm and Cuff; tched; ;

BROAD INDUSTIRAL GROUP

### **Welding Protective Gloves Series**



# High Qulity Leather Welding Gloves(Reinforced Palm) BL-1010

BL-1010	cowhide leather,golden color,length 14",size M,L,XL
	for welding protection whide Leather;Double leather reinforced Leahter Palm and Cuff;

DESCRIPTION



PT.NO	DESCRIPTION
BL-1011	split cowhide,gray color,length 14" ,side M,L,XL
Specification Split cowhide Reinforced part 100% cotton I Sewn with Du	; ; ilning;



PT.NO	DESCRIPTION
BL-1012	split cowhide,golden color,length 14" ,side M,L,XL
Specificati  Split cowhide Reinforced p  100% cotton Sewn with Di	e; alm; lining;




Premium split cowhide Leather; Double leather reinforced Leahter Palm and wing thumb; KEVLAR stitched; Comfortable sweat vBLor with cushion fleecy cotton lining.		
	, and the second	

DESCRIPTION




PT.NO	DESCRIPTION
BL-1014	cowhide leather, coffee color, length 14", size M,L, XL
Specifica	tions:
Double leaf     KEVLAR s	olit cowhide Leather; her reinforced Leahter Palm and wing thumb; titched; e sweat vBLor with cushion fleecy cotton lining.

### **Welding Protective Gloves Series**











BL-1016	cowhide leather,coffee color,length 14",size M,L,XL
Specifica	tions:
Thicker cot	ton lining;
	plit cowhide Leather;
Double leaf	bit confide Leanter, ther reinforced Leahter Palm; titched;Wing thumb.

**BODY PROTECTION** 











PT.NO	DESCRIPTION
BL-1019	split cowhide,russet color,length 14",size M,L,XL
<ul> <li>Specificat</li> <li>Split cowhid</li> <li>Cotton lining</li> <li>Straight thur</li> </ul>	e Leather; 3;

## **Welding Protective Gloves Series**





PT.NO	DESCRIPTION
BL-1020	cowhide leather, brown color, length 14", size M, L, XL
Split cowhid	ction in most welding situations e Leather; tched,Thick cotton lining;



PT.NO	DESCRIPTION
BL-1021	cowhide leather, coffee color, length 14", size M, L, XL
<ul> <li>Split cowhide</li> </ul>	ction in most welding situations Leather; ched,Thick cotton lining;



PT.NO	DESCRIPTION
BL-1022	cowhide leather,blue color,length 14",size M,L,XL
<ul> <li>Split cowhide</li> </ul>	ction in most welding situations






DESCRIPTION



PT.NO	DESCRIPTION
BL-1024	split cowhide, russet color, length 14",size M,L,XL
Specificat	ions:
Basic protect Split cowhide	ction om ,pst welding situations
	ched,Thick cotton lining;
Tring triumb.	

### **Welding Protective Gloves Series**





PT.NO	DESCRIPTION
BL-1025	split cowhide, golden color, length 14",size M,L,XL
	itched, Thick cotton lining;
<ul> <li>Wing thumb.</li> </ul>	
vvilig triumb	



PT.NO	DESCRIPTION
BL-1026	cowhide leather,blue color,length 18",size M,L,XL
<ul> <li>Premium spli</li> </ul>	ction om ,pst welding situations t cowhide Leather; to prevent the radiant heat; ched;



PT.NO	DESCRIPTION
BL-1027	cowhide leather,coffee color,length 18",size M,L,XL
Specifica	tions:
	ection om "pst welding situations olit cowhide Leather;
<ul> <li>Effective lor</li> </ul>	ng to prevent the radiant heat;
<ul> <li>KEVLAR st</li> </ul>	titched;
	titched; g;

### **Professional TIG/MIG Gloves Series**





F I.NO	DESCRIPTION
BL-2000	grain goatskin, white & black color,5" long cuff,size M,L,XL
Specificat	ions:
	dex finger;



PT.NO	DESCRIPTION
BL-2001	grain goatskin, white & golden color,5" long cuff,size M,L,XL
	e for TIG/MIG protection grain goatskin with 5" long split cowhide leather; shed;



PT.NO	DESCRIPTION
BL-2002	cowhide leather, white & golden color, 2" short cuff, size M, L, XL
Specificat	ions:
	le for TIG/MIG protection  W/ split cowhide leather hand back.
	grain goatskin with 2" long split cowhide leather;
W/O lining;	
KEVLAR stit	
<ul> <li>Seamless inc</li> </ul>	
<ul> <li>Straight thun</li> </ul>	ib



PT.NO	DESCRIPTION
BL-2003	cowhide leather, white & golden color, 2" short cuff, size M, L, XL
Specificat	ions:
<ul> <li>Economical</li> </ul>	dex finger;



PT.NO	DESCRIPTION
BL-2004	grain goatskin, white & golden color, 5"long cuff, size M, L, XL
Specificat  Premium top W/O lining, Seamless in KEVLAR sti	grain goatskin with 5" long split cowhide leather; dex finger;

### **Professional TIG/MIG Gloves Series**





PT.NO	DESCRIPTION
BL-2005	grain goatskin ,white & golden color,2" short cuff, size M,L,XL
Specifica	tions:
<ul> <li>W/O lining;</li> </ul>	p grain goatskin with 2" long split cowhide leather; titched;

**BODY PROTECTION** 



3L-2006 grain cowhide ,yellow & gray color,5" long cuff, size  Specifications:	
Specifications:	M,L,XL
Premium top grain calfskin with 5" long split cowhide leather;     W/O lining;     KEVLAR stitched.	



PT.NO	DESCRIPTION
BL-2007	grain pigskin, golden color,5" long cuff,size M,L,XL
	ection in most TIG/MIG situation p grain pigskin with 5" long split pigskin cuffs; titched:



PT.NO	DESCRIPTION	
BL-2008	Suede pigskin,golden color,5" long cuff,size M,L,XL	
	ction in most TIG/MIG situation grain pigskin with 5" long split pigskin cuffs; iched;	



PT.NO	DESCRIPTION
BL-2009	grain goatskin ,white color,2" short cuff,size M,L,XL
	ection in most TIG/MIG situation p grain goatskin with 2" long split cowhide leather; titched; ndex finger;

**BODY PROTECTION** 

## **Professional TIG/MIG Gloves Series**

EN 60974-7 ((()

# Quality Grain Calfskin TIG/MIG Gloves BL-2010

PT.NO	DESCRIPTION
BL-2010	grain cowhide ,white color,2" short cuff, size M,L,XL
	tion in most TIG/MIG situation grain calfskin with 2" long split cowhide leather; ched; ex finger;



PT.NO	DESCRIPTION
BL-2011	grain pigskin, golden color,5" long cuff,size M,L,XL
Specificat  Premium top W/O lining; KEVLAR sti Straight thur	grain pigskin with 5" long split pigskin cuffs; tched;



PT.NO	DESCRIPTION
BL-2012	grain cowhide, yellow color, 5" long cuff, size M, L, XL
Specification  • Premium top gra  • W/O lining;  • KEVLAR stitche	in calfskin with 5" long split cowhide leather;



PT.NO	DESCRIPTION
BL-2014	golden color, size M, L,XL,length 14*
Specification Grain pigskin pa Split cpigskin ba Regifoced palm Sponge lining; Sewn with Dopo	lm; ck; & index finger;

### **CLOTHING**



#### Full Leather Welder Jacket



DESCRIPTION	
split cowhide,coffee color, size L,XL, XXL, XXXL	
ons:	
l insulated snaps; er guard layer; and adjustable cuffs;	
	split cowhide,coffee color, size L,XL, XXL, XXXL  Ons:  cowhide leather; i insulated snaps; er guard layer; and adjustable cuffs; lar with velco closure;



PT.NO	DESCRIPTION
BL-3003	split cowhide,golden color, size L,XL, XXL, XXXL
Specifica	tions:
Dielectric a     Leather spa     Inside pock	olit cowhide leather; nd insulated snaps; stter guard layer; et and adjustable cuffs; ollar with velco closure; titched



PT.NO	DESCRIPTION
BL-3002	split cowhide, charcoal-brown color, size L, XL, XXL, XXXL
Specificatio	





PT.NO	DESCRIPTION	
BL-3004	split cowhide,grey color, size L,XL, XXL, XXXL	
Dielectric an     Leather spat     Inside pocke	it cowhide leather; d insulated snaps; ter guard layer; t and adjustable cuffs; illar with veloc closure;	



#### Washable FR Cotton Fabric Body W/ Leather Sleeves Welder Jacket



PT.NO	DESCRIPTION
F I.NO	DESCRIPTION

 $split\ cowhide \&FR, golden \& orange\ color,\ size\ L, XL,\ XXL,\ XXXL$ BL-3005

#### Specifications:

**BODY PROTECTION** 

- 11OZ washable flame retardant cotton sateen body;
   Select side split cowhide leather sleeves;
   Dielectric and insulated snaps;
   FR spatter guard layer;
   Inside pocket and adjustable snap cuffs;
   KEVLAR stitched.



PT.NO	DESCRIPTION

split cowhide&FR,browm&blue color, size L,XL, XXL, XXXL

#### Specifications:

- 11OZ washable flame retardant cotton sateen body;
   Select side split cowhide leather sleeves;
   Dielectric and insulated snaps;
   FR spatter guard layer;
   Inside pocket and adjustable snap cuffs;
   KEVLAR stitched.

### **CLOTHING**



#### Cape Sleeces System







PT.NO	DESCRIPTION
BL-3008	cape sleeves,golden color, size M, L,XL, XXL, XXXL
BL-3009	bib,golden color, size M, L,XL, XXL, XXXL

#### Specifications:

- Select split cowhide leather;
   Dielectric and insulated snaps;
   FR spatter guard layer;
   Inside pocket and adjustable snap cuffs;
   KEVLAR stitched.

#### Premium Leather Jacket



cowhide,golden&brown color, size L,XL, XXL, XXXL

PT.NO	DESCRIPTION

#### Specifications:

BL-3007

- Top grain calfskin body;
- opy gram canskin body;
   Split Cowhide leather sleeves,Dielectric and insulated snaps;
   Leather spatter guard layer closure;
   Inside pocket and adjustable cuffs;
   FR roll up collar with velco closure;
   KEVLAR stitched.





PT.NO	DESCRIPTION	
BL-3010	FR&leather,golden color,size L,XL, XXL, XXXL	
Specifica	tions:	
Side front     FR cotton	lined roll-up collar;	
<ul> <li>Flap/inside</li> <li>Sewn with</li> </ul>	pocket; Dupont Kevlar;	



PT.NO	DESCRIPTION	
BL-3011	leather,golden color, size L,XL, XXL, XXXL	
Specificat	tions:	

Dielectric and insulated snaps;

- Leather spatter guard layer;
   Inside pocket and adjustable cuffs;
   FR roll up collar with velco closure;
   KEVLAR stitched

**BODY PROTECTION** 



#### Leather Front W/ Washable FR Cotton Fabric Back Werlder Jacket



PT.NO	DESCRIPTION

split cowhide & FR,coffee&orange color, size L,XL, XXL, XXXL BL-3012

#### Specifications:

- Body front w/ select side split cowhide leather;
   Back w/110Z washable flame retardant cotton sateen;
   Dielectric and insulated snaps;

RR spatter guard layer;
Dupont KEVLAR sewn;
With a inside pocket and adjustable snap cuffs;
FR inner roll up collar w/ verlco closure.



P I.NO	DESCRIPTION
BL-3013	split cowhide & FR,golden&blue color, size L,XL, XXL, XXXL

#### Specifications:

- Body front w/ select side split cowhide leather;
  Back w/110Z washable flame retardant cotton sateen;
  Dielectric and insulated snaps;
  FR spatter guard layer;
  Dupont KEVLAR sewn;
  With a inside pocket and adjustable snap cuffs;
  FR inner roll up collar w/ vertco closure.

### **CLOTHING**



#### Leather Welder Chaps





PT.NO	DESCRIPTION	
BL-3016	coffee color, size L,XL, XXL, XXXL	
BL-3017	golden color, size L,XL, XXL, XXXL	

#### Specifications:

- Select split cowhide leather;
  Open back with quick release buckle;
  KEVLAR stitched.

#### Leather Welder Pants



PT.NO	DESCRIPTION
BL-3014	gray color, size L,XL, XXL, XXXL
Specification  Select split cowl  With or without g  KEVLAR stitche	nide leather; pallus design;

3L-3015 golden color, size L,XL, XXL, XXXL	PT.NO	DESCRIPTION	
	BL-3015	golden color, size L,XL, XXL, XXXL	
Specifications:	-		
•	With or without the control of t	out gallus design;	
Select split cowhide leather;	<ul> <li>With or without KEVLAR stit</li> </ul>		

#### Leather Welder Apron(BIB APRONS FOR FRONT MIDDLE BODY PROTECTION)



57116	PERCENTION
PT.NO	DESCRIPTION
BL-3018	brown color, size L,XL
Specifica	ons:
KEVLAR st     2.5cm Wide     Quick-relea	Cotton Sliding length self balancing adjuster;



PT.NO	DESCRIPTION
BL-3019	golden color, size L,XL
KEVLAR st     2.5cm Wide     Quick-relea	owhide leather; titched; c Cotton Sliding length self balancing adjuster;

**BODY PROTECTION** 



#### Leather Welder Apron(BIB APRONS FOR FRONT MIDDLE BODY PROTECTION)



PT.NO	DESCRIPTION
BI 3020	grav color size LVI

#### Specifications:

- Side split cowhide leather;
   KEVLAR stitched;
   2.5cm Wide Cotton Sliding length self balancing adjuster;



PT.NO	DESCRIPTION
BL-3021	coffee color, size L,XL

#### Specifications:

- Side split cowhide leather;
   KEVLAR stitched;
   2.5cm Wide Cotton Sliding length self balancing adjuster;

#### Leather Welder Apron(FOR ARMS AND BODY PROTECTION)



PT.NO	DESCRIPTION
BL-3022	brown color,roll-up collar, size L,XL,XXL
Specification	

 FR roll up collar with velco closure; Fully Long Leather arm sleeves;
Side split cowhide leather;
KEVLAR stitched;
2.5CM wide cotton straps;
Quick-release buckle.



PT.NO	DESCRIPTION	
BL-3023	golden color,roll-up collar, size L,XL,XXL	
Specifications:		

FR roll up collar with velco closure;

Fully Long Leather arm sleeves;
 Side split cowhide leather;
 KEVLAR stitched;
 2.5CM wide cotton straps;
 Quick-release buckle.

### **CLOTHING**



#### Leather Welder Apron(FOR ARMS AND BODY PROTECTION)



PT.NO	DESCRIPTION	
BL-3024	golden color,long sleeves, size L,XL,XXL	
Specifications:		
Short arm sleeves. Side split cowhide leather, KEVLAR stitched; J.5CM wide cotton straps; Quick-release buckle.		



PT.NO	DESCRIPTION
BL-3025	golden color, short sleeves, size L,XL,XXL
Specifications:  Fully Long Leather arm sleeves. Side split cowhide leather; KEVLAR stitched; 2.5CM wide cotton straps; Quick-release buckle.	

#### Washable FR Cotton Fabric Waist Apron



PT.NO	DESCRIPTION	
BL-3026	golden color, size 25"*24"	
Specifications:  Side split cowhide leather; KEVLAR stitched; 2.SCM wide cotton straps; Quick-release buckle.		



lue color, size L,XL ne retardant cotton sateen;	
ne retardant cotton sateen:	
·-····································	
Sliding length self balancing adjuster;	
-release buckle; able slider and divider.	
е	



#### Washable FR Cotton Fabric Coverall

**BODY PROTECTION** 



PT.NO	DESCRIPTION
BL-3028	Orange color size LXL XXL XXXI

#### Specifications:

- 110Z washable flame retardant cotton sateen;
   Dielectric and insulated snaps;
   FR spatter guard layer;
   FR roll up collar with velco closure;
   Elastic waist band for snug fit;
   Adjustable snap cuffs;
   KEVLAR stitched.



P I.NO	DESCRIPTION	
BL-3029	Blue color, size L,XL,XXL,XXXL	
Specifications:		
110Z washable flame retardant cotton sateen;     Dielectric and insulated snaps:		

- Dielectric and insulated snaps;
  FR spatter guard layer;
  FR roll up collar with velco closure;
  Elastic waist band for snug fit;
  Adjustable snap cuffs;
  KEVLAR stitched.

#### Washable FR Cotton Fabric Jacket



PT.NO	DESCRIPTION
BL-3030	Orange color, size L,XL,XXL,XXXL
Specification	

110Z washable flame retardant cotton sateen;

TIO2 wasnable flame retardant cott
Dielectric and insulated snaps;
FR spatter guard layer;
FR roll up collar with velco closure;
Adjustable snap cuffs;
KEVLAR stitched.



PT.NO	DESCRIPTION
BL-3031	Blue color, size L,XL,XXL,XXXL XL
<ul> <li>Dielectric and in</li> <li>FR spatter guar</li> </ul>	flame retardant cotton sateen; sulated snaps; d layer; with velco closure; cuffs;

### **CLOTHING**



#### Washable FR Cotton Fabric Pants



PT.NO	DESCRIPTION
BL-3032	Orange color, size L,XL,XXL,XXXL
	ble flame retardant cotton sateen; Jinsulated snaps; Janguer; Jang cuffs;



PT.NO	DESCRIPTION	
BL-3033	Blue color, size L,XL,XXL,XXXL	
	able flame retardant cotton sateen; d insulated snaps; uard layer; nap cuffs;	



PT.NO	DESCRIPTION
BL-3034	split cowhide,gray&golden color,length 12"
Specification  · Selected split co	
Internal side bar     KEVLAR stitche     Sole with elastic	support; d;



PT.NO	DESCRIPTION
BL-3035	split cowhide, gray&golden color, length 6"
Specificat	ions:
Selected spli     Internal side     KEVLAR stit     Sole with ela	bar support; ched;

#### Safety Shoes



PT.NO	DESCRIPTION
BL-3036	split cowhide leather,black color pigskin lining
Specifications:	
Split cowhide leather; Pigskin lining; Indian water buffalo empaistic; leather upper; Canberra lining; PII sole	



PT.NO	DESCRIPTION
BL-3037	grain cowhide leather,black color ankle style
Specificat	ions:
<ul> <li>Grain cowhic</li> <li>Ankle style;</li> <li>Indian water</li> <li>leather uppe</li> </ul>	buffalo empaistic;

### **HEAD PROTECTION**



#### Leather Welder Hoods



PT.NO	DESCRIPTION
BL-3038	split cowhide, brown color,size 15" height * 5"girth
BL-3038 split cowhide, brown color, size 15" height * 5"girth  Specifications:  - Split cowhide; - Cotton mesh lining; - KEVLAR stitched.	



**BODY PROTECTION** 

PT.NO	DESCRIPTION	
BL-3039	split cowhide, golden color, size 15" height * 4"girth	
BL-3039 split cowhide, golden color, size 15" height * 4"girth  Specifications:  • Split cowhide; • Cotton mesh lining; • KEVLAR stitched.		

#### Washable FR Cotton Hood



PT.NO	DESCRIPTION	
BL-3040	FR cotton,blue color,size 15"height * 4"girth	
Specifications:		
110Z washable flame retardant cotton fabric;     Cotton mesh lining;     Velcro strass;		
Buckle for h     KEVLAR st		



PT.NO	DESCRIPTION	
BL-3041	FR cotton,orange color,size 15"height * 4"girth	
BL-3041 FR cotton,orange color,size 15"height * 4"girth  Specifications:  110Z washable flame retardant cotton fabric; Cotton mesh lining; Velcro straps; Buckle for helmets; KEVLAR stitched.		

BROAD INDUSTIRAL GROUP
WWW.CN-TOPWELL.COM
WWW.CN-TOPWELL.COM

### **HEAD PROTECTION**

EN 60974-7 ((()



PT.NO	DESCRIPTION
BL-3042	split cowhide,gray color,size 15" height *5 girth
Specificati  Side split col Eye-glasses; Elastic closur	ide leather;



PT.NO	DESCRIPTION
BL-3043	split cowhide, brown color,size 15" height * 4"girth
Specification  Side split cohide Eye-glasses; Elastic closure of	leather;

### **WORKSHOP PROTECTION**



### High Transparency Welding Curtain




PT.NO	DESCRIPTION
BL-3044	green color,thickness 16mil(0.4mm),size 1.74m*1.74m
BL-3045	green color,thickness 16mil(0.4mm),size 1.74m*2.34m
Specifications:  Hemmed W/ Kevlar stitching; Edges W/ grommets at 12" intervals. Specially formulated vinyl 16mil (0.4mm) thick; Moderate UV resistant and Transmission; Flame Retardant.	



PT.NO	DESCRIPTION
BL-3046	orange color,thickness 16mil(0.4mm),size 1.74m*1.74m
BL-3047	orange color,thickness 16mil(0.4mm),size 1.74m*2.34m

#### Specifications:

- Hemmed W/ Kevlar stitching; Edges W/ grommets at 12" intervals.
   Specially formulated vinyl 16mil (0.4mm) thick;
   Moderate UV resistant and Transmission;
   Flame Retardant.



PT.NO	DESCRIPTION
BL-3048	yellow color,thickness 16mil(0.4mm),size 1.74m*1.74m
BL-3049	yellow color,thickness 16mil(0.4mm),size 1.74m*2.34m
Specifications:	
Hemmed W/ Kevlar stitching; Edges W/ grommets at 12" intervals.     Specially formulated vinyl 16mil (0.4mm) thick;     Moderate UV resistant and Transmission;     Flame Retardant.	



PT.NO	DESCRIPTION
BL-3050	green color, 1. 81m*55m
Specificat	tions:
	one at any size. rmulated vinyl 16mil (0.4mm) thick;

### **WORKSHOP PROTECTION**

EN 60974-7 ((()

Leather Legging Spats







P	T.NO	DESCRIPTION
ВІ	L-3051	orange color, 1. 81m*55m
:		

PT.NO	DESCRIPTION	
BL-3052	yellow color, 1. 81m*55m	
Specially for	lone at any size. ormulated vinyl 16mil (0.4mm) thick; UV resistant and Transmission;	

#### Ajustable Modular Frame( for Transpancy Welding Curtains)



PT.NO	DESCRIPTION
BL-3053	round tube, holes for combine, size 1.8m*1.8m
<ul> <li>Heavy duty f</li> </ul>	ions: s;Spring-pin connectors. finished steel tubing and snap to put together and four wheels on the base; swivel connectors available in Multiple Panels.




PT.NO	DESCRIPTION
BL-3054	round tube, holes for combine, size 1. 8m*2. 4m
<ul> <li>Heavy duty f</li> </ul>	ions: s;Spring-pin connectors. inished steel tubing and snap to put together and four wheels on the base; swivel connectors available in Multiple Panels.


### **WORKSHOP PROTECTION**



#### Ajustable Modular Frame( for Transpancy Welding Curtains)




PT.NO	DESCRIPTION
BL-3055	square tnbe, snap for combine, size 1.8m*1.8m
<ul> <li>Heavy duty</li> </ul>	es;Quick-Lock connectors. finished steel tubing and snap to put together and four wheels on the base; or swivel connectors available in Multiple Panels.



P I.NO	DESCRIPTION
BL-3056	square tnbe, snap for combine, size 1. 8m*1. 8m
Specifications:	
<ul> <li>Heavy duty</li> </ul>	as;Quick-Lock connectors.  finished steel tubing and snap to put together and four wheels on the base;  'swivel connectors available in Multiple Panels.

### Glass Firber Welding Blanket



PT.NO DESCRIPTION  BL-3057 desert color, thickness 1. 3mm, size 1. 74m*1. 74m  Specifications:  - 800GSM(0.75MM thick);  - Continuous Silica Glass Fibre;  - Hemmed W/ Kevlar stitching; Edges W/ grommets at 12" intervals;  - Temp Rating: 1000 °C.			
Specifications:  • 800GSM(0.75MM thick);  • Continuous Silica Glass Fibre;  • Hemmed W/ Kevlar stitching; Edges W/ grommets at 12" intervals;		PT.NO	DESCRIPTION
800GSM(0.75MM thick); Continuous Silica Glass Fibre; Hemmed W/ Kevlar stitching; Edges W/ grommets at 12" intervals;		BL-3057	desert color, thickness 1. 3mm, size 1. 74m*1. 74m
	Specifications:  • 800GSM(0.75MM thick);  • Continuous Silica Glass Fibre;  • Hemmed W/ Kevlar stitching; Edges W/ grommets at 12" intervals;		



PT.NO	DESCRIPTION	
BL-3068	green color, thickness 1. 3mm, size 1. 74m*1. 74m	
Specificat	ions:	
	Silica Glass Fibre; / Kevlar stitching; Edges W/ grommets at 12" intervals;	

BROAD INDUSTIRAL GROUP

**BODY PROTECTION**