

**WALK ON GREEN**  
Flooring for Every Lifestyle & Budget

**HANHENT INTERNATIONAL (CHINA) CO.,LTD.**  
**HANGZHOU HANHENT INDUSTRIES CO.,LTD.**

3F,Building 1,No.181 Wuchang Avenue, Hangzhou, China 310023  
Tel: 86-571-85265001 | Fax: 86-571-85265096 | Email: [info@hanhent.com](mailto:info@hanhent.com)



Website: [www.hanflor.com](http://www.hanflor.com)  
Facebook: Hanflor China

## ABOUT US

20 years focus on vinyl flooring industry, 13 years Alibaba Golden Supplier, 87% of our products exported to West Europe & North America countries. Hanflor is always pursuing bring Water-proofing / VOC-free / Kids-free / Pets-free Eco-friendly vinyl flooring to world-wide market.



### BEST SUPPLIER

With 20 years of rich experience in exporting to more than 35 countries such as USA, Germany, Netherlands, UK, Canada, Norway, Australia, etc. Hanflor product series cover both residential use and high end level commercial use with authentic & HD appears of wood planks and stone tiles. We make every single plank and tile as a piece of art in your daily life. Hanflor sales team provide the most responsive professional TO DOOR SERVICE from our factory plant to your sweet home, warehouse and job site.

# 75,000

Covering a land-area of about  
75,000 square meters

# 68

Annual production capacity reaches  
68 million squaremeters



### POWERFUL MANUFACTURING

Hanflor has its own factory which covers a 24 million square meters production capacity, but also have 4 more brother factories bringing you totally 68 million square meters capacity.





## WALK ON GREEN SAVE THE PLANET



### WE CARE MORE TO OUR ENVIRONMENT

We care enough for the living, we care enough for the environmental protecting. We have responsibility to protect the forests, which is the basis of human existence. Hanflor work with you to build green home together. This planet could be much brighter tomorrow.



### WE CARE ABOUT YOUR HEALTH

Hanflor has strict quality control system to avoid any harmful ingredient contains in the floors. It is our duty to get necessary global certificates such as CE, SGS, Pro-position 65, ASTM for our LVT, SPC, WPC, ESPC product series, to bring you worry-less purchasing.

*Stop cutting trees, use eco-friendly new material floors,  
bring back the green world!*



# CREATE YOUR FLOORING WORLD

## NATURE APPRECIATION

**Drawing Design Inspiration From Nature  
Blooming Natural Aesthetics**

Combine parquet design, color mixing, herringbone, random lengths, DIY to create your own flooring world, rich style to your interior areas.

## CUSTOM UNIQUE BEAUTY

**Take Your Interior's Aesthetic  
Into Your Own**

Realistic visual effects, let you enjoy the natural beauty of authentic wood and stone. Incredible performance makes you even more in love with them.

## AESTHETICS

**Beautiful Ground Is Life Aesthetics**

This is a space art displayed on the ground. The rich design sense, personalized overall layout combines the stunning aesthetics.



# BRAND NEW INGENIOUS FLOOR DESIGNS

LVT COLLECTION

The LVT collection brings a trendy variety of wood decors available in registered embossing and XL format. With realistic surface textures, the collection allows you to see the grains and knots just like real woods. It is suitable both for residential and commercial areas. You also have a choice when it comes to installation: all designs are available for gluing, loose lay and innovative click systems core.




HDF 9185 ▲




HTS 8004 ▲


LVT Click



Dry Back



Loose Lay



LVT PLANK



4" X 36"



6" X 36"



6" X 48"



7" X 48"



9" X 48"

LVT TILE



18" X 18"



12" X24"



24" X 24"



12" X 36"



## TECHNICAL DATA



Thickness	EN428	1.5-5.0mm
Denisty	EN436	1.8-2.02g/cm <sup>3</sup>
Wearlayer	EN429	0.07-0.7mm
Dimensional Stability	EN434	≤0.25% Click≤0.12%
Curling	EN434	≤2mm Click≤0.5mm
Residual Indentation	EN433	≤0.1mm
Light Stability	ISO 105-B02:Method 3	≥6
Castor Chair	EN 425	Typ W
Clasaaification	EN ISO 10582	23,31/33,42/34,43
Reaction to Fire	EN 13501-1	Bfl-S1
Slip Resistance	DIN 51130 EN13893	R10 DS
Wear Resistance	EN 660-2	Group T
Thermal Resistance	EN 12667:2001	0.074m <sup>2</sup> K/W
Chemical Resistance	EN423	Resistant
Sound Absorption	EN IS0717-2	20db/22db
Fungal Resistance	EN ISO 846	No growth
Peel Strength	EN431	2.8Kgf/2cm
Burning Cigarette Test	EN1399:1997 Method B	Rating 3:Moderate change of gloss and moderate brown stain
Utilization		Recyclable




# EASY INSTALLATION

## RIGID CORE / SPC


Hanflor Rigid Core / SPC is the best solution for commercial places. Combining the strength of stone and luxury of wood designs. SPC flooring has high impact resistance and great dimensional stability. It not only gathers most of the current flooring materials, but also provides better performance of being water-proof, rigid, dimensionally stable, and relatively environment - friendly. Thus it can be safely used in areas with sustained exposure to moisture, such as bathroom, laundry room and kitchen.



## SPC PLANK




## SPC TILE





## TECHNICAL DATA


Thickness	EN428	3.2-5.0mm
Denisty	EN436	2.03-2.05g/cm <sup>3</sup>
Wearlayer	EN429	0.3/0.5/0.7mm
Dimensional Stability	EN434	≤0.1%
Curling	EN434	≤0.5mm
Residual Indentation	EN433	≤0.1mm
Light Stability	ISO 105-B02:Method 3	≥6
Castor Chair	EN 425	Typ W
Clasaaification	EN ISO 10582	23,31/33,42
Reaction to Fire	EN 13501-1	Bfl-S1
Slip Resistance	DIN 51130 EN13893	R10 DS
Wear Resistance	EN 660-2	Group T
Thermal Resistance	EN 12667:2001	0.038m <sup>2</sup> K/W
Chemical Resistance	EN423	Resistant
Sound Absorption	EN ISO717-2	20db/21db
Fungal Resistance	EN ISO 846	No growth
Peel Strength	EN431	2.8Kgf/2cm
Burning Cigarette Test	EN1399:1997 Method B	Rating 3:Moderate change of gloss and moderate brown stain
Utilization		Recyclable



# SUPER STABILITY

## WPC CORE

WPC is a type of High-End luxury vinyl flooring with excellent foot comfort. Choose WPC planks, you're in for the best of the best in flooring. WPC stands for Wood Plastic Composite, meaning the core of the floor board or tile consists of this solid, waterproof material. The term "WPC" is also used interchangeably to stand for Waterproof Core.



### WATERPROOF

No more worries about product being damaged by topical moisture in your home



### INSTALLS OVER EXISTING FLOOR

Hides subfloor imperfections



### PET-FRIENDLY

Flooring made to enjoy life with your furry companion



### REAL WOOD LOOK AND FEEL

Looks like wood and feels like wood, high definition visuals and embossing



### FAST INSTALLATION

Installation is fast and easy



### HIGH INDENTATION RESISTANCE

In other words, indentations are virtually impossible



### QUIET COMFORT UNDERFOOT

So quiet and so comfortable



### HIGH DIMENSIONAL STABILITY

Resistant to temperature change

## WPC PLANK



6" X 36"



6" X 48"



7" X 48"



9" X 48"



9" X 60"





## TECHNICAL DATA

Thickness	EN428	5.5-11mm
Denisty	EN436	0.95-1.2g/cm <sup>3</sup>
Wearlayer	EN429	0.3/0.5/0.7mm
Dimensional Stability	EN434	≤2%
Curling	EN434	≤2.0mm
Residual Indentation	EN433	≤0.1mm
Light Stability	ISO 105-B02:Method 3	≥6
Castor Chair	EN 425	Typ W
Clasaaification	EN ISO 10582	23,31/33,42/34,43
Reaction to Fire	EN 13501-1	Bfl-S1
Slip Resistance	DIN 51130 EN13893	R10 DS
Wear Resistance	EN 660-2	Group T
Thermal Resistance	EN 12667:2001	0.065m <sup>2</sup> K/W
Chemical Resistance	EN423	Resistant
Sound Absorption	EN ISO717-2	17db/19db
Fungal Resistance	EN ISO 846	No growth
Peel Strength	EN431	2.8Kgf/2cm
Burning Cigarette Test	EN1399:1997 Method B	Rating 3:Moderate change of gloss and moderate brown stain
Utiliztion		Recyclable



GREAT COMFORT


IDEAL OPTION FOR  
ANY COMMERCIAL  
INTERIOR




## Middle Size

Pattern Repeat Length: 970mm


HIF 9179 ▲




HIF 9098



HIF 9099



HIF 9074




HIF 9077




## Middle Size

Pattern Repeat Length: 970mm


HIF 9085 ▲




HIF 9102



HIF 9089



HIF 9085



HIF 9056



WALK ON GREEN

## Long Size

Pattern Repeat Length: 1270mm



HDF 9121



HIF 1739



HDF 9111



HIF 9046



HDF 9113



HDF 9114



HIF 9172▲


## Long Size

Pattern Repeat Length: 1270mm


HIF 9173 ▲




HDF 9118



HDF 9122



HDF 9119




HIF 9120




## Long Size


Pattern Repeat Length: 1270mm



HIF 9048



HIF 9173



HDF 9117




HIF 9178 ▲



HIF 9201 ▲



HDF 9167



HIF 9094




HDF 9107




WALK ON GREEN

## Long Size


Pattern Repeat Length: 1270mm




HDF 9110




HDF 9112




HIF 9097



HDF 9109



HIF 9086



HDF 9068



HIF 9171 ▲



## Long Size

Pattern Repeat Length: 1270mm



HDF 9053



HDF 9055



HIF 9070



HIF 9196 ▲



HIF 9081



HIF 9073



HIF 9091



HIF 9203



HIF 9065

WALK ON GREEN


● ● HANFLOR

## Long Size


Pattern Repeat Length: 1270mm




HDF 9199 ▲




HIF 9050




HDF 9106




HIF 9060



HIF 9090



HIF 9052



HIF 9079




WALK ON GREEN


## Long Size

Pattern Repeat Length: 1270mm

● ● HANFLOR



HIF 9058




HIF 9054




HDF 9188 ▲




HIF 9198 ▲




HIF 9093



HDF 9108



HIF 9083



HIF 9062


WALK ON GREEN

## Long Size


Pattern Repeat Length: 1270mm




HIF 9075



HIF 9100




HIF 9066



HDF 9069



HIF 9071



HIF 9078



HIF 9177▲

HANFLOR



WALK ON GREEN


HANFLOR

## Long Size


Pattern Repeat Length: 1270mm




HDF 9199 ▲




HIF 1705




HIF 1710




HIF 1740



HIF 1733



HIF 1742




HIF 1735




WALK ON GREEN

## Long Size


Pattern Repeat Length: 1270mm




HIF 9104




HIF 9202




HIF 9096



HIF 9067



HIF 9063



HIF 9045



HIF 9067 ▲



## Long Size

Pattern Repeat Length: 1270mm




HIF 1722




HIF 1727




HIF 9183 ▲




HIF 9101




HIF 1724



HIF 1714



HIF 1708



HIF 1703




HIF 1720




## Long Size

Pattern Repeat Length: 1270mm




HIF 9044



HIF 1723




HIF 1723 ▲




HIF 1721



HIF 1728




HIF 9084



HIF 9105



HIF 9059



HIF 9057



WALK ON GREEN


HANFLOR

## X-Long Size


Pattern Repeat Length: 1580mm




HIF 9176 ▲



HIF 9095



HIF 9064



HDF 9080



HIF 9175



HIF 9095 ▲



WALK ON GREEN

## X-Long Size

Pattern Repeat Length: 1580mm




HDF 9127




HDF 9128




HDF 9124



HDF 9129



HDF 9125



HDF 9126



HIF 9170 ▲




WALK ON GREEN

## X-Long Size


Pattern Repeat Length: 1580mm

HIF 9169 ▲


● ● HANFLOR




HIF 9134




HIF 9135




HIF 9136




HIF 9137




HDF 9132



HDF 9133



HDF 9130




HIF 9168






HIF 9139




HIF 9148



HIF 9144



HIF 9138




HIF 9145



HIF 9146



HIF 9147



HIF 9149



**XX-Long Size**

Pattern Repeat Length: 1830mm



WALK ON GREEN


HANFLOR

## XX-Long Size


Pattern Repeat Length: 1830mm




HDF 9187▲




HDF 9151




HDF 9142




HIF 9140



HDF 9141



HDF 9143



HDF 9150




## EIR COLLECTION


EIR collection offers plenty of wood designs available for EIR embossing in 3 different sizes. This means any grain or knot can be touched, making it truly authentic and distinctive.

### Long Size


Pattern Repeat Length: 1270mm



HDF 9154



HDF 9155



HIF 9153



HIF 9152



HIF 9191



## EIR COLLECTION

### X-Long Size

Pattern Repeat Length: 1580mm




HDF 9156




HDF 9161



HDF 9160



HDF 9163



HDF 9157



HDF 9159




HDF 9162




HDF 9158



HDF 9164



HDF 9165



HDF 9166



### XX-Long Size

Pattern Repeat Length: 1830mm

HDF 9165 ▲



## HERRINGBONE

Herringbone flooring is a pattern produced by alternating rows of strip flooring with an elegant, upscale flooring style. Herringbone floor is divided into two series: assembly design (ClickLock) and decor film design. The zigzag-style pattern that a herringbone layout creates is incredibly eye-catching, and when you use high-quality flooring, this design can easily make a room stand out.




HIF 9144 ▲




HIF 9116



HIF 9123




HIF 9194



HIF 9202



HIF 9145 ▲



HIF 9200





BEAUTIFY YOUR  
INTERIOR WITH  
DESIGNED FLOOR

WALK ON GREEN

HANFLOR

## STONE DESIGN

Inspiration Form Natural Stone

STONE

HTS 8017▲



HTS 8004



HTS 8001



HTS 8002



HTS 8006



HTS 8018▲




## STONE DESIGN


Simulates natural texture with the delicate softness of carved stone.




HDS 8013 ▲




HTS 8003



HDS 8021



HTS 8007



HTS 8015 ▲



HTS 8008




HTS 8010




HTS 8011

## STONE DESIGN

Used for luxurious hotels and decorating residential and commercial spaces.




HTS 8023



HTS 8005




HTS 8014 ▲




HTS 8024



HDS 8020



HTS 8019



HTS 8022



## AVAILABLE EMBOSS COLLECTION

According to different styles based on wood designs and stone designs, hanflor gives various embossing recommendations to match the design, and ensure the best aesthetic feeling created by embossing.



# Stone

Shale



Leather



Travertine



# Wood

WoodTick



SawCut



BP-R



Handscraped



Registered