


Steel Angle Bar commonly known as angle iron, it is a triangle strip steel whose both sides are perpendicular to each other. There are 2 common type — **Equal Angle and Unequal Angle**.

Widely used in various building structures and engineering structures, such as beams, bridges, transmission towers, lifting or transport machinery, shipbuilding, Framework of all kinds of construction and engineering, Construction joist, Iron tower and so on.




Products Advantages:

1. Convenient in construction and save much time and labor.
2. Light, good quality and reasonable price.
3. The shape/specification can be made by customer's requirement.
4. High mechanical strength.
5. Attractive in appearance and reasonable designs.

Item	Steel Angle Bar
Equal Angle	Type: 2#-20# Size: 20-200mm Thickness: 3.0-24mm Weight: 0.597-71.168kg/m
Unequal Angle	Type: 2.5*1.6-20*12.5# Size:25*16-200*125mm Long Side: 25-200mm Short Side: 16-125mm Thickness: 3.0-18mm Weight: 1.687-43.588kg/m
Length	6m,9m,12m or as required
Technique	Hot Rolled Steel Angle Bar
Origin	Tianjin, China (Mainland)
Payment term	T/T ,L/C At Sight
Grade	Q235,Q195,Q215,Q235B,Q345B,SS400,AST M A36
Standards	JIS/ AISI/ ASTM/ GB/ DIN/ EN
Surface Treatment	Mill Finish or galvanized or painted
Packing	Standard Exporting Packing Or As Requirements
Certificate	BV ISO9001:2008 Mill Test Certificate


Common Size of Steel Angle Bar

General specification as below:

equal angle bar (A*T) 					
Size(mm)	Theoretical weight(kg/m)	Size(mm)	Theoretical weight(kg/m)	Size(mm)	Theoretical weight(kg/m)
25*3	1.124	75*7	7.976	110*14	22.809
25*4	1.459	75*8	9.03	125*8	15.504
30*3	1.373	75*10	11.089	125*10	19.133
30*4	1.786	80*6	7.376	125*12	22.696
40*3	1.852	80*7	8.525	125*14	26.193
40*4	2.422	80*8	9.658	140*10	21.488
40*5	2.976	80*10	11.874	140*12	25.522
50*4	3.059	90*6	8.35	140*14	29.49
50*5	3.77	90*7	9.658	140*16	35.393
50*6	4.465	90*8	10.946	160*10	24.729

60*5	4.52	90*10	13.476	160*12	29.391
60*6	5.42	90*12	15.94	160*14	33.987
63*5	4.822	100*6	9.366	160*16	38.518
63*6	5.721	100*7	10.83	180*12	33.159
63*8	7.469	100*8	12.276	180*14	38.518
63*10	9.151	100*10	15.12	180*16	43.542
70*5	5.397	100*12	20.611	180*18	48.634
70*6	6.406	100*16	23.257	200*14	42.894
70*7	7.398	110*7	11.928	200*16	48.68
70*8	8.373	110*8	13.532	200*18	54.401
75*5	5.818	110*10	16.69	200*20	60.056
75*6	6.905	110*12	19.782		

Unequal angle(A*T)



Size(mm)	Theoretical weight(kg/m)	Size(mm)	Theoretical weight(kg/m)	Size(mm)	Theoretical weight(kg/m)
25*16*3	0.912	75*50*8	7.431	125*80*7	11.066

32*20*3	1.171	75*50*10	9.098	125*80*8	12.551
32*20*4	1.522	80*50*5	5.005	125*80*10	15.474
40*25*3	1.484	80*50*6	5.935	125*80*12	18.33
40*25*4	1.936	80*50*7	6.848	140*90*8	14.1
45*28*3	1.687	80*50*8	7.745	140*90*10	17.475
45*28*4	2.203	90*56*5	5.661	140*90*12	20.724
50*32*3	1.908	90*56*6	6.717	140*90*14	23.908
50*32*4	2.494	90*56*8	8.779	160*100*10	19.872
56*36*3	2.153	100*63*7	8.722	160*100*14	27.274
56*36*4	2.818	100*63*8	9.878	160*100*16	30.853
56*39*5	3.466	100*63*10	12.142	180*110*10	22.273
63*40*4	3.185	100*80*6	8.35	180*110*12	26.464
63*40*5	3.92	100*80*7	9.656	180*110*14	30.589
63*40*6	4.638	100*80*8	10.946	180*110*16	34.649
70*45*5	4.403	100*80*10	13.476	200*125*12	29.761
70*45*6	5.218	110*70*6	8.35	200*125*14	34.436
70*45*7	6.011	110*70*7	9.656	200*125*16	39.045
75*50*5	4.808	110*70*8	10.946	200*125*18	43.588
75*50*6	5.699	110*70*10	13.476		



COUNTRY OF ORIGIN

MADE IN CHINA

MATERIAL

EQUAL ANGLE S&400

DIMENSION

Equal Angle 90mm x 90mm x 10mm x 6.0m

QUANTITY

12



COUNTRY OF ORIGIN	INDONESIA
MATERIAL	STEEL
DIMENSION	1/2" x 1/4" x 1/4"
QUANTITY	1000











