

Item	Steel Channel
Standard	GB/T707-1988 GB 9787-88 Q235B JIS G3192-2006 SS400 EN 10025 S325JR
Grade	Q235,Q195,Q215,Q235B,Q345B, SS400,S235JR
Dimensions	GB steel channel 50*37*4.5-400*104*14.5 JIS steel channel 75*40*3.8*7-152*76*6.4*9 EN steel channel 140*60*7*10-200*75*8.5*11.5
Length	6-12m
Technique	Hot rolled steel channel
Tolerance	As Standard Or Requirements
Application	Steel structural,doors, railway and traffice,vehchile, mechine
Standards	JIS/ AISI/ ASTM/ GB/ DIN/ EN
Sueface Treatment	Galvanized, paint
Packing	Standard Exporting Packing Or As Requirements
Certificate	BV ISO9001:2008 Mill Test Certificate
MOQ	1 ton steel channel

Common Size of Steel Channel

Type	Size (mm)	Web thickness (mm)	GB Weight (kg/m)	Available Length
5	50×37	4.5	5.438	6-12m
6.3	63×40	4.8	6.634	6-12m
8	80×43	5.0	8.045	6-12m
10	100×48	5.3	10.007	6-12m
12	120×53	5.5	12.059	6-12m
14a	140×58	6.0	14.535	6-12m
14b	140×60	8.0	16.733	6-12m
16a	160×63	6.5	17.240	6-12m
16b	160×65	8.5	19.752	6-12m
18a	180×68	7.0	20.174	6-12m
18b	180×70	9.0	23.000	6-12m
20a	200×73	7.0	22.637	6-12m
20b	200×75	9.0	25.777	6-12m
22a	220×77	7.0	24.999	6-12m
22b	220×79	9.0	28.453	6-12m
25a	250×78	7.0	27.410	6-12m
25b	250×80	9.0	31.335	6-12m
25c	250×82	11.0	35.260	6-12m
28a	280×82	7.5	31.427	6-12m
28b	280×84	9.5	35.823	6-12m
28c	280×86	11.5	40.219	6-12m
30a	300×85	7.5	34.463	6-12m
30b	300×87	9.5	39.173	6-12m
30c	300×89	11.5	43.883	6-12m
32a	320×88	8.0	38.083	6-12m
32b	320×90	10.0	43.107	6-12m
32c	320×92	12.0	48.131	6-12m
36a	360×96	9.0	47.814	6-12m
36b	360×98	11.0	53.466	6-12m
36c	360×100	13.0	59.118	6-12m
40a	400×100	10.5	58.928	6-12m
40b	400×102	12.5	65.208	6-12m
40c	400×104	14.5	71.488	6-12m











