

## Manual Wire Stripping Tool

**HL001**

### Product Description

- Manual wire stripping tool is easy and simple to operate with surrounded adjustable pulley wheel and fixed cutter. It's especially suitable for round and square as well as irregular rubber and plastic coated cable from the size of dia1mm or above (For irregular cable: dia1mm-20mm, for regular cable: dia3mm-30mm). As a portable stripping tool, it's widely used for the dismantling industries and waste recycling industry.

- After working for a while, the stripping blade will become blunt, loose the M6 screws, disassemble the blade and sharpen it via your required angle and fix it again.

Lubricating oil is required on the surface of expansion

- link, turn cap and internal nut (M10 left-hand thread) before each operation.

### Specifications

- Model: HL001
- Applicable wire: diameter 1-20mm
- Dimension: 30×22×35cm
- Daily output: 50kg-100kg
- Color: Blue or black

### Ordering Information

Catalog No.	Description	N.W(kg)
7011000	Complete set	2.5



## Manual & electric Dual-use Stripping Machine

**HL001-3**

### Ordering Information

Catalog No.	Description	N.W(kg)
7011110	Complete set, 110V-60Hz	31
7011120	Complete set, 220V-50Hz	31
7011130	Complete set, 380V-50Hz	31

### Product Description

- This model is easy to carry and operate with capacity of 1.5-38mm scope. With multi-functional use, it is hot sale as manual & electric dual-use stripping machine. The machine is convenient to work with the reasonable structure. The electric function is mainly used for a variety of cable wires with smaller diameter.

### Specifications

- Model: HY001-3
- Applicable wire: diameter 1.5-38mm
- Voltage: 110V/220V/380V, 50/60Hz
- Motor: 180W
- Dimension: 80×24×32.5cm



## Wire Stripping Machine

**HL003**

### Product Description

- single channel strip machine (9 feed holes)
- This wire stripper is suitable for copper wire, single core wire, aluminium wire, steel wire. It has double blades and double rollers. This wire stripper is designed to be affordable, durable and user-friendly. It's practical and easy to handle, reliable in performance.

### Specifications

- Model: HL003
- Scope of application: diameter 1.5-38mm
- Dimension: 53×52×83cm
- Voltage/power: 220 V/1.5KW, 220V/2.2KW, 380V/1.5KW
- Daily output: 100-300kg
- Functions and features: simple structure and easy operation. The processing of cable wire copper wire can be rolled (agent pressure) or broken by blade, while other cables must break insulation layer by blade, and then remove the copper.

### Ordering Information

Catalog No.	Description	N.W(kg)
7011220	Complete set, 220V-50Hz, 1.5KW	60
7011221	Complete set, 220V-50Hz, 2.2KW	60
7011230	Complete set, 380V-50Hz, 1.5KW	60



## HL004

### Product Description

- single channel strip machine (9 feed holes)

### Specifications

- Model: HL004
- Application scope: diameter 1.5-38mm
- Dimension: 54cm×52cm×84cm
- Voltage/power: 220V/1.5KW, 220V/2.2KW, 380V/1.5KW
- Daily output: 100-300kg
- Functions and features: simple structure and easy operation. The processing of cable wire copper wire can be rolled (agent pressure) or broken by blade, while other cables must break insulation layer by blade, and then remove the copper.

### Ordering Information

Catalog No.	Description	N.W(kg)
7011320	Complete set, 220V-50Hz, 1.5KW	81
7011321	Complete set, 220V-50Hz, 2.2KW	81
7011330	Complete set, 380V-50Hz, 1.5KW	81



## HL005-1

### Product Description

- Horizontal Dual channel 5 Blade wire stripping machine

### Specifications

- Model: HL005-1
- Applicable scope: diameter 1.5-38mm
- Dimension: 63cm×37cm×48cm
- Motor: 1500W
- Motor voltage: 110V/220V/380V
- Daily output: 200-500kg
- Function and features: This machine is applicable to various types of wire, monofilament and filosome cable.
- It is a new wire stripping machine that widely used in the dissembling industry.
- A new style, beautiful appearance, high safety, convenient operation

### Ordering Information

Catalog No.	Description	N.W(kg)
7011410	Complete set, 110V-60Hz	77
7011420	Complete set, 220V-50Hz	77
7011430	Complete set, 380V-50Hz	77



# Cable Peeling

## Product Description

- multi-function wire stripping machines

## Specifications

- Model: HL006
- Applicable Scope: diameter 1-40mm
- Dimension: 70cm×55cm×84cm
- Voltage/Power: 110V/2.2KW, 220V/2.2KW, 380V/1.5KW
- Daily Output: 200-1000kg
- Functions: It is the latest multi-function stripping machine with the most advanced and functional disassembling.
- It processes various Specifications and shape of cable, such as cable television line, three core and four core cable, wire, copper wire, monofilament strands, wire separation and so on.
- The core and outer shell will be automatically separated after the blade rolling out from the insulating layer.

## Ordering Information

Catalog No.	Description	N.W(kg)
7011510	Complete set, 110V-50Hz, 2.2KW	110
7011520	Complete set, 220V-50Hz, 2.2KW	110
7011530	Complete set, 380V-50Hz, 1.5KW	110



**HL006**

## Product Description

- multi-function wire stripping machines

## Specifications

- Model: HL006-1
- Name: Dual channels & 6 knives wire stripping machine
- Applicable: diameter. 1-55mm
- Voltage/power: 380V/1.5KW, 220V/2.2KW, 110V/2.2KW
- Daily Output: 200-1200kg
- Dimension: 62.5cm×55cm ×84cm
- Function: Suitable for the cable with large diameter. Its applicable diameter is below 55mm. (Generally is below 40mm)

The motor power switches to 3KW after the increasing of endurance and load.

## Ordering Information

Catalog No.	Description	N.W(kg)
7011610	Complete set, 110V-50Hz, 2.2KW	106
7011620	Complete set, 220V-50Hz, 2.2KW	106
7011630	Complete set, 380V-50Hz, 1.5KW	106



**HL006-1**

## Product Description

- Ordinary multi-function big machine

## Specifications

- Model: HL007
- Applicable Scope: diameter 1.5-70mm
- Dimensions: 77cm × 55cm × 118cm
- Voltage/Power: 220V/3KW, 380V/3KW, 380V/4KW
- Daily Output: 200-3000kg
- Functions:  $\Phi$ 1.5mm~70mm fiber optics, protective covering flat wire, outsourcing metal electric cable line, steel silk thread, rubber electric cable line, high tension cable and so on.

## Ordering Information

Catalog No.	Description	N.W(kg)
7011720	Complete set, 220V-50Hz, 3KW	210
7011730	Complete set, 380V-50Hz, 3KW	210
7011731	Complete set, 380V-50Hz, 4KW	210



**HL007**

## Product Description

- New multi-function wire machine

## Specifications

- Model: HL008
- Applicable scope: diameter 1.5-98mm
- Dimensions: 77cm×55cm×118cm
- Daily Output: 200kg-5000kg
- Voltage/Power: 220V/3KW, 380V/3KW, 380V/4KW

## Ordering Information

Catalog No.	Description	N.W(kg)
7011820	Complete set, 220V-50Hz, 3KW	210
7011830	Complete set, 380V-50Hz, 3KW	210
7011831	Complete set, 380V-50Hz, 4KW	210



**HL008**

# Cable Peeling

## Product Description

- The medium pressure multifunction wire machine

## Specifications

- Model: HL009
- Applicable scope: diameter 1-40 mm
- Axle diameter: 96mm
- Dimension: 70cm×55cm×115cm
- Daily output: 1000-8000kg
- Voltage/Power: 380V/4KW, 380V/5.5KW

## Ordering Information

Catalog No.	Description	N.W(kg)
7011930	Complete set, 380V-50Hz, 4KW	360
7011931	Complete set, 380V-50Hz, 5.5KW	360



HL009

## Product Description

- The medium pressure multifunction wire machine

## Specifications

- Model: HL010
- Applicable scope: diameter 0.5-10 mm
- Axle diameter: 132mm
- Dimension: 65cm×57cm×120cm
- Daily output: 600-1000kg
- Voltage/Power: 380V/3.7KW, 380V/5.5KW

## Ordering Information

Catalog No.	Description	N.W(kg)
7012030	Complete set, 380V-50Hz, 3.7KW	260
7012031	Complete set, 380V-50Hz, 5.5KW	260



HL010

## Copper Wire Machine

### Product Description

- Reasonable structure and layout, easy to install.
- PLC system makes it easier to control the whole line, convenient to feed and operate.
- The crusher adopts double roller, low speed, high tear produces big output with little noise.
- The design of separator and dust collector is handy for movement or transport.
- The rotor of the grinder is alternating, leading to more efficiency, faster discharging, lower noise and more steady running.
- The separation rate of air separator can reach at least 99%.
- Feedback system will do the second crushing to the unfinished material, which guarantee the totally separation of metal and non-metal.
- Dust-collector can prevent the leak of dust, the dust-cleaning rate can reach 99.99%.

### Ordering Information

Catalog No.	Description	N.W(kg)
7012120	Complete set, 220V-50Hz, 22-25KW	2800
7012130	Complete set, 380V-50Hz, 22-25KW	2800

### Specifications

- Model: HL021
- Applicable scope: diameter 0.5-20mm
- Dimensions: 340×210×215cm
- Motor voltage: 380V/220V
- Daily output: 1500-8000kg
- Motor Power: 22-25KW



### Specifications

- Model: HL022
- Applicable scope: diameter 0.5-20mm
- Dimensions: 390×200×220cm
- Motor voltage: 380V/220V
- Daily output: 3000-4000kg
- Motor Power: 39.1KW

### Ordering Information

Catalog No.	Description	N.W(kg)
7012220	Complete set, 220V-50Hz, 39.1KW	3200
7012230	Complete set, 380V-50Hz, 39.1KW	3200

