

显示器

15" 宽屏终端显示器

IndraControl VDP 15



显示器

15" 宽屏终端显示器 ■ IndraControl VDP 15

文档



技术数据

		VDP 15.3
显示器		
类型		TFT
尺寸		39.6 cm (15.6") 宽屏
颜色/灰色调		16 Mio
		颜色
分辨率		1366 x 768
操作		
类型		多点触控
额外键槽		4
状态 LED		电压
接口		
USB		1 x
		2 x USB
串口		1 x
电气数据		
电源电压 U		24 V DC
$U_{\min} \dots U_{\max}$		19 V DC ... 30 V DC
功率消耗		24 W
防护		
整体防护等级		IP65
正面防护等级		IP65
其他		
颜色		RAL 7035 浅灰
负载		
耐振性		1 g
抗冲击性		15 g
规范和标准		
认证		CE/UL/CSA
环境条件		

显示器

15" 宽屏终端显示器 ■ IndraControl VDP 15

允许的温度 (运行)	+5 °C ... +45 °C
允许的空气湿度 (运行)	5 % ... 85 %, EN 61131-2
重量	
重量	4,8 kg

尺寸

		VDP 15.3
尺寸		
A	[mm]	310
B	[mm]	420
C	[mm]	65
X	[mm / "]	396 / 15,6

订购信息

型号代码	说明	物料编号 :
DOK-SUPPL*-VDPXX.3MTHU-IT01-DE-P	IndraControl VDP 15 终端, 带 39.6 cm (15.6") 显示器, 多点触摸宽屏和 4 个辅助按钮	R911173263
DOK-SUPPL*-VDPXX.3MTHU-IT01-DE-P	IndraControl VDP 多点触摸带外壳设备操作说明书 (DE)	R911342318

配件 :

辅助组件

说明	配件 :	
HMI / 工业 PC		IndraControl VAC, VAP, VAU

Bosch Rexroth AG

Postfach 13 57
97803 Lohr, Germany
Bgm.-Dr.-Nebel-Str. 2
97816 Lohr, Germany
Tel. +49 9352 18-0
Fax +49 9352 18-8400
www.boschrexroth.com/electrics

Local contact information can be found at:

www.boschrexroth.com/adressen

The data specified above only serve to describe the product. As our products are constantly being further developed, no statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification.

It must be remembered that our products are subject to a natural process of wear and aging.