


Displays


# 19" Display Touch IndraControl VDP 60



Displays

**19" Display Touch ■ IndraControl VDP 60****Documentation**

- Project Planning Manual

**Technical data**

		VDP 60.3FE
<b>Display</b>		
Type		TFT
Size		19"
Colours/Greyscales		16 Mio colours
Resolution		1280 x 1024
<b>Operation</b>		
Type		touch operation
Operation		Touch screen
Keyboard		Additional components VAK
Status-LED		Voltage
		hard disk
		Temperature
		UPS
<b>Interfaces</b>		
USB		4 x USB (Standard) 1 x USB Front (Standard)
Others		1 x CDI interface – connection IPC to display (Standard)
<b>Electric data</b>		
Voltage supply	U	24 VDC
Min.	U <sub>min</sub>	19 VDC
Max.	U <sub>max</sub>	30 VDC
Input Power	[W]	40
<b>Protection</b>		
Category Front		IP65

Displays


**19" Display Touch ■ IndraControl VDP 60**

Others		
colours		Light-grey RAL 7035
Forces		
Vibration Resistance	[g]	1
Shock Resistance	[g]	15
Standards		
Certification		CE/UL/CSA--
Weight		
Weight		7.3 kg
Ambient conditions		
Ambient temp. operation	Min. [°C]	5
	Max. [°C]	45
Ambient temp. storage	Min. [°C]	-20
	Max. [°C]	60
Relative humidity operation	Min. [%]	5
	Max. [%]	85
Relative humidity storage	Min. [%]	5
	Max. [%]	85
Atmospheric pressure (operation)	Min. [kPa]	80
	Max. [kPa]	106
	EN 60034-1	(up to 2,000 above MSL)
Atmospheric pressure (transport/storage)	Min. [kPa]	70
	Max. [kPa]	106
	EN 60034-1	(up to 3,000 above MSL)

**Dimensions**

Displays

**19" Display Touch ■ IndraControl VDP 60**



		VDP 60.3FE	
<b>Dimensions</b>			
Height H	[mm]	400	
Width W	[mm]	483	
Depth D	[mm]	62	

**Type code**

Type code	Description	Part No.:
VDP60.3FEN-D1-NN-NN	IndraControl VDP 60 with 19" display, touch screen	R911171737

Type code	Description	Part No.:
DOK-SUPPL*-VDP*XX.3***-PR01-EN-P	IndraControl VDP project planning	R911323862
DOK-SUPPL*-VDP*XX.3***-PR03-DE-P	IndraControl VDP project planning	R911323861

**Bosch Rexroth AG**

Electric Drives and Controls

P.O. Box 13 57

97803 Lohr, Germany

Bgm.-Dr.-Nebel-Str. 2

97816 Lohr, Germany

Phone +49 9352-40-0

Fax +49 9352-40-4885

[www.boschrexroth.com/electrics](http://www.boschrexroth.com/electrics)

The data specified above only serve to describe the product.

As our products are constantly being further developed, no statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging.