

Zhongshan KEBON Science And Technology Lighting Co.,Ltd

AC110V/220V LED Flexible Strip Light:



Model No.:KB276-S2835-220V
Color:White ,Warmwhite,Naturalwhite.
Light Source:LED2835
Luminance:20-22LM/LED
Color Rendering Index: $\geq 80Ra$
Working Voltage:AC110V/220V
Package:50M/Roll
Certificates:CE And RoHs


Specifications:

LED Quantity:276leds/M; Width of FPC: 15MM; Cutting Unit:0.5m/Cut;
Package:50M/Roll; Dimention of Product:500*20.5*7MM Carton Size:320*320*180MM


Characteristics:


- 1、 High Brightness,High CRI ,High Quality.
- 2、 Standard Color Temperature,The Same Color Temperature In Each different Order.
- 3、 Width And Thick Copper FPC,It Is Propitious To Make Heat Emission.
- 4、
- 5、
- 6、

How To Use?



AC 220V (for signle color ArchiFlex)





Accessories For High Voltage Strip :



Plug cable



End Cap



Clip(stable the strip light)




Mid-connector

Applications:



Zhongshan KEBON Science And Technology Lighting Co.,Ltd

AC110V/220V LED Flexible Strip Light:



Model No.:KB60RGB-S5050-220V
Color:RGB
Light Source:LED5050
Luminance:14-16LM/LED
Color Rendering Index: ≥ 70 Ra
Working Voltage:AC110V/220V
Package:100M/Roll
Certificates:CE And RoHs




Specifications:

LED Quantity:60leds/M; Width of FPC: 10MM; Cutting Unit:1m/Cut;
Package:100M/Roll; Dimention of Product:10000*16*7MM Carton Size:320*320*20.5MM

Characteristics:

- 1、 High Brightness,High CRI ,High Quality.
- 2、 Standard Color Temperature,The Same Color Temperature In Each different Order.
- 3、 Width And Thick Copper FPC,It Is Propitious To Make Heat Emission.

How To Use?



AC 220V (for single color ArchiFlex)



Accessories For High Voltage Strip :



Plug cable



End Cap



Clip(stable the strip light)



Mid-connector

Applications:



