

 **PLUSX**

ABOUT US

Jiangsu Kangliyuan Sports Technology Co., Ltd. (Stock Code: 301287), a national high-tech enterprise listed on the Shenzhen Stock Exchange, has specialized in intelligent fitness equipment R&D and manufacturing since 1998. As a premium smart manufacturing partner for Fortune 500 companies including WAL-MART and global brands like ADIDAS and DICKS, the company delivers comprehensive sports and wellness solutions for homes, commercial facilities, and public spaces worldwide.

Global Smart Manufacturing Network

Headquartered in Xuzhou, Jiangsu, with an intelligent production base in Malaysia, Kangliyuan ensures rapid order fulfillment across Asia-Pacific, Europe, and North America. Supported by 200+ patents and a national R&D center, its CE, FCC, and ISO-certified product portfolio includes smart treadmills, strength-training systems, and outdoor fitness equipment, serving 50+ countries.

Technology-Driven Excellence

Aligned with the “Made in China 2025” initiative, the company operates a state-certified smart workshop equipped with laser cutters, welding robots, and automated packaging lines. Rigorous quality control is ensured through ROHS-compliant labs and dynamic/static load testing systems. An integrated ERP platform digitizes end-to-end operations from procurement to e-commerce, establishing an industry-leading “Smart Factory” model.

Pioneering Industry Standards

As a key contributor to fitness equipment standards, Kangliyuan holds certifications for cage football systems, multifunctional sports fields, and public fitness trails, creating a holistic ecosystem for national fitness programs. Driven by its “Internet + Fitness Equipment” strategy, the company is transforming into a service-oriented innovator, merging design, manufacturing, and e-commerce into a seamless value chain.

Looking ahead, Kangliyuan remains dedicated to its mission of “Strengthening National Wellness through Technology”, advancing the vision of “Joyful Sports, Smart Fitness” to become a global leader in sports innovation and deliver sustainable health value to humanity



Life for Sports

JIANGSU KANGLIYUAN SPORTS TECH.CO.,LTD.

since 1998

STRENGTH EXERCISE 900I SERIES


Life for Sports



ERGONOMICS

Seat back pad: apply the principle of ergonomic, fit the human body curve, make the load of movement evenly distributed for users to bring a higher degree of comfort.

Handle: The use of soft TPV (thermoplastic vulcanized rubber) extrusion molding, the use of anti-sliding, increase comfort, the ergonomic design will disperse the load of movement of pull and push evenly



Seated Front Press

JX-S901I

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard, Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Seated Leg Press

JX-S902I

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard, Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Seated Inner & Outer Thigh

JX-S903I

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard, Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Leg Extension

JX-S904I

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard, Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Leg Extension & Lying Back Curl

JX-S9051

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Shoulder Press

JX-S9061

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Seated Row

JX-S9071

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Seated Row

JX-S9101

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	1230x1220x1320mm
Package Size	—
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Bicep Trainer

JX-S9201

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	1350x1320x1550mm
Package Size	—
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Chest fly & Back 2 in 1

JX-S908I

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



Asistance Dip & Chin up

JX-S909I

Console	15.6" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-100kgs
Main Frame	40x137x3.0mm
Assembly Size	—
Package Size	—
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Features	Wireless charging for mobile phone LED strips light



AI Function Trainer

JX-SM3116I

Console	21.5" TFT touch screen
Motor Power	1000w actual
Resistance Range	1-70kgs
Main Frame	50x100x3.0mm
Assembly Size	1761x1191x2262mm
Package Size	2200x1300x600mm
Workout Mode	Standard,Centrifugal, Constant and Spring Workout Mode
Function	Chin Up, Squat, Multi position dual pulley training
Max User's Weight	180kgs
G.W./N.W	307kgs/284kgs
Loading QTY	36sets/40HC

STRENGTH EXERCISE 900P SERIES

Life for Sports



ERGONOMICS

Seat back pad: Back cushions, seat cushions, etc. are adjustable in angle and height, suitable for different heights of people. PU foam cushions are standard for all series. The entire machine features a brand-new design, smooth and full, with a stable and fashionable appearance.

The main color is black baked enamel, which gives it a commercial and stable appearance.



CHEST PRESS

JX-0501

Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1600x1300x1575mm
Package Size	1#: 1700x800x300mm(Counterweight box) 2#: 1300x1500x500mm(Main Frame)
Weight	G.W.:235kgs N.W.:210kgs
Features	Convergent chest-push trajectory. Multi-angle handle position.
Workout Mode	Counterweight, standard training mode, with 3D character training.



LEG PRESS

JX-0502

Main Frame	PT40*137*3 oval tube
Resistance Range	1-100kgs
Assembly Size	1960x1110x1575mm
Package Size	1#: 1700x800x300mm(Counterweight box) 2#: 2000x300x400mm(Main Frame) 3#: 1200x700x600mm(Main Frame)
Weight	G.W.:310kgs N.W.:280kgs
Features	Coordinated leg press. The leg press stroke length is adjustable.
Workout Mode	Counterweight, standard training mode, with 3D character training.



SHOULDER PRESS

JX-0503

Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1725x1585x1575mm
Package Size	1#: 1700x800x300mm(Counterweight box) 2#: 1300x1100x600mm(Main Frame)
Weight	G.W.:255kgs N.W.:230kgs
Features	Convergent trajectory. Multi-angle handle position.
Workout Mode	Counterweight, standard training mode, with 3D character training.



ADDUCTION/ABDUCTION

JX-0504

Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1730x700x1575mm
Package Size	1#: 1700x800x300mm(Counterweight box) 2#: 1400x400x600mm(Main Frame)
Weight	G.W.:225kgs N.W.:195kgs
Features	Dual-function of leg spreading and leg clamping, with adjustable angle.
Workout Mode	Counterweight, standard training mode, with 3D character training.



LEG EXTENSION

JX-0505	
Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1250x1230x1575mm
Package Size	1#:1700x800x300mm(Counterweight box) 2#:1250x700x650mm(Main Frame)
Weight	G.W.:205kgs N.W.:180kgs
Features	The angle of the circular cushion is adjustable.
Workout Mode	Counterweight, standard training mode, with 3D character training.



Leg Extension & Lying Back Curl

JX-0508	
Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1510x1305x1575mm
Package Size	1#:1700x800x300mm(Counterweight box) 2#:1600x550x650mm(Main Frame) 3#:900x750x400mm(Main Frame)
Weight	G.W.:240kgs N.W.:210kgs
Features	Dual function of leg extension and curl.
Workout Mode	Counterweight, standard training mode, with 3D character training.



BACK TRAINER

JX-0510	
Main Frame	PT40*137*3 oval tube
Resistance Range	1-60kgs
Assembly Size	1250x1180x1575mm
Package Size	1#:1700x800x300mm(Counterweight box) 2#:1250x700x800mm(Main Frame)
Weight	G.W.:210kgs N.W.:180kgs
Features	Multi-angle foot pedal. Adjustable back pad.
Workout Mode	Counterweight, standard training mode, with 3D character training.



BICEPS CURL

JX-0511	
Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1700x950x1575mm
Package Size	1#:1700x800x300mm(Counterweight box) 2#:1350x1250x600mm(Main Frame) 3#:900x750x400mm(Main Frame)
Weight	G.W.:270kgs N.W.:240kgs
Features	Separated trajectory. Adjustable handle position
Workout Mode	Counterweight, standard training mode, with 3D character training.



CHIN-UP/DIP ASSIST

JX-0506

Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1320x1250x2280mm
Package Size	1#: 1700x800x300mm(Counterweight box) 2#: 1700x400x600mm(Main Frame) 3#: 1200x500x400mm(Main Frame)
Weight	G.W.:265kgs N.W.:230kgs
Features	Knee pad adjustable and foldable. Multi-handle position.
Workout Mode	Counterweight, standard training mode, with 3D character training.



PEC-DEC FLY

JX-0507

Main Frame	PT40*137*3 oval tube
Resistance Range	1-80kgs
Assembly Size	1450x1220x2010mm
Package Size	1#: 1700x800x300mm(Counterweight box) 2#: 2300x400x700mm(Main Frame) 3#: 800x500x400mm(Main Frame)
Weight	G.W.:250kgs N.W.:225kgs
Features	Dual-function of chest expansion and chest contraction, with adjustable.
Workout Mode	Counterweight, standard training mode, with 3D character training.



<http://junxia.en.alibaba.com>

Jiangsu Kangliyuan Sports Tech.Co.,Ltd.
Email:youhai@junxia.net tradejunxia@junxia.net
Address:Binhu Avenue,Paoche Economic Development Zone,Pizhou City,Jiangsu Province,China
Branch Factory: Located in Jalan Tampoi. Johor Bahru Malaysia



Jiangsu Kangliyuan Sports Tech.Co.,Ltd.

Email: youhai@junxia.net

tradejunxia@junxia.net

Address: Binhu Avenue, Paoche Economic Development Zone, Pizhou City, Jiangsu Province, China

Branch Factory: Located in Jalan Tampoi. Johor Bahru Malaysia