

2023



**PRODUCT
BROCHURE** 

VAPE INDUSTRY LEADER

For 19 years Transpring has been a pioneer in innovation & technology, and dedicated to quality in the cannabis vape market.

Contact Us

info@transpring.com
www.transpring.com

1000000+

1 Million+
Products Used Daily

1000K+

1000k+
Monthly Output

20+

20+
Countries & Territories

3500+

3500+
Customers Served

Lean Manufacturing

State of the Art Facility

Located in the heart of Shenzhen, the innovation hub of China. Outfitted with breakthrough technologies, cutting-edge tools, and sophisticated equipment covering the entire spectrum of the manufacturing process including R&D, engineering, molding, and manufacturing. Transpring is a leading factory in the cannabis vaping industry, which spans 2600 square meters and is staffed by 1000 savvy professionals, ensuring excellent creativity and productivity.




Local Service

We are committed to providing our customers with the most excellent products and services. In order to better meet the needs of the US market, we have set up branch offices in California and Michigan, offering a one-stop shop for vape solutions including filling, capping, and custom branding on our local inventory. All at advanced machines and competitive prices. In addition, our service team will track your order throughout the process. If you have questions about our products or services, they will be available to assist you at any time.

Custom Branding



- Prototyping
- Hardware Engineering
- Branding & Labeling
- Testing and Certification
- Inventory Fulfillment
- Technical Support
- Lifecycle Management
- Financing



Hcore[®] Ceramic Heating Core

Transpring is the second company in this industry to independently develop ceramic heating cores. The Hcore[®] is the masterpiece of us. Compared with the flat and uneven surface ceramic with limited capacity to hold enough oil, Transpring Hcore[®] Ceramic Core adopts exclusive "Micro-vesicular" technology to offer more heating surface area, bioavailability, and higher vaporizing efficiency for a consistently rich taste.



Industry First Programmable Cartridge - CRMC[®]

The invention of CRMC[®] is another huge breakthrough. CRMC[®] is the very first programmable cartridge aiming to solve the most challenging problems in this industry once and for all: anti-counterfeit authentication enabled smart chip which makes seed-to-sale tracking not only possible but much more efficient and effective; automated concentrate specific temperature control (battery voltage output adjusted automatically to ensure the optimal vaping experience)



TSS (Tailored Smart Solution)

TSS is a customized solution based on the customer's requirements on Transpring cannabis vape devices. You can fully customize your products including power, temperature, control mode, alert mode, and other functions. Choose an optimal power and preheating mode according to your favorite oil, creating the purest and smoothest flavor. We will offer testing device TSS READER for you when sending samples so you no longer need to spend a lot of time and money on testing.

**CONTACT
OUR
TEAM**

Contact us today to get our full catalog, pricing, request a sample, or to begin your order.

info@transpring.com

www.transpring.com

Ask About Filling, Capping, & Packaging Solutions

CannaMate™

A10

A Leading Flagship Model



Optimal Performance and Safety

CannaMate™ A10 is designed with Hcore® Ceramic heating technology and high-quality materials of glass tank and SUS316L center post to deliver reliable and enjoyable performance.



Customize Your cartridges

Transpring provides customizable cartridges with mouthpieces in a range of materials and designs to match your desired styling.



Performance & Properties

Volume: 0.5ml / 1.0ml
Resistance: 1.2-1.6 ohms
Aperture Inlet: 4 x Ø1.6mm
Tank Material: Borosilicate Glass
Center Post: SUS316L



Various Color Options



Custom Mouthpieces

Custom Logo Printing

CannaMate™

A28

Stay Pure, Stay Healthy



Pure and Healthy Flavor

Full ceramic A28 is engineered to feature zero heavy metal and high flavor reducibility. Prepare yourself for the most flavourful and cleanest puff now.



Easy-Press

This groundbreaking cartridge was designed to be capped with ease and celerity in mind. If you prefer, you can even press the mouthpiece into place with your fingers.



Performance & Properties

Volume:	0.5ml / 1.0ml
Resistance:	1.2-1.6ohm
Aperture Inlet:	4x \varnothing 2.0mm
Tank Type:	Glass
Center Post:	Ceramic



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

P13

Unlock the Secrets of Flavor



All-in-One Design

Featuring a hexagonal tank with a built-in suction mouthpiece all rolled into one, P13 is simple yet individual. Upon application, the mouthpiece is permanently sealed, so that your children are protected.



Open-Top Tank

Filling got easier, either manually or automatically. Special with an Open-Top tank, P13 is ideal for anyone to start their vaping business.

Performance & Properties

Volume:	1.0ml
Resistance:	1.2-1.6ohm
Aperture Inlet:	4xØ1.6mm
Tank Type:	PCTG
Center Post:	SUS316L



Various Color Options



Custom Logo Printing



Custom Surface Techniques



CannaMate™

P14

Burn with Confidence



Proprietary Heating Element

Relentless R&D. Our special heating element for P14 has the characteristics of large smoke and strong explosive force, delivering the stimulation of going straight to the clouds.



Premium Material

While ensuring your extract does not touch any heavy metals, we have chosen the highest quality 316 stainless steel material as the center post, providing double protection for health.



Performance & Properties

Volume: 1.0ml
 Resistance: 1.2-1.6ohm
 Aperture Inlet: 4x \varnothing 1.8 / 2.0mm
 Tank Type: PCTG
 Center Post: SUS316L



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

HIGH5

Its High Time to Vape Strong



Massive Capacity

Entertain your taste buds with HIGH5. Sporting a whopping 5ml capacity and a 400mAh huge battery, it offers enjoyable times to come all day.



Unprecedented LED Screen

Follow up your extract level and battery life with the easy-to-read display screen, dispelling the burnt smell and sudden power outages.

Performance & Properties

- Volume: 5.0ml
- Resistance: 0.9ohm
- Battery Capacity: 400mAh
- Aperture Inlet: 24 x Ø0.8mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: 2 Clicks on the Button



Various Color Options



Custom Logo Printing



Custom Surface Techniques

CannaMate™


PEAK

The Peak of Vape Performance



High-end

There is a 360-degree visible tank as well as a streamlined and metallic body to CannaMate™ PEAK, making it appear high-end and elegant to capture your customer's attention.



Customize Power

Find out the most optimal power for an array of different extracts, Peak is supported to be connected with our testing device TSS READER.



Performance & Properties

- Volume: 0.5ml / 1.0ml / 2.0ml
- Resistance: 1.2-1.6ohm
- Battery Capacity: 300mAh
- Aperture Inlet: 4 x Ø1.6mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: Two Clicks to Activate



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

AMBER

Live the Dream, Vape Extreme



Beautiful and Powerful

With cutting-edge ceramic heating technology and a sleek, minimalist design, CannaMate™ AMBER is the latest rage for cannabis lovers.



Dual Airways Design

Eliminate clogging with the genius Dual Airways Design, getting the purest and most intense flavor.



Performance & Properties

Volume:	1.0ml / 2.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Material:	PCTG
Center Post:	SUS316L



Various Color Options

Custom Logo Printing




Custom Surface Techniques

CannaMate™


AVANT

Avant Style, Avant Technic



Hcore Lightsaber™ Technology

Hcore Lightsaber™ cotton-free ceramic heating element is separated from the spacious airway means no clogging and burnt taste from cotton charring.



Advanced Precise Temperature Control (APTC™)

The advanced Precise Temperature Control (APTC™) mechanism of Hcore®, efficiently releases active ingredients without toxic by-products, helping you taste cleaner and more nuanced flavors.



Performance & Properties

- Volume:** 0.5ml / 1.0ml
- Resistance:** 1.2-1.6ohm
- Battery Capacity:** 220mAh
- Aperture Inlet:** 1 x Ø1.6mm
- Tank Material:** PCTG
- Preheat Mode:** Tap on the USB Port



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

ACE

Get the Buzz Without the Mess



Ultra-Compact

Modern design, sleek and compact. It can easily fit in your pocket or purse. We adopted ACE to be portable and as discreet as possible while still allowing you to savor the purest flavors.



Dual Airways Design

Dual airways design helps ACE from clogging, improving the vaping experience to an unprecedented level. This device is sure to become a favorite.



Performance & Properties

Volume:	0.3ml
Resistance:	1.2-1.6ohm
Battery Capacity:	280mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Material:	PCTG
Center Post:	Lead-free Brass Chrome Plated



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

ZEPHYR

The Vape Future is in Your Hands



Small Dia Heating Element Solution

Due to its elegant and stylish ultra-thin design, a small diameter ceramic heating element of less than $\varnothing 3.5\text{mm}$ is applied, providing unrivaled performance.



Premium Rechargeable Battery

Long-lasting and safe, UL safety and performance standards are strictly observed to ensure end users are free from the risk of fire, electric shock, and other hazards.



Performance & Properties

Volume:	1.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Inlet:	4 x $\varnothing 1.6\text{mm}$
Tank Material:	PCTG
Center Post:	SUS316L
Preheat Mode:	Tap on the USB Port



Various Color Options



Custom Surface Techniques

Custom Logo Printing

CannaMate™

SODA

Boost Your Charm at this Moment



Exquisite Appearance

Eye-catching, the soft-touch rubber paint surface and the unique crystal diamond pattern tank make SODA stand out from the crowd of vape pens.



Small Body, Big Capacity

Convenient to take on the go, SODA is a small device, measuring 93.6mm tall and 16mm wide, but it has a 400mAh rechargeable battery and a large-capacity tank.



Performance & Properties

Volume: 1.0ml
Resistance: 1.2-1.6ohm
Battery Capacity: 400mAh
Aperture Inlet: 4 x Ø1.6mm
Tank Material: PCTG
Center Post: SUS316
Preheat Mode: 4 Taps on the USB Port



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

VULCAN

Great Vape for Delta-8-THC



Strong and Thick Cloud

Another legendary follow-up to D8 series. Equipped with Hcore Silo™ Plus heat element, they are specially designed for those who crave a larger, thicker vaping cloud.



Alu

More Surface Options for Customization

Manufactured in high-class aluminum profiles means more surface technique available. The customization is endless.



Performance & Properties

Volume: 1.0ml or 1.0ml/ 1.5ml/ 2.5ml
Resistance: 1.0-1.6ohm
Battery Capacity: 400mAh
Aperture Inlet: 4 x Ø1.6mm
Tank Material: PCTG
Center Post: SUS316L
Preheat Mode: Tap on the USB Port



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

HERCULES

Taste the Power of Super Cloud



Unmatched Thickness

Atomizing Delta-8-THC to best effect. With Hcore Silo™ Plus serving as the vanguard, they can put out massive vapors in a smooth manner, while reducing the ramp-up time to the minimum.



Premium Material

Food-grade stainless steel is the main material used for their construction, making them resistant to high temperatures, corrosion, and scaling.



Performance & Properties

- Volume: 1.5ml / 2.5ml or 0.5ml / 1.0ml
- Resistance: 1.0-1.6ohm
- Battery Capacity: 400mAh
- Aperture Inlet: 2 x 2.0mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: Tap on the USB Port



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

CLIC

More than What Meets the Eye



Splendid Structure

Serves as the smallest cannabis vaping pod, it testifies once again our savvy expertise on structural design and battery technology. All the functions you need are available there.




Endless Experience

It doesn't matter how cold the environment is or how concentrated the extract is, just activate the preheat mode and get ready for your dream vacation. No clogging, dry heat, and waste.



Performance & Properties

Volume: 0.5ml / 1.0ml
Resistance: 1.2-1.6ohm
Battery Capacity: 140mAh
Aperture Inlet: 4 x Ø 0.9 / 1.2 / 1.6mm
Tank Material: PCTG
Center Post: SUS316L
Preheat Mode: Two Clicks to Activate



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
 (Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

PEAK X

Distinguished Upgrade, Extraordinary Taste



Great Market Value

Growing from the huge success of CannaMate™ PEAK, PEAK X is an upgrade pod system designed with a long-lasting battery and Type-C port, creating real market value and stable clients.



Pure and Diversified Flavor

Outfitted with Hcore® ceramic heating element, customers can enjoy the pure and broad range of flavor from your oil.



Performance & Properties

Volume: 0.5ml / 1.0ml
Resistance: 1.2-1.6ohm
Battery Capacity: 300mAh
Aperture Inlet: 4 x Ø1.6mm
Tank Material: PCTG
Center Post: SUS316L
Preheat Mode: Two Clicks to Activate



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
 (Connect with TSS READER for Optimal Power)




Custom Surface Techniques

CannaMate™

ZEPHYR V

Where Convenience Meets Flavor



High Portability

High portability and innovation set ZEPHYR V apart from ordinary pods in the market. The choice between flavor and lightweight is no longer a matter of compromise.



Comforting Experience

Putting in the pod, preheating, then puffing, ZEPHYR V offers a comforting vaping experience from start to finish. The preheating mode removes any clogging or burnt smell problems out there.



Performance & Properties

- Volume: 1.0ml
- Resistance: 1.2-1.6ohm
- Battery Capacity: 300mAh
- Aperture Inlet: 4 x Ø1.6mm
- Tank Material: PCTG
- Center Post: SUS316L
- Preheat Mode: 4 Taps to Activate



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)




Custom Surface Techniques

CannaMate™

B230

Better Battery for the Best Journey



Voltages Adjustable

There are three voltage settings which are indicated by the color of the LED ring (green: 2.6V/blue: 3.3V/red: 4.0V). Change the voltage with 3 clicks to personalize your vaping experience.




Preheating Mode

Avoiding clogs and burnt taste, the preheat mode is a considerable innovation for cannabis extracts that are solid or crystalline at room temperature. Just 2 clicks to activate it.




Performance & Properties

- Battery Capacity:** 230mAh
- Charge Port:** 510 Thread Charger
- Housing Material:** SS
- Battery Voltage:** 2.6V, 3.3V, 4.0V
- Activation:** Button Activated
- Preheat Mode:** 2 Clicks on the Button
- Charge Port:** Type-C



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

B310-A

Supports Buttonless, Autodraw Activation



Easy to Use

B310 is straight forward, ultraportable, and easy to use. No buttons needed, just inhale to activate. Tip lights up to let you know it's working.



Compatible

With a diameter of 10.5mm, you can connect B310 to most 510-threaded cartridges without having to purchase an adapter separately.



Performance & Properties

- Battery Capacity: 310mAh
- Charge Port: 510 Thread Charger
- Housing Material: SS
- Battery Voltage: 3.5V
- Activation: Draw Activated



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

B320

Charge it Once and Use it a Lot



Super Power and Quick Charge

A huge capacity makes B320 outlast the competition. And once the power is used up, it takes just 40 minutes to fully charge.



Dual Circuit Protection Board

The safety features of the battery are always a top priority. The Dual Circuit Protection Board ensures the unrivaled safety, quality, reliability and performance of our batteries.



Performance & Properties

- Battery Capacity:** 320mAh
- Charge Port:** 510 Thread Charger / Micro-USB
- Housing Material:** SS
- Battery Voltage:** 2.6V, 3.3V, 4.0V
- Activation:** Button Activated
- Preheat Mode:** 2 Clicks on the Button



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

B320-C

Energy Only with the Best



Controllable

Everything is at your fingertips. Vape with B320-C battery, 15s preheating mode and 3 voltage options will allow you to vape to your preference.




Reliable and Flexible

Power your vape pen with high-capacity B320-C battery. Featuring 510 thread and Type-C flexible chargers, you can charge it from either end.



Performance & Properties

- Battery Capacity:** 320mAh
- Charge Port:** Type-C/510 Thread Charger
- Housing Material:** SUS304
- Activation:** Button Activated
- Battery Voltage:** 2.6V, 3.3V, 4.0V
- Dimensions:** Ø11.2x86mm



Various Color Options

Custom Logo Printing



Custom Surface Techniques



Shenzhen Transpring Enterprise Ltd

✉ info@transpring.com

🌐 www.transpring.com

Shenzhen Transpring Enterprise Co., Ltd All rights reserved. Transpring reserves the right to make changes in specifications and/or to discontinue any product at any time without prior notice or obligation and will not be liable for any consequences from the use of this publication.