




2025

PRODUCT BROCHURE



VAPE INDUSTRY LEADER

For 20 years Transpring has been a pioneer in innovation & technology, and dedicated to quality in the cannabis vape market.

Contact Us

info@transpring.com
www.transpring.com

1000000+

1 Million+
Products Used Daily

1000K+

1000k+
Monthly Output

20+

20+
Countries & Territories

3500+

3500+
Customers Served

Lean Manufacturing

State of the Art Facility

Located in the heart of Shenzhen, the innovation hub of China. Outfitted with breakthrough technologies, cutting-edge tools, and sophisticated equipment covering the entire spectrum of the manufacturing process including R&D, engineering, molding, and manufacturing. Transpring is a leading factory in the cannabis vaping industry, which spans 2600 square meters and is staffed by 1000 savvy professionals, ensuring excellent creativity and productivity.




Local Service

We are committed to providing our customers with the most excellent products and services. In order to better meet the needs of the US market, we have set up branch offices in California and Michigan, offering a one-stop shop for vape solutions including filling, capping, and custom branding on our local inventory. All at advanced machines and competitive prices. In addition, our service team will track your order throughout the process. If you have questions about our products or services, they will be available to assist you at any time.

Custom Branding



- Prototyping
- Hardware Engineering
- Branding & Labeling
- Testing and Certification
- Inventory Fulfillment
- Technical Support
- Lifecycle Management
- Financing



Hcore® Ceramic Heating Core

Transpring is the second company in this industry to independently develop ceramic heating cores. The Hcore® is the masterpiece of us. Compared with the flat and uneven surface ceramic with limited capacity to hold enough oil, Transpring Hcore® Ceramic Core adopts exclusive "Micro-vesicular" technology to offer more heating surface area, bioavailability, and higher vaporizing efficiency for a consistently rich taste.



Nutun™ Technology

Allowing you to program the microchip in our vaporizers, giving you granular control over the heating profile and enabling you to precisely tune the temperature to preserve the authentic flavors and full character of your extracts. This precise level of control allows you to tailor your vaping experience to your specific preferences, providing a customized and satisfying session consistently.



Industry First Programmable Cartridge - CRMC®

The invention of CRMC® is another huge breakthrough. CRMC® is the very first programmable cartridge aiming to solve the most challenging problems in this industry once and for all: anti-counterfeit authentication enabled smart chip which makes seed-to-sale tracking not only possible but much more efficient and effective; automated concentrate specific temperature control (battery voltage output adjusted automatically to ensure the optimal vaping experience)

**CONTACT
OUR
TEAM**

Contact us today to get our full catalog, pricing, request a sample, or to begin your order.

info@transpring.com


www.transpring.com

Ask About Filling, Capping, & Packaging Solutions

CannaMate™

A10

A Leading Flagship Model



Optimal Performance and Safety

CannaMate™ A10 is designed with Hcore® Ceramic heating technology and high-quality materials of glass tank and SUS316L center post to deliver reliable and enjoyable performance.



Customize Your cartridges

Transpring provides customizable cartridges with mouthpieces in a range of materials and designs to match your desired styling.



Performance & Properties

Volume: 0.5ml / 1.0ml
Resistance: 1.2 - 1.6 ohms
Aperture Inlet: 4 x Ø1.6mm
Tank Material: Borosilicate Glass
Center Post: SUS316L



Various Color Options



Custom Mouthpieces

Custom Logo Printing



CannaMate™

CARBOY

2ml Spectacular for the Vaper Leagues



Giga Tank Magic

Big on volume, big on visibility. Get ready for the long haul with our 2ml CARBOY 510 cartridge. Crystal-clear glass - never miss a beat - or a puff!



Multiple Options

Why settle for one-size-fits-all? Craft your perfect device - choose your mouthpiece color, shape, material, and finger snap-on or auto-capping.

Performance & Properties

Volume: 2.0ml
Resistance: 1.4 ohm
Aperture Inlet: 4 x Ø2.0mm
Tank Material: Glass
Center Post: SUS316L



Custom Logo Printing

Various Color Options



Custom Surface Techniques

CannaMate™

SMART CARTRIDGE

Max Control, Minimal Impact



Chiptastic Flavor Control

Embedded with a Microchip, A39 is programmed to cap max power output for the perfect low-temp hit, preserving precious terpenes and granting full mastery of your vaping adventure.



Greener Highs

Win over eco-enthusiasts. Providing an optimal vaping experience similar to disposable but with minimal impact, A39 is the ideal high-performance choice to reach the environmental market.

Performance & Properties

Volume: 1.0ml
Resistance: 1.3 - 1.7 ohm
Aperture Inlet: 4 x Ø2.0mm
Tank Material: Glass
Center Post: SUS316L



Custom Logo Printing



Various Color Options




Custom Surface Techniques

CannaMate™

CLEAR

Max Flavor, Super Consistency



Flavor Perfection

With a groundbreaking cotton-free heating structure, Clear is designed to deliver the full essence of your favorite extracts and ensure consistency in every inhale.



Premium Health Assurance

No heavy metals, no cotton carbonization risks. Clear prioritizes your health without compromising on taste! Choosing a cleaner, safer way to elevate your experience.

Performance & Properties

Volume: 1.0ml
Resistance: 1.2Ω
Aperture Inlet: 4 x Ø1.7mm
Tank Type: PC
Center Post: Ceramic




Branding Customization

CannaMate™

P14

Burn with Confidence



Proprietary Heating Element

Relentless R&D. Our special heating element for P14 has the characteristics of large smoke and strong explosive force, delivering the stimulation of going straight to the clouds.



Premium Material

While ensuring your extract does not touch any heavy metals, we have chosen the highest quality 316 stainless steel material as the center post, providing double protection for health.

Performance & Properties

Volume: 0.5ml/ 1.0ml
Resistance: 1.2-1.6ohm
Aperture Size: 4 x Ø1.8/2.0mm
Tank Type: PCTG
Center Post: SUS316L



Custom Logo Printing



Various Color Options



Custom Surface Techniques

CannaMate™

REBEL

A Rebellion in Every Puff



Double Atomizer. Zero Weak Hits.

Two heating elements deliver twice the flavor, twice the vapor—every hit full, never faint.



Smart Display. Smarter Sessions.

Track battery, time the preheating, and push your limits with the Iron Lung Challenge.



Performance & Properties

Volume: 2.0ml/3.0ml
Resistance: 0.7ohm
Battery Capacity: 350mAh
Tank Type: PCTG
Battery Housing: PC
Preheat Mode: 4 Taps on the Fingerprint Touch Sensor



Choose from 2.0ml or 3.0ml



Branding Customization

CannaMate™


CHILL

Taste the Cleanest Hit Ever



Cotton Free, Center Post Free

Experience smooth, clean hits with CHILL boasting a cotton-free heating core and no-center-post structure. Designed to prevent clogs and burnt flavors, CHILL is perfect for HTE.




Tailored Temp for Ultimate Flavor

Customize your ideal temperature curve to ensure every bit of extract is vaporized perfectly, preserving the richest flavors and most potent effects.



Performance & Properties

Volume: 0.5ml/1.0ml
Resistance: 1.2-1.6 ohm
Battery Capacity: 280mAh
Tank Type: PCTG
Battery Housing: Stainless Steel
Preheat Mode: 4 Taps on the USB Port



Various Viewing Window and Color Options



Custom Logo Printing

Custom Surface Techniques

CannaMate™

GLOW

Pocket Pleasure: Style on the Go



Unparalleled Consistency

Programmed microchip for variable temp curve, GLOW knows how to keep things cool, consistent, and satisfying. No more burnt hits, every puff is as flavorful as the last.



Big Views in a Mini Package

2ml GLOW AIO packs a punch with its sleek, portable design and a large viewing window, offering a big stage to showcase the beauty of your premium oils.

Performance & Properties

Volume:	1.0ml/ 2.0ml
Resistance:	1.2-1.6 ohm
Battery Capacity:	260mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Type:	PCTG
Center Post:	SUS316L
Preheat Mode:	4 Taps on the USB Port



Custom Logo Printing

Various Color Options




Custom Surface Techniques

CannaMate™

TWINX BOX

**Maximize Flavor:
Bigger Clouds,
Smoother Hits**



One Heating Core, Two Heating Areas

TWINX BOX is a postless vape with a core featuring dual heating areas, ensuring even heat distribution for richer flavor and larger vapor production.



Effortless Draw System

Unlock a new level of smoothness with TWINX BOX, equipped with dual airways that guarantee seamless inhalation, removing any risks of clogs for an enjoyable vaping experience.

Performance & Properties

Volume: 1.0ml/ 2.0ml
Resistance: 0.8ohm
Battery Capacity: 320mAh
Tank Type: PCTG
Battery Housing: Aluminum
Preheat Mode: 4 Taps on the USB Port



Choose from 1.0ml or 2.0ml

Branding Customization

CannaMate™

MEGA

Big Vape, Big Wins



Track Your 6ml Big Guy

Pack an enlarged capacity and intuitive display screen, MEGA allows users to enjoy extended vaping sessions and provides visual feedback for every step of the way.



First Choice for Power Vaper

Elevate your vaping journey with our cutting-edge dual-core and adjustable airflow technology, enjoying the ultimate blend of power and control.



Performance & Properties

Volume:	3.5ml/ 6.0ml
Resistance:	1.1-1.6ohm
Battery Capacity:	650mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Material:	PCTG
Center Post:	SUS316L
Preheat Mode:	Two Clicks to Activate



Various Color Options

Custom Logo Printing



Custom Surface Techniques



CannaMate™

GEMINI

All in One 1ml/ 2ml
Dual Chamber
Disposable



Double the Power, Double the Flavour

GEMINI features a twin-chamber design (2×0.5ml/ 2×1.0ml), allowing you to enjoy two different flavors in one compact device.



Effortless Flavor Transition

With a user-friendly flavor slider at the bottom, alternating between the chambers become easy. Effortlessly slide to switch between two flavors or enjoy them both at the same time.



Performance & Properties

Volume:	2×0.5ml/ 2×1.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Inlet:	2×4 × Ø1.6mm
Tank Material:	PCTG
Center Post:	SUS316L
Preheat Mode:	2 Clicks on the Button



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

LITE

Double Blasts, Double Clouds



Extreme Portability

Finger-sized with a compact and lightweight construction, Lite is renowned for its extreme portability.



Dual Coils

Engineered for superior clouds and perfect hits, the dual-coil design offers more heating area, ensuring even heating and the purest flavor in each puff.



Performance & Properties

Volume:	1.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	310mAh
Aperture Inlet:	2 x Ø1.5mm
Tank Material:	PCTG
Center Post:	SUS316L



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™


PEAK

The Peak of Vape Performance



High-end

There is a 360-degree visible tank as well as a streamlined and metallic body to CannaMate™ PEAK, making it appear high-end and elegant to capture your customer's attention.



Customize Power

Find out the most optimal power for an array of different extracts, Peak is supported to be connected with our testing device TSS READER.



Performance & Properties

Volume:	0.5ml / 1.0ml / 2.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Material:	PCTG
Center Post:	SUS316L
Preheat Mode:	Two Clicks to Activate



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

ACE

Get the Buzz Without the Mess



Ultra-Compact

Modern design, sleek and compact. It can easily fit in your pocket or purse. We adopted ACE to be portable and as discreet as possible while still allowing you to savor the purest flavors.



Dual Airways Design

Dual airways design helps ACE from clogging, improving the vaping experience to an unprecedented level. This device is sure to become a favorite.

Performance & Properties

Volume:	0.3ml
Resistance:	1.2-1.6ohm
Battery Capacity:	280mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Material:	PCTG
Center Post:	Lead-free Brass Chrome Plated



Various Color Options



Custom Logo Printing



Custom Surface Techniques

CannaMate™

ZEPHYR

The Vape Future is in Your Hands



Small Dia Heating Element Solution

Due to its elegant and stylish ultra-thin design, a small diameter ceramic heating element of less than Ø 3.5mm is applied, providing unrivaled performance.



Premium Rechargeable Battery

Long-lasting and safe, UL safety and performance standards are strictly observed to ensure end users are free from the risk of fire, electric shock, and other hazards.



Performance & Properties

Volume:	1.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Material:	PCTG
Center Post:	SUS316L
Preheat Mode:	Tap on the USB Port



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

VULCAN

Great Vape for Delta-8-THC



Strong and Thick Cloud

Another legendary follow-up to D8 series. Equipped with Hcore Silo™ Plus heat element, they are specially designed for those who crave a larger, thicker vaping cloud.



Alu

More Surface Options for Customization

Manufactured in high-class aluminum profiles means more surface technique available. The customization is endless.



Performance & Properties

Volume: 1.0ml / 1.5ml / 2.5ml
Resistance: 1.0-1.6ohm
Battery Capacity: 400mAh
Aperture Inlet: 4 x Ø1.6mm
Tank Material: PCTG
Center Post: SUS316L



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)



Custom Surface Techniques

CannaMate™

HERCULES

Taste the Power of Super Cloud



Unmatched Thickness

Atomizing Delta-8-THC to best effect. With Hcore Silo™ Plus serving as the vanguard, they can put out massive vapors in a smooth manner, while reducing the ramp-up time to the minimum.



Premium Material

Food-grade stainless steel is the main material used for their construction, making them resistant to high temperatures, corrosion, and scaling.

Performance & Properties

Volume:	1.0ml / 1.5ml / 2.5ml
Resistance:	1.0-1.6ohm
Battery Capacity:	400mAh
Aperture Inlet:	2 x Ø2.0mm
Tank Material:	PCTG
Center Post:	SUS316L



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

PEAK X

Distinguished Upgrade, Extraordinary Taste



Great Market Value

Growing from the huge success of CannaMate™ PEAK, PEAK X is an upgrade pod system designed with a long-lasting battery and Type-C port, creating real market value and stable clients.



Pure and Diversified Flavor

Outfitted with Hcore® ceramic heating element, customers can enjoy the pure and broad range of flavor from your oil.



Performance & Properties

Volume: 0.5ml / 1.0ml
Resistance: 1.2-1.6ohm
Battery Capacity: 300mAh
Aperture Inlet: 4 x Ø1.6mm
Tank Material: PCTG
Center Post: SUS316L
Preheat Mode: Two Clicks to Activate



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)




Custom Surface Techniques

CannaMate™

ZEPHYR V

Where
Convenience
Meets Flavor



High Portability

High portability and innovation set ZEPHYR V apart from ordinary pods in the market. The choice between flavor and lightweight is no longer a matter of compromise.



Comforting Experience

Putting in the pod, preheating, then puffing, ZEPHYR V offers a comforting vaping experience from start to finish. The preheating mode removes any clogging or burnt smell problems out there.



Performance & Properties

Volume:	1.0ml
Resistance:	1.2-1.6ohm
Battery Capacity:	300mAh
Aperture Inlet:	4 x Ø1.6mm
Tank Material:	PCTG
Center Post:	SUS316L
Preheat Mode:	4 Taps to Activate



Various Color Options

Custom Logo Printing



Tailor Your Oil Specific Needs
(Connect with TSS READER for Optimal Power)




Custom Surface Techniques

CannaMate™

B650

Control Your Vape, Elevate Your Puff



Vape with Ease

Stay in control with B650 battery—complete with a digital screen for easy battery, preheat, and vape status updates. Need a break? Spin the top fidget spinner!



Perfectly Tailored

Say goodbye to preset wattage settings! B650 lets you customize different output wattage to match your oil, with the perfect oil type output power displayed right on the screen for ultimate control.



Performance & Properties

Battery Capacity:	650mAh
Charge Port:	Type-C
Housing Material:	PC
Activation:	Button Activated
Preheat Mode:	2 Clicks
Wattage Adjustment:	3 Clicks




Branding Customization



CannaMate™

B230

Better Battery for the Best Journey



Voltages Adjustable

There are three voltage settings which are indicated by the color of the LED ring (green: 2.6V/blue: 3.3V/red: 4.0V). Change the voltage with 3 clicks to personalize your vaping experience.




Preheating Mode

Avoiding clogs and burnt taste, the preheat mode is a considerable innovation for cannabis extracts that are solid or crystalline at room temperature. Just 2 clicks to activate it.

Performance & Properties

Battery Capacity: 230mAh
Charge Port: Type-C/Micro-USB
Housing Material: SS
Battery Voltage: 2.6V, 3.3V, 4.0V
Activation: Button Activated
Preheat Mode: 2 Clicks on the Button



Various Color Options



Custom Surface Techniques

Custom Logo Printing



CannaMate™

B310-A

Supports Buttonless, Autodraw Activation



Easy to Use

B310 is straight forward, ultraportable, and easy to use. No buttons needed, just inhale to activate. Tip lights up to let you know it's working.



Compatible

With a diameter of 10.5mm, you can connect B310 to most 510-threaded cartridges without having to purchase an adapter separately.



Performance & Properties

Battery Capacity: 310mAh
Charge Port: 510 Thread Charger
Housing Material: SS
Battery Voltage: 3.5V
Activation: Draw Activated



Various Color Options



Custom Surface Techniques

Custom Logo Printing



CannaMate™

B320

Charge it Once and Use it a Lot



Super Power and Quick Charge

A huge capacity makes B320 outlast the competition. And once the power is used up, it takes just 40 minutes to fully charge.



Dual Circuit Protection Board

The safety features of the battery are always a top priority. The Dual Circuit Protection Board ensures the unrivaled safety, quality, reliability and performance of our batteries.

Performance & Properties

Battery Capacity: 320mAh
Charge Port: 510 Thread Charger / Micro-USB
Housing Material: SS
Battery Voltage: 2.6V, 3.3V, 4.0V
Activation: Button Activated
Preheat Mode: 2 Clicks on the Button



Various Color Options



Custom Surface Techniques



Custom Logo Printing



CannaMate™

B320-C

Energy Only with the Best



Controllable

Everything is at your fingertips. Vape with B320-C battery, 15s preheating mode and 3 voltage options will allow you to vape to your preference.




Reliable and Flexible

Power your vape pen with high-capacity B320-C battery. Featuring 510 thread and Type-C flexible chargers, you can charge it from either end.




Performance & Properties

Battery Capacity: 320mAh
Charge Port: Type-C/510 Thread Charger
Housing Material: SUS304
Activation: Button Activated
Battery Voltage: 2.6V, 3.3V, 4.0V



Various Color Options

Custom Logo Printing



Custom Surface Techniques

CannaMate™

B400

Dial to the Power You Need



Extremely Simple to Use

Dial into the preferred power setting by simply twisting the pre-numbered knob on the bottom of B400. There is also a pre-heat function for colder climates or thicker oils.



400mAh High Capacity

Boasting 400mAh high capacity, B400 offers enough battery to vape throughout the day without charging, and it features a LED indicator light that will tell you when the time comes to plug it in.

Performance & Properties

Battery Capacity:	400mAh
Charge Port:	Type-C
Housing Material:	SUS304
Battery Wattage	Variable Wattage from 3.0W-12.0W
Activation:	Button Activation
Preheat Mode:	2 Clicks on the Button



Various Color Options



Custom Surface Techniques



Custom Logo Printing



Shenzhen Transpring Enterprise Ltd

✉ info@transpring.com

🌐 www.transpring.com

Shenzhen Transpring Enterprise Co., Ltd All rights reserved. Transpring reserves the right to make changes in specifications and/or to discontinue any product at any time without prior notice or obligation and will not be liable for any consequences from the use of this publication.