Bluetooth 7.5 inch Electronic Conference Table Card SETPB0750R_D Specification

DALIAN SERTAG TECHNOLOGY CO., LTD

Overview of the Electronic Conference Table Card System

Electronic conference table it looks beautiful and generous, completely replaced the traditional plastic, paper or copper table, is a big innovation

conference desktop display equipment, compared with the traditional table, has the characteristics of high degree of information, can be used repeatedly, is the ideal tool of modern information conference, integration, optimization, transform traditional conference equipment and process, on the premise of high cost performance, a long-term stable use, to achieve the most economical goal, meeting process to achieve truly paperless, save resources power environmental protection.

Product Superiority

SMART TAG LEADER

- 1. Support for template customization;
- 2. Update fast, conventional 1-3 seconds to achieve data transmission;
- 3. APP refresh;
- 4. Ultra-low power consumption, conventional can use 3-5 years of battery life / battery charging;
- 5. Dot matrix electronic paper screen, double-sided HD display is more natural, visual Angle close to 180;
- 6. Custom two-way communication protocol, safe and reliable, simple and fast deployment, without cable;

Bluetooth Electronic Table Card Parameters

Product Parameter	Product Model	SETPB0750R_D
Juha Kevin	Size (mm)	176.2*137.15*80mm
	Display Technique	The e-ink screen displays on both sides
	Display Area (mm)	163.2(H) * 97.92(V)
	Resolution (Pixel)	800*480
	Appearance Color	Silvery
	Display Color	Black / White / Red
	Visual Angle	Nearly 180°
	Working Temperature	0~40℃
	Working <mark>Voltag</mark> e	3.0V (Minimum: 2.2V)
	Duration of Flight	1~2years (update 2 times a day), Rechargeable
	Use Frequency Range	2.400~2.480Ghz (Bluetooth 4.2)
	Support Content Format	Text / Picture / QR code / Bar code
	Template Design	Yes
	Soft and Hardware Encryption	Yes
	Mode of Operation	Use mobile APP (Android + Apple) Change the table content via Bluetooth

3

http://192.168.1.171/esls_new/mms/tologin

1)Click on the website link to log in to the Bluetooth tag management system



- 2 Equipment management-template management-new
- 3 Template editing-Select screen parameters-type-10.8 inch @EPS black and white red
- 4 Custom edit content



- 5 Save / Save as-Template management, to find the template
- 6 Mobile phone login [Bluetooth tag] -scan the ID code at the bottom of the table card



7 Edit-template selection-screen casting

Structure of a System



DALIAN SERTAG TECHNOLOGY CO., LTD

www.eslmfg.com

Application Scenarios

Mainly used in: conference table card, office conference, hall exhibition, conference venues, etc.







