3.6inch BLE Electronic Name Card SETPB0360C Specification

DALIAN SERTAG TECHNOLOGY CO., LTD

Sertag 3.6inch BLE Electronic Name Card SETPB0360C

| Product Parameters | Product Model | SETPB0360C |
|---|-------------------------|--|
| Night Shift FTY LKO Dept NICU Mina Miller Temperature 36.3 | Dimension (mm) | 62*98*3 |
| | Display Technology | E-ink |
| | Active Area (mm) | 50.8(H)*76.2(V) |
| | Resolution (pixels) | 400*600 |
| | Pixel Size (mm) | 0.127x0.127mm 200DPI |
| | Display Color | Black, white, red, yellow, blue, green |
| | Visual Angle | 180° |
| | Working Temperature | 0~50 ℃ |
| | Weight | 29.95g |
| | Battery Capacity | 120mAh (Wireless charging) |
| | Battery Life | The battery lasts 1-2 months on a single charge |
| | Working Frequency | 2.4G Bluetooth |
| | Short-range Sensing | Yes (ID card is integrated by default, which can be used for access control) |
| | Product Function | Page turns with a button |
| | Support Content Format | Text/image/QR code/barcode |
| | Template DIY | Yes |
| | Communication Equipment | Android phones/iPhone/tablets |

Product Features

- 1. You can press the button to turn pages and switch information, and store multiple pages of content.
- 2. Update directly through the mobile app.
- 3. Unique rapid scanning technology and intelligent sensing of labels.
- 4. Templates can be DIY designed by yourself, and multiple templates can be switched freely.
- 5. Support firmware upgrade.
- 6. Ultra-long standby time, it can be used for 1-2 months on a full charge and supports wireless charging.
- 7. Communication method: Screen content is updated via Bluetooth wireless communication.
- 8. Supported content formats: Text/barcode/QR code/image.
- 9. Use it anytime and anywhere, without being restricted by the installation environment.
- 10. Installation method: Hanging rope.

Login account Make template Scan/search connect CLOUD Download Templates

Lanyard for Badge

Color: Red Hook: leather hook Rope length and width: 47*1.5cm



DALIAN SERTAGTECHNOLOGY CO., LTD www.eslmfg.com www.lightpicksystems.com

Product





Front

Front



Back Side



Side