Wireless HDMI Extender 200m —— Manual ——



Wireless HDMI Extender 200m

I. Product introduction


Welcome to use our high quality video conversion series product! The HDMI wireless extender uses standard Ethernet TCP/IP protocol to transmit high-definition audio and video signals through wireless WIFI signals, included infrared extension function to make remote control easier. The device's superior image processing and transmission capabilities make signal transmission smoother and more stable, it a cost-effective way to extend HDMI signals. Mainly used in projection industry, training conferences, home wireless video playback and other occasions

II. Product function parameters:


- The HDMI signal can be transmitted through the wireless WIFI signal, and the open environment can reach to 200 meters;
- HDMI signal resolution supports 1080P@60Hz, backward compatible with multiple resolutions;
- 3. Compatible with HDMI 1.3, in line with HDCP 1.2 standard, High bandwidth digital content protection technology;
- 4. Using H.264 format to compress and decompress video, effectively improve the transmission rate, and ensure the smoothness and stability of playback;
- Support IR infrared transmission, remote remote signal source or other equipment;
- 6. Support one-to-one long-distance transmission;
- capable of automatically identifying and configuring various display devices:
- 8. Built-in automatic equalization system, the picture is smooth, stable and clear:
- This wireless extender supports HDMI signal 1080P@60Hz resolution, transmits high-definition signals through wireless WIFI signals, uses 5.8G frequency band, also can use IR infrared for remote control devices, supports one-to-one transmission.

@@@@@@@@@ < | >

、Interface specification




Number	Name	Introduction	
0	IR OUT	Infrared output interface	
2 DC 5V		5V power input interface	
8	HDMI IN	HDMI input	
4 HDMI OUT		HDMI output	



Number	Name	Introduction	
0	IR IN	Infrared input interface	
2	DC 5V	5V power input interface	
8	HDMI OUT HDMI output		

IV. Connection diagram



V. Packaging and accessories

- 1.HDMI transmitter*1pcs
- 2.HDMI receiver*1pcs
- 3.IR transmit line*1pcs
- 4.IR receiver line*1pcs
- 5.Power adapter*2pcs(sender+receiver)
- 6.User manual*1pcs

(Note: Pls open the package to check your accessories,if incomplete,Pls ask for your supplier.)

Product Warranty Card

Customer Information				
Model:				
Date of purchasel				
User telephone :				
User address :				
Distributor :				
Agency address :				
User telephone:	Dealer stamp valid			

Intenance Records

Repair times	Date	Fault	Treatment measures	Repair work NO.