



Cast Iron Sheaves


TYPE 1



TYPE 2



TYPE 3



Standard Keyseats

Table No.1

Bore Range	Keyseat
1/2"	None
5/8" to 7/8"	3/16" × 3/32"
15/16 to 1 1/4	1/4 × 1/8
1 7/16	3/8 × 3/16

"AK" Sheaves are accurately machined from fine grained cast Iron, statically balanced, painted. They are furnished with Standard Keyseats and Hollow Head Setscrews.

Single Groove Sheaves for "4L" or "A" Belts

"3L" Belts may also be used with These Sheaves as Indicated in Table Below


Table No.2

Stock Sizes—Finished Bore


PART NO.	Type	DIAMETERS			DIMENSIONS				STOCK BORES MARKED PRODUCT CODE												Wt. Lbs
		Outside	Datum "A"	Pitch "3L"	F	L	P	C	1/2"	5/8"	3/4"	7/8"	15/16"	1"	1 1/8"	1 3/16"	1 1/4"	1 3/8"	1 7/16"		
▲AK15	1	1.55"	1.3"	0.96"	21/32"	1 3/32"	7/16"	0	020295	020324	-	-	-	-	-	-	-	-	-	0.3	
▲AK16	1	1.65	1.40	1.06	21/32	1 3/32	7/16	0	020330	047235	-	-	-	-	-	-	-	-	-	0.3	
▲AK17	1	1.75	1.50	1.16	21/32	15/16	7/16	5/32	047236	020345	047238	-	-	-	-	-	-	-	-	0.4	
▲AK18	1	1.85	1.60	1.26	21/32	15/16	7/16	5/32	-	020366	081924	-	-	-	-	-	-	-	-	0.4	
▲AK19	1	1.95	1.70	1.36	21/32	15/16	7/16	5/32	020368	020371	047239	020373	-	-	-	-	-	-	-	0.5	
▲AK20	1	2.00	1.80	1.46	21/32	15/16	7/16	5/32	047241	020396	047242	079100	-	-	-	-	-	-	-	0.4	
▲AK21	1	2.10	1.90	1.56	21/32	15/16	7/16	5/32	047244	020412	020407	084485	-	-	-	-	-	-	-	0.4	
▲AK22	1	2.20	2.00	1.66	21/32	15/16	7/16	5/32	020419	020430	020425	020435	-	-	-	-	-	-	-	0.5	
▲AK23	1	2.30	2.10	1.76	21/32	15/16	7/16	5/32	020441	020453	020448	075214	-	-	-	-	-	-	-	0.5	
▲AK24	1	2.45	2.20	1.86	21/32	15/16	7/16	5/32	020460	020466	020464	047248	-	020462	-	-	-	-	-	0.6	
▲AK25	2	2.50	2.30	1.96	21/32	15/16	7/16	5/32	020476	020496	020488	020502	-	020483	-	-	-	-	-	0.6	
▲AK26	2	2.60	2.40	2.06	21/32	15/16	7/16	5/32	020509	020518	020513	078687	-	081849	-	-	-	-	-	0.6	
▲AK27	2	2.70	2.50	2.16	21/32	15/16	7/16	5/32	020524	020536	047258	020542	-	047257	-	-	-	-	-	0.6	
▲AK28	2	2.80	2.60	2.26	21/32	15/16	7/16	5/32	020548	020569	020562	020575	020550	020557	081861	-	-	-	-	0.7	
▲AK30	2	3.05	2.80	2.46	21/32	15/16	7/16	5/32	020583	020607	020596	020613	020588	020591	077258	-	-	-	-	0.8	
▲AK32	2	3.25	3.00	2.66	21/32	15/16	7/16	5/32	020620	020642	020635	020650	020626	020630	020625	-	-	-	-	0.8	
▲AK34	2	3.45	3.20	2.86	21/32	15/16	7/16	5/32	020664	020695	020684	020702	020672	020676	020671	-	-	-	-	1	
▲AK35	2	3.55	3.30	2.96	21/32	15/16	7/16	5/32	020709	020719	020714	020721	-	020711	-	-	-	-	-	1	
AK39	2	3.75	3.50	3.16	3/4	1 5/32	15/32	1/16	020729	020762	020756	020770	020738	020744	020735	-	-	-	-	1.5	
AK41	2	3.95	3.70	3.36	3/4	1 5/32	15/32	1/16	020785	020826	020813	020834	020795	020801	047281	-	-	-	-	1.6	
AK44	3	4.25	4.00	3.66	3/4	1 5/32	15/32	1/16	020847	020882	020870	020893	020856	047290	020853	-	-	-	-	1.6	
AK46	3	4.45	4.20	3.86	3/4	1 5/32	15/32	1/16	020907	047296	020939	020956	020917	020926	075215	-	-	-	-	1.7	
AK49	3	4.75	4.50	4.16	3/4	1 5/32	15/32	1/16	020965	021000	020993	021010	020978	020986	020974	100302	-	-	-	1.8	
AK51	3	4.95	4.70	4.36	3/4	1 5/32	15/32	1/16	021021	021052	021045	021058	021030	021037	021027	-	084508	-	-	2	
AK54	3	5.25	5.00	4.66	3/4	1 5/32	15/32	1/16	021068	021113	021103	021122	021083	021090	047311	021079	-	-	-	2	
AK56	3	5.45	5.20	4.86	3/4	1 5/32	15/32	1/16	021135	021167	021162	021174	021149	021156	021143	047317	058011	-	-	2.1	
AK59	3	5.75	5.50	5.16	3/4	1 5/32	15/32	1/16	021185	021221	021216	021229	021200	021207	047078	021197	-	-	-	2.3	
AK61	3	5.95	5.70	5.36	3/4	1 5/32	15/32	1/16	021234	021268	021261	021275	021251	021256	021241	021248	-	-	-	2.3	
AK64	3	6.25	6.00	5.66	3/4	1 5/32	15/32	1/16	047088	021318	021310	021326	021295	021302	047089	021292	-	-	-	2.4	
AK66	3	6.45	6.20	5.86	3/4	1 5/32	15/32	1/16	021337	021369	021360	021375	021344	021351	021340	021342	-	-	-	2.5	
AK69	3	6.75	6.50	6.16	3/4	1 15/32	23/32	0	021379	021395	021392	058047	-	047095	021383	-	-	-	-	3.7	
AK71	3	6.95	6.70	6.36	3/4	1 15/32	23/32	0	021401	021427	021421	085192	-	021415	021406	-	-	-	-	021411	3.9
▲AK74	3	7.25	7.00	6.66	3/4	1 15/32	23/32	0	021438	021473	021468	021476	021457	021462	021448	021453	021443	-	-	081274	3.5
▲AK79	3	7.75	7.50	7.16	3/4	1 15/32	23/32	0	058067	058068	021501	058070	-	021494	021485	-	-	-	-	081275	4.1
▲AK81	3	7.95	7.70	7.36	3/4	1 15/32	23/32	0	-	021510	021509	098897	-	021507	-	-	-	-	-	-	4.4
▲AK84	3	8.25	8.00	7.66	3/4	1 15/32	23/32	0	021515	021544	021537	021549	021524	021530	058080	021521	058082	-	-	021527	4
▲AK89	3	8.75	8.50	8.16	3/4	1 15/32	23/32	0	058084	058085	021567	058087	-	021563	021556	-	-	-	-	081217	4.9
▲AK91	3	8.95	8.70	8.36	3/4	1 15/32	23/32	0	-	021578	021576	021579	-	021574	-	-	-	-	-	-	4.4
▲AK94	3	9.25	9.00	8.66	3/4	1 15/32	23/32	0	021582	021613	047121	021616	021596	021603	021589	021592	021587	-	-	081277	4.6
▲AK99	3	9.75	9.50	9.16	3/4	1 15/32	23/32	0	-	021631	047124	085356	-	021625	-	-	-	-	-	047122	5.6
▲AK104	3	10.25	10.00	9.66	3/4	1 15/32	23/23	0	-	020148	020143	020152	020131	020137	058110	020123	020116	020128	081278	5.2	
▲AK109	3	10.75	10.50	10.16	3/4	1 15/32	23/32	0	059222	-	020171	-	-	020167	-	-	-	020162	-	081279	7
▲AK114	3	11.25	11.00	10.66	3/4	1 15/32	23/32	0	-	-	020195	020199	020182	047224	058117	020179	058119	-	-	081280	7
▲AK124	3	12.25	12.00	11.66	3/4	1 15/32	23/32	0	-	020230	047228	020235	020213	020220	058126	020210	020203	-	-	080567	8.5
AK134	3	13.25	13.00	12.66	3/4	1 15/32	23/32	0	-	-	047230	-	-	020257	-	020248	020240	020251	020253	9	
AK144	3	14.25	14.00	13.66	3/4	1 15/32	23/32	0	-	072406	020286	020290	-	020281	-	020272	058140	047231	020278	9.5	
AK154	3	15.25	15.00	14.66	3/4	1 15/32	23/32	0	-	059217	020317	058144	-	020313	-	020302	058147	058148	081283	12.1	
AK184	3	18.25	18.00	17.66	3/4	1 15/32	23/32	0	-	-	020362	058372	-	020357	-	020351	058375	058376	081284	14.3	

▲ NOTE—DO NOT USE THESE "AK" SHEAVES WITH BORES 1" AND UNDER WITH GRIPNOTCH BELT RATINGS.


TYPE 1



TYPE 2



TYPE 3



Standard Keyseats

Table No.1

Bore Range	Keyseat
1/2"	None
5/8" to 7/8"	3/16" × 3/32"
15/16" to 1 1/4"	1/4" × 1/8"
1 7/16"	3/8" × 3/16"

- ◆ HOLLOW HEAD SETSCREWS
- ◆ STATICALLY BALANCED


Two Groove Sheaves for "4L" or "A" Belts

"3L" Belts may be used with These Sheaves as Indicated in Table Below

Table No.2

Stock Sizes—Finished Bore

PART NO.	Type	DIAMETERS			DIMENSIONS				STOCK BORES MARKED PRODUCT CODE												Wt. Lbs
		Outside	Datum "A"	Pitch "3L"	F	L	P	C	1/2"	5/8"	3/4"	7/8"	15/16"	1"	1 1/8"	1 3/16"	1 1/4"	1 3/8"	1 7/16"		
2AK20	1	2.00	1.80	1.46	1 3/8	1 21/32	15/32	3/16	008006	008015	008011	—	—	—	—	—	—	—	—	0.7	
2AK21	1	2.15	1.90	1.56	1 3/8	1 21/32	15/32	3/16	008022	008027	008024	—	—	—	—	—	—	—	—	0.9	
2AK22	1	2.25	2.00	1.66	1 3/8	1 21/32	15/32	3/16	048679	008041	008036	008046	—	080937	—	—	—	—	—	0.9	
2AK23	1	2.35	2.10	1.76	1 3/8	1 21/32	15/32	3/16	—	008056	008053	008059	—	008050	—	—	—	—	—	1	
2AK25	1	2.55	2.30	1.96	1 3/8	1 21/32	15/32	3/16	048682	048685	048684	008085	—	008071	008067	—	—	—	—	1.2	
2AK26	1	2.65	2.40	2.06	1 3/8	1 21/32	15/32	3/16	058398	008096	008093	048687	—	008090	—	—	—	—	—	1.4	
2AK27	1	2.75	2.50	2.16	1 3/8	1 21/32	15/32	3/16	084740	008116	048689	048693	—	008108	008104	—	—	—	—	1.4	
2AK28	1	2.85	2.60	2.26	1 3/8	1 21/32	15/32	3/16	058409	008138	008132	008142	—	008126	075369	—	—	—	—	1.5	
2AK30	1	3.05	2.80	2.46	1 3/8	1 21/32	15/32	3/16	008148	008170	008165	008175	—	008159	008153	—	—	—	—	1.9	
2AK32	1	3.25	3.00	2.66	1 3/8	1 21/32	15/32	3/16	008182	008204	008199	008209	—	008193	008187	—	—	—	—	2.1	
2AK34	1	3.45	3.20	2.86	1 3/8	1 21/32	15/32	3/16	008216	008234	008229	008240	—	008224	048702	—	—	—	—	2.4	
2AK39	2	3.75	3.50	3.16	1 3/8	1 11/32	15/32	1/2	008247	008270	008263	008276	—	048706	008252	—	—	—	—	2.5	
2AK41	2	3.95	3.70	3.36	1 3/8	1 11/32	15/32	1/2	058438	008299	008293	008305	—	048709	048707	—	—	—	—	2.8	
2AK44	2	4.25	4.00	3.66	1 3/8	1 11/32	15/32	1/2	058444	008326	048712	048715	—	008317	008311	—	—	—	—	3.1	
2AK46	2	4.45	4.20	3.86	1 3/8	1 11/32	15/32	1/2	008334	008354	008350	008359	—	008345	008339	—	—	—	—	3.4	
2AK49	2	4.75	4.50	4.16	1 3/8	1 11/32	15/32	1/2	—	—	008382	008389	—	008377	048718	008370	—	008373	—	4	
2AK51	2	4.95	4.70	4.36	1 3/8	1 11/32	15/32	1/2	—	100429	008418	008424	—	008412	008398	008402	—	008406	—	4.1	
2AK54	3	5.25	5.00	4.66	1 3/8	1 11/32	15/32	1/2	—	048724	008450	008459	—	008445	008433	058472	—	008439	—	3.9	
2AK56	3	5.45	5.20	4.86	1 3/8	1 11/32	15/32	1/2	—	008484	008480	076719	—	008478	008468	058479	008463	008473	—	4.1	
2AK59	3	5.75	5.50	5.16	1 3/8	1 11/32	15/32	1/2	—	008519	008517	058483	—	008513	008499	075685	008492	008508	—	4.4	
2AK61	3	5.95	5.70	5.36	1 3/8	1 11/32	15/32	1/2	—	008542	048737	048504	—	008536	048734	008528	008522	008532	—	4.4	
2AK64	3	6.25	6.00	5.66	1 3/8	1 19/32	11/32	1/8	—	080571	008573	058497	—	008569	008556	008559	008551	008563	008565	5.1	
2AK74	3	7.25	7.00	6.66	1 3/8	1 5/8	3/8	1/8	—	079087	048511	008610	—	008599	008584	008588	008582	008593	008595	6.2	
2AK84	3	8.25	8.00	7.66	1 3/8	1 5/8	3/8	1/8	—	—	008645	008653	008631	008640	008620	008624	008615	008629	008635	7	
2AK94	3	9.25	9.00	8.66	1 3/8	1 5/8	3/8	1/8	—	—	008685	008691	—	008680	008663	008666	008659	008670	008675	7.8	
2AK104	3	10.25	10.00	9.66	1 3/8	1 5/8	3/8	1/8	—	079088	007871	007878	081285	007867	007851	007855	007848	007858	007862	9	
2AK114	3	11.25	11.00	10.66	1 3/8	1 5/8	3/8	1/8	—	—	007898	007900	—	007895	007884	007886	007882	007889	007892	9.9	
2AK124	3	12.25	12.00	11.66	1 3/8	1 5/8	3/8	1/8	—	—	007926	007931	—	007923	007908	007913	007904	007915	007918	11.9	
2AK134	3	13.25	13.00	12.66	1 3/8	1 5/8	3/8	1/8	—	—	080449	080450	—	080451	080452	080453	080454	080455	080456	12.8	
2AK144	3	14.25	14.00	13.66	1 3/8	1 5/8	3/8	1/8	—	—	079089	079090	—	079091	079092	079093	079094	079095	079096	14	
2AK154	3	15.25	15.00	14.66	1 3/8	1 5/8	3/8	1/8	—	—	080457	080458	—	080459	080460	080461	080462	080463	080464	14.8	
2AK184	3	18.25	18.00	17.66	1 3/8	1 5/8	3/8	1/8	—	—	081352	081351	—	081350	081349	081286	081348	081347	081287	17.4	



Single Groove Sheaves for "4L" or "A" Belts

"3L" Belts may be used with These Sheaves as Indicated in Table Below

Table No.1

Stock Sizes—with split Taper Bushings




Part No.	Type	DIAMETERS			DIMENSIONS							Wt less Bush.
		O.D.	Datum "A"	Pitch "3L"	O.L.	F	L	P	X	G	E	
AK30H	1	3.05	2.80	2.46	1 3/4	3/4	1 1/4	29/35	1 3/16	3/8	3/16	1.10
AK32H	1	3.25	3.00	2.66	1 3/4	3/4	1 1/4	29/35	1 3/16	3/8	3/16	1.32
AK34H	2	3.45	3.20	2.86	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	1.08
AK36H	2	3.65	3.40	3.36	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	1.10
AK39H	2	3.75	3.50	3.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	1.32
AK41H	2	3.95	3.70	3.36	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	1.43
AK44H	2	4.25	4.00	3.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	1.74
AK46H	2	4.45	4.20	3.86	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	1.87
AK49H	2	4.75	4.50	4.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	1.98
AK51H	2	4.95	4.70	4.36	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.18
AK54H	2	5.25	5.00	4.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.43
AK56H	2	5.45	5.20	4.86	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.69
AK59H	2	5.75	5.50	5.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.98
AK61H	3	5.95	5.70	5.36	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.43
AK64H	3	6.25	6.00	5.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.43
AK66H	3	6.45	6.20	5.86	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.80
AK69H	3	6.75	6.50	6.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	2.98
AK71H	3	6.95	6.70	6.36	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	3.02
AK74H	3	7.25	7.00	6.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	3.02
AK79H	3	7.75	7.50	7.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	3.62
AK84H	3	8.25	8.00	7.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	3.75
AK89H	3	8.75	8.50	8.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	4.19
AK94H	3	9.25	9.00	8.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	4.52
AK99H	3	9.75	9.50	9.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	4.92
AK104H	3	10.25	10.00	9.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	5.05
AK109H	3	10.75	10.50	10.16	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	5.67
AK114H	3	11.25	11.00	10.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	5.82
AK124H	3	12.25	12.00	11.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	7.47
AK134H	3	13.25	13.00	12.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	8.58
AK144H	3	14.25	14.00	13.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	10.34
AK154H	3	15.25	15.00	14.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	11.02
AK184H	3	18.25	18.00	17.66	1 7/16	3/4	1 1/4	1/2	7/8	3/8	3/16	14.88

2AKH

AKH for "4L" or "A" Belts(P.3-P.4)

Cast Iron Sheaves

YU 阳奇传动



Two Groove Sheaves for "4L" or "A" Belts

"3L" Belts may be used with These Sheaves as Indicated in Table Below




Table No.1

Stock Sizes—with split Taper Bushings


Part No.	Type	DIAMETERS			DIMENSIONS								Wt less Bush.
		O.D.	Datum "A"	Pitch "3L"	O.L.	F	L	P	C	X	G	E	
2AK30H	1	3.05	2.80	2.46	2 3/8	1 3/8	1 1/4	13/16	15/16	7/8	3/8	3/16	1.59
2AK32H	1	3.25	3.00	2.66	2 3/8	1 3/8	1 1/4	13/16	15/16	7/8	3/8	3/16	1.83
2AK34H	1	3.45	3.20	2.86	1 15/16	1 3/8	1 1/4	3/8	1/2	7/8	3/8	3/16	1.54
2AK39H	1	3.75	3.50	3.16	1 15/16	1 3/8	1 1/4	3/8	1/2	7/8	3/8	3/16	1.98
2AK41H	2	3.95	3.70	3.36	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	2.07
2AK44H	2	4.25	4.00	3.66	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	2.45
2AK46H	2	4.45	4.20	3.86	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	2.76
2AK48H	2	4.65	4.40	4.06	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	2.95
2AK49H	2	4.75	4.50	4.16	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	3.06
2AK51H	2	4.95	4.70	4.36	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	3.31
2AK54H	2	5.25	5.00	4.66	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	3.86
2AK56H	2	5.45	5.20	4.86	1 7/16	1 3/8	1 1/4	1/8	—	7/8	3/8	3/16	4.30
2AK59H	3	5.75	5.50	5.16	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	3.66
2AK61H	3	5.95	5.70	5.36	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	3.86
2AK64H	3	6.25	6.00	5.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	3.75
2AK74H	3	7.25	7.00	6.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	4.65
2AK84H	3	8.25	8.00	7.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	5.84
2AK94H	3	9.25	9.00	8.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	6.17
2AK104H	3	10.25	10.00	9.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	6.83
2AK114H	3	11.25	11.00	10.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	9.46
2AK124H	3	12.25	12.00	11.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	10.12
2AK134H	3	13.25	13.00	12.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	11.90
2AK144H	3	14.25	14.00	13.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	13.14
2AK154H	3	15.25	15.00	14.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	14.40
2AK184H	3	18.25	18.00	17.66	1 7/16	1 3/8	1 1/4	1/8	0	7/8	3/8	3/16	20.06

China Transmissions


TYPE 1



TYPE 2



TYPE 3



Standard Keyseats

Table No.1

Bore Range	Keyseat
1/2"	None
5/8" to 7/8"	3/16" × 3/32"
15/16" to 1 1/4"	1/4 × 1/8"
1 7/16"	3/8 × 3/16"

- ◆ HOLLOW HEAD SETSCREWS
◆ STATICALLY BALANCED

Single Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts



Table No.2

Stock Sizes—Finished Bore

PART NO.	Type	DIAMETERS			DIMENSIONS				STOCK BORES MARKED PRODUCT CODE												Wt. Lbs
		Outside	Datum "A"	Pitch "3L"	F	L	P	C	1/2"	5/8"	3/4"	7/8"	15/16"	1"	1 1/8"	1 3/16"	1 1/4"	1 3/8"	1 7/16"		
▲BK19	1	2.05	1.4	1.8	13/16	1 3/32	7/16	5/32	—	023014	023010	—	—	—	—	—	—	—	—	0.5	
▲BK20	1	2.15	1.5	1.9	13/16	1 3/32	7/16	5/32	047053	023020	023017	—	—	—	—	—	—	—	—	0.5	
▲BK22	1	2.35	1.7	2.1	13/16	1 3/32	7/16	5/32	023026	023033	023030	023036	—	023028	—	—	—	—	—	0.6	
▲BK23	1	2.45	1.8	2.2	13/16	1 3/32	7/16	5/32	023040	023048	023044	023052	—	023042	—	—	—	—	—	0.6	
▲BK24	1	2.55	1.80	2.20	13/16	1 1/16	13/32	5/32	023060	023074	047056	023078	—	023065	—	—	—	—	—	0.7	
▲BK25	1	2.65	1.90	2.30	13/16	1 1/16	13/32	5/32	023084	023108	023101	023115	—	023095	093116	—	—	—	—	0.7	
▲BK26	1	2.75	2.00	2.40	13/16	1 1/16	13/32	5/32	023131	047060	023138	023148	—	—	—	—	—	—	—	0.8	
▲BK27	2	2.85	2.10	2.50	13/16	1 1/16	13/32	5/32	023155	023171	047066	023178	—	077553	023158	—	—	—	—	0.8	
▲BK28	2	2.95	2.20	2.60	13/16	1 1/16	13/32	5/32	023185	023210	023205	023218	—	023198	023192	—	—	—	—	0.8	
▲BK30	2	3.15	2.40	2.80	13/16	1 1/16	13/32	5/32	046879	023254	046883	023263	—	046882	023235	—	—	—	—	0.9	
▲BK31	2	3.25	2.50	2.90	13/16	1 3/32	7/16	5/32	046887	023273	023271	023275	—	023269	023268	—	—	—	—	1.1	
▲BK32	2	3.35	2.60	3.00	13/16	1 1/16	13/32	5/32	023281	023302	023296	023309	—	046893	076169	—	—	—	—	1.1	
BK34	2	3.55	2.80	3.20	7/8	1 5/32	13/32	1/8	023317	023348	023340	023357	—	023335	023327	—	—	—	—	1.3	
BK36	2	3.75	3.00	3.40	7/8	1 5/32	13/32	1/8	046899	023387	023382	023392	—	023377	046901	—	—	—	—	1.4	
BK40	2	3.95	3.20	3.60	7/8	1 5/32	13/32	1/8	023436	023462	023456	023469	—	023450	046913	—	—	—	—	1.6	
BK45	2	4.25	3.50	3.90	7/8	1 5/32	13/32	1/8	023477	023503	023497	046922	—	023492	023484	—	—	—	—	1.9	
BK47	2	4.45	3.70	4.10	7/8	1 5/32	13/32	1/8	023517	023542	023538	023548	—	023532	023525	—	—	—	—	2.1	
BK50	3	4.75	4.00	4.40	7/8	1 5/32	13/32	1/8	023594	023624	023618	023632	023608	023612	023587	—	—	—	—	2	
BK52	3	4.95	4.20	4.60	7/8	1 5/32	13/32	1/8	023641	023671	023665	023677	058910	023658	023636	023651	—	076420	—	2.2	
BK55	3	5.25	4.50	4.90	7/8	1 5/32	13/32	1/8	023687	023716	023711	023722	058917	023706	046946	023700	—	—	—	2.3	
BK57	3	5.45	4.70	5.10	7/8	1 5/32	13/32	1/8	023729	046955	023760	023774	023749	023752	023737	023744	072531	—	—	2.4	
BK60	3	5.75	5.00	5.40	7/8	1 5/32	13/32	1/8	023782	023818	023813	023825	058933	023806	046958	023798	—	—	—	2.5	
BK62	3	5.95	5.20	5.60	7/8	1 5/32	13/32	1/8	023844	023874	023868	023879	023855	023861	046964	023853	100334	—	—	2.6	
BK65	3	6.25	5.50	5.90	7/8	1 5/32	13/32	1/8	—	023917	023911	076170	058948	023905	023893	058951	—	—	—	2.8	
BK67	3	6.45	5.70	6.10	7/8	1 5/32	13/32	1/8	—	023954	023948	076063	058955	023942	023929	023935	—	046974	—	2.9	
BK70	3	6.75	6.00	6.40	7/8	1 5/32★	13/32★	1/8★	084743	024040	024034	076554	024017	024026	024003	024007	—	—	024022	3.4	
BK72	3	6.95	6.20	6.60	7/8	1 15/32	21/32	1/16	098783	024115	024110	078686	058971	024103	024082	058974	—	024092	058976	3.6	
BK75	3	7.25	6.50	6.90	7/8	1 15/32	21/32	1/16	—	—	024153	—	—	024148	046777	024135	—	024140	058982	3.8	
BK77	3	7.45	6.70	7.10	7/8	1 15/32	21/32	1/16	—	058983	024199	058985	058986	024192	024170	024176	—	046784	024186	4.3	
BK80	3	7.75	7.00	7.40	7/8	1 15/32	21/32	1/16	—	024300	024294	024307	—	046786	024267	024273	024261	024278	024284	4.3	
BK85	3	8.25	7.50	7.90	7/8	1 15/32	21/32	1/16	—	059001	024359	046794	059004	024352	024323	024329	—	024336	024347	4.9	
BK90	3	8.75	8.00	8.40	7/8	1 15/32	21/32	1/16	—	046799	024414	024424	024394	024406	024377	024382	—	024388	024399	5.2	
BK95	3	9.25	8.50	8.90	7/8	1 15/32	21/32	1/16	—	059019	024484	024495	059022	024476	024450	024456	—	046805	024470	5.3	
BK100	3	9.75	9.00	9.40	7/8	1 15/32	21/32	1/16	—	—	022521	022528	022506	022516	022491	047005	022485	022500	047009	5.7	
BK105	3	10.25	9.50	9.90	7/8	1 15/32	21/32	1/16	059209	059037	022575	022583	059040	022568	022540	022546	—	022551	022562	6.1	
BK110	3	10.75	10.00	10.40	7/8	1 15/32	21/32	1/16	—	059046	047023	047024	059049	022647	022623	022629	—	022634	022642	7	
BK115	3	11.25	10.50	10.90	7/8	1 15/32	21/32	1/16	—	059055	059056	059057	059058	022695	022668	022674	—	022680	022690	8.4	
BK120	3	11.75	11.00	11.40	7/8	1 15/32	21/32	1/16	—	059064	022746	022751	059067	047031	022717	047029	022711	022727	022737	9.3	
BK130	3	12.75	12.00	12.40	7/8	1 15/32	21/32	1/16	—	059074	022815	022822	059077	022809	022787	022793	047039	047041	022803	10	
BK140	3	13.75	13.00	13.40	7/8	1 15/32	21/32	1/16	—	059084	022859	022865	059087	022853	022832	022838	059091	059092	022847	11	
BK160	3	15.75	15.00	15.40	7/8	1 15/32	21/32	1/16	—	—	—	079101	—	022944	022923	047049	022917	059098	022938	13.5	
BK190	3	18.75	18.00	18.40	7/8	1 15/32	21/32	1/16	—	—	079102	084744	—	022998	022980	022985	022975	059104	022993	18.1	

▲ NOTE—DO NOT USE THESE "BK" SHEAVES WITH "B" GRIPNOTCH BELT RATINGS.

★ P=21/32" and C=1/16" for 1 7/16" Bore, L=1 15/32"


2BK

BK for "4L/5L" or "A/B" Belts(P.5~P.7)


Cast Iron Sheaves

YU 阳谷传动


TYPE 1



TYPE 2



TYPE 3



Standard Keyseats

Table No.1

Bore Range	Keyseat
1/2"	None
5/8" to 7/8"	3/16" x 3/32"
15/16" to 1 3/16"	1/4 x 1/8"
1 3/8"	5/16 x 5/32
1 7/16"	3/8 x 3/16

◆ HOLLOW HEAD SETSCREWS

◆ STATICALLY BALANCED

Two Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts

Table No.2

Stock Sizes—Finished Bore

PART NO.	Type	DIAMETERS			DIMENSIONS				STOCK BORES MARKED PRODUCT CODE												Wt. Lbs
		Outside	Datum "A"	Pitch "3L"	F	L	P	C	1/2"	5/8"	3/4"	7/8"	1"	1 1/8"	1 3/16"	1 1/4"	1 3/8"	1 7/16"	1 1/2"		
2BK23	1	2.45	1.70	2.20	1 3/4	2 1/32	15/32"	3/16	048598	009292	009290	009294	—	—	—	—	—	—	—	1.4	
2BK25	1	2.65	1.90	2.30	1 3/4	1 31/32	15/32"	1/4"	009298	009312	009308	009316	075401	080869	—	—	—	—	—	1.6	
2BK26	1	2.75	2.00	2.40	1 3/4	1 31/32	15/32	1/4	—	009320	—	009322	—	—	—	—	—	—	—	1.6	
2BK27	1	2.85	2.10	2.50	1 3/4	1 31/32	15/32	1/4	009328	048603	009341	009350	009336	009331	—	—	—	—	—	1.8	
2BK28	1	2.95	2.20	2.60	1 3/4	1 31/32	15/32	1/4	009356	009376	009372	009383	009368	009363	—	—	081676	—	—	2	
2BK30	1	3.15	2.40	2.80	1 3/4	1 31/32	15/32	1/4	048612	009415	048616	009421	009406	048613	—	—	075131	—	—	2.1	
2BK32	1	3.35	2.60	3.00	1 3/4	1 31/32	15/32	1/4	058606	009449	009444	009454	009439	009430	—	—	078116	—	—	2.4	
2BK34	1	3.55	2.80	3.20	1 3/4	1 31/32	15/32	1/4	058612	009493	009487	009499	009481	009468	—	099294	048627	—	—	2.9	
2BK36	1	3.75	3.00	3.40	1 3/4	1 31/32	15/32	1/4	058619	009532	048392	009538	009522	009510	—	—	048391	—	—	3.2	
2BK40	2	3.95	3.20	3.60	1 3/4	1 15/32	15/32	3/4	058626	009579	009575	009585	009568	009552	—	084329	009560	—	—	3.2	
2BK45	2	4.25	3.50	3.90	1 3/4	1 15/32	15/32	3/4	084741	079097	058635	009620	048403	009599	048400	009593	009606	—	—	3.6	
2BK47	2	4.45	3.70	4.10	1 3/4	1 15/32	15/32	3/4	058642	058643	058644	009646	009638	009629	009630	009624	048408	—	—	3.9	
2BK50	2	4.75	4.00	4.40	1 3/4	1 15/32	15/32	3/4	058651	058652	048415	009690	009676	009656	009662	009651	009667	—	—	4.4	
2BK52	2	4.95	4.20	4.60	1 3/4	1 15/32	15/32	3/4	058660	081051	076632	009733	009724	009702	009709	009697	009716	—	—	4.8	
2BK55	2	5.25	4.50	4.90	1 3/4	1 15/32	15/32	3/4	058669	079995	079098	078118	076065	009743	048421	009738	009753	—	—	5.1	
2BK57	2	5.45	4.70	5.10	1 3/4	1 15/32	15/32	3/4	058678	058679	058680	058681	009795	009773	009779	009767	009787	—	—	5.6	
2BK60	3	5.75	5.00	5.40	1 3/4	1 15/32	15/32	3/4	059214	079099	009845	048424	009839	009815	009821	058692	009829	—	—	4.9	
2BK62	3	5.95	5.20	5.60	1 3/4	1 15/32	15/32	3/4	—	—	058694	085369	009883	009863	009868	058699	009872	—	—	5.1	
2BK65	3	6.25	5.50	5.90	1 3/4	1 15/32	15/32	3/4	—	—	058701	058702	009915	048431	009898	058706	009905	—	—	5.5	
2BK67	3	6.45	5.70	6.10	1 3/4	1 15/32	15/32	3/4	059215	—	058708	058709	009938	009924	048432	058713	048433	—	—	5.7	
2BK70	3	6.75	6.00	6.40	1 3/4	1 19/32	11/32	1/2	—	—	009975	009980	009970	009948	048436	048435	009958	009964	—	6.6	
2BK80	3	7.75	7.00	7.40	1 3/4	1 19/32	11/32	1/2	—	—	010019	010025	010012	009995	010001	009989	010006	010008	—	8.2	
2BK90	3	8.75	8.00	8.40	1 3/4	1 19/32	11/32	1/2	—	—	010068	010073	010061	010038	010044	010033	010050	010056	—	9.5	
2BK100	3	9.75	9.00	9.40	1 3/4	1 19/32	11/32	1/2	059213	—	009084	009089	009076	009058	009062	009053	009066	009070	—	10.2	
2BK105	3	10.25	9.50	9.90	1 3/4	1 19/32	11/32	1/2	—	—	—	—	076417	—	—	—	—	—	—	11.6	
2BK110	3	10.75	10.00	10.40	1 3/4	1 19/32	11/32	1/2	—	—	009117	009121	009112	009099	009104	009094	048570	009109	—	12	
2BK120	3	11.75	11.00	11.40	1 3/4	1 19/32	11/32	1/2	—	—	009163	009165	009159	009140	009146	009134	009149	009153	—	14.5	
2BK130	3	12.75	12.00	12.40	1 3/4	1 19/32	11/32	1/2	059272	084742	009190	048584	009186	009172	009176	048578	009179	009183	009167	15.9	
2BK140	3	13.75	13.00	13.40	1 3/4	1 19/32	11/32	1/2	—	084747	009224	048588	009221	009207	009211	009203	009213	009217	—	17.2	
2BK160	3	15.75	15.00	15.40	1 3/4	1 19/32	11/32	1/2	059273	—	009251	048593	009249	009235	048590	048589	048591	048592	—	20.1	
2BK190	3	18.75	18.00	18.40	1 3/4	1 19/32	11/32	1/2	—	—	009286	009288	009283	009265	009271	009261	009273	009278	009256	23.8	


3BK

BK/BKH series
● 2BK
● 3BK

Cast Iron Sheaves

YQ 阳奇传动

TYPE 1



Standard Keyseats

Table No.1

Bore Range	Keyseat
5/8" to 7/8"	3/16" x 3/32"
15/16" to 1 1/8"	1/4 x 1/8"

- ◆ HOLLOW HEAD SETSCREWS
- ◆ STATICALLY BALANCED

Three Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts

Table No.2

Stock Sizes—Finished Bore




PART NO.	Type	DIAMETERS			DIMENSIONS			STOCK BORES MARKED PRODUCT CODE						Wt. Lbs
		Outside	Datum "A"	Datum "B"	F	L	P	5/8"	7/8"	1"	1 1/8"	1 3/8"	1 5/8"	
3BK25	1	2.50	1.90	2.30	2 1/2	3.00	1/2	060012	081288	—	—	—	—	2.00
3BK27	1	2.70	2.10	2.50	2 1/2	3.00	1/2	081289	081290	081291	—	—	—	2.10
3BK28	1	2.95	2.20	2.60	2 1/2	3.00	1/2	081292	081293	081294	081295	—	—	2.50
3BK30	1	3.15	2.40	2.80	2 1/2	3.00	1/2	072593	081296	081297	081298	—	—	3.70
3BK32	1	3.35	2.60	3.00	2 1/2	3.00	1/2	—	081299	062770	062769	—	—	3.90
3BK34	1	3.55	2.80	3.20	2 1/2	3.00	1/2	—	074816	062773	062771	062772	062782	4.30
3BK36	1	3.75	3.00	3.40	2 1/2	3.00	1/2	—	062777	062776	062774	062775	062783	4.50
3BK40	1	3.95	3.20	3.60	2 1/2	3.00	1/2	072594	074818	062781	062778	062779	—	5.60
3BK45	1	4.25	3.50	3.90	2 1/2	3.00	1/2	—	—	062788	062787	—	—	6.90


YQ 阳奇传动

ChinaTransmissions


TYPE 1




TYPE 2



TYPE 3



"H" Bushings



Single Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts

Table No.1

Stock Sizes—with split Taper Bushings


Part No.	Type	DIAMETERS			DIMENSIONS								Wt .Lbs less Bush.
		O.D.	Datum "A"	Pitch "3L"	O.L.	F	L	P	C	X	G	E	
BK30H	1	3.15	2.40	2.80	1 7/8	7/8	1 1/4	7/8	—	1 5/16	3/8	3/16	1.3
BK32H	1	3.35	2.60	3.00	1 7/8	7/8	1 1/4	7/8	—	1 5/16	3/8	3/16	1.4
BK34H	1	3.55	2.80	3.20	1 7/8	7/8	1 1/4	7/8	—	1 5/16	3/8	3/16	1.7
BK35H	2	3.65	2.90	3.30	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	1.2
BK36H	2	3.75	3.00	3.40	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	1.3
BK40H	2	3.95	3.20	3.60	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	1.3
BK45H	2	4.25	3.50	3.90	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	1.7
BK47H	2	4.45	3.70	4.10	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	1.9
BK50H	2	4.75	4.00	4.40	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	2.0
BK52H	2	4.95	4.20	4.60	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	2.3
BK55H	2	5.25	4.50	4.90	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	2.6
BK57H	2	5.45	4.70	5.10	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	2.9
BK60H	2	5.75	5.00	5.40	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	3.3
BK62H	2	5.95	5.20	5.60	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	3.5
BK65H	2	6.25	5.50	5.90	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	4.0
BK67H	2	6.45	5.70	6.10	1 7/16	7/8	1 1/4	3/8	—	7/8	3/8	3/16	4.2
BK70H	3	6.75	6.00	6.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	2.9
BK72H	3	6.95	6.20	6.60	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	3.0
BK75H	3	7.25	6.50	6.90	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	3.1
BK77H	3	7.45	6.70	7.10	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	3.2
BK80H	3	7.75	7.00	7.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	3.5
BK85H	3	8.25	7.50	7.90	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	4.7
BK90H	3	8.75	8.00	8.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	5.0
BK95H	3	9.25	8.50	8.90	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	5.1
BK100H	3	9.75	9.00	9.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	5.8
BK105H	3	10.25	9.50	9.90	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	6.2
BK110H	3	10.75	10.00	10.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	6.3
BK115H	3	11.25	10.50	10.90	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	6.7
BK120H	3	11.75	11.00	11.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	8.3
BK130H	3	12.75	12.00	12.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	10.4
BK140H	3	13.75	13.00	13.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	11.5
BK150H	3	14.75	14.00	14.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	12.2
BK160H	3	15.75	15.00	15.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	14.8
BK190H	3	18.75	18.00	18.40	1 1/2	7/8	1 1/4	7/16	1/16	7/8	3/8	3/16	18.0

2BKH

Cast Iron Sheaves

BK/BKH series
●BKH
●2BKH

YQ 阳奇传动



Two Groove Sheaves for "4L" or "A" Belts and "5L" or "B" Belts



Table No.1

Stock Sizes—with split Taper Bushings

Part No.	Type	DIAMETERS			DIMENSIONS								Wt .Lbs less Bush.
		O.D.	Datum "A"	Datum "B"	O.L.	F	L	P	C	X	G	E	
2BK30H	1	3.15	2.40	2.80	2 3/4	1 3/4	1 1/4	13/16	1 5/16	7/8	3/8	3/16	1.87
2BK32H	1	3.35	2.60	3.00	2 3/4	1 3/4	1 1/4	13/16	1 5/16	7/8	3/8	3/16	2.20
2BK34H	1	3.55	2.80	3.20	2 3/4	1 3/4	1 1/4	13/16	1 5/16	7/8	3/8	3/16	2.60
2BK36H	1	3.75	3.00	3.40	2 5/16	1 3/4	1 1/4	3/8	7/8	7/8	3/8	3/16	2.43
2BK40H	1	3.95	3.20	3.60	2 5/16	1 3/4	1 1/4	3/8	7/8	7/8	3/8	3/16	2.76
2BK45H	1	4.25	3.50	3.90	2 5/16	1 3/4	1 1/4	3/8	7/8	7/8	3/8	3/16	3.31
2BK47H	2	4.45	3.70	4.10	1 3/4	1 3/4	1 1/4	1/2	—	7/8	3/8	3/16	3.20
2BK50H	2	4.75	4.00	4.40	1 3/4	1 3/4	1 1/4	1/2	—	7/8	3/8	3/16	3.64
2BK52H	2	4.95	4.20	4.60	1 3/4	1 3/4	1 1/4	1/2	—	7/8	3/8	3/16	3.97
2BK55H	2	5.25	4.50	4.90	1 3/4	1 3/4	1 1/4	1/2	—	7/8	3/8	3/16	4.30
2BK57H	2	5.45	4.70	5.10	1 3/4	1 3/4	1 1/4	1/2	—	7/8	3/8	3/16	4.41
2BK60H	2	5.75	5.00	5.40	1 3/4	1 3/4	1 1/4	1/2	—	7/8	3/8	3/16	4.96
2BK62H	2	5.95	5.20	5.60	1 3/4	1 3/4	1 1/4	1/2	—	7/8	3/8	3/16	5.29
2BK65H	3	6.25	5.50	5.90	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	5.25
2BK67H	3	6.45	5.70	6.10	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	5.53
2BK70H	3	6.75	6.00	6.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	5.73
2BK72H	3	6.95	6.20	6.60	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	6.17
2BK74H	3	7.15	6.40	6.80	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	6.35
2BK80H	3	7.75	7.00	7.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	6.50
2BK85H	3	8.25	7.50	7.90	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	8.60
2BK90H	3	8.75	8.00	8.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	9.22
2BK100H	3	9.75	9.00	9.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	9.92
2BK110H	3	10.75	10.00	10.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	11.02
2BK120H	3	11.75	11.00	11.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	14.11
2BK130H	3	12.75	12.00	12.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	16.31
2BK140H	3	13.75	13.00	13.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	16.53
2BK150H	3	14.75	14.00	14.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	18.74
2BK160H	3	15.75	15.00	15.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	20.94
2BK190H	3	18.75	18.00	18.40	1 3/4	1 3/4	1 1/4	1/4	1/4	7/8	3/8	3/16	25.79

ChinaTransmissions