

V-Belt Pulleys With Solid Hub

SPA

SPA

Description	P	O	Grooves	N	L	D	S	B	Type	d
SPA40	40	45.5	1	40	35			20	1	10
SPA50	50	55.5	1	40	35			20	1	10
			2	40	45			35	1	10
SPA60	60	65.5	1	40	35			20	1	10
			2	40	45			35	1	10
			3					50	1	10
SPA71	71	76.5	1	40	40			20	1	10
			2	50	45			35	1	10
			3	52	52			50	1	10
SPA75	75	80.5	1	40	40			20	1	10
			2	50	45			35	1	10
			3					50	1	10
			4					65	7	10
			5					80	7	10
SPA80	80	85.5	1	45	40			20	1	10
			2	50	45			35	1	10
			3					50	1	15
			4					65	7	15
			5					80	7	15
SPA85	85	90.5	1	45	40			20	1	10
			2	50	45			35	1	10
			3					50	1	15
			4					65	7	15
			5					80	7	15
SPA90	90	95.5	1	45	40			20	1	10
			2	60	45			35	1	15
			3					50	1	15
			4					65	7	15
			5					80	7	15
SPA95	95	100.5	1	45	40			20	1	10
			2	60	45			35	1	15
			3					50	1	15
			4					65	7	15
			5					80	7	15
SPA100	100	105.5	1	50	40			20	1	10
			2	60	45			35	1	15
			3					50	1	15
			4		52	67		65	2	15
			5		52	67		80	2	15
SPA106	106	111.5	1	48	40			20	1	10
			2	60	45			35	1	15
SPA112	112	117.5	1	48	40			20	1	10
			2	60	45			35	1	15
			3					50	1	15
			4		52	79		65	2	15
			5		52	79		80	2	15
SPA118	118	123.5	1	60	40			20	1	15
			2	60	45			35	1	15
			3					50	1	15
			4		52	87		65	2	15
			5		52	87		80	2	15

V-Belt Pulleys With Solid Hub

SPA

SPA

Description	P	O	Grooves	N	L	D	S	B	Type	d
SPA132	132	137.5	1	60	40			20	1	15
			2	60	45			35	1	15
			3					50	1	15
			4		52	97		65	2	15
			5		52	97		80	2	15
SPA140	140	145.5	1	60	40	107	10	20	3	15
			2	60	45	107	10	35	3	15
			3	65	52	107	12	50	3	15
			4		52	107		65	2	20
			5		52	107		80	2	20
SPA150	150	155.5	1	60	40	117	10	20	3	15
			2	60	45	117	10	35	3	15
			3	65	52	117	12	50	3	20
			4		52	117		65	2	20
			5		52	117		80	2	20
SPA160	160	165.5	1	60	40	127	10	20	3	15
			2	60	45	127	10	35	3	15
			3	70	52	127	12	50	3	20
			4	70	52	127	18	65	4	20
			5	80	52	127	18	80	4	20
SPA170	170	175.5	1	60	40	137	12	20	3	15
			2	60	45	137	12	35	3	15
			3	70	52	137	12	50	3	20
			4	80	52	137	18	65	4	20
			5	80	52	137	18	80	4	20
SPA180	180	185.5	1	65	40	147	12	20	3	20
			2	70	50	147	12	35	3	20
			3	70	52	147	12	50	3	20
			4	80	60	147	18	65	4	20
			5	80	65	147	18	80	4	20
SPA200	200	205.5	1	65	45	167	12	20	3	20
			2	70	50	167	12	35	3	20
			3	70	52	167	12	50	3	20
			4	80	60	167	18	65	4	20
			5	80	65	167	18	80	4	20
SPA224	224	229.5	1	65	45	192	12	20	3	20
			2	70	50	192	12	35	3	20
			3	80	52	192	12	50	3	20
			4	90	60	192	18	65	4	20
			5	90	65	192	18	80	4	20
SPA250	250	255.5	1	50	45	217	12	20	3	20
			2	75	50	217	12	35	3	20
			3	80	60	217	12	50	3	20
			4	90	65	217	18	65	5	20
			5	90	65	217	18	80	4	20
SPA280	280	285.5	1	75	50	247	14	20	5	20
			2	80	50	247	14	35	5	20
			3	80	60	247	14	50	5	20
			4	90	65	247	14	65	5	20
			5	100	65	247	14	80	6	25

V-Belt Pulleys With Solid Hub

SPA

SPA

Description	P	O	Grooves	N	L	D	S	B	Type	d
SPA300	300	305.5	1	75	50	267	14	20	5	20
			2	80	50	267	14	35	5	20
			3	80	60	267	14	50	5	20
			4	90	65	267	14	65	5	20
			5	100	65	267	14	80	6	25
SPA315	315	320.5	1	75	50	282	14	20	5	20
			2	80	60	282	14	35	5	20
			3	90	60	282	14	50	5	20
			4	90	65	282	14	65	5	20
			5	100	65	282	16	80	6	25
SPA355	355	360.5	1	75	50	322	14	20	5	20
			2	80	50	322	14	35	5	20
			3	90	60	322	14	50	5	20
			4	90	65	322	16	65	5	25
			5	100	65	322	18	80	6	25
SPA400	400	405.5	1	90	50	367	14	20	5	20
			2	90	50	367	14	35	5	20
			3	100	60	367	16	50	5	25
			4	100	65	367	20	65	5	25
			5	100	65	367	22	80	6	25
SPA450	450	455.5	1	90	50	417	14	20	5	20
			2	100	50	417	14	35	5	25
			3	100	60	417	16	50	5	25
			4	105	65	417	20	65	5	25
			5	105	65	417	22	80	6	25
SPA500	500	505.5	1	90	50	467	14	20	5	20
			2	100	60	467	16	35	5	25
			3	105	60	467	20	50	5	25
			4	105	65	467	20	65	5	25
			5	110	65	467	22	80	6	25
SPA560	560	565.5	1	100	50	527	15	20	5	25
			2	100	50	527	20	35	5	25
			3	120	65	527	20	50	5	25
			4	120	80	527	20	65	5	25
			5	120	80	527	24	80	5	25
			6	120	80	527	26	95	6	25
SPA600	600	605.5	1	100	50	567	16	20	5	25
			2	110	50	567	20	35	5	25
			3	120	65	567	20	50	5	25
			4	120	80	567	24	65	5	25
			5	120	80	567	24	80	5	25
			6	120	80	567	26	95	6	25
SPA630	630	635.5	1	100	50	597	16	20	5	25
			2	110	50	597	20	35	5	25
			3	120	65	597	20	50	5	25
			4	120	80	597	24	65	5	25
			5	120	80	597	24	80	5	25
			6	120	80	597	26	95	6	25

