

Circular Saw Blade




- INCLUDES:**
- TCT WOOD CUTTING BLADE
 - TCT ALU CUTTING BLADE
 - TCT METAL CUTTING BLADE
 - TCT MULTIPURPOSE CUTTING BLADE
 - PCD FIBER CEMENT CUTTING BLADE




www.profitools.cn







BLADE ANATOMY



Hook Angle: Angle of tooth relative to blade radius, which determines aggressiveness of cut and workpiece finish

- ① Tips
- ② Body
- ③ Tip thickness B
- ④ Plate b
- ⑤ Hook angle
- ⑥ Back relief angle
- ⑦ Face angle
- ⑧ Sideward angle
- ⑨ Top bevel angle
- ⑩ Sideward centripetal angle
- ⑪ Cutting diameter
- ⑫ Bore
- ⑬ Gullet
- ⑭ Expansion slot
- ⑮ Noisefree line




PROFI TCT Circular Saw Blades, manufactured to the highest quality, offering high performance and a long life. We provide you with tradesman, professional, specialist three different quality blades to be mounted on Cordless Saws, Circular Saws, Mitre Saws, Table Saws, Plunge Saws and etc. Choose your most suitable blades.

**Comes with 3 reductions rings
Fits almost all circular and mitre saws!**

+3 reductions rings

The 30mm arbor with 3 extra reduction rings makes sure that these saw blades fit almost all circular saw.




Blades for your **CORDLESS CIRCULAR SAW**



Blades for your **CIRCULAR SAW**



Blades for your **MITRE SAW**




Blades for your **TABLE SAW**


GET THE FINISH YOU WANT

| Coarse Cut | Medium Cut | Fine Cut | Extra Fine Cut |
|--|--|---|--|
| Suitable for softwood, hardwood, fiber board, plasterboard, cement bonded board & timber | Suitable for softwood, hardwood, plywood, soft fibre board, plasterboard, cement bonded board & timber | Suitable for softwood, hardwood, plywood, veneer board, laminate board, MDF & hardboard | Suitable for softwood, hardwood, timber, veneer board, laminate board, MDF & hardboard |

SUITABLE MACHINES REFERENCE



APPLICATION






Wood cutting Blades

Features:

- * Starts sharper and stays sharper.
- * For use on soft and hardwoods and engineered wood products.
- * Designed to produce clean cuts in a variety of applications.



Crosscutting,
cut off and trim
of wood and
plywood

Alternate Top Bevel (ATB)

Packing Options:




**EXTRA-HARD
STEEL PLATE**
Resists bending
and deflection



TRIPLE-GROUND TEETH
For smooth cuts and
excellent finish


EXPANSION SLOTS
Reduce noise and vibration

C4 CARBIDE
Stays sharper longer
and resists
impact damage



| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/ Plate | RPM | Cutting Mode | Compatible Machines |
|----------|-----------|-----------|-------|-------------|------|--------------|---------------------|
| 11001001 | 160 | 20/16 | 24 | 2.0/1.4 | 9000 | Coarse | |
| 11001002 | 160 | 20/16 | 36 | 2.0/1.4 | 9000 | Medium | |
| 11001003 | 160 | 20/16 | 48 | 2.0/1.4 | 9000 | Fine | |
| 11001004 | 165 | 30/20 | 24 | 2.0/1.4 | 8500 | Coarse | |
| 11001005 | 165 | 30/20 | 36 | 2.0/1.4 | 8500 | Medium | |
| 11001006 | 165 | 30/20 | 48 | 2.0/1.4 | 8000 | Fine | |
| 11001007 | 184 | 30/16 | 24 | 2.2/1.4 | 8000 | Coarse | |
| 11001008 | 184 | 30/16 | 36 | 2.2/1.4 | 8000 | Medium | |
| 11001009 | 184 | 30/16 | 48 | 2.2/1.4 | 8000 | Fine | |
| 11001010 | 190 | 30 | 24 | 2.2/1.5 | 7600 | Coarse | |
| 11001011 | 190 | 30 | 36 | 2.2/1.5 | 7600 | Coarse | |
| 11001012 | 190 | 30 | 48 | 2.2/1.5 | 7600 | Medium | |
| 11001013 | 190 | 30 | 60 | 2.2/1.5 | 7600 | Fine | |
| 11001014 | 210 | 30 | 36 | 2.2/1.6 | 7000 | Coarse | |
| 11001015 | 210 | 30 | 48 | 2.2/1.6 | 7000 | Medium | |
| 11001016 | 210 | 30 | 60 | 2.2/1.6 | 7000 | Fine | |
| 11001017 | 216 | 30 | 24 | 2.2/1.6 | 7000 | Coarse | |
| 11001018 | 216 | 30 | 36 | 2.2/1.6 | 7000 | Medium | |
| 11001019 | 216 | 30 | 48 | 2.2/1.6 | 7000 | Fine | |
| 11001020 | 216 | 30 | 60 | 2.2/1.6 | 7000 | X-fine | |
| 11001021 | 235 | 30/25.4 | 24 | 2.4/1.8 | 6500 | Coarse | |
| 11001022 | 235 | 30/25.4 | 48 | 2.4/1.8 | 6500 | Medium | |
| 11001023 | 235 | 30/25.4 | 60 | 2.4/1.8 | 6500 | Fine | |
| 11001024 | 250 | 30 | 40 | 2.6/1.8 | 6000 | Coarse | |
| 11001025 | 250 | 30 | 60 | 2.6/1.8 | 6000 | Medium | |
| 11001026 | 250 | 30 | 80 | 2.6/1.8 | 6000 | Fine | |
| 11001027 | 260 | 30 | 48 | 2.6/1.8 | 6000 | Medium | |
| 11001028 | 260 | 30 | 80 | 2.6/1.8 | 6000 | Fine | |
| 11001029 | 305 | 30 | 48 | 2.8/2.0 | 5000 | Coarse | |
| 11001030 | 305 | 30 | 80 | 2.8/2.0 | 5000 | Fine | |


ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



ALU/PLASTIC/LAMINATE BLADE

Features:

* For perfectly cutting Aluminium and non-ferrous materials, like Plastic, Laminate, copper and etc.



Hardwood, non-ferrous metals and plastics

Triple Chip Grind (TCG)

Packing Options:



REAMED BORE

Reamed bore to ensure precision fit to spindle



TRIPLE CHIP(TCG)
Tooth configuration for the pro tradesperson

EXPANSION SLOTS
Reduce noise and vibration

| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Compatible Machines | APPLICATION |
|----------|-----------|-----------|-------|------------|------|---------------------|-------------|
| 11002001 | 184 | 20 | 48T | 2.2/1.4 | 8000 | | |
| 11002002 | 190 | 30 | 48T | 2.2/1.4 | 8000 | | |
| 11002003 | 210 | 30 | 60T | 2.4/1.6 | 7000 | | |
| 11002004 | 216 | 30 | 60T | 2.4/1.6 | 7000 | | |
| 11002005 | 216 | 30 | 80T | 2.4/1.6 | 7000 | | |
| 11002006 | 250 | 30 | 80T | 2.6/1.8 | 6000 | | |
| 11002007 | 250 | 30 | 100T | 2.6/1.8 | 6000 | | |
| 11002008 | 300 | 30 | 100T | 2.8/2.0 | 5000 | | |




ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



THIN KERF WOOD CUTTING BLADE

Features:


* Specially designed for use with hand-held cordless saws.
* This range includes blades for fast cutting and fine finishing on all types of timber and man-made boards.



Crosscutting, cut off and trim of wood and plywood

Alternate Top Bevel (ATB)

Packing Options:



| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Compatible Machines | APPLICATION |
|----------|-----------|-----------|-------|------------|------|---------------------|-------------|
| 11003001 | 136 | 10 | 20T | 1.5/1.0 | 9500 | | |
| 11003002 | 136 | 20 | 20T | 1.5/1.0 | 9500 | | |
| 11003003 | 160 | 20 | 24T | 1.6/1.0 | 9000 | | |
| 11003004 | 160 | 20 | 40T | 1.6/1.0 | 9000 | | |
| 11003005 | 160 | 20 | 60T | 1.6/1.0 | 9000 | | |
| 11003006 | 165 | 16 | 24T | 1.6/1.0 | 9000 | | |
| 11003007 | 165 | 20 | 24T | 1.6/1.0 | 9000 | | |
| 11003008 | 165 | 20 | 40T | 1.6/1.0 | 9000 | | |
| 11003009 | 184 | 16 | 28T | 1.6/1.0 | 8000 | | |
| 11003010 | 184 | 16 | 40T | 1.6/1.0 | 8000 | | |


ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



Wood/Alu cutting Blade

Features:


- * Designed for the professional tradesmen.
- * Offer superb performance and longer life.
- * Providing truer and cleaner cut and removing less materials.



Crosscutting, cut off and trim of wood and plywood

Alternate Top Bevel (ATB)


Packing Options:



Application: Ideal for cutting an extensive range of materials, like plywood, sandwich panels, Hard Woods, Plastics, Soft Woods, Fibreboard and etc.

| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Cutting Mode | Compatible Machines |
|----------|-----------|-----------|-------|------------|------|--------------|---------------------|
| 11101001 | 160 | 20/16 | 24 | 2.0/1.4 | 8500 | Coarse | |
| 11101002 | 160 | 20/16 | 36 | 2.0/1.4 | 8500 | Medium | |
| 11101003 | 160 | 20/16 | 48 | 2.0/1.4 | 8500 | Fine | |
| 11101004 | 165 | 30/20 | 24 | 2.0/1.4 | 8500 | Coarse | |
| 11101005 | 165 | 30/20 | 36 | 2.0/1.4 | 8500 | Medium | |
| 11101006 | 165 | 30/20 | 48 | 2.0/1.4 | 8500 | Fine | |
| 11101007 | 184 | 30/16 | 24 | 2.4/1.8 | 7000 | Coarse | |
| 11101008 | 184 | 30/16 | 36 | 2.4/1.8 | 7000 | Medium | |
| 11101009 | 184 | 30/16 | 48 | 2.4/1.8 | 7000 | Fine | |
| 11101010 | 190 | 30 | 24 | 2.0/1.4 | 6500 | Coarse | |
| 11101011 | 190 | 30 | 36 | 2.0/1.4 | 6500 | Coarse | |
| 11101012 | 190 | 30 | 48 | 2.0/1.4 | 6500 | Medium | |
| 11101013 | 190 | 30 | 60 | 2.0/1.4 | 6500 | Fine | |
| 11101014 | 210 | 30 | 36 | 2.4/1.8 | 6000 | Coarse | |
| 11101015 | 210 | 30 | 48 | 2.4/1.8 | 6000 | Medium | |
| 11101016 | 210 | 30 | 60 | 2.4/1.8 | 6000 | Fine | |
| 11101017 | 216 | 30 | 24 | 2.4/1.8 | 6000 | Coarse | |
| 11101018 | 216 | 30 | 36 | 2.4/1.8 | 6000 | Medium | |
| 11101019 | 216 | 30 | 48 | 2.4/1.8 | 6000 | Fine | |
| 11101020 | 216 | 30 | 60 | 2.4/1.8 | 6000 | X-fine | |
| 11101021 | 235 | 30/25.4 | 24 | 2.6/2.0 | 5500 | Coarse | |
| 11101022 | 235 | 30/25.4 | 48 | 2.6/2.0 | 5500 | Medium | |
| 11101023 | 235 | 30/25.4 | 60 | 2.6/2.0 | 5500 | Fine | |
| 11101024 | 250 | 30 | 40 | 3.0/2.2 | 5000 | Coarse | |
| 11101025 | 250 | 30 | 60 | 3.0/2.2 | 5000 | Medium | |
| 11101026 | 250 | 30 | 80 | 3.0/2.2 | 4500 | Fine | |
| 11101027 | 260 | 30 | 48 | 3.0/2.2 | 4500 | Medium | |
| 11101028 | 260 | 30 | 80 | 3.0/2.2 | 4500 | Fine | |
| 11101029 | 305 | 30 | 48 | 3.0/2.2 | 4000 | Coarse | |
| 11101030 | 305 | 30 | 80 | 3.0/2.2 | 4000 | Fine | |


ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



ALU/PLASTIC/LAMINATE BLADE

Features:

- * Perfect for cutting aluminium and non-ferrous profile, section and sheet material.
- * Revolutionary designed teeth with alternate chamfer edges.
- * Offer a perfect finish with little effort and ultimate speed.



Hardwood, non-ferrous metals and plastics

Triple Chip Grind (TCG)


Superb performance and long life

Packing Options:




| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Compatible Machines | APPLICATION |
|----------|-----------|-----------|-------|------------|------|---------------------|-------------|
| 11102001 | 184 | 20 | 48T | 2.4/1.8 | 8000 | | |
| 11102002 | 190 | 30 | 48T | 2.4/1.8 | 8000 | | |
| 11102003 | 210 | 30 | 60T | 2.4/1.8 | 7000 | | |
| 11102004 | 216 | 30 | 60T | 2.4/1.8 | 7000 | | |
| 11102005 | 216 | 30 | 80T | 2.4/1.8 | 7000 | | |
| 11102006 | 250 | 30 | 80T | 3.0/2.2 | 6000 | | |
| 11102007 | 250 | 30 | 100T | 3.0/2.2 | 6000 | | |
| 11102008 | 300 | 30 | 100T | 3.0/2.2 | 5000 | | |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.




Features:

- * Classic tooth and gullet design for clean ripping and crosscutting in wood works well on composites and man-made panels.
- * Optimized for multipurpose hand-feed table saw applications.
- * Used for fine cutting various kinds of wet hardwood, plywood or laminate.



ATB-R




Packing Options:




| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Compatible Machines | APPLICATION |
|----------|-----------|-----------|-------|------------|------|---------------------|--------------------------------------|
| 11103001 | 165 | 20 | 30T | 1.6/1.0 | 8500 | | Crosscut on wood Two-sided Melamine |
| 11103002 | 184 | 15.88 | 35T | 1.8/1.2 | 8000 | | Crosscut on wood Two-sided Melamine |
| 11103003 | 216 | 30 | 40T | 2.0/1.4 | 7000 | | Crosscut on wood Two-sided Melamine |
| 11103004 | 235 | 30 | 45T | 2.3/1.6 | 6500 | | Crosscut on wood Two-sided Melamine |
| 11103005 | 254 | 30 | 50T | 2.5/1.8 | 6000 | | Crosscut on wood Two-sided Melamine |
| 11103006 | 305 | 30 | 60T | 2.8/2.0 | 5000 | | Crosscut on wood Two-sided Melamine |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



Features:

- * Specially designed for use with hand-held cordless saws.
- * This range includes blades for fast cutting and fine finishing on all types of timber and man-made boards.



Crosscutting, cut off and trim of wood and plywood



Alternate Top Bevel (ATB)




Packing Options:




| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Compatible Machines | APPLICATION |
|----------|-----------|-----------|-------|------------|------|---------------------|---|
| 11201001 | 160 | 20 | 24T | 1.6/1.0 | 9000 | | Rip cut on wood Rip cut on plywood |
| 11201002 | 160 | 20 | 40T | 1.6/1.0 | 9000 | | Rip cut on wood Rip cut on plywood |
| 11201003 | 160 | 20 | 60T | 1.6/1.0 | 9000 | | Rip cut on wood Rip cut on plywood |
| 11201004 | 165 | 16 | 24T | 1.6/1.0 | 9000 | | Rip cut on wood Rip cut on plywood |
| 11201005 | 165 | 20 | 24T | 1.6/1.0 | 9000 | | Rip cut on wood Rip cut on plywood |
| 11201006 | 165 | 20 | 40T | 1.6/1.0 | 9000 | | Rip cut on wood Rip cut on plywood |
| 11201007 | 184 | 16 | 28T | 1.6/1.0 | 8000 | | Rip cut on wood Rip cut on plywood |
| 11201008 | 184 | 16 | 40T | 1.6/1.0 | 8000 | | Crosscut on wood Crosscut on plywood Two-sided Melamine |
| 11201009 | 210 | 25 | 24T | 1.7/1.2 | 7000 | | Rip cut on wood Rip cut on plywood |
| 11201010 | 210 | 25 | 40T | 1.7/1.2 | 7000 | | Crosscut on wood Crosscut on plywood Two-sided Melamine |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



Features:

- * Profi Tools range of Plunge Saw Blades are designed for most popular plunge saws in the market, like Festool, Makita, Dewalt, Mafell, Scheppach and etc.
- * Our blades could deliver best performance working with all branded plunge saws with max. safety and long time using.



Crosscutting, cut off and trim of wood and plywood



Alternate Top Bevel (ATB)



Packing Options:




| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | FOR MACHINE |
|----------|-----------|-----------|-------|------------|------|---|
| 11202001 | 160 | 20 | 36T | 2.2/1.6 | 9500 | Festool TS55/TSC55, Scheppach PL55 and more |
| 11202002 | 160 | 20 | 48T | 2.2/1.6 | 9500 | Festool TS55/TSC55, Scheppach PL55 and more |
| 11202003 | 160 | 20 | 60T | 2.2/1.6 | 9500 | Festool TS55/TSC55, Scheppach PL55 and more |
| 11202004 | 162 | 20 | 48T | 2.2/1.6 | 9500 | Mafell MT55C |
| 11202005 | 165 | 20 | 36T | 2.2/1.6 | 9500 | Dewalt DWS520, Makita SP6000J |
| 11202006 | 165 | 20 | 48T | 2.2/1.6 | 9500 | Dewalt DWS520, Makita SP6000J |
| 11202007 | 165 | 20 | 60T | 2.2/1.6 | 9500 | Dewalt DWS520, Makita SP6000J |
| 11202008 | 210 | 30 | 52T | 2.4/1.8 | 8000 | Festool TS75 |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



Features:

- * Japan/Korea SK5 hardened plates ensures superior blade flatness.
- * Laser cut body/slots reduce noise and vibration for cleaner cut.
- * Micrograin Ceratizit carbide for Max. sharpness and durability.
- * Teflon coating for better performance with low heat, less corrosion.



Crosscutting, cut off and trim of wood and plywood



Alternate Top Bevel (ATB)

Packing Options:




| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Cut Mode | Compatible Machines |
|----------|-----------|-----------|-------|------------|------|----------|---------------------|
| 11203001 | 165 | 20 | 40T | 2.0/1.4 | 9500 | Fine | |
| 11203002 | 184 | 30/16 | 48T | 2.4/1.8 | 8000 | Fine | |
| 11203003 | 190 | 30 | 48T | 2.4/1.8 | 8000 | Medium | |
| 11203004 | 216 | 30 | 60T | 2.4/1.8 | 7000 | X-fine | |
| 11203005 | 250 | 30 | 80T | 3.0/2.2 | 6000 | Fine | |
| 11203006 | 260 | 30 | 80T | 3.0/2.2 | 6000 | Fine | |
| 11203007 | 305 | 30 | 80T | 3.0/2.2 | 4200 | Fine | |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



Features:

- * Multipurpose TCT blades are designed to cut a broad range of materials including wood, knot and nail embedded wood, plastics, aluminium and mild steel.
- * Especially suited for sandwich material and reclaimed timber.



Crosscutting, cut off and trim of wood and plywood

Negative tooth position reduces material pick up and snatching. The reduced friction creates less heat, which provides a cleaner cut in plastics and metals.



Alternate Top Bevel (ATB)

Packing Options:



Durable Carbide Teeth

Reinforced tooth bed for tough materials




Strong plate ensures long lasting life




| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Compatible Machines | APPLICATION |
|----------|-----------|-----------|-------|------------|------|---------------------|--|
| 11204001 | 160 | 20 | 30T | 2.0/1.6 | 4200 | | Wood with Nails For all non-ferrous metals & PVC |
| 11204002 | 190 | 30 | 38T | 2.2/1.8 | 3800 | | Wood with Nails For all non-ferrous metals & PVC |
| 11204003 | 216 | 30 | 40T | 2.2/1.8 | 3200 | | Wood with Nails For all non-ferrous metals & PVC |
| 11204004 | 230 | 30 | 44T | 2.2/1.8 | 3000 | | Wood with Nails For all non-ferrous metals & PVC |
| 11204005 | 250 | 30 | 48T | 2.2/1.8 | 2700 | | Wood with Nails For all non-ferrous metals & PVC |
| 11204006 | 305 | 30 | 80T | 2.5/2.0 | 2400 | | Wood with Nails For all non-ferrous metals & PVC |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.



Features:

- * Profi Tools carbide-tipped metal cutting saw blade is ideal for cutting mild steel.
- * Our metal cutting blades use dry cut technology, cutting with minimal heat and burrs.
- * Hardened blade body ensures the blade runs truer for longer.




Crosscutting, cut off and trim of wood and plywood

Alternate Top Bevel (ATB)



Packing Options:




| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | RPM | Compatible Machines | APPLICATION |
|----------|-----------|-----------|-------|------------|------|---------------------|-------------|
| 11205001 | 136 | 20 | 24T | 1.8/1.4 | 5500 | | Iron Metals |
| 11205002 | 136 | 20 | 30T | 1.8/1.4 | 5500 | | Iron Metals |
| 11205003 | 165 | 20 | 32T | 1.8/1.4 | 4600 | | Iron Metals |
| 11205004 | 165 | 20 | 36T | 1.8/1.4 | 4600 | | Iron Metals |
| 11205005 | 185 | 20 | 36T | 1.8/1.4 | 4100 | | Iron Metals |
| 11205006 | 185 | 20 | 40T | 1.8/1.4 | 4100 | | Iron Metals |
| 11205007 | 235 | 25.4 | 48T | 2.2/1.8 | 3200 | | Iron Metals |
| 11205008 | 250 | 25.4 | 48T | 2.2/1.8 | 3000 | | Iron Metals |
| 11205009 | 250 | 25.4 | 52T | 2.2/1.8 | 3000 | | Iron Metals |
| 11205010 | 305 | 30 | 60T | 2.4/2.0 | 2500 | | Iron Metals |
| 11205011 | 305 | 30 | 64T | 2.4/2.0 | 2500 | | Iron Metals |
| 11205012 | 355 | 30 | 64T | 2.6/2.2 | 2100 | | Iron Metals |
| 11205013 | 355 | 30 | 72T | 2.6/2.2 | 2100 | | Iron Metals |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.




Features:

- * Profi Tools range of PCD Circular Saw Blades are designed to cut fibre cement board, which is one of the fastest growing environmentally friendly materials in the construction industry.
- * An ultimate blade when it comes to fibre cement, with outstanding performance results compared to a TCT blade or diamond blade.




FTG

Ground & hardened plate for smooth cut



Packing Options:



| Item No. | Dia. (mm) | Bore (mm) | Teeth | Kerf/Plate | H (mm) | RPM | Compatible Machines |
|----------|-----------|-----------|-------|------------|--------|------|---------------------|
| 11206001 | 165 | 20 | 4T | 2.2/1.6 | 4.0 | 9000 | |
| 11206002 | 190 | 30 | 6T | 2.2/1.6 | 4.0 | 9000 | |
| 11206003 | 216 | 30 | 6T | 2.4/1.8 | 4.0 | 7000 | |
| 11206004 | 235 | 30 | 6T | 2.4/1.8 | 4.0 | 6500 | |
| 11206005 | 250 | 30 | 8T | 2.6/2.0 | 4.5 | 6000 | |
| 11206006 | 260 | 30 | 8T | 2.6/2.0 | 4.5 | 6000 | |
| 11206007 | 305 | 30 | 12T | 2.8/2.2 | 4.5 | 5000 | |

ATTENTION If your machine is different from the machine we mentioned above, please kindly specify it.