



Specialist Concrete Drill Bits

new

Unique 4 Flute Spiral incorporates a maximized central core for better wear resistance & stability.

3-flatted shank on 5mm and above sizes for exceptional grip on chuck.

Ceratzit Carbide with Auto-Copper Soldered technology ensures a tip with outstanding durability and drilling speed for all stone and Concrete applications.



21133002




21133003

PROFI TOOL SUPPLIES CO., LTD.
www.profitools.cn



Packing and Display



PROFI TOOL SUPPLIES CO., LTD.
www.profitools.cn




www.profitools.cn

Features:


- * Value plus quality with DIN8039 Standard.
- * Made of high carbon steel with standard carbide tip for long life and efficient drilling.
- * Galvanized surface finish for corrosion resistance.
- * Hardened core for extra strength and reduced breakage.
- * For use without percussion drills.
- * For drilling in Masonry, Concrete, Rock, Artificial stone, and Breeze blocks.

Benefits

- * High tip for better guiding.
- * Perfect drilling.
- * Longer life.



Packing:



Standard Length

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13301001	3	60	30
13301002	4	75	40
13301003	5	85	50
13301004	5.5	85	50
13301005	6	100	60
13301006	7	100	60
13301007	8	120	80
13301008	9	120	80
13301009	10	120	80
13301010	11	150	90
13301011	12	150	90
13301012	13	150	90
13301013	14	150	90
13301014	15	150	90
13301015	16	150	90
13301016	17	150	90
13301017	18	160	100
13301018	19	160	100
13301019	20	160	100
13301020	21	160	100
13301021	22	160	100
13301022	23	160	100
13301023	24	160	100
13301024	25	160	100

Extra Length

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13301025	8	400	300
13301026	9	400	300
13301027	10	400	300
13301028	11	400	300
13301029	12	400	300
13301030	13	400	300
13301031	14	400	300
13301032	15	400	300
13301033	16	400	300
13301034	17	400	300
13301035	18	400	300
13301036	19	400	300
13301037	20	400	300
13301038	21	400	300
13301039	22	400	300
13301040	23	400	300
13301041	24	400	300
13301042	25	400	300

Extra Length

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13301044	10	600	500
13301045	11	600	500
13301046	12	600	500
13301047	13	600	500
13301048	14	600	500
13301049	15	600	500
13301050	16	600	500
13301051	17	600	500
13301052	18	600	500
13301053	19	600	500
13301054	20	600	500
13301055	21	600	500
13301056	22	600	500
13301057	23	600	500
13301058	24	600	500
13301059	25	600	500

Remark: Other sizes are available upon request.
Small size roll forged, big size milled.




Features:


- * Tradesman quality with DIN8039 Standard.
- * Made of high carbon steel with premium carbide tip.
- * Milled slow spiral with U flute for quick dust removal.
- * Sandblasted surface finish for anti-rust.
- * For use on rotary and percussion drills.
- * For drilling in Concrete, Brick and Block, Masonry, etc.

Benefits

- * Polish finish with striking appeal permits dust removal.
- * Higher tip for better guiding.
- * Carbide grade for longer life.



Packing:




Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13302001	3	60	30
13302002	4	75	40
13302003	4.5	85	50
13302004	5	85	50
13302005	5	150	90
13302006	5.5	85	50
13302007	5.5	150	90
13302008	6	100	60
13302009	6	150	90
13302010	6	200	140
13302011	6	300	220
13302012	6	400	300
13302013	6.5	100	60
13302014	6.5	150	90
13302015	6.5	200	140
13302016	6.5	300	210
13302017	6.5	400	300
13302018	7	100	60
13302019	7	150	90
13302020	8	120	80
13302021	8	200	140
13302022	8	300	220

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13302023	8	400	300
13302024	8	600	450
13302025	9	120	80
13302026	9	200	140
13302027	10	120	80
13302028	10	200	140
13302029	10	300	220
13302030	10	400	300
13302031	10	600	450
13302032	11	150	90
13302033	11	200	140
13302034	12	150	90
13302035	12	200	140
13302036	12	300	215
13302037	12	400	300
13302038	12	600	450
13302039	13	150	90
13302040	13	400	300
13302041	14	150	90
13302042	14	200	140
13302043	14	300	215
13302044	14	400	300

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13302045	14	600	450
13302046	15	150	90
13302047	16	150	90
13302048	16	300	215
13302049	16	400	300
13302050	16	600	450
13302051	18	160	100
13302052	18	300	215
13302053	18	400	300
13302054	18	600	450
13302055	20	160	100
13302056	20	300	215
13302057	20	400	300
13302058	20	600	450
13302059	22	160	100
13302060	22	400	300
13302061	22	600	450
13302062	25	160	100
13302063	25	400	300
13302064	25	600	450

Remark: Other sizes are available upon request.
Small size roll forged, big size milled.



Features:


- * Professional quality with DIN8039 Standard.
- * Made fo high carbon steel with industrial grade carbide tip.
- * Milled slow spiral with Half round flute for quick dust removal.
- * Unique Golden Flute and polished surface.
- * For use on rotary and percussion drills.
- * For drilling in Concrete, Reinforced concrete, Brick and etc.

Benefits

- * Polish finish with striking appeal permits dust removal.
- * Higher tip for better guiding.
- * Carbide grade for longer life.




Packing Options:



130 Degree Point Angle
For quick entering into stone and concrete

Parallel Shank
For rotary hammer & percussion drilling



The Half-round Profile Flute
Design efficiently extracts concrete and stone particles

Brazed Tip
Unique brazing process ensures a perfect bond between tip & body

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13303001	3	60	30
13303002	4	75	40
13303003	4.5	85	50
13303004	5	85	50
13303005	5	150	90
13303006	5.5	85	50
13303007	5.5	150	90
13303008	6	100	60
13303009	6	150	90
13303010	6	200	140
13303011	6	300	220
13303012	6	400	300
13303013	6.5	100	60
13303014	6.5	150	90
13303015	6.5	200	140
13303016	6.5	300	210
13303017	6.5	400	300
13303018	7	100	60
13303019	7	150	90
13303020	8	120	80
13303021	8	200	140
13303022	8	300	220

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13303023	8	400	300
13303024	8	600	450
13303025	9	120	80
13303026	9	200	140
13303027	10	120	80
13303028	10	200	140
13303029	10	300	220
13303030	10	400	300
13303031	10	600	450
13303032	11	150	90
13303033	11	200	140
13303034	12	150	90
13303035	12	200	140
13303036	12	300	215
13303037	12	400	300
13303038	12	600	450
13303039	13	150	90
13303040	13	400	300
13303041	14	150	90
13303042	14	200	140
13303043	14	300	215
13303044	14	400	300

Item No.	Diameter (mm)	Total Length (mm)	Flute Length(mm)
13303045	14	600	450
13303046	15	150	90
13303047	16	150	90
13303048	16	300	215
13303049	16	400	300
13303050	16	600	450
13303051	18	160	100
13303052	18	300	215
13303053	18	400	300
13303054	18	600	450
13303055	20	160	100
13303056	20	300	215
13303057	20	400	300
13303058	20	600	450
13303059	22	160	100
13303060	22	400	300
13303061	22	600	450
13303062	25	160	100
13303063	25	400	300
13303064	25	600	450

Remark: Other sizes are available upon request.
Small size roll forged, big size milled.



Features:

- * Specialist quality.
- * Made fo high carbon steel with CERATIZIT carbide tip.
- * Unique four flute spiral for quick dust removal.
- * Our Tri-shank prevents slippage in chuck during use.
- * For use on rotary and percussion drills.
- * For drilling in Concrete, Reinforced concrete, Brick and etc.




Packing Options:



Ceratizit TCT Tip
Ceratzit Carbide with Auto-Copper Soldered technology ensures a tip with outstanding durability and drilling speed

Tri-Shank
Prevents slippage in chuck during use.




Unique 4 Flute Spiral
incorporates a maximized central core for better wear resistance & stability.

Item No.	Diameter (mm)	Total Length (mm)	Working Length(mm)
13304001	3	60	30
13304002	3.5	75	40
13304003	4	75	40
13304004	4.5	85	50
13304005	5	85	50
13304006	5.5	85	50
13304007	5.5	100	60
13304008	6	100	60
13304009	6.5	100	60
13304010	7	100	60
13304011	7.5	120	80
13304012	8	120	80
13304013	8.5	120	80
13304014	9	120	80
13304015	9.5	120	80
13304016	10	120	80
13304017	4.5	150	110
13304018	5	150	110
13304019	5.5	150	110
13304020	6	150	110
13304021	6.5	150	110
13304022	7	150	110

Item No.	Diameter (mm)	Total Length (mm)	Working Length(mm)
13304023	8	150	110
13304024	9	150	110
13304025	10	150	110
13304026	11	150	110
13304027	12	150	110
13304028	13	150	110
13304029	14	150	110
13304030	15	150	110
13304031	16	150	110
13304032	6	200	130
13304033	7	200	130
13304034	8	200	130
13304035	9	200	130
13304036	10	200	130
13304037	11	200	130
13304038	12	200	130
13304039	13	200	130
13304040	14	200	130
13304041	15	200	130
13304042	16	200	130
13304043	6	300	230
13304044	7	300	230

Item No.	Diameter (mm)	Total Length (mm)	Working Length(mm)
13304045	8	300	230
13304046	10	300	230
13304047	11	300	230
13304048	12	300	230
13304049	13	300	230
13304050	14	300	230
13304051	15	300	230
13304052	16	300	230
13304053	25	300	230
13304054	6	400	340
13304055	6.5	400	340
13304056	7	400	340
13304057	8	400	340
13304058	9	400	340
13304059	10	400	340
13304060	11	400	340
13304061	12	400	340
13304062	13	400	340
13304063	14	400	340
13304064	15	400	340
13304065	16	400	340

Note: Other sizes are available upon request.



Features:


- * Tough tungsten carbide makes bit suitable for multipurpose applications.
- * Sharpened diamond ground edges deliver high drilling speed, even in hard materials.
- * Optimized drilling for good dust clearance in multiple materials, like concrete, masonry, brick, light building materials, multi-layer materials, ceramics and tiles, wood, plastic, sheet metals and aluminium.

Applications:

- * Hammer Action:
For masonry materials only.
- * Rotary Action:
For all other materials.



Packing Options:



Parallel Shank
For rotary hammer & percussion drilling

Diamond Ground Point
Diamond Ground carbide tip with four cutting edges

Brazed Tip
Unique brazing process ensures a perfect bond between tip & body

The U Profile Flute
The U-profile flute design efficiently extracts concrete, metal & wood particles

Standard Length

Item No.	Diameter (mm)	Total Length (mm)
13320001	3	60
13320002	4	75
13320003	5	85
13320004	5.5	85
13320005	6	100
13320006	6.5	100
13320007	7	100
13320008	8	120
13320009	9	120
13320010	10	120
13320011	12	150
13320012	13	150

Extra Length

Item No.	Diameter (mm)	Total Length (mm)
13320013	5	150
13320014	5.5	150
13320015	6	150
13320016	6.5	150
13320017	7	150
13320018	8	200
13320019	9	200
13320020	10	200
13320021	8	250
13320022	10	250
13320023	12	250
13320024	13	250

Note: Other sizes are available upon request.



Features:


- * Professional quality.
- * Asymmetric drill design reduces resistance ensuring that there is no wandering at the start of drilling.
- * The unique brazing method ensures no tip loss even in the toughest material.
- * Tri-Shank prevents slippage in chuck during use.
- * No requirement for water cooling treatment.



Applications:

For drilling the hardest tiles and materials such as PEI class 5 porcelain, ceramics, fine stoneware, marble, concrete, engineering brick and even granite.

Packing Options:



Tri-Shank
Prevents slippage in chuck during use.

Unique TCT Point
Asymmetric Tip Design ensure no wandering at the start of drilling

Vacuum Brazed Tip
The Auto Vacuum Brazed technology ensures a perfect bond between tip & body

The Half-round Flute
The half-round flute design efficiently extracts concrete, metal & wood particles

Tri-Shank

Item No.	Diameter (mm)	Total Length (mm)
13321001	4	75
13321002	5	85
13321003	5.5	85
13321004	6	100
13321005	6.5	100
13321006	7	100
13321007	8	120
13321008	9	120
13321009	10	120
13321010	5.0	150
13321011	6.0	150
13321012	6.5	150
13321013	7	150
13321014	8	150
13321015	9	150
13321016	10	150
13321017	11	150
13321018	12	150

Note: Other sizes are available upon request.

Quick Change Shank

Item No.	Diameter (mm)	Total Length (mm)
13403001	4	75
13403002	5	85
13403003	5.5	100
13403004	6	100
13403005	6.5	100
13403006	7	100
13403007	8	120
13403008	9	120
13403009	10	120





Features:


- * The spear point reduces cutting pressure for cleaner holes and without chipping or breaking.
- * Drilling Ceramic Tiles, Marble, China, Mirrors, Glass and all types of fragile material.




Applications:

- * Drills with a variable speed trigger will achieve the best results.
- * Run drill at the lowest possible speed and apply constant, even pressure.
- * To be used at slow speed with non impact and suitable coolant.

Packing Options:




SINGLE CUTTER Round Shank



Item No.	Diameter (mm)	Total Length (mm)
13322001	3	60
13322002	4	60
13322003	5	60
13322004	5.5	70
13322005	6	70
13322006	6.5	70
13322007	7	70
13322008	8	75
13322009	10	80
13322010	12	85

FOUR CUTTER Round Shank



Item No.	Diameter (mm)	Total Length (mm)
13323001	4	60
13323002	5	60
13323003	5.5	70
13323004	6	70
13323005	6.5	70
13323006	7	70
13323007	8	75
13323008	10	80
13323009	12	85

1/4" Quick Change Shank

Item No.	Diameter (mm)	Total Length (mm)
13404001	3	70
13404002	4	70
13404003	5	70
13404004	5.5	70
13404005	6	70
13404006	6.5	80
13404007	7	80
13404008	8	80
13404009	10	85
13404010	12	90



1/4" Quick Change Shank


1/4" Quick Change Shank

Item No.	Diameter (mm)	Total Length (mm)
13405001	4	70
13405002	5	70
13405003	5.5	70
13405004	6	70
13405005	6.5	80
13405006	7	80
13405007	8	80
13405008	10	85
13405009	12	90



1/4" Quick Change Shank

Note: Other sizes are available upon request.



Features:

- * Ideal for use in general masonry applications including bricks, tiles & concrete.
- * 1/4" hex shank suits impact drivers and quick change adaptors.
- * Galvanized or Sandblasted Surface.



1/4" Quick Change Shank



Packing Options:



Item No.	Diameter (mm)	Total Length (mm)	Working Length (mm)
13401001	4	90	45
13401002	5	100	50
13401003	5.5	100	50
13401004	6	100	50
13401005	6	150	90
13401006	6.5	100	50
13401007	6.5	150	90
13401008	7	100	50
13401009	7	150	90
13401010	8	120	70
13401011	9	120	70
13401012	10	120	70
13401013	12	150	90
13401014	13	150	90


Item No. 21130004

5pcs Masonry Drill Bit Set Quick Change Shank

Specifications:
4mm, 5mm, 6mm, 8mm, 10mm



Note: Other sizes are available upon request.



Features:


- * Ground carbide tip for precise spot drilling, also reducing noise levels and drilling pressure.
- * Ideal for drilling through layers of different materials.
- * For drilling in masonry, tile, wood, chipboard, soft metal and plastics.



1/4" Quick Change Shank



Packing Options:



Item No.	Diameter (mm)	Total Length (mm)	Working Length (mm)
13402001	4	90	45
13402002	5	100	50
13402003	5.5	100	50
13402004	6	100	50
13402005	6	150	90
13402006	6.5	100	50
13402007	6.5	150	90
13402008	7	100	50
13402009	7	150	90
13402010	8	120	70
13402011	8	250	165
13402012	9	120	70
13402013	10	120	70
13402014	10	250	165
13402015	12	150	90
13402016	12	250	165
13402017	13	150	90
13402018	13	250	165

Note: Other sizes are available upon request.

Item No. 21134004

**5pcs Universal Drill Bit Set
Quick Change Shank**

Specifications:
4mm, 5mm, 6mm, 8mm, 10mm



Item No.	Description	Specification	Performance
21130001	5pcs Masonry Drill Bit Set	4, 5, 6, 8, 10mm	ValuePlus
21130002	5pcs Masonry Drill Bit Set	5, 6, 7, 8, 10mm	ValuePlus
21131001	5pcs Concrete Drill Bit Set	4, 5, 6, 8, 10mm	Tradesman
21131002	5pcs Concrete Drill Bit Set	5, 6, 7, 8, 10mm	Tradesman
21132001	5pcs Concrete Drill Bit Set	4, 5, 6, 8, 10mm	Professional
21132002	5pcs Concrete Drill Bit Set	5, 6, 7, 8, 10mm	Professional
21133001	5pcs Concrete Drill Bit Set	4, 5, 6, 8, 10mm	Specialist
21133002	5pcs Concrete Drill Bit Set	5, 6, 7, 8, 10mm	Specialist



21130002



21133002

Item No.	Description	Specification	Performance
21134001	5pcs Universal Drill Bit Set	4, 5, 6, 8, 10mm	Professional
21134002	5pcs Universal Drill Bit Set	5, 6, 7, 8, 10mm	Professional
21360001	5pcs Hard Tile Drill Bit Set	4, 5, 6, 8, 10mm	Professional
21360002	5pcs Hard Tile Drill Bit Set	5, 6, 7, 8, 10mm	Professional



21134002



21360002



Item No.	Description	Specification	Performance
21130003	8pcs Masonry Drill Bit Set	3, 4, 5, 6, 7, 8, 9, 10mm	ValuePlus
21131003	8pcs Concrete Drill Bit Set	3, 4, 5, 6, 7, 8, 9, 10mm	Tradesman
21132003	8pcs Concrete Drill Bit Set	3, 4, 5, 6, 7, 8, 9, 10mm	Professional
21133003	8pcs Concrete Drill Bit Set	3, 4, 5, 6, 7, 8, 9, 10mm	Specialist
21134003	8pcs Universal Drill Bit Set	3, 4, 5, 6, 7, 8, 9, 10mm	Professional



21134003



21130003

Item No.	Description	Specification	Performance
21361001	5pcs Spear Tip Tile/Glass Drill Bit Set	4, 5, 6, 8, 10mm	Tradesman
21361002	5pcs 4-Flute Tile/Glass Drill Bit Set	4, 5, 6, 8, 10mm	Professional
21360003	5pcs Hard Tile Drill Bit Set	5, 5.5, 6, 7, 8mm	Professional



21361001



21360003



Item No. 21130004

VALUEPLUS

5pcs Masonry Drill Bit Set
Quick Change Shank

Specifications:
4mm, 5mm, 6mm, 8mm, 10mm



Item No. 21134004

PROFESSIONAL

5pcs Universal Drill Bit Set
Quick Change Shank

Specifications:
4mm, 5mm, 6mm, 8mm, 10mm



Item No. 21360004

PROFESSIONAL

5pcs Hard Tile Drill Bit Set
Quick Change Shank

Specifications:
4mm, 5mm, 6mm, 8mm, 10mm



Item No. 21361003

PROFESSIONAL

5pcs Tile/Glass Drill Bit Set
Quick Change Shank

Specifications:
4mm, 5mm, 6mm, 8mm, 10mm

