



Specialist Hammer Drill Bit

new

Unique 4 Flute Spiral incorporates a maximised central core for better wear resistance & stability.

Ceratizit Carbide with Auto-Copper Soldered technology ensures a tip with outstanding durability and drilling speed.



21122001



21122002

PROFI TOOL SUPPLIES CO., LTD.
www.profitools.cn



Packing and Display



Hammer Drill Bit



PROFI TOOL SUPPLIES CO., LTD.
www.profitools.cn





www.profitools.cn



Features:

- * Fit into all hammers with the SDS-plus system.
- * Extremely robust and wear resistant.
- * Our L flute design for less heat build up and maximum dust removal.
- * Our value plus quality for efficient and fast hammer drilling in most of the hard materials.



Item No.	Diameter (mm)	Total Length (mm)	Head Available
13101001	4	110	⊕ ⊖
13101002	5	110	⊕ ⊖
13101003	5.5	110	⊕ ⊖
13101004	6	110	⊕ ⊖
13101005	6.5	110	⊕ ⊖
13101006	7	110	⊕ ⊖
13101007	8	110	⊕ ⊖
13101008	9	110	⊕ ⊖
13101009	10	110	⊕ ⊖
13101010	5	160	⊕ ⊖
13101011	6	160	⊕ ⊖
13101012	6.5	160	⊕ ⊖
13101013	7	160	⊕ ⊖
13101014	8	160	⊕ ⊖
13101015	9	160	⊕ ⊖
13101016	10	160	⊕ ⊖
13101017	11	160	⊕ ⊖
13101018	12	160	⊕ ⊖
13101019	13	160	⊕ ⊖
13101020	14	160	⊕ ⊖
13101021	15	160	⊕ ⊖
13101022	16	160	⊕ ⊖
13101023	5.5	210	⊕ ⊖
13101024	6	210	⊕ ⊖
13101025	6.5	210	⊕ ⊖
13101026	7	210	⊕ ⊖
13101027	8	210	⊕ ⊖
13101028	9	210	⊕ ⊖
13101029	10	210	⊕ ⊖
13101030	11	210	⊕ ⊖
13101031	12	210	⊕ ⊖
13101032	13	210	⊕ ⊖
13101033	14	210	⊕ ⊖
13101034	15	210	⊕ ⊖
13101035	16	210	⊕ ⊖
13101036	18	210	⊕ ⊖
13101037	20	210	⊕ ⊖
13101038	6	260	⊕ ⊖
13101039	7	260	⊕ ⊖
13101040	8	260	⊕ ⊖
13101041	10	260	⊕ ⊖
13101042	11	260	⊕ ⊖
13101043	12	260	⊕ ⊖
13101044	13	260	⊕ ⊖
13101045	14	260	⊕ ⊖
13101046	15	260	⊕ ⊖
13101047	16	260	⊕ ⊖
13101048	18	260	⊕ ⊖
13101049	20	260	⊕ ⊖


Item No.	Diameter (mm)	Total Length (mm)	Head Available
13101050	22	260	⊕ ⊖
13101051	24	260	⊕ ⊖
13101052	25	260	⊕ ⊖
13101053	26	260	⊕ ⊖
13101054	8	310	⊕ ⊖
13101054	10	310	⊕ ⊖
13101056	12	310	⊕ ⊖
13101057	13	310	⊕ ⊖
13101058	14	310	⊕ ⊖
13101059	16	310	⊕ ⊖
13101060	18	310	⊕ ⊖
13101061	20	310	⊕ ⊖
13101062	10	360	⊕ ⊖
13101063	12	360	⊕ ⊖
13101064	14	360	⊕ ⊖
13101065	16	360	⊕ ⊖
13101066	18	360	⊕ ⊖
13101067	20	360	⊕ ⊖
13101068	8	460	⊕ ⊖
13101069	10	460	⊕ ⊖
13101070	12	460	⊕ ⊖
13101071	14	460	⊕ ⊖
13101072	16	460	⊕ ⊖
13101073	18	460	⊕ ⊖
13101074	20	460	⊕ ⊖
13101075	22	460	⊕ ⊖
13101076	24	460	⊕ ⊖
13101077	25	460	⊕ ⊖
13101078	26	460	⊕ ⊖
13101079	8	600	⊕ ⊖
13101080	10	600	⊕ ⊖
13101081	14	600	⊕ ⊖
13101082	16	600	⊕ ⊖
13101083	18	600	⊕ ⊖
13101084	20	600	⊕ ⊖
13101085	22	600	⊕ ⊖
13101086	24	600	⊕ ⊖
13101087	25	600	⊕ ⊖
13101088	10	1000	⊕ ⊖
13101089	12	1000	⊕ ⊖
13101090	14	1000	⊕ ⊖
13101091	16	1000	⊕ ⊖
13101092	18	1000	⊕ ⊖
13101093	20	1000	⊕ ⊖
13101094	22	1000	⊕ ⊖
13101095	24	1000	⊕ ⊖
13101096	25	1000	⊕ ⊖
13101097	26	1000	⊕ ⊖
13101098	28	1000	⊕ ⊖

Note: Other sizes are available upon request.



Features:


- * Self-centering tip for clean entry and fast starts; stays sharp longer.
- * 2X longer life than our standard Hammer Drill bits.
- * Our U flute design for faster, more efficient dust removal.
- * Premium steel improves core strength for maximum durability and extended life.
- * Professional quality for efficient and fast hammer drilling in hard materials like concrete, granite, brick and other similar building materials.



Item No.	Diameter (mm)	Total Length (mm)	Head Available
13102001	4	110	⊖
13102002	5	110	⊕ ⊖
13102003	5.5	110	⊖
13102004	6	110	⊕ ⊖
13102005	6.5	110	⊖
13102006	7	110	⊖
13102007	8	110	⊕ ⊖
13102008	10	110	⊕ ⊖
13102009	5	160	⊕ ⊖
13102010	6	160	⊕ ⊖
13102011	6.5	160	⊖
13102012	7	160	⊖
13102013	8	160	⊕ ⊖
13102014	9	160	⊖
13102015	10	160	⊕ ⊖
13102016	11	160	⊕ ⊖
13102017	12	160	⊖
13102018	13	160	⊖
13102019	14	160	⊕ ⊖
13102020	15	160	⊖
13102021	16	160	⊕ ⊖
13102022	5.5	210	⊖
13102023	6	210	⊕ ⊖
13102024	6.5	210	⊖
13102025	7	210	⊖
13102026	8	210	⊕ ⊖
13102027	9	210	⊖
13102028	10	210	⊕ ⊖
13102029	12	210	⊕ ⊖
13102030	14	210	⊕ ⊖
13102031	16	210	⊕ ⊖
13102032	18	210	⊕ ⊖
13102033	19	210	⊖
13102034	20	210	⊕ ⊖
13102035	6	260	⊕ ⊖
13102036	6.5	260	⊖
13102037	8	260	⊕ ⊖
13102038	10	260	⊕ ⊖
13102039	11	260	⊖
13102040	12	260	⊕ ⊖
13102041	13	260	⊖
13102042	14	260	⊕ ⊖
13102043	15	260	⊖
13102044	16	260	⊖
13102045	18	260	⊕ ⊖
13102046	20	260	⊕ ⊖
13102047	22	260	⊕ ⊖
13102048	24	260	⊖
13102049	25	260	⊕ ⊖

Item No.	Diameter (mm)	Total Length (mm)	Head Available
13102050	26	260	⊖
13102051	8	310	⊕ ⊖
13102052	10	310	⊕ ⊖
13102053	12	310	⊕ ⊖
13102054	14	310	⊕ ⊖
13102054	16	310	⊕ ⊖
13102056	18	310	⊕ ⊖
13102057	20	310	⊕ ⊖
13102058	22	310	⊕ ⊖
13102059	25	310	⊕ ⊖
13102060	12	350	⊕ ⊖
13102061	14	350	⊕ ⊖
13102062	16	350	⊕ ⊖
13102063	18	350	⊕ ⊖
13102064	20	350	⊕ ⊖
13102065	22	350	⊕ ⊖
13102066	25	350	⊕ ⊖
13102067	8	400	⊕ ⊖
13102068	10	400	⊕ ⊖
13102069	12	400	⊕ ⊖
13102070	14	400	⊕ ⊖
13102071	16	400	⊕ ⊖
13102072	8	460	⊕ ⊖
13102073	10	460	⊕ ⊖
13102074	12	460	⊕ ⊖
13102075	14	460	⊕ ⊖
13102076	16	460	⊕ ⊖
13102077	18	460	⊕ ⊖
13102078	20	460	⊕ ⊖
13102079	22	460	⊕ ⊖
13102080	24	460	⊕ ⊖
13102081	25	460	⊕ ⊖
13102082	26	460	⊕ ⊖
13102083	10	600	⊕ ⊖
13102084	12	600	⊕ ⊖
13102085	14	600	⊕ ⊖
13102086	16	600	⊕ ⊖
13102087	18	600	⊕ ⊖
13102088	20	600	⊕ ⊖
13102089	22	600	⊕ ⊖
13102090	25	600	⊕ ⊖
13102091	12	1000	⊕ ⊖
13102092	14	1000	⊕ ⊖
13102093	16	1000	⊕ ⊖
13102094	18	1000	⊕ ⊖
13102095	20	1000	⊕ ⊖
13102096	22	1000	⊕ ⊖
13102097	25	1000	⊕ ⊖
13102098	28	1000	⊕

Note: Other sizes are available upon request.




Features:

- * The Next generation hammer drill bit designed and manufactured with state-of-the-art technology for maximum drilling speed and unprecedented stability.
 - * Our Specialist Hammer Drill Bit is made of high-quality tempering steel, selected to withstand the toughest applications.
 - * The PGM-Certification guarantees accurate dowel holes and precise concentricity.
- Range: SDS-plus from Dia.4-26mm



new



Item No.	Diameter (mm)	Total Length (mm)	Head Available
13103001	4	110	⊕
13103002	5	110	⊕
13103003	5.5	110	⊕
13103004	6	110	⊕
13103005	6.5	110	⊕
13103006	7	110	⊕
13103007	8	110	⊕
13103008	9	110	⊕
13103009	10	110	⊕
13103010	5	160	⊕
13103011	6	160	⊕
13103012	6.5	160	⊕
13103013	7	160	⊕
13103014	8	160	⊕
13103015	9	160	⊕
13103016	10	160	⊕
13103017	11	160	⊕
13103018	12	160	⊕
13103019	13	160	⊕
13103020	14	160	⊕
13103021	15	160	⊕
13103022	16	160	⊕
13103023	5	210	⊕
13103024	5.5	210	⊕
13103025	6	210	⊕
13103026	6.5	210	⊕
13103027	7	210	⊕
13103028	8	210	⊕
13103029	9	210	⊕
13103030	10	210	⊕
13103031	11	210	⊕
13103032	12	210	⊕
13103033	13	210	⊕
13103034	14	210	⊕
13103035	15	210	⊕
13103036	16	210	⊕
13103037	6	260	⊕
13103038	7	260	⊕
13103039	8	260	⊕
13103040	10	260	⊕
13103041	11	260	⊕
13103042	12	260	⊕
13103043	13	260	⊕
13103044	14	260	⊕
13103045	15	260	⊕
13103046	16	260	⊕
13103047	8	310	⊕
13103048	10	310	⊕
13103049	12	310	⊕
13103050	13	310	⊕
13103051	14	310	⊕
13103052	16	310	⊕
13103053	10	350	⊕
13103054	12	350	⊕
13103055	14	350	⊕
13103056	16	350	⊕

Item No.	Diameter (mm)	Total Length (mm)	Head Available
13103057	8	410	⊕
13103058	10	410	⊕
13103059	12	410	⊕
13103060	14	410	⊕
13103061	16	410	⊕
13103062	8	450	⊕
13103063	10	450	⊕
13103064	12	450	⊕
13103065	14	450	⊕
13103066	16	450	⊕

Item No. 21122001

5pcs SDS-plus Hammer Drill Bit Set

Specifications:

5x110mm, 6x110mm, 6x160mm, 8x160mm, 10x160mm

Item No. 21122002

6pcs SDS-plus Hammer Drill Bit Set

Specifications:

5x110mm, 6x110mm, 8x110mm 6x160mm, 8x160mm, 10x160mm





21122001

21122002



Features:

- * Fits large rotary hammers with the SDS-Max tool holder system.
- * Supreme grade carbide ensure fast penetration and durability.
- * Our L flute design for faster, more efficient dust removal.
- * Our value plus quality for efficient and fast hammer drilling for larger diameter holes in concrete, stone and masonry.



Item No.	Diameter (mm)	Total Length (mm)	Head Available
13104001	10	260	⊕ ⊖
13104002	12	260	⊕ ⊖
13104003	14	260	⊕ ⊖
13104004	16	260	⊕ ⊖
13104005	18	260	⊕ ⊖
13104006	20	260	⊕ ⊖
13104007	22	260	⊕ ⊖
13104008	25	260	⊕ ⊖
13104009	10	340	⊕ ⊖
13104010	12	340	⊕ ⊖
13104011	14	340	⊕ ⊖
13104012	16	340	⊕ ⊖
13104013	18	340	⊕ ⊖
13104014	20	340	⊕ ⊖
13104015	22	340	⊕ ⊖
13104016	25	340	⊕ ⊖
13104017	28	340	⊕ ⊖
13104018	30	340	⊕ ⊖
13104019	32	340	⊕ ⊖
13104020	10	400	⊕ ⊖
13104021	12	400	⊕ ⊖
13104022	14	400	⊕ ⊖
13104023	16	400	⊕ ⊖
13104024	18	400	⊕ ⊖
13104025	20	400	⊕ ⊖
13104026	22	400	⊕ ⊖
13104027	25	400	⊕ ⊖
13104028	28	400	⊕ ⊖
13104029	30	400	⊕ ⊖
13104030	32	400	⊕ ⊖
13104031	35	400	⊕ ⊖
13104032	38	400	⊕ ⊖
13104033	40	400	⊕ ⊖
13104034	16	505	⊕ ⊖
13104035	18	505	⊕ ⊖
13104036	20	505	⊕ ⊖
13104037	22	505	⊕ ⊖
13104038	25	505	⊕ ⊖
13104039	28	505	⊕ ⊖
13104040	30	505	⊕ ⊖
13104041	32	505	⊕ ⊖
13104042	35	505	⊕ ⊖
13104043	38	505	⊕ ⊖
13104044	40	505	⊕ ⊖
13104045	10	540	⊕ ⊖


Item No.	Diameter (mm)	Total Length (mm)	Head Available
13104046	12	540	⊕ ⊖
13104047	14	540	⊕ ⊖
13104048	16	540	⊕ ⊖
13104049	18	540	⊕ ⊖
13104050	20	540	⊕ ⊖
13104051	22	540	⊕ ⊖
13104052	25	540	⊕ ⊖
13104053	28	540	⊕ ⊖
13104054	30	540	⊕ ⊖
13104055	32	540	⊕ ⊖
13104056	35	540	⊕ ⊖
13104057	38	540	⊕ ⊖
13104058	40	540	⊕ ⊖
13104059	18	600	⊕ ⊖
13104060	20	600	⊕ ⊖
13104061	22	600	⊕ ⊖
13104062	25	600	⊕ ⊖
13104063	26	600	⊕ ⊖
13104064	28	600	⊕ ⊖
13104065	30	600	⊕ ⊖
13104066	32	600	⊕ ⊖
13104067	35	600	⊕ ⊖
13104068	38	600	⊕ ⊖
13104069	40	600	⊕ ⊖
13104070	16	800	⊕ ⊖
13104071	18	800	⊕ ⊖
13104072	20	800	⊕ ⊖
13104073	22	800	⊕ ⊖
13104074	25	800	⊕ ⊖
13104075	28	800	⊕ ⊖
13104076	30	800	⊕ ⊖
13104077	32	800	⊕ ⊖
13104078	35	800	⊕ ⊖
13104079	38	800	⊕ ⊖
13104080	40	800	⊕ ⊖
13104081	18	1000	⊕ ⊖
13104082	20	1000	⊕ ⊖
13104083	22	1000	⊕ ⊖
13104084	25	1000	⊕ ⊖
13104085	28	1000	⊕ ⊖
13104086	30	1000	⊕ ⊖
13104087	32	1000	⊕ ⊖
13104088	35	1000	⊕ ⊖
13104089	38	1000	⊕ ⊖
13104090	40	1000	⊕ ⊖

Note: Other sizes are available upon request.



Features:

- * Self-centering tip for clean entry and fast starts; stays sharp longer.
- * 2X longer life than our standard Hammer Drill bits.
- * Our U flute design for faster, more efficient dust removal.
- * Premium steel improves core strength for maximum durability and extended life.
- * Professional quality for efficient and fast hammer drilling in hard materials like concrete, granite, brick and other similar building materials.




new

Item No.	Diameter (mm)	Total Length (mm)	Head Available
13105001	10	260	⊕
13105002	12	260	⊕
13105003	14	260	⊕
13105004	16	260	⊕
13105005	18	260	⊕
13105006	20	260	⊕
13105007	22	260	⊕
13105008	25	260	⊕
13105009	10	340	⊕
13105010	12	340	⊕
13105011	14	340	⊕
13105012	16	340	⊕
13105013	18	340	⊕
13105014	20	340	⊕
13105015	22	340	⊕
13105016	25	340	⊕
13105017	28	340	⊕
13105018	30	340	⊕
13105019	32	340	⊕
13105020	10	400	⊕
13105021	12	400	⊕
13105022	14	400	⊕
13105023	16	400	⊕
13105024	18	400	⊕
13105025	20	400	⊕
13105026	22	400	⊕
13105027	25	400	⊕
13105028	28	400	⊕
13105029	30	400	⊕
13105030	32	400	⊕
13105031	35	400	⊕
13105032	38	400	⊕
13105033	40	400	⊕
13105034	16	505	⊕
13105035	18	505	⊕
13105036	20	505	⊕
13105037	22	505	⊕
13105038	25	505	⊕
13105039	28	505	⊕
13105040	30	505	⊕
13105041	32	505	⊕
13105042	35	505	⊕
13105043	38	505	⊕
13105044	40	505	⊕
13105045	10	540	⊕
13105046	12	540	⊕
13105047	14	540	⊕

Item No.	Diameter (mm)	Total Length (mm)	Head Available
13105048	16	540	⊕
13105049	18	540	⊕
13105050	20	540	⊕
13105051	22	540	⊕
13105052	24	540	⊕
13105053	25	540	⊕
13105054	28	540	⊕
13105055	30	540	⊕
13105056	32	540	⊕
13105057	35	540	⊕
13105058	38	540	⊕
13105059	40	540	⊕
13105060	18	600	⊕
13105061	20	600	⊕
13105062	22	600	⊕
13105063	25	600	⊕
13105064	26	600	⊕
13105065	28	600	⊕
13105066	30	600	⊕
13105067	32	600	⊕
13105068	35	600	⊕
13105069	38	600	⊕
13105070	40	600	⊕
13105071	16	800	⊕
13105072	18	800	⊕
13105073	20	800	⊕
13105074	22	800	⊕
13105075	25	800	⊕
13105076	28	800	⊕
13105077	30	800	⊕
13105078	32	800	⊕
13105079	35	800	⊕
13105080	38	800	⊕
13105081	40	800	⊕
13105082	18	1000	⊕
13105083	20	1000	⊕
13105084	22	1000	⊕
13105085	25	1000	⊕
13105086	28	1000	⊕
13105087	30	1000	⊕
13105088	32	1000	⊕
13105089	35	1000	⊕
13105090	38	1000	⊕
13105091	40	1000	⊕
13105092	42	1000	⊕
13105093	45	1000	⊕
13105094	52	1000	⊕



Note: Other sizes are available upon request.



Item No.	Description	Specification	Performance
21120001	5pcs SDS-plus Hammer Drill Bit Set	5,6x110mm;6,8,10x160mm	Tradesman
21120002	6pcs SDS-plus Hammer Drill Bit Set	5,6,8x110mm;6,8,10x160mm	Tradesman
21121001	5pcs SDS-plus Hammer Drill Bit Set	5,6x110mm;6,8,10x160mm	Professional
21121002	6pcs SDS-plus Hammer Drill Bit Set	5,6,8x110mm;6,8,10x160mm	Professional



Item No. 21120003

TRADESMAN

4pcs SDS-plus Hammer Drill Bit Set

Specifications:

5x160mm, 6x160mm,
8x160mm, 10x160mm

Item No. 21120004


TRADESMAN

5pcs SDS-plus Hammer Drill Bit Set

Specifications:

5x160mm, 6x160mm, 8x160mm,
10x160mm, 12x160mm





Item No. 21120005

TRADESMAN

5pcs SDS-plus Hammer Drill Bit Set

Specifications:

5x110mm, 6x110mm, 6x160mm,
8x160mm, 10x160mm



Item No. 21120006

TRADESMAN

5pcs SDS-plus Hammer Drill Bit Set

Specifications:

10x600mm, 12x600mm, 16x600mm,
22x600mm, 25x600mm



Item No. 21120007

TRADESMAN

3pcs SDS-plus Hammer Drill Bit Set

Specifications:

12x1000mm, 16x1000mm,
24x1000mm



Item No. 20201005

TRADESMAN

9pcs Hammer Drill Bit & Chisel Set

Specifications:

7 x Hammer Drill Bits
5x110mm, 6x110mm, 6x160mm,
8x160mm, 10x160mm, 12x160mm,
8x210mm
1 x 160mm Point Chisel
1 x 160mm Flat Chisel



Item No. 21120008

TRADESMAN

17pcs Hammer Drill Bit & Chisel Set

Specifications:

12 x Hammer Drill Bits
5x110mm, 5.5x110mm, 6x110mm
8x110mm, 10x110mm, 6x160mm
7x160mm, 8x160mm, 10x160mm
8x210mm, 10x210mm, 14x260mm
2 x Point Chisel
14x140mm, 14x250mm
3 x Flat Chisel
14x140x20mm, 14x250x20mm,
14x250x40mm.



Features:

PROFI stone/concrete chisels are available with SDS-Plus type or SDS-Max type shank to handle heavy duty tasks



Bull Point
For general purpose
chiselling and
breaking work.



Cold Chisel
For breaking and
cutting of concrete.



Flat Chisel
Targeted chiselling
and breaking work.



Bolster Chisel
For mainly tile
removing.



Gouge Chisel
For cutting narrow
channels.






Angled Tile Chisel
For easy removal
of tiles.



Brick Chisel
Ideal for cabling
and plumbing
applications.



Toothed Chisel
To unjoint brick,
stone, tiles and
roughcast.



Item No.	Point Type	Dimensions (mm)	Shank Available
13120001	Bull Point	14x160	● ●
13120002	Bull Point	14x250	● ●
13120003	Bull Point	14x280	● ●
13120004	Bull Point	14x400	● ●
13120005	Cold Chisel	20x14x160	● ●
13120006	Cold Chisel	20x14x250	● ●
13120007	Cold Chisel	20x14x280	● ●
13120008	Cold Chisel	20x14x400	● ●
13120009	Flat Chisel	40x14x250	● ●
13120010	Flat Chisel	40x14x280	● ●
13120011	Flat Chisel	40x14x400	● ●
13120012	Bolster Chisel	50x14x250	● ●
13120013	Bolster Chisel	50x14x280	● ●
13120014	Bolster Chisel	50x14x400	● ●
13120015	Gouge Chisel	22x14x250	● ●
13120016	Gouge Chisel	22x14x280	● ●
13120017	Gouge Chisel	22x14x400	● ●
13120018	Angled Tile Chisel	40x14x250	● ●
13120019	Angled Tile Chisel	40x14x280	● ●
13120020	Angled Tile Chisel	40x14x400	● ●
13120021	Angled Tile Chisel	75x14x160	●
13120022	Toothed Chisel	30x10x200	●

Item No.	Point Type	Dimensions (mm)	Shank Available
13121001	Bull Point	18x280	●
13121002	Bull Point	18x360	●
13121003	Bull Point	18x400	●
13121004	Bull Point	18x500	●
13121005	Cold Chisel	25x18x280	●
13121006	Cold Chisel	25x18x360	●
13121007	Cold Chisel	25x18x400	●
13121008	Cold Chisel	25x18x500	●
13121009	Flat Chisel	40x18x280	●
13121010	Flat Chisel	40x18x360	●
13121011	Flat Chisel	40x18x400	●
13121012	Flat Chisel	40x18x500	●
13121013	Bolster Chisel	50x18x280	●
13121014	Bolster Chisel	50x18x360	●
13121015	Bolster Chisel	50x18x400	●
13121016	Bolster Chisel	50x18x500	●
13121017	Gouge Chisel	26x18x280	●
13121018	Gouge Chisel	26x18x360	●
13121019	Gouge Chisel	26x18x400	●
13121020	Angled Tile Chisel	50x18x280	●
13121021	Angled Tile Chisel	50x18x360	●
13121022	Angled Tile Chisel	50x18x400	●
13121023	Angled Tile Chisel	50x18x500	●
13121024	Brick Chisel	26x18x280	●

Note: Other sizes are available upon request.



Item No. 21123001

4pcs Tradesman SDS Plus Chisel Set

Specifications:

- 1pc Point Chisel 250mm
- 1pc Cold Chisel 20x250mm
- 1pc Flat Chisel 40x250mm
- 1pc Gouge Chisel 22x250mm



SDS Hammer Adaptor

Item No.	Description	Dimensions	Performance
13122001	SDS Max to plus adaptor	200mm	Tradesman
13122002	SDS Max to plus adaptor	220mm	Professional
13122003	SDS Plus drill chuck adaptor	1/2" X 20UNF	Tradesman
13122004	SDS Plus bit holder	10x60mm	Tradesman



13122001



13122002



13122003



13122004





Features:

- * Carbide teeth welded at high temperature.
- * Threaded steel.
- * Attachment M16.

Applications:

- * Drill big diameters for electrical installations.
- * For light hammer action drills below 700W.



Item No.	Diameter (mm)	Teeth	Height (mm)
13126001	30	4	72
13126002	32	4	72
13126003	35	4	72
13126004	40	5	72
13126005	45	5	72
13126006	50	6	72
13126007	55	6	72
13126008	60	7	72
13126009	65	8	72
13126010	68	8	72
13126011	70	9	72
13126012	75	9	72
13126013	80	10	72
13126014	85	10	72
13126015	90	11	72
13126016	95	11	72
13126017	100	12	72
13126018	105	12	72
13126019	110	15	72
13126020	115	15	72
13126021	120	16	72
13126022	125	16	72
13126023	140	18	72
13126024	150	18	72


Note: Other sizes are available upon request.

Hollow Core Drill Arbor (with Pilot Drill)



Item No.	Diameter (mm)	Thread	Shank Available
13127001	110	M16 M22	Hex, SDS PLUS, SDS MAX
13127002	160	M16 M22	Hex, SDS PLUS, SDS MAX
13127003	200	M16 M22	Hex, SDS PLUS, SDS MAX
13127004	250	M16 M22	Hex, SDS PLUS, SDS MAX
13127005	300	M16 M22	Hex, SDS PLUS, SDS MAX
13127006	400	M16 M22	Hex, SDS PLUS, SDS MAX
13127007	430	M16 M22	Hex, SDS PLUS, SDS MAX
13127008	530	M16 M22	Hex, SDS PLUS, SDS MAX
13127009	570	M16 M22	Hex, SDS PLUS, SDS MAX
13127010	600	M16 M22	Hex, SDS PLUS, SDS MAX
13127011	800	M16 M22	Hex, SDS PLUS, SDS MAX
13127012	1000	M16 M22	Hex, SDS PLUS, SDS MAX

Tapered Pilot Drill





Item No. 21124001

4pcs Hollow Core Drill Set

Specifications:

- 1pc Hollow Core Drill Bit 60mm
- 1pc Hollow Core Drill Bit 80mm
- 1pc Hollow Core Drill Arbor
- 1pc Tapered Pilot Drill

