




Sanding & Polishing


Abrasive Wheels
Wire Brushes
Sanding Paper
Abrasive Flap Disc
Grinding Wheel
Rubber Packing Pad



PROFI TOOL SUPPLIES CO., LTD.
www.profitools.cn



Packing and Display



PROFI TOOL SUPPLIES CO., LTD.
www.profitools.cn




www.profitools.cn



PROFI Bonded Discs are all in compliance with MPA standard to ensure extra safety and long life. Please follow PROFI Disc color code when you choose among metal, stone or INOX abrasive disc according to the material being cut or grinded. Ensure that the correct wheel is properly mounted.

CUTTING DISCS		THIN CUTTING-OFF WHEELS	DEPRESSED CENTRE GRINDING DISCS	
METAL	STONE	MULTI-USE	METAL	STONE
				
				
Blue color Suitable for cutting all types of metal.	Green color Suitable on all kinds of construction material, such as concrete, stone, roof tiles.	Brown color Suitable for cutting metal. INOX, stone brick, steel cable, profile sections and PVC pipes.	Blue / Blue Suitable for stainless steel, alloy steel, high hardness material grinding applications.	Green / Green Suitable for stone grinding applications.
T41 T42	T41 T42	T41	T27	T27
				



Metal Cutting Wheel

ITEM NO.	METRIC SYSTEM	INCH SYSTEM	SPECIFICATION
12001001	115x3x22mm	4-1/2"x3/25x7/8	A30RBF
12001002	125x3x22mm	5"x3/25x7/8	A30RBF
12001003	180x3x22mm	7"x3/25x7/8	A30RBF
12001004	230x3x22mm	9"x3/25x7/8	A30RBF
12001005	300x3.2x25.4mm	12"x1/8x1	A30RBF
12001006	350x3.5x25.4mm	14"x9/64x1	A30RBF
12001007	405x4x25.4mm	16"x5/32x1	A30RBF



Stone Cutting Wheel

ITEM NO.	METRIC SYSTEM	INCH SYSTEM	SPECIFICATION
12002001	115x3x22mm	4-1/2"x3/25x7/8	C30RBF
12002002	125x3x22mm	5"x3/25x7/8	C30RBF
12002003	180x3x22mm	7"x3/25x7/8	C30RBF
12002004	230x3x22mm	9"x3/25x7/8	C30RBF
12002005	300x3.2x25.4mm	12"x1/8x1	C30RBF
12002006	350x3.5x25.4mm	14"x9/64x1	C30RBF



INOX Cutting Wheel

ITEM NO.	METRIC SYSTEM	INCH SYSTEM	SPECIFICATION
12003001	115x1.2x22mm	4-1/2"x1/21x7/8	WA60TBF
12003002	115x1.8x22mm	4-1/2"x1/14x7/8	WA60TBF
12003003	125x1.2x22mm	5"x1/21x7/8	WA46TBF
12003004	125x1.8x22mm	5"x1/14x7/8	WA46TBF
12003005	180x1.6x22mm	7"x1/16x7/8	WA46TBF
12003006	180x1.8x22mm	7"x1/14x7/8	WA46TBF
12003007	230x1.8x22mm	9"x1/14x7/8	WA46TBF
12003008	230x2.0x22mm	9"x1/12x7/8	WA46TBF



Metal Grinding Wheel

ITEM NO.	METRIC SYSTEM	INCH SYSTEM	SPECIFICATION
12101001	115x6x22mm	4-1/2"x1/4x7/8	A24SBF
12101002	125x6x22mm	5"x1/4x7/8	A24SBF
12101003	180x6x22mm	7"x1/4x7/8	A24SBF
12101004	230x6x22mm	9"x1/4x7/8	A24SBF



Stone Grinding Wheel

ITEM NO.	METRIC SYSTEM	INCH SYSTEM	SPECIFICATION
12102001	115x6x22mm	4-1/2"x1/4x7/8	C24RBF
12102002	125x6x22mm	5"x1/4x7/8	C24RBF
12102003	180x6x22mm	7"x1/4x7/8	C24RBF
12102004	230x6x22mm	9"x1/4x7/8	C24RBF





Wire Brushes

PROFI Wire brushes are used for cleaning surfaces, removing rust and paint.

WAVED STEEL WIRE		COPPERIZED WIRE		TWISTED STEEL WIRE		HAND WIRE
For Drill	For Angle Grinder	For Drill	For Angle Grinder	For Drill	For Angle Grinder	By Hand
						
Universal, versatile use. Removal of rust, paint, cement,... from metal, wood, stone, ...		Universal, versatile use. Removal of rust, paint, cement,... from metal, wood, stone, ... the copper coating prevents to rust.		Highly abrasive brush. For heavy duty, rough removal of rust, paint, ...		Light weight, ergonomic handles and high quality carbon brass coated steel all make the cleaning easier.

Crimped Wire Bowl Brush

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15001001	65	2-1/2	12500
15001002	75	3	12500
15001003	85	3-11/32	8500
15001004	100	4	8500
15001005	125	5	6500
15001006	150	6	4500



Packing:



Crimped Wire Bevel Brush

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15002001	85	3-11/32	12500
15002002	100	4	12500
15002003	115	4-1/2	12500
15002004	125	5	12500
15002005	150	6	12500



Crimped Wire Circular Brush

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15003001	75	3	8000
15003002	100	4	8000
15003003	125	5	6000
15003004	150	6	6000
15003005	175	7	4500
15003006	200	8	4500
15003007	250	10	4500
15003008	300	12	4500



ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15003011	75	3	4500
15003012	100	4	4500
15003013	125	5	4500
15003014	150	6	3750
15003015	175	7	3750
15003016	200	8	3750



Crimped Wire End Brush, Shaft-mounted

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15004001	12	15/32	4500
15004002	15	19/32	4500
15004003	19	3/4	4500
15004004	24	15/16	4500
15004005	28	1-1/8	4500



Packing:



Crimped Wire Cup Brush, Shaft-mounted

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15005001	50	2	4500
15005002	65	2-1/2	4500
15005003	75	3	4500
15005004	100	4	4500



Crimped Wire Wheel Brush, With 6mm Shank

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15006001	38	1-1/2	4500
15006002	50	2	4500
15006003	63	2-1/2	4500
15006004	75	3	4500
15006005	100	4	4500



HANDLE BRUSH

Hand Scratch Brush, With Plastic Handle

ITEM NO.	DIAMETER (mm) INCH(″)	
15007001	250	10





Twist Knotted Wire Cup Brush

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15101001	65	2-1/2	12500
15101002	75	3	8500
15101003	100	4	7000
15101004	125	5	6500
15101005	150	6	4500



Packing:



Twist Knotted Wire Bowl Brush

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15102001	65	2-1/2	12500
15102002	75	3	12500
15102003	85	3-11/32	12500
15102004	100	4	8500
15102005	125	5	6500
15102006	150	6	4500



Twist Knotted Bevel Brush

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15103001	85	3-11/32	12500
15103002	100	4	12500
15103003	115	4-1/2	12500
15103004	125	5	12500
15103005	150	6	12500



Twist Knotted Wheel Brush, Shaft-mounted

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15104001	75	3	12000
15104002	100	4	11000



ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15104011	75	3	12000
15104012	100	4	11000



Twist Knotted Cup Brush, Shaft-mounted

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15105001	50	2	12500
15105002	75	3	12500



Twist Knotted Wire Circular Brush

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15106001	100	4	11000
15106002	115	4-1/2	11000
15106003	125	5	11000
15106004	150	6	9000
15106005	178	7	9000



Packing:



ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15106011	75	3	12500
15106012	85	3-11/32	12500
15106013	100	4	11000
15106014	115	4-1/2	11000
15106015	125	5	11000
15106016	150	6	9000
15106017	178	7	9000
15106018	200	8	6000
15106019	220	8-11/16	4500
15106020	250	10	4500
15106021	300	12	4500



Abrasive Cup Brush, Shaft-mounted

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15201001	50	2	4500
15201002	65	2-1/2	4500
15201003	75	3	4500



Abrasive Wheel Brush, Shaft-mounted

ITEM NO.	DIAMETER (mm) INCH(″)		RPM
15202001	40	1-9/16	4500
15202002	50	2	4500
15202003	65	2-1/2	4500
15202004	75	3	4500
15202005	100	4	4500





PROFI offers the right sanding paper for every type of sander. Whether you're working with unfinished wood, painted wood, or varnished wood, each surface requires its own special preparation before you can paint successfully.


For all kinds of sanding work

RECTANGULAR SANDER	DELTA SANDER	PALM SANDER	CIRCULAR SANDER	BELT SANDER
				
				
G 40-240	G 40-240	G 40-240	G 40-240	G 40-180

Belt Sander

- Used for aggressive action on wood, rapid removal of material.
- Suitable for large surfaces.
- Can also be used for removing paints or finishing of wood.

ITEM NO.	SIZE	GRAIN	MATERIAL	ITEM NO.	SIZE	GRAIN	MATERIAL
16001001	75x533mm	40#	Aluminum Oxide	16002001	75x533mm	40#	Zirconium Corundum
16001002	75x533mm	60#		16002002	75x533mm	60#	
16001003	75x533mm	80#		16002003	75x533mm	80#	
16001004	75x533mm	100#		16002004	75x533mm	100#	
16001005	75x533mm	120#		16002005	75x533mm	120#	
16001006	75x533mm	150#		16002006	75x533mm	150#	
16001007	75x533mm	240#		16002007	75x533mm	240#	
16001008	100x560mm	40#		16002008	100x560mm	40#	
16001009	100x560mm	60#		16002009	100x560mm	60#	
16001010	100x560mm	80#		16002010	100x560mm	80#	
16001011	100x560mm	100#		16002011	100x560mm	100#	
16001012	100x560mm	120#		16002012	100x560mm	120#	
16001013	100x560mm	150#		16002013	100x560mm	150#	
16001014	100x560mm	240#		16002014	100x560mm	240#	
16001015	100x610mm	40#	Aluminum Oxide	16002015	100x610mm	40#	Zirconium Corundum
16001016	100x610mm	60#		16002016	100x610mm	60#	
16001017	100x610mm	80#		16002017	100x610mm	80#	
16001018	100x610mm	100#		16002018	100x610mm	100#	
16001019	100x610mm	120#		16002019	100x610mm	120#	
16001020	100x610mm	150#		16002020	100x610mm	150#	
16001021	100x610mm	240#		16002021	100x610mm	240#	



Belt Sander Roll

- Used for aggressive action on wood, rapid removal of material.
- Suitable for large surfaces.
- Can also be used for removing paints or finishing of wood.

ITEM NO.	SIZE	GRAIN	MATERIAL
16101001	115mm	40#	Aluminum Oxide
16101002	115mm	60#	
16101003	115mm	80#	
16101004	115mm	100#	
16101005	115mm	120#	
16101006	115mm	240#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16102001	115mm	40#	White Corundum
16102002	115mm	60#	
16102003	115mm	80#	
16102004	115mm	100#	
16102005	115mm	120#	
16102006	115mm	240#	



Circular Sander

- Used for sanding all kinds of large surfaces (flat, concave, ...)

ITEM NO.	SIZE	GRAIN	MATERIAL
16201001	115mm	40#	Aluminum Oxide
16201002	115mm	60#	
16201003	115mm	80#	
16201004	115mm	100#	
16201005	115mm	120#	
16201006	115mm	240#	
16201007	115mm	400#	
16201008	125mm	40#	
16201009	125mm	60#	
16201010	125mm	80#	
16201011	125mm	100#	
16201012	125mm	120#	
16201013	125mm	240#	
16201014	125mm	400#	
16201015	150mm	40#	White Corundum
16201016	150mm	60#	
16201017	150mm	80#	
16201018	150mm	100#	
16201019	150mm	120#	
16201020	150mm	240#	
16201021	150mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16202001	115mm	40#	White Corundum
16202002	115mm	60#	
16202003	115mm	80#	
16202004	115mm	100#	
16202005	115mm	120#	
16202006	115mm	240#	
16202007	115mm	400#	
16202008	125mm	40#	
16202009	125mm	60#	
16202010	125mm	80#	
16202011	125mm	100#	
16202012	125mm	120#	
16202013	125mm	240#	
16202014	125mm	400#	
16202015	150mm	40#	
16202016	150mm	60#	
16202017	150mm	80#	
16202018	150mm	100#	
16202019	150mm	120#	
16202020	150mm	240#	
16202021	150mm	400#	



Triangular Sander

- Used for sanding corners and precision sanding.

ITEM NO.	SIZE	GRAIN	MATERIAL
16301001	90x90x90mm	40#	Aluminum Oxide
16301002	90x90x90mm	60#	
16301003	90x90x90mm	80#	
16301004	90x90x90mm	100#	
16301005	90x90x90mm	120#	
16301006	90x90x90mm	240#	
16301007	90x90x90mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16302001	90x90x90mm	40#	White Corundum
16302002	90x90x90mm	60#	
16302003	90x90x90mm	80#	
16302004	90x90x90mm	100#	
16302005	90x90x90mm	120#	
16302006	90x90x90mm	240#	
16302007	90x90x90mm	400#	



ITEM NO.	SIZE	GRAIN	MATERIAL
16303001	80x80x80mm	40#	Aluminum Oxide
16303002	80x80x80mm	60#	
16303003	80x80x80mm	80#	
16303004	80x80x80mm	100#	
16303005	80x80x80mm	120#	
16303006	80x80x80mm	240#	
16303007	80x80x80mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16304001	80x80x80mm	40#	White Corundum
16304002	80x80x80mm	60#	
16304003	80x80x80mm	80#	
16304004	80x80x80mm	100#	
16304005	80x80x80mm	120#	
16304006	80x80x80mm	240#	
16304007	80x80x80mm	400#	





Rectangular Sander


- Most commonly used for all kinds of sanding jobs.
- Suitable for larger flat surfaces and fine finishing.

ITEM NO.	SIZE	GRAIN	MATERIAL
16401001	115x230mm	40#	Aluminum Oxide
16401002	115x230mm	60#	
16401003	115x230mm	80#	
16401004	115x230mm	100#	
16401005	115x230mm	120#	
16401006	115x230mm	240#	
16401007	115x230mm	400#	
16401008	115x107mm	40#	
16401009	115x107mm	60#	
16401010	115x107mm	80#	
16401011	115x107mm	100#	
16401012	115x107mm	120#	
16401013	115x107mm	240#	
16401014	115x107mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16403001	93x185mm	40#	Aluminum Oxide
16403002	93x185mm	60#	
16403003	93x185mm	80#	
16403004	93x185mm	100#	
16403005	93x185mm	120#	
16403006	93x185mm	240#	
16403007	93x185mm	400#	
16403008	115x140mm	40#	
16403009	115x140mm	60#	
16403010	115x140mm	80#	
16403011	115x140mm	100#	
16403012	115x140mm	120#	
16403013	115x140mm	240#	
16403014	115x140mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16402001	115x230mm	40#	White Corundum
16402002	115x230mm	60#	
16402003	115x230mm	80#	
16402004	115x230mm	100#	
16402005	115x230mm	120#	
16402006	115x230mm	240#	
16402007	115x230mm	400#	
16402008	115x107mm	40#	
16402009	115x107mm	60#	
16402010	115x107mm	80#	
16402011	115x107mm	100#	
16402012	115x107mm	120#	
16402013	115x107mm	240#	
16402014	115x107mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16404001	93x185mm	40#	White Corundum
16404002	93x185mm	60#	
16404003	93x185mm	80#	
16404004	93x185mm	100#	
16404005	93x185mm	120#	
16404006	93x185mm	240#	
16404007	93x185mm	400#	
16404008	115x140mm	40#	
16404009	115x140mm	60#	
16404010	115x140mm	80#	
16404011	115x140mm	100#	
16404012	115x140mm	120#	
16404013	115x140mm	240#	
16404014	115x140mm	400#	



Palm Sander

- Used for sanding corners and precision sanding.

ITEM NO.	SIZE	GRAIN	MATERIAL
16501001	140x140x80mm	40#	Aluminum Oxide
16501002	140x140x80mm	60#	
16501003	140x140x80mm	80#	
16501004	140x140x80mm	100#	
16501005	140x140x80mm	120#	
16501006	140x140x80mm	240#	
16501007	140x140x80mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16502001	140x140x80mm	40#	White Corundum
16502002	140x140x80mm	60#	
16502003	140x140x80mm	80#	
16502004	140x140x80mm	100#	
16502005	140x140x80mm	120#	
16502006	140x140x80mm	240#	
16502007	140x140x80mm	400#	



Finger Sander


- Used for sanding corners and precision sanding.

ITEM NO.	SIZE	GRAIN	MATERIAL
16601001	51x37mm	40#	Aluminum Oxide
16601002	51x37mm	60#	
16601003	51x37mm	80#	
16601004	51x37mm	100#	
16601005	51x37mm	120#	
16601006	51x37mm	240#	
16601007	51x37mm	400#	

ITEM NO.	SIZE	GRAIN	MATERIAL
16602001	51x37mm	40#	White Corundum
16602002	51x37mm	60#	
16602003	51x37mm	80#	
16602004	51x37mm	100#	
16602005	51x37mm	120#	
16602006	51x37mm	240#	
16602007	51x37mm	400#	



PROFI offers the right sanding paper for every type of sander. Whether you're working with unfinished wood, painted wood, or varnished wood, each surface requires its own special preparation before you can paint successfully.

ANGLE GRINDER	ANGLE GRINDER	SILICON GRINDING WHEEL	RUBBER PAD
			
			
G36-120	G36-120		

Grain Size Table

Coarse(Rapid removal of material)

40Gpi

Medium(Sanding bare wood in preparation for finishing, for gentle removal of varnish)

60Gpi

80Gpi

Fine(Sanding bare wood in preparation for finishing, not suitable for removing varnish or paint from wood, use for cleaning plaster and water stain from wood)

120Gpi

Very Fine(Sanding of bare wood)

180Gpi


240Gpi



Abrasive Flap Discs

- For use on angle grinders.

ITEM NO.	SIZE	GRAIN	MATERIAL	ITEM NO.	SIZE	GRAIN	MATERIAL
16701001	115mm	36#	G XK-51	16704001	125mm	36#	G XK-51
16701002	115mm	40#		16704002	125mm	40#	
16701003	115mm	60#		16704003	125mm	60#	
16701004	115mm	80#		16704004	125mm	80#	
16701005	115mm	>120#		16704005	125mm	>120#	
16702001	115mm	36#	K X663	16705001	125mm	36#	K X663
16702002	115mm	40#		16705002	125mm	40#	
16702003	115mm	60#		16705003	125mm	60#	
16702004	115mm	80#		16705004	125mm	80#	
16702005	115mm	>120#		16705005	125mm	>120#	
16703001	115mm	36#	Turkey	16706001	125mm	36#	Turkey
16703002	115mm	40#		16706002	125mm	40#	
16703003	115mm	50#		16706003	125mm	50#	
16703004	115mm	60#		16706004	125mm	60#	
16703005	115mm	80#		16706005	125mm	80#	
16703006	115mm	>120#		16706006	125mm	>120#	



Fiber Polishing Wheel

- For use on angle grinders.

ITEM NO.	DIAMETER (mm)	INCH(″)	THICKNESS
16801001	125	5	15-18mm



Polishing Pad

- Used to apply polishing cream on lacker surfaces.

ITEM NO.	DIAMETER (mm)	INCH(″)	MATERIAL
16901001	115	4-1/2	rubber
16901002	125	5	
16901003	150	6	

