

English Specification (Weight) Table for Rectangular Steel Pipe - Yuantai Derun Steel Pipe Group

|  |
|--|
| 10X15X0.5MM RECTANGULAR STEEL PIPE (0.19KG/M)  |
| 10X15X0.75MM RECTANGULAR STEEL PIPE (0.28KG/M) |
| 10X15X1MM RECTANGULAR STEEL PIPE (0.37KG/M)    |
| 10X15X1.25MM RECTANGULAR STEEL PIPE (0.45KG/M) |
| 10X15X1.5MM RECTANGULAR STEEL PIPE (0.53KG/M)  |
| 10X15X1.75MM RECTANGULAR STEEL PIPE (0.61KG/M) |
| 10X15X2MM RECTANGULAR STEEL PIPE (0.69KG/M)    |
| 20X30X1.3MM RECTANGULAR STEEL PIPE (0.98KG/M)  |
| 20X30X1.4MM RECTANGULAR STEEL PIPE (1.05KG/M)  |
| 20X30X1.5MM RECTANGULAR STEEL PIPE (1.12KG/M)  |
| 20X30X1.7MM RECTANGULAR STEEL PIPE (1.26KG/M)  |
| 20X30X1.8MM RECTANGULAR STEEL PIPE (1.33KG/M)  |
| 20X30X2MM RECTANGULAR STEEL PIPE (1.47KG/M)    |
| 20X30X2.2MM RECTANGULAR STEEL PIPE (1.61KG/M)  |
| 20X30X2.5MM RECTANGULAR STEEL PIPE (1.81KG/M)  |
| 20X30X2.75MM RECTANGULAR STEEL PIPE (1.97KG/M) |
| 20X30X3MM RECTANGULAR STEEL PIPE (2.13KG/M)    |
| 20X40X1.3MM RECTANGULAR STEEL PIPE (1.18KG/M)  |
| 20X40X1.4MM RECTANGULAR STEEL PIPE (1.27KG/M)  |
| 20X40X1.5MM RECTANGULAR STEEL PIPE (1.36KG/M)  |
| 20X40X1.7MM RECTANGULAR STEEL PIPE (1.53KG/M)  |
| 20X40X1.8MM RECTANGULAR STEEL PIPE (1.62KG/M)  |
| 20X40X2MM RECTANGULAR STEEL PIPE (1.79KG/M)    |
| 20X40X2.2MM RECTANGULAR STEEL PIPE (1.95KG/M)  |
| 20X40X2.5MM RECTANGULAR STEEL PIPE (2.2KG/M)   |
| 20X40X2.75MM RECTANGULAR STEEL PIPE (2.41KG/M) |
| 20X40X3MM RECTANGULAR STEEL PIPE (2.61KG/M)    |
| 20X40X3.25MM RECTANGULAR STEEL PIPE (2.8KG/M)  |
| 20X40X3.5MM RECTANGULAR STEEL PIPE (3KG/M)     |
| 20X40X3.75MM RECTANGULAR STEEL PIPE (3.19KG/M) |
| 20X40X4MM RECTANGULAR STEEL PIPE (3.38KG/M)    |
| 25X40X1.3MM RECTANGULAR STEEL PIPE (1.29KG/M)  |
| 25X40X1.4MM RECTANGULAR STEEL PIPE (1.38KG/M)  |
| 25X40X1.5MM RECTANGULAR STEEL PIPE (1.48KG/M)  |
| 25X40X1.7MM RECTANGULAR STEEL PIPE (1.66KG/M)  |
| 25X40X1.8MM RECTANGULAR STEEL PIPE (1.76KG/M)  |
| 25X40X2MM RECTANGULAR STEEL PIPE (1.94KG/M)    |
| 25X40X2.2MM RECTANGULAR STEEL PIPE (2.13KG/M)  |
| 25X40X2.5MM RECTANGULAR STEEL PIPE (2.4KG/M)   |
| 25X40X2.75MM RECTANGULAR STEEL PIPE (2.62KG/M) |
| 25X40X3MM RECTANGULAR STEEL PIPE (2.84KG/M)    |
| 25X40X3.25MM RECTANGULAR STEEL PIPE (3.06KG/M) |
| 25X40X3.5MM RECTANGULAR STEEL PIPE (3.27KG/M)  |
| 25X40X3.75MM RECTANGULAR STEEL PIPE (3.48KG/M) |
| 25X40X4MM RECTANGULAR STEEL PIPE (3.69KG/M)    |
| 30X40X1.3MM RECTANGULAR STEEL PIPE (1.39KG/M)  |
| 30X40X1.4MM RECTANGULAR STEEL PIPE (1.49KG/M)  |
| 30X40X1.5MM RECTANGULAR STEEL PIPE (1.59KG/M)  |
| 30X40X1.7MM RECTANGULAR STEEL PIPE (1.8KG/M)   |
| 30X40X1.8MM RECTANGULAR STEEL PIPE (1.9KG/M)   |
| 30X40X2MM RECTANGULAR STEEL PIPE (2.1KG/M)     |
| 30X40X2.2MM RECTANGULAR STEEL PIPE (2.3KG/M)   |
| 30X40X2.5MM RECTANGULAR STEEL PIPE (2.59KG/M)  |
| 30X40X2.75MM RECTANGULAR STEEL PIPE (2.84KG/M) |
| 30X40X3MM RECTANGULAR STEEL PIPE (3.08KG/M)    |

|  |
|--|
| 30X40X3.25MM RECTANGULAR STEEL PIPE (3.31KG/M) |
| 30X40X3.5MM RECTANGULAR STEEL PIPE (3.55KG/M)  |
| 30X40X3.75MM RECTANGULAR STEEL PIPE (3.78KG/M) |
| 30X40X4MM RECTANGULAR STEEL PIPE (4KG/M)       |
| 25X50X1.3MM RECTANGULAR STEEL PIPE (1.49KG/M)  |
| 25X50X1.4MM RECTANGULAR STEEL PIPE (1.6KG/M)   |
| 25X50X1.5MM RECTANGULAR STEEL PIPE (1.71KG/M)  |
| 25X50X1.7MM RECTANGULAR STEEL PIPE (1.93KG/M)  |
| 25X50X1.8MM RECTANGULAR STEEL PIPE (2.04KG/M)  |
| 25X50X2MM RECTANGULAR STEEL PIPE (2.26KG/M)    |
| 25X50X2.2MM RECTANGULAR STEEL PIPE (2.47KG/M)  |
| 25X50X2.5MM RECTANGULAR STEEL PIPE (2.79KG/M)  |
| 25X50X2.75MM RECTANGULAR STEEL PIPE (3.05KG/M) |
| 25X50X3MM RECTANGULAR STEEL PIPE (3.31KG/M)    |
| 25X50X3.25MM RECTANGULAR STEEL PIPE (3.57KG/M) |
| 25X50X3.5MM RECTANGULAR STEEL PIPE (3.82KG/M)  |
| 25X50X3.75MM RECTANGULAR STEEL PIPE (4.07KG/M) |
| 25X50X4MM RECTANGULAR STEEL PIPE (4.32KG/M)    |
| 25X50X4.25MM RECTANGULAR STEEL PIPE (4.56KG/M) |
| 25X50X4.5MM RECTANGULAR STEEL PIPE (4.8KG/M)   |
| 25X50X4.75MM RECTANGULAR STEEL PIPE (5.04KG/M) |
| 25X50X5MM RECTANGULAR STEEL PIPE (5.27KG/M)    |
| 25X50X5.25MM RECTANGULAR STEEL PIPE (5.51KG/M) |
| 25X50X5.5MM RECTANGULAR STEEL PIPE (5.73KG/M)  |
| 25X50X5.75MM RECTANGULAR STEEL PIPE (5.96KG/M) |
| 25X50X6MM RECTANGULAR STEEL PIPE (6.18KG/M)    |
| 25X50X6.3MM RECTANGULAR STEEL PIPE (6.44KG/M)  |
| 30X50X1.3MM RECTANGULAR STEEL PIPE (1.59KG/M)  |
| 30X50X1.4MM RECTANGULAR STEEL PIPE (1.71KG/M)  |
| 30X50X1.5MM RECTANGULAR STEEL PIPE (1.83KG/M)  |
| 30X50X1.7MM RECTANGULAR STEEL PIPE (2.07KG/M)  |
| 30X50X1.8MM RECTANGULAR STEEL PIPE (2.18KG/M)  |
| 30X50X2MM RECTANGULAR STEEL PIPE (2.41KG/M)    |
| 30X50X2.2MM RECTANGULAR STEEL PIPE (2.65KG/M)  |
| 30X50X2.5MM RECTANGULAR STEEL PIPE (2.99KG/M)  |
| 30X50X2.75MM RECTANGULAR STEEL PIPE (3.27KG/M) |
| 30X50X3MM RECTANGULAR STEEL PIPE (3.55KG/M)    |
| 30X50X3.25MM RECTANGULAR STEEL PIPE (3.82KG/M) |
| 30X50X3.5MM RECTANGULAR STEEL PIPE (4.1KG/M)   |
| 30X50X3.75MM RECTANGULAR STEEL PIPE (4.37KG/M) |
| 30X50X4MM RECTANGULAR STEEL PIPE (4.63KG/M)    |
| 30X50X4.25MM RECTANGULAR STEEL PIPE (4.9KG/M)  |
| 30X50X4.5MM RECTANGULAR STEEL PIPE (5.16KG/M)  |
| 30X50X4.75MM RECTANGULAR STEEL PIPE (5.41KG/M) |
| 30X50X5MM RECTANGULAR STEEL PIPE (5.67KG/M)    |
| 30X50X5.25MM RECTANGULAR STEEL PIPE (5.92KG/M) |
| 30X50X5.5MM RECTANGULAR STEEL PIPE (6.17KG/M)  |
| 30X50X5.75MM RECTANGULAR STEEL PIPE (6.41KG/M) |
| 30X50X6MM RECTANGULAR STEEL PIPE (6.65KG/M)    |
| 30X50X6.3MM RECTANGULAR STEEL PIPE (6.94KG/M)  |
| 30X60X1.3MM RECTANGULAR STEEL PIPE (1.8KG/M)   |
| 30X60X1.4MM RECTANGULAR STEEL PIPE (1.93KG/M)  |
| 30X60X1.5MM RECTANGULAR STEEL PIPE (2.07KG/M)  |
| 30X60X1.7MM RECTANGULAR STEEL PIPE (2.33KG/M)  |
| 30X60X1.8MM RECTANGULAR STEEL PIPE (2.46KG/M)  |
| 30X60X2MM RECTANGULAR STEEL PIPE (2.73KG/M)    |
| 30X60X2.2MM RECTANGULAR STEEL PIPE (2.99KG/M)  |

|  |
|--|
| 30X60X2.5MM RECTANGULAR STEEL PIPE (3.38KG/M)  |
| 30X60X2.75MM RECTANGULAR STEEL PIPE (3.7KG/M)  |
| 30X60X3MM RECTANGULAR STEEL PIPE (4.02KG/M)    |
| 30X60X3.25MM RECTANGULAR STEEL PIPE (4.33KG/M) |
| 30X60X3.5MM RECTANGULAR STEEL PIPE (4.65KG/M)  |
| 30X60X3.75MM RECTANGULAR STEEL PIPE (4.95KG/M) |
| 30X60X4MM RECTANGULAR STEEL PIPE (5.26KG/M)    |
| 30X60X4.25MM RECTANGULAR STEEL PIPE (5.56KG/M) |
| 30X60X4.5MM RECTANGULAR STEEL PIPE (5.86KG/M)  |
| 30X60X4.75MM RECTANGULAR STEEL PIPE (6.16KG/M) |
| 30X60X5MM RECTANGULAR STEEL PIPE (6.45KG/M)    |
| 30X60X5.25MM RECTANGULAR STEEL PIPE (6.74KG/M) |
| 30X60X5.5MM RECTANGULAR STEEL PIPE (7.03KG/M)  |
| 30X60X5.75MM RECTANGULAR STEEL PIPE (7.31KG/M) |
| 30X60X6MM RECTANGULAR STEEL PIPE (7.59KG/M)    |
| 30X60X6.3MM RECTANGULAR STEEL PIPE (7.93KG/M)  |
| 40X50X1.3MM RECTANGULAR STEEL PIPE (1.8KG/M)   |
| 40X50X1.4MM RECTANGULAR STEEL PIPE (1.93KG/M)  |
| 40X50X1.5MM RECTANGULAR STEEL PIPE (2.07KG/M)  |
| 40X50X1.7MM RECTANGULAR STEEL PIPE (2.33KG/M)  |
| 40X50X1.8MM RECTANGULAR STEEL PIPE (2.46KG/M)  |
| 40X50X2MM RECTANGULAR STEEL PIPE (2.73KG/M)    |
| 40X50X2.2MM RECTANGULAR STEEL PIPE (2.99KG/M)  |
| 40X50X2.5MM RECTANGULAR STEEL PIPE (3.38KG/M)  |
| 40X50X2.75MM RECTANGULAR STEEL PIPE (3.7KG/M)  |
| 40X50X3MM RECTANGULAR STEEL PIPE (4.02KG/M)    |
| 40X50X3.25MM RECTANGULAR STEEL PIPE (4.33KG/M) |
| 40X50X3.5MM RECTANGULAR STEEL PIPE (4.65KG/M)  |
| 40X50X3.75MM RECTANGULAR STEEL PIPE (4.95KG/M) |
| 40X50X4MM RECTANGULAR STEEL PIPE (5.26KG/M)    |
| 40X50X4.25MM RECTANGULAR STEEL PIPE (5.56KG/M) |
| 40X50X4.5MM RECTANGULAR STEEL PIPE (5.86KG/M)  |
| 40X50X4.75MM RECTANGULAR STEEL PIPE (6.16KG/M) |
| 40X50X5MM RECTANGULAR STEEL PIPE (6.45KG/M)    |
| 40X50X5.25MM RECTANGULAR STEEL PIPE (6.74KG/M) |
| 40X50X5.5MM RECTANGULAR STEEL PIPE (7.03KG/M)  |
| 40X50X5.75MM RECTANGULAR STEEL PIPE (7.31KG/M) |
| 40X50X6MM RECTANGULAR STEEL PIPE (7.59KG/M)    |
| 40X50X6.3MM RECTANGULAR STEEL PIPE (7.93KG/M)  |
| 40X60X1.3MM RECTANGULAR STEEL PIPE (2KG/M)     |
| 40X60X1.4MM RECTANGULAR STEEL PIPE (2.15KG/M)  |
| 40X60X1.5MM RECTANGULAR STEEL PIPE (2.3KG/M)   |
| 40X60X1.7MM RECTANGULAR STEEL PIPE (2.6KG/M)   |
| 40X60X1.8MM RECTANGULAR STEEL PIPE (2.75KG/M)  |
| 40X60X2MM RECTANGULAR STEEL PIPE (3.04KG/M)    |
| 40X60X2.2MM RECTANGULAR STEEL PIPE (3.34KG/M)  |
| 40X60X2.5MM RECTANGULAR STEEL PIPE (3.77KG/M)  |
| 40X60X2.75MM RECTANGULAR STEEL PIPE (4.13KG/M) |
| 40X60X3MM RECTANGULAR STEEL PIPE (4.49KG/M)    |
| 40X60X3.25MM RECTANGULAR STEEL PIPE (4.84KG/M) |
| 40X60X3.5MM RECTANGULAR STEEL PIPE (5.2KG/M)   |
| 40X60X3.75MM RECTANGULAR STEEL PIPE (5.54KG/M) |
| 40X60X4MM RECTANGULAR STEEL PIPE (5.89KG/M)    |
| 40X60X4.25MM RECTANGULAR STEEL PIPE (6.23KG/M) |
| 40X60X4.5MM RECTANGULAR STEEL PIPE (6.57KG/M)  |
| 40X60X4.75MM RECTANGULAR STEEL PIPE (6.9KG/M)  |
| 40X60X5MM RECTANGULAR STEEL PIPE (7.24KG/M)    |

|   |
|---|
| 40X60X5.25MM RECTANGULAR STEEL PIPE (7.57KG/M)  |
| 40X60X5.5MM RECTANGULAR STEEL PIPE (7.89KG/M)   |
| 40X60X5.75MM RECTANGULAR STEEL PIPE (8.22KG/M)  |
| 40X60X6MM RECTANGULAR STEEL PIPE (8.54KG/M)     |
| 40X60X6.3MM RECTANGULAR STEEL PIPE (8.92KG/M)   |
| 40X80X1.3MM RECTANGULAR STEEL PIPE (2.41KG/M)   |
| 40X80X1.5MM RECTANGULAR STEEL PIPE (2.77KG/M)   |
| 40X80X1.7MM RECTANGULAR STEEL PIPE (3.13KG/M)   |
| 40X80X1.8MM RECTANGULAR STEEL PIPE (3.31KG/M)   |
| 40X80X2MM RECTANGULAR STEEL PIPE (3.67KG/M)     |
| 40X80X2.2MM RECTANGULAR STEEL PIPE (4.03KG/M)   |
| 40X80X2.5MM RECTANGULAR STEEL PIPE (4.56KG/M)   |
| 40X80X2.75MM RECTANGULAR STEEL PIPE (5KG/M)     |
| 40X80X3MM RECTANGULAR STEEL PIPE (5.43KG/M)     |
| 40X80X3.25MM RECTANGULAR STEEL PIPE (5.87KG/M)  |
| 40X80X3.5MM RECTANGULAR STEEL PIPE (6.3KG/M)    |
| 40X80X3.75MM RECTANGULAR STEEL PIPE (6.72KG/M)  |
| 40X80X4MM RECTANGULAR STEEL PIPE (7.15KG/M)     |
| 40X80X4.25MM RECTANGULAR STEEL PIPE (7.57KG/M)  |
| 40X80X4.5MM RECTANGULAR STEEL PIPE (7.98KG/M)   |
| 40X80X4.75MM RECTANGULAR STEEL PIPE (8.4KG/M)   |
| 40X80X5MM RECTANGULAR STEEL PIPE (8.81KG/M)     |
| 40X80X5.25MM RECTANGULAR STEEL PIPE (9.22KG/M)  |
| 40X80X5.5MM RECTANGULAR STEEL PIPE (9.62KG/M)   |
| 40X80X5.75MM RECTANGULAR STEEL PIPE (10.02KG/M) |
| 40X80X6MM RECTANGULAR STEEL PIPE (10.42KG/M)    |
| 50X70X1.3MM RECTANGULAR STEEL PIPE (2.41KG/M)   |
| 50X70X1.5MM RECTANGULAR STEEL PIPE (2.77KG/M)   |
| 50X70X1.7MM RECTANGULAR STEEL PIPE (3.13KG/M)   |
| 50X70X1.8MM RECTANGULAR STEEL PIPE (3.31KG/M)   |
| 50X70X2MM RECTANGULAR STEEL PIPE (3.67KG/M)     |
| 50X70X2.2MM RECTANGULAR STEEL PIPE (4.03KG/M)   |
| 50X70X2.5MM RECTANGULAR STEEL PIPE (4.56KG/M)   |
| 50X70X2.75MM RECTANGULAR STEEL PIPE (5KG/M)     |
| 50X70X3MM RECTANGULAR STEEL PIPE (5.43KG/M)     |
| 50X70X3.25MM RECTANGULAR STEEL PIPE (5.87KG/M)  |
| 50X70X3.5MM RECTANGULAR STEEL PIPE (6.3KG/M)    |
| 50X70X3.75MM RECTANGULAR STEEL PIPE (6.72KG/M)  |
| 50X70X4MM RECTANGULAR STEEL PIPE (7.15KG/M)     |
| 50X70X4.25MM RECTANGULAR STEEL PIPE (7.57KG/M)  |
| 50X70X4.5MM RECTANGULAR STEEL PIPE (7.98KG/M)   |
| 50X70X4.75MM RECTANGULAR STEEL PIPE (8.4KG/M)   |
| 50X70X5MM RECTANGULAR STEEL PIPE (8.81KG/M)     |
| 50X70X5.25MM RECTANGULAR STEEL PIPE (9.22KG/M)  |
| 50X70X5.5MM RECTANGULAR STEEL PIPE (9.62KG/M)   |
| 50X70X5.75MM RECTANGULAR STEEL PIPE (10.02KG/M) |
| 50X70X6MM RECTANGULAR STEEL PIPE (10.42KG/M)    |
| 50X80X1.3MM RECTANGULAR STEEL PIPE (2.61KG/M)   |
| 50X80X1.5MM RECTANGULAR STEEL PIPE (3.01KG/M)   |
| 50X80X1.7MM RECTANGULAR STEEL PIPE (3.4KG/M)    |
| 50X80X1.8MM RECTANGULAR STEEL PIPE (3.6KG/M)    |
| 50X80X2MM RECTANGULAR STEEL PIPE (3.99KG/M)     |
| 50X80X2.2MM RECTANGULAR STEEL PIPE (4.37KG/M)   |
| 50X80X2.5MM RECTANGULAR STEEL PIPE (4.95KG/M)   |
| 50X80X2.75MM RECTANGULAR STEEL PIPE (5.43KG/M)  |
| 50X80X3MM RECTANGULAR STEEL PIPE (5.9KG/M)      |
| 50X80X3.25MM RECTANGULAR STEEL PIPE (6.38KG/M)  |

|  |
|--|
| 50X80X3.5MM RECTANGULAR STEEL PIPE (6.85KG/M)    |
| 50X80X3.75MM RECTANGULAR STEEL PIPE (7.31KG/M)   |
| 50X80X4MM RECTANGULAR STEEL PIPE (7.77KG/M)      |
| 50X80X4.25MM RECTANGULAR STEEL PIPE (8.23KG/M)   |
| 50X80X4.5MM RECTANGULAR STEEL PIPE (8.69KG/M)    |
| 50X80X4.75MM RECTANGULAR STEEL PIPE (9.14KG/M)   |
| 50X80X5MM RECTANGULAR STEEL PIPE (9.59KG/M)      |
| 50X80X5.25MM RECTANGULAR STEEL PIPE (10.04KG/M)  |
| 50X80X5.5MM RECTANGULAR STEEL PIPE (10.49KG/M)   |
| 50X80X5.75MM RECTANGULAR STEEL PIPE (10.93KG/M)  |
| 50X80X6MM RECTANGULAR STEEL PIPE (11.36KG/M)     |
| 40X100X1.3MM RECTANGULAR STEEL PIPE (2.82KG/M)   |
| 40X100X1.5MM RECTANGULAR STEEL PIPE (3.24KG/M)   |
| 40X100X1.7MM RECTANGULAR STEEL PIPE (3.67KG/M)   |
| 40X100X1.8MM RECTANGULAR STEEL PIPE (3.88KG/M)   |
| 40X100X2MM RECTANGULAR STEEL PIPE (4.3KG/M)      |
| 40X100X2.2MM RECTANGULAR STEEL PIPE (4.72KG/M)   |
| 40X100X2.5MM RECTANGULAR STEEL PIPE (5.34KG/M)   |
| 40X100X2.75MM RECTANGULAR STEEL PIPE (5.86KG/M)  |
| 40X100X3MM RECTANGULAR STEEL PIPE (6.38KG/M)     |
| 40X100X3.25MM RECTANGULAR STEEL PIPE (6.89KG/M)  |
| 40X100X3.5MM RECTANGULAR STEEL PIPE (7.39KG/M)   |
| 40X100X3.75MM RECTANGULAR STEEL PIPE (7.9KG/M)   |
| 40X100X4MM RECTANGULAR STEEL PIPE (8.4KG/M)      |
| 40X100X4.25MM RECTANGULAR STEEL PIPE (8.9KG/M)   |
| 40X100X4.5MM RECTANGULAR STEEL PIPE (9.4KG/M)    |
| 40X100X4.75MM RECTANGULAR STEEL PIPE (9.89KG/M)  |
| 40X100X5MM RECTANGULAR STEEL PIPE (10.38KG/M)    |
| 40X100X5.25MM RECTANGULAR STEEL PIPE (10.87KG/M) |
| 40X100X5.5MM RECTANGULAR STEEL PIPE (11.35KG/M)  |
| 40X100X5.75MM RECTANGULAR STEEL PIPE (11.83KG/M) |
| 40X100X6MM RECTANGULAR STEEL PIPE (12.31KG/M)    |
| 40X100X6.3MM RECTANGULAR STEEL PIPE (12.88KG/M)  |
| 60X80X1.3MM RECTANGULAR STEEL PIPE (2.82KG/M)    |
| 60X80X1.5MM RECTANGULAR STEEL PIPE (3.24KG/M)    |
| 60X80X1.7MM RECTANGULAR STEEL PIPE (3.67KG/M)    |
| 60X80X1.8MM RECTANGULAR STEEL PIPE (3.88KG/M)    |
| 60X80X2MM RECTANGULAR STEEL PIPE (4.3KG/M)       |
| 60X80X2.2MM RECTANGULAR STEEL PIPE (4.72KG/M)    |
| 60X80X2.5MM RECTANGULAR STEEL PIPE (5.34KG/M)    |
| 60X80X2.75MM RECTANGULAR STEEL PIPE (5.86KG/M)   |
| 60X80X3MM RECTANGULAR STEEL PIPE (6.38KG/M)      |
| 60X80X3.25MM RECTANGULAR STEEL PIPE (6.89KG/M)   |
| 60X80X3.5MM RECTANGULAR STEEL PIPE (7.39KG/M)    |
| 60X80X3.75MM RECTANGULAR STEEL PIPE (7.9KG/M)    |
| 60X80X4MM RECTANGULAR STEEL PIPE (8.4KG/M)       |
| 60X80X4.25MM RECTANGULAR STEEL PIPE (8.9KG/M)    |
| 60X80X4.5MM RECTANGULAR STEEL PIPE (9.4KG/M)     |
| 60X80X4.75MM RECTANGULAR STEEL PIPE (9.89KG/M)   |
| 60X80X5MM RECTANGULAR STEEL PIPE (10.38KG/M)     |
| 60X80X5.25MM RECTANGULAR STEEL PIPE (10.87KG/M)  |
| 60X80X5.5MM RECTANGULAR STEEL PIPE (11.35KG/M)   |
| 60X80X5.75MM RECTANGULAR STEEL PIPE (11.83KG/M)  |
| 60X80X6MM RECTANGULAR STEEL PIPE (12.31KG/M)     |
| 60X80X6.3MM RECTANGULAR STEEL PIPE (12.88KG/M)   |
| 50X100X1.3MM RECTANGULAR STEEL PIPE (3.02KG/M)   |
| 50X100X1.5MM RECTANGULAR STEEL PIPE (3.48KG/M)   |

|  |
|--|
| 50X100X1.7MM RECTANGULAR STEEL PIPE (3.93KG/M)   |
| 50X100X1.8MM RECTANGULAR STEEL PIPE (4.16KG/M)   |
| 50X100X2MM RECTANGULAR STEEL PIPE (4.61KG/M)     |
| 50X100X2.2MM RECTANGULAR STEEL PIPE (5.06KG/M)   |
| 50X100X2.5MM RECTANGULAR STEEL PIPE (5.74KG/M)   |
| 50X100X2.75MM RECTANGULAR STEEL PIPE (6.29KG/M)  |
| 50X100X3MM RECTANGULAR STEEL PIPE (6.85KG/M)     |
| 50X100X3.25MM RECTANGULAR STEEL PIPE (7.4KG/M)   |
| 50X100X3.5MM RECTANGULAR STEEL PIPE (7.94KG/M)   |
| 50X100X3.75MM RECTANGULAR STEEL PIPE (8.49KG/M)  |
| 50X100X4MM RECTANGULAR STEEL PIPE (9.03KG/M)     |
| 50X100X4.25MM RECTANGULAR STEEL PIPE (9.57KG/M)  |
| 50X100X4.5MM RECTANGULAR STEEL PIPE (10.1KG/M)   |
| 50X100X4.75MM RECTANGULAR STEEL PIPE (10.64KG/M) |
| 50X100X5MM RECTANGULAR STEEL PIPE (11.16KG/M)    |
| 50X100X5.25MM RECTANGULAR STEEL PIPE (11.69KG/M) |
| 50X100X5.5MM RECTANGULAR STEEL PIPE (12.21KG/M)  |
| 50X100X5.75MM RECTANGULAR STEEL PIPE (12.73KG/M) |
| 50X100X6MM RECTANGULAR STEEL PIPE (13.25KG/M)    |
| 50X100X6.3MM RECTANGULAR STEEL PIPE (13.87KG/M)  |
| 50X100X6.5MM RECTANGULAR STEEL PIPE (14.27KG/M)  |
| 50X100X6.75MM RECTANGULAR STEEL PIPE (14.78KG/M) |
| 50X100X7MM RECTANGULAR STEEL PIPE (15.28KG/M)    |
| 50X100X7.25MM RECTANGULAR STEEL PIPE (15.79KG/M) |
| 50X100X7.5MM RECTANGULAR STEEL PIPE (16.28KG/M)  |
| 50X100X7.75MM RECTANGULAR STEEL PIPE (16.78KG/M) |
| 50X100X8MM RECTANGULAR STEEL PIPE (17.27KG/M)    |
| 60X90X1.3MM RECTANGULAR STEEL PIPE (3.02KG/M)    |
| 60X90X1.5MM RECTANGULAR STEEL PIPE (3.48KG/M)    |
| 60X90X1.7MM RECTANGULAR STEEL PIPE (3.93KG/M)    |
| 60X90X1.8MM RECTANGULAR STEEL PIPE (4.16KG/M)    |
| 60X90X2MM RECTANGULAR STEEL PIPE (4.61KG/M)      |
| 60X90X2.2MM RECTANGULAR STEEL PIPE (5.06KG/M)    |
| 60X90X2.5MM RECTANGULAR STEEL PIPE (5.74KG/M)    |
| 60X90X2.75MM RECTANGULAR STEEL PIPE (6.29KG/M)   |
| 60X90X3MM RECTANGULAR STEEL PIPE (6.85KG/M)      |
| 60X90X3.25MM RECTANGULAR STEEL PIPE (7.4KG/M)    |
| 60X90X3.5MM RECTANGULAR STEEL PIPE (7.94KG/M)    |
| 60X90X3.75MM RECTANGULAR STEEL PIPE (8.49KG/M)   |
| 60X90X4MM RECTANGULAR STEEL PIPE (9.03KG/M)      |
| 60X90X4.25MM RECTANGULAR STEEL PIPE (9.57KG/M)   |
| 60X90X4.5MM RECTANGULAR STEEL PIPE (10.1KG/M)    |
| 60X90X4.75MM RECTANGULAR STEEL PIPE (10.64KG/M)  |
| 60X90X5MM RECTANGULAR STEEL PIPE (11.16KG/M)     |
| 60X90X5.25MM RECTANGULAR STEEL PIPE (11.69KG/M)  |
| 60X90X5.5MM RECTANGULAR STEEL PIPE (12.21KG/M)   |
| 60X90X5.75MM RECTANGULAR STEEL PIPE (12.73KG/M)  |
| 60X90X6MM RECTANGULAR STEEL PIPE (13.25KG/M)     |
| 60X90X6.3MM RECTANGULAR STEEL PIPE (13.87KG/M)   |
| 60X90X6.5MM RECTANGULAR STEEL PIPE (14.27KG/M)   |
| 60X90X6.75MM RECTANGULAR STEEL PIPE (14.78KG/M)  |
| 60X90X7MM RECTANGULAR STEEL PIPE (15.28KG/M)     |
| 60X90X7.25MM RECTANGULAR STEEL PIPE (15.79KG/M)  |
| 60X90X7.5MM RECTANGULAR STEEL PIPE (16.28KG/M)   |
| 60X90X7.75MM RECTANGULAR STEEL PIPE (16.78KG/M)  |
| 60X90X8MM RECTANGULAR STEEL PIPE (17.27KG/M)     |
| 60X100X1.3MM RECTANGULAR STEEL PIPE (3.23KG/M)   |

|  |
|--|
| 60X100X1.5MM RECTANGULAR STEEL PIPE (3.71KG/M)   |
| 60X100X1.7MM RECTANGULAR STEEL PIPE (4.2KG/M)    |
| 60X100X1.8MM RECTANGULAR STEEL PIPE (4.44KG/M)   |
| 60X100X2MM RECTANGULAR STEEL PIPE (4.93KG/M)     |
| 60X100X2.2MM RECTANGULAR STEEL PIPE (5.41KG/M)   |
| 60X100X2.5MM RECTANGULAR STEEL PIPE (6.13KG/M)   |
| 60X100X2.75MM RECTANGULAR STEEL PIPE (6.73KG/M)  |
| 60X100X3MM RECTANGULAR STEEL PIPE (7.32KG/M)     |
| 60X100X3.25MM RECTANGULAR STEEL PIPE (7.91KG/M)  |
| 60X100X3.5MM RECTANGULAR STEEL PIPE (8.49KG/M)   |
| 60X100X3.75MM RECTANGULAR STEEL PIPE (9.08KG/M)  |
| 60X100X4MM RECTANGULAR STEEL PIPE (9.66KG/M)     |
| 60X100X4.25MM RECTANGULAR STEEL PIPE (10.24KG/M) |
| 60X100X4.5MM RECTANGULAR STEEL PIPE (10.81KG/M)  |
| 60X100X4.75MM RECTANGULAR STEEL PIPE (11.38KG/M) |
| 60X100X5MM RECTANGULAR STEEL PIPE (11.95KG/M)    |
| 60X100X5.25MM RECTANGULAR STEEL PIPE (12.51KG/M) |
| 60X100X5.5MM RECTANGULAR STEEL PIPE (13.08KG/M)  |
| 60X100X5.75MM RECTANGULAR STEEL PIPE (13.64KG/M) |
| 60X100X6MM RECTANGULAR STEEL PIPE (14.19KG/M)    |
| 60X100X6.3MM RECTANGULAR STEEL PIPE (14.85KG/M)  |
| 60X100X6.5MM RECTANGULAR STEEL PIPE (15.29KG/M)  |
| 60X100X6.75MM RECTANGULAR STEEL PIPE (15.84KG/M) |
| 60X100X7MM RECTANGULAR STEEL PIPE (16.38KG/M)    |
| 60X100X7.25MM RECTANGULAR STEEL PIPE (16.92KG/M) |
| 60X100X7.5MM RECTANGULAR STEEL PIPE (17.46KG/M)  |
| 60X100X7.75MM RECTANGULAR STEEL PIPE (18KG/M)    |
| 60X100X8MM RECTANGULAR STEEL PIPE (18.53KG/M)    |
| 60X120X1.5MM RECTANGULAR STEEL PIPE (4.19KG/M)   |
| 60X120X1.7MM RECTANGULAR STEEL PIPE (4.74KG/M)   |
| 60X120X1.8MM RECTANGULAR STEEL PIPE (5.01KG/M)   |
| 60X120X2MM RECTANGULAR STEEL PIPE (5.56KG/M)     |
| 60X120X2.2MM RECTANGULAR STEEL PIPE (6.1KG/M)    |
| 60X120X2.5MM RECTANGULAR STEEL PIPE (6.91KG/M)   |
| 60X120X2.75MM RECTANGULAR STEEL PIPE (7.59KG/M)  |
| 60X120X3MM RECTANGULAR STEEL PIPE (8.26KG/M)     |
| 60X120X3.25MM RECTANGULAR STEEL PIPE (8.93KG/M)  |
| 60X120X3.5MM RECTANGULAR STEEL PIPE (9.59KG/M)   |
| 60X120X3.75MM RECTANGULAR STEEL PIPE (10.26KG/M) |
| 60X120X4MM RECTANGULAR STEEL PIPE (10.92KG/M)    |
| 60X120X4.25MM RECTANGULAR STEEL PIPE (11.57KG/M) |
| 60X120X4.5MM RECTANGULAR STEEL PIPE (12.22KG/M)  |
| 60X120X4.75MM RECTANGULAR STEEL PIPE (12.87KG/M) |
| 60X120X5MM RECTANGULAR STEEL PIPE (13.52KG/M)    |
| 60X120X5.25MM RECTANGULAR STEEL PIPE (14.16KG/M) |
| 60X120X5.5MM RECTANGULAR STEEL PIPE (14.8KG/M)   |
| 60X120X5.75MM RECTANGULAR STEEL PIPE (15.44KG/M) |
| 60X120X6MM RECTANGULAR STEEL PIPE (16.08KG/M)    |
| 60X120X6.3MM RECTANGULAR STEEL PIPE (16.83KG/M)  |
| 60X120X6.5MM RECTANGULAR STEEL PIPE (17.34KG/M)  |
| 60X120X6.75MM RECTANGULAR STEEL PIPE (17.96KG/M) |
| 60X120X7MM RECTANGULAR STEEL PIPE (18.58KG/M)    |
| 60X120X7.25MM RECTANGULAR STEEL PIPE (19.2KG/M)  |
| 60X120X7.5MM RECTANGULAR STEEL PIPE (19.82KG/M)  |
| 60X120X7.75MM RECTANGULAR STEEL PIPE (20.43KG/M) |
| 60X120X8MM RECTANGULAR STEEL PIPE (21.04KG/M)    |
| 80X100X1.5MM RECTANGULAR STEEL PIPE (4.19KG/M)   |

|  |
|--|
| 80X100X1.7MM RECTANGULAR STEEL PIPE (4.74KG/M)   |
| 80X100X1.8MM RECTANGULAR STEEL PIPE (5.01KG/M)   |
| 80X100X2MM RECTANGULAR STEEL PIPE (5.56KG/M)     |
| 80X100X2.2MM RECTANGULAR STEEL PIPE (6.1KG/M)    |
| 80X100X2.5MM RECTANGULAR STEEL PIPE (6.91KG/M)   |
| 80X100X2.75MM RECTANGULAR STEEL PIPE (7.59KG/M)  |
| 80X100X3MM RECTANGULAR STEEL PIPE (8.26KG/M)     |
| 80X100X3.25MM RECTANGULAR STEEL PIPE (8.93KG/M)  |
| 80X100X3.5MM RECTANGULAR STEEL PIPE (9.59KG/M)   |
| 80X100X3.75MM RECTANGULAR STEEL PIPE (10.26KG/M) |
| 80X100X4MM RECTANGULAR STEEL PIPE (10.92KG/M)    |
| 80X100X4.25MM RECTANGULAR STEEL PIPE (11.57KG/M) |
| 80X100X4.5MM RECTANGULAR STEEL PIPE (12.22KG/M)  |
| 80X100X4.75MM RECTANGULAR STEEL PIPE (12.87KG/M) |
| 80X100X5MM RECTANGULAR STEEL PIPE (13.52KG/M)    |
| 80X100X5.25MM RECTANGULAR STEEL PIPE (14.16KG/M) |
| 80X100X5.5MM RECTANGULAR STEEL PIPE (14.8KG/M)   |
| 80X100X5.75MM RECTANGULAR STEEL PIPE (15.44KG/M) |
| 80X100X6MM RECTANGULAR STEEL PIPE (16.08KG/M)    |
| 80X100X6.3MM RECTANGULAR STEEL PIPE (16.83KG/M)  |
| 80X100X6.5MM RECTANGULAR STEEL PIPE (17.34KG/M)  |
| 80X100X6.75MM RECTANGULAR STEEL PIPE (17.96KG/M) |
| 80X100X7MM RECTANGULAR STEEL PIPE (18.58KG/M)    |
| 80X100X7.25MM RECTANGULAR STEEL PIPE (19.2KG/M)  |
| 80X100X7.5MM RECTANGULAR STEEL PIPE (19.82KG/M)  |
| 80X100X7.75MM RECTANGULAR STEEL PIPE (20.43KG/M) |
| 80X100X8MM RECTANGULAR STEEL PIPE (21.04KG/M)    |
| 50X150X1.5MM RECTANGULAR STEEL PIPE (4.66KG/M)   |
| 50X150X1.7MM RECTANGULAR STEEL PIPE (5.27KG/M)   |
| 50X150X1.8MM RECTANGULAR STEEL PIPE (5.57KG/M)   |
| 50X150X2MM RECTANGULAR STEEL PIPE (6.18KG/M)     |
| 50X150X2.2MM RECTANGULAR STEEL PIPE (6.79KG/M)   |
| 50X150X2.5MM RECTANGULAR STEEL PIPE (7.7KG/M)    |
| 50X150X2.75MM RECTANGULAR STEEL PIPE (8.45KG/M)  |
| 50X150X3MM RECTANGULAR STEEL PIPE (9.2KG/M)      |
| 50X150X3.25MM RECTANGULAR STEEL PIPE (9.95KG/M)  |
| 50X150X3.5MM RECTANGULAR STEEL PIPE (10.69KG/M)  |
| 50X150X3.75MM RECTANGULAR STEEL PIPE (11.43KG/M) |
| 50X150X4MM RECTANGULAR STEEL PIPE (12.17KG/M)    |
| 50X150X4.25MM RECTANGULAR STEEL PIPE (12.91KG/M) |
| 50X150X4.5MM RECTANGULAR STEEL PIPE (13.64KG/M)  |
| 50X150X4.75MM RECTANGULAR STEEL PIPE (14.37KG/M) |
| 50X150X5MM RECTANGULAR STEEL PIPE (15.09KG/M)    |
| 50X150X5.25MM RECTANGULAR STEEL PIPE (15.81KG/M) |
| 50X150X5.5MM RECTANGULAR STEEL PIPE (16.53KG/M)  |
| 50X150X5.75MM RECTANGULAR STEEL PIPE (17.25KG/M) |
| 50X150X6MM RECTANGULAR STEEL PIPE (17.96KG/M)    |
| 50X150X6.3MM RECTANGULAR STEEL PIPE (18.81KG/M)  |
| 50X150X6.5MM RECTANGULAR STEEL PIPE (19.38KG/M)  |
| 50X150X6.75MM RECTANGULAR STEEL PIPE (20.08KG/M) |
| 50X150X7MM RECTANGULAR STEEL PIPE (20.78KG/M)    |
| 50X150X7.25MM RECTANGULAR STEEL PIPE (21.48KG/M) |
| 50X150X7.5MM RECTANGULAR STEEL PIPE (22.17KG/M)  |
| 50X150X7.75MM RECTANGULAR STEEL PIPE (22.87KG/M) |
| 50X150X8MM RECTANGULAR STEEL PIPE (23.55KG/M)    |
| 50X150X8.25MM RECTANGULAR STEEL PIPE (24.24KG/M) |
| 50X150X8.5MM RECTANGULAR STEEL PIPE (24.92KG/M)  |



|   |
|---|
| 50X150X8.75MM RECTANGULAR STEEL PIPE (25.6KG/M)   |
| 50X150X9MM RECTANGULAR STEEL PIPE (26.28KG/M)     |
| 50X150X9.25MM RECTANGULAR STEEL PIPE (26.95KG/M)  |
| 50X150X9.5MM RECTANGULAR STEEL PIPE (27.62KG/M)   |
| 50X150X9.75MM RECTANGULAR STEEL PIPE (28.29KG/M)  |
| 50X150X10MM RECTANGULAR STEEL PIPE (28.95KG/M)    |
| 50X150X10.25MM RECTANGULAR STEEL PIPE (29.61KG/M) |
| 50X150X10.5MM RECTANGULAR STEEL PIPE (30.27KG/M)  |
| 50X150X10.75MM RECTANGULAR STEEL PIPE (30.92KG/M) |
| 50X150X11MM RECTANGULAR STEEL PIPE (31.57KG/M)    |
| 50X150X11.25MM RECTANGULAR STEEL PIPE (32.22KG/M) |
| 50X150X11.5MM RECTANGULAR STEEL PIPE (32.87KG/M)  |
| 50X150X11.75MM RECTANGULAR STEEL PIPE (33.51KG/M) |
| 50X150X12MM RECTANGULAR STEEL PIPE (34.15KG/M)    |
| 50X150X12.25MM RECTANGULAR STEEL PIPE (34.78KG/M) |
| 50X150X12.5MM RECTANGULAR STEEL PIPE (35.42KG/M)  |
| 50X150X12.75MM RECTANGULAR STEEL PIPE (36.05KG/M) |
| 50X150X13MM RECTANGULAR STEEL PIPE (36.67KG/M)    |
| 50X150X13.25MM RECTANGULAR STEEL PIPE (37.3KG/M)  |
| 50X150X13.5MM RECTANGULAR STEEL PIPE (37.92KG/M)  |
| 50X150X13.75MM RECTANGULAR STEEL PIPE (38.53KG/M) |
| 50X150X14MM RECTANGULAR STEEL PIPE (39.15KG/M)    |
| 50X150X14.25MM RECTANGULAR STEEL PIPE (39.76KG/M) |
| 50X150X14.5MM RECTANGULAR STEEL PIPE (40.37KG/M)  |
| 50X150X14.75MM RECTANGULAR STEEL PIPE (40.97KG/M) |
| 50X150X15MM RECTANGULAR STEEL PIPE (41.58KG/M)    |
| 50X150X15.25MM RECTANGULAR STEEL PIPE (42.17KG/M) |
| 50X150X15.5MM RECTANGULAR STEEL PIPE (42.77KG/M)  |
| 50X150X15.75MM RECTANGULAR STEEL PIPE (43.36KG/M) |
| 50X150X16MM RECTANGULAR STEEL PIPE (43.95KG/M)    |
| 60X140X1.5MM RECTANGULAR STEEL PIPE (4.66KG/M)    |
| 60X140X1.7MM RECTANGULAR STEEL PIPE (5.27KG/M)    |
| 60X140X2MM RECTANGULAR STEEL PIPE (6.18KG/M)      |
| 60X140X2.2MM RECTANGULAR STEEL PIPE (6.79KG/M)    |
| 60X140X2.5MM RECTANGULAR STEEL PIPE (7.7KG/M)     |
| 60X140X2.75MM RECTANGULAR STEEL PIPE (8.45KG/M)   |
| 60X140X3MM RECTANGULAR STEEL PIPE (9.2KG/M)       |
| 60X140X3.25MM RECTANGULAR STEEL PIPE (9.95KG/M)   |
| 60X140X3.5MM RECTANGULAR STEEL PIPE (10.69KG/M)   |
| 60X140X3.75MM RECTANGULAR STEEL PIPE (11.43KG/M)  |
| 60X140X4MM RECTANGULAR STEEL PIPE (12.17KG/M)     |
| 60X140X4.25MM RECTANGULAR STEEL PIPE (12.91KG/M)  |
| 60X140X4.5MM RECTANGULAR STEEL PIPE (13.64KG/M)   |
| 60X140X4.75MM RECTANGULAR STEEL PIPE (14.37KG/M)  |
| 60X140X5MM RECTANGULAR STEEL PIPE (15.09KG/M)     |
| 60X140X5.25MM RECTANGULAR STEEL PIPE (15.81KG/M)  |
| 60X140X5.5MM RECTANGULAR STEEL PIPE (16.53KG/M)   |
| 60X140X5.75MM RECTANGULAR STEEL PIPE (17.25KG/M)  |
| 60X140X6MM RECTANGULAR STEEL PIPE (17.96KG/M)     |
| 60X140X6.3MM RECTANGULAR STEEL PIPE (18.81KG/M)   |
| 60X140X6.5MM RECTANGULAR STEEL PIPE (19.38KG/M)   |
| 60X140X6.75MM RECTANGULAR STEEL PIPE (20.08KG/M)  |
| 60X140X7MM RECTANGULAR STEEL PIPE (20.78KG/M)     |
| 60X140X7.25MM RECTANGULAR STEEL PIPE (21.48KG/M)  |
| 60X140X7.5MM RECTANGULAR STEEL PIPE (22.17KG/M)   |
| 60X140X7.75MM RECTANGULAR STEEL PIPE (22.87KG/M)  |
| 60X140X8MM RECTANGULAR STEEL PIPE (23.55KG/M)     |

|   |
|---|
| 60X140X8.25MM RECTANGULAR STEEL PIPE (24.24KG/M)  |
| 60X140X8.5MM RECTANGULAR STEEL PIPE (24.92KG/M)   |
| 60X140X8.75MM RECTANGULAR STEEL PIPE (25.6KG/M)   |
| 60X140X9MM RECTANGULAR STEEL PIPE (26.28KG/M)     |
| 60X140X9.25MM RECTANGULAR STEEL PIPE (26.95KG/M)  |
| 60X140X9.5MM RECTANGULAR STEEL PIPE (27.62KG/M)   |
| 60X140X9.75MM RECTANGULAR STEEL PIPE (28.29KG/M)  |
| 60X140X10MM RECTANGULAR STEEL PIPE (28.95KG/M)    |
| 60X140X10.25MM RECTANGULAR STEEL PIPE (29.61KG/M) |
| 60X140X10.5MM RECTANGULAR STEEL PIPE (30.27KG/M)  |
| 60X140X10.75MM RECTANGULAR STEEL PIPE (30.92KG/M) |
| 60X140X11MM RECTANGULAR STEEL PIPE (31.57KG/M)    |
| 60X140X11.25MM RECTANGULAR STEEL PIPE (32.22KG/M) |
| 60X140X11.5MM RECTANGULAR STEEL PIPE (32.87KG/M)  |
| 60X140X11.75MM RECTANGULAR STEEL PIPE (33.51KG/M) |
| 60X140X12MM RECTANGULAR STEEL PIPE (34.15KG/M)    |
| 60X140X12.25MM RECTANGULAR STEEL PIPE (34.78KG/M) |
| 60X140X12.5MM RECTANGULAR STEEL PIPE (35.42KG/M)  |
| 60X140X12.75MM RECTANGULAR STEEL PIPE (36.05KG/M) |
| 60X140X13MM RECTANGULAR STEEL PIPE (36.67KG/M)    |
| 60X140X13.25MM RECTANGULAR STEEL PIPE (37.3KG/M)  |
| 60X140X13.5MM RECTANGULAR STEEL PIPE (37.92KG/M)  |
| 60X140X13.75MM RECTANGULAR STEEL PIPE (38.53KG/M) |
| 60X140X14MM RECTANGULAR STEEL PIPE (39.15KG/M)    |
| 60X140X14.25MM RECTANGULAR STEEL PIPE (39.76KG/M) |
| 60X140X14.5MM RECTANGULAR STEEL PIPE (40.37KG/M)  |
| 60X140X14.75MM RECTANGULAR STEEL PIPE (40.97KG/M) |
| 60X140X15MM RECTANGULAR STEEL PIPE (41.58KG/M)    |
| 60X140X15.25MM RECTANGULAR STEEL PIPE (42.17KG/M) |
| 60X140X15.5MM RECTANGULAR STEEL PIPE (42.77KG/M)  |
| 60X140X15.75MM RECTANGULAR STEEL PIPE (43.36KG/M) |
| 60X140X16MM RECTANGULAR STEEL PIPE (43.95KG/M)    |
| 80X120X1.5MM RECTANGULAR STEEL PIPE (4.66KG/M)    |
| 80X120X1.7MM RECTANGULAR STEEL PIPE (5.27KG/M)    |
| 80X120X2MM RECTANGULAR STEEL PIPE (6.18KG/M)      |
| 80X120X2.2MM RECTANGULAR STEEL PIPE (6.79KG/M)    |
| 80X120X2.5MM RECTANGULAR STEEL PIPE (7.7KG/M)     |
| 80X120X2.75MM RECTANGULAR STEEL PIPE (8.45KG/M)   |
| 80X120X3MM RECTANGULAR STEEL PIPE (9.2KG/M)       |
| 80X120X3.25MM RECTANGULAR STEEL PIPE (9.95KG/M)   |
| 80X120X3.5MM RECTANGULAR STEEL PIPE (10.69KG/M)   |
| 80X120X3.75MM RECTANGULAR STEEL PIPE (11.43KG/M)  |
| 80X120X4MM RECTANGULAR STEEL PIPE (12.17KG/M)     |
| 80X120X4.25MM RECTANGULAR STEEL PIPE (12.91KG/M)  |
| 80X120X4.5MM RECTANGULAR STEEL PIPE (13.64KG/M)   |
| 80X120X4.75MM RECTANGULAR STEEL PIPE (14.37KG/M)  |
| 80X120X5MM RECTANGULAR STEEL PIPE (15.09KG/M)     |
| 80X120X5.25MM RECTANGULAR STEEL PIPE (15.81KG/M)  |
| 80X120X5.5MM RECTANGULAR STEEL PIPE (16.53KG/M)   |
| 80X120X5.75MM RECTANGULAR STEEL PIPE (17.25KG/M)  |
| 80X120X6MM RECTANGULAR STEEL PIPE (17.96KG/M)     |
| 80X120X6.3MM RECTANGULAR STEEL PIPE (18.81KG/M)   |
| 80X120X6.5MM RECTANGULAR STEEL PIPE (19.38KG/M)   |
| 80X120X6.75MM RECTANGULAR STEEL PIPE (20.08KG/M)  |
| 80X120X7MM RECTANGULAR STEEL PIPE (20.78KG/M)     |
| 80X120X7.25MM RECTANGULAR STEEL PIPE (21.48KG/M)  |
| 80X120X7.5MM RECTANGULAR STEEL PIPE (22.17KG/M)   |

|   |
|---|
| 80X120X7.75MM RECTANGULAR STEEL PIPE (22.87KG/M)  |
| 80X120X8MM RECTANGULAR STEEL PIPE (23.55KG/M)     |
| 80X120X8.25MM RECTANGULAR STEEL PIPE (24.24KG/M)  |
| 80X120X8.5MM RECTANGULAR STEEL PIPE (24.92KG/M)   |
| 80X120X8.75MM RECTANGULAR STEEL PIPE (25.6KG/M)   |
| 80X120X9MM RECTANGULAR STEEL PIPE (26.28KG/M)     |
| 80X120X9.25MM RECTANGULAR STEEL PIPE (26.95KG/M)  |
| 80X120X9.5MM RECTANGULAR STEEL PIPE (27.62KG/M)   |
| 80X120X9.75MM RECTANGULAR STEEL PIPE (28.29KG/M)  |
| 80X120X10MM RECTANGULAR STEEL PIPE (28.95KG/M)    |
| 80X120X10.25MM RECTANGULAR STEEL PIPE (29.61KG/M) |
| 80X120X10.5MM RECTANGULAR STEEL PIPE (30.27KG/M)  |
| 80X120X10.75MM RECTANGULAR STEEL PIPE (30.92KG/M) |
| 80X120X11MM RECTANGULAR STEEL PIPE (31.57KG/M)    |
| 80X120X11.25MM RECTANGULAR STEEL PIPE (32.22KG/M) |
| 80X120X11.5MM RECTANGULAR STEEL PIPE (32.87KG/M)  |
| 80X120X11.75MM RECTANGULAR STEEL PIPE (33.51KG/M) |
| 80X120X12MM RECTANGULAR STEEL PIPE (34.15KG/M)    |
| 80X120X12.25MM RECTANGULAR STEEL PIPE (34.78KG/M) |
| 80X120X12.5MM RECTANGULAR STEEL PIPE (35.42KG/M)  |
| 80X120X12.75MM RECTANGULAR STEEL PIPE (36.05KG/M) |
| 80X120X13MM RECTANGULAR STEEL PIPE (36.67KG/M)    |
| 80X120X13.25MM RECTANGULAR STEEL PIPE (37.3KG/M)  |
| 80X120X13.5MM RECTANGULAR STEEL PIPE (37.92KG/M)  |
| 80X120X13.75MM RECTANGULAR STEEL PIPE (38.53KG/M) |
| 80X120X14MM RECTANGULAR STEEL PIPE (39.15KG/M)    |
| 80X120X14.25MM RECTANGULAR STEEL PIPE (39.76KG/M) |
| 80X120X14.5MM RECTANGULAR STEEL PIPE (40.37KG/M)  |
| 80X120X14.75MM RECTANGULAR STEEL PIPE (40.97KG/M) |
| 80X120X15MM RECTANGULAR STEEL PIPE (41.58KG/M)    |
| 80X120X15.25MM RECTANGULAR STEEL PIPE (42.17KG/M) |
| 80X120X15.5MM RECTANGULAR STEEL PIPE (42.77KG/M)  |
| 80X120X15.75MM RECTANGULAR STEEL PIPE (43.36KG/M) |
| 80X120X16MM RECTANGULAR STEEL PIPE (43.95KG/M)    |
| 60X160X2.5MM RECTANGULAR STEEL PIPE (8.49KG/M)    |
| 60X160X2.75MM RECTANGULAR STEEL PIPE (9.32KG/M)   |
| 60X160X3MM RECTANGULAR STEEL PIPE (10.15KG/M)     |
| 60X160X3.25MM RECTANGULAR STEEL PIPE (10.97KG/M)  |
| 60X160X3.5MM RECTANGULAR STEEL PIPE (11.79KG/M)   |
| 60X160X3.75MM RECTANGULAR STEEL PIPE (12.61KG/M)  |
| 60X160X4MM RECTANGULAR STEEL PIPE (13.43KG/M)     |
| 60X160X4.25MM RECTANGULAR STEEL PIPE (14.24KG/M)  |
| 60X160X4.5MM RECTANGULAR STEEL PIPE (15.05KG/M)   |
| 60X160X4.75MM RECTANGULAR STEEL PIPE (15.86KG/M)  |
| 60X160X5MM RECTANGULAR STEEL PIPE (16.66KG/M)     |
| 60X160X5.25MM RECTANGULAR STEEL PIPE (17.46KG/M)  |
| 60X160X5.5MM RECTANGULAR STEEL PIPE (18.26KG/M)   |
| 60X160X5.75MM RECTANGULAR STEEL PIPE (19.06KG/M)  |
| 60X160X6MM RECTANGULAR STEEL PIPE (19.85KG/M)     |
| 60X160X6.3MM RECTANGULAR STEEL PIPE (20.79KG/M)   |
| 60X160X6.5MM RECTANGULAR STEEL PIPE (21.42KG/M)   |
| 60X160X6.75MM RECTANGULAR STEEL PIPE (22.2KG/M)   |
| 60X160X7MM RECTANGULAR STEEL PIPE (22.98KG/M)     |
| 60X160X7.25MM RECTANGULAR STEEL PIPE (23.76KG/M)  |
| 60X160X7.5MM RECTANGULAR STEEL PIPE (24.53KG/M)   |
| 60X160X7.75MM RECTANGULAR STEEL PIPE (25.3KG/M)   |
| 60X160X8MM RECTANGULAR STEEL PIPE (26.07KG/M)     |

|   |
|---|
| 60X160X8.25MM RECTANGULAR STEEL PIPE (26.83KG/M)  |
| 60X160X8.5MM RECTANGULAR STEEL PIPE (27.59KG/M)   |
| 60X160X8.75MM RECTANGULAR STEEL PIPE (28.35KG/M)  |
| 60X160X9MM RECTANGULAR STEEL PIPE (29.1KG/M)      |
| 60X160X9.25MM RECTANGULAR STEEL PIPE (29.86KG/M)  |
| 60X160X9.5MM RECTANGULAR STEEL PIPE (30.6KG/M)    |
| 60X160X9.75MM RECTANGULAR STEEL PIPE (31.35KG/M)  |
| 60X160X10MM RECTANGULAR STEEL PIPE (32.09KG/M)    |
| 60X160X10.25MM RECTANGULAR STEEL PIPE (32.83KG/M) |
| 60X160X10.5MM RECTANGULAR STEEL PIPE (33.57KG/M)  |
| 60X160X10.75MM RECTANGULAR STEEL PIPE (34.3KG/M)  |
| 60X160X11MM RECTANGULAR STEEL PIPE (35.03KG/M)    |
| 60X160X11.25MM RECTANGULAR STEEL PIPE (35.76KG/M) |
| 60X160X11.5MM RECTANGULAR STEEL PIPE (36.48KG/M)  |
| 60X160X11.75MM RECTANGULAR STEEL PIPE (37.2KG/M)  |
| 60X160X12MM RECTANGULAR STEEL PIPE (37.92KG/M)    |
| 60X160X12.25MM RECTANGULAR STEEL PIPE (38.63KG/M) |
| 60X160X12.5MM RECTANGULAR STEEL PIPE (39.34KG/M)  |
| 60X160X12.75MM RECTANGULAR STEEL PIPE (40.05KG/M) |
| 60X160X13MM RECTANGULAR STEEL PIPE (40.76KG/M)    |
| 60X160X13.25MM RECTANGULAR STEEL PIPE (41.46KG/M) |
| 60X160X13.5MM RECTANGULAR STEEL PIPE (42.16KG/M)  |
| 60X160X13.75MM RECTANGULAR STEEL PIPE (42.85KG/M) |
| 60X160X14MM RECTANGULAR STEEL PIPE (43.55KG/M)    |
| 60X160X14.25MM RECTANGULAR STEEL PIPE (44.24KG/M) |
| 60X160X14.5MM RECTANGULAR STEEL PIPE (44.92KG/M)  |
| 60X160X14.75MM RECTANGULAR STEEL PIPE (45.61KG/M) |
| 60X160X15MM RECTANGULAR STEEL PIPE (46.29KG/M)    |
| 60X160X15.25MM RECTANGULAR STEEL PIPE (46.96KG/M) |
| 60X160X15.5MM RECTANGULAR STEEL PIPE (47.64KG/M)  |
| 60X160X15.75MM RECTANGULAR STEEL PIPE (48.31KG/M) |
| 60X160X16MM RECTANGULAR STEEL PIPE (48.98KG/M)    |
| 80X140X2.5MM RECTANGULAR STEEL PIPE (8.49KG/M)    |
| 80X140X2.75MM RECTANGULAR STEEL PIPE (9.32KG/M)   |
| 80X140X3MM RECTANGULAR STEEL PIPE (10.15KG/M)     |
| 80X140X3.25MM RECTANGULAR STEEL PIPE (10.97KG/M)  |
| 80X140X3.5MM RECTANGULAR STEEL PIPE (11.79KG/M)   |
| 80X140X3.75MM RECTANGULAR STEEL PIPE (12.61KG/M)  |
| 80X140X4MM RECTANGULAR STEEL PIPE (13.43KG/M)     |
| 80X140X4.25MM RECTANGULAR STEEL PIPE (14.24KG/M)  |
| 80X140X4.5MM RECTANGULAR STEEL PIPE (15.05KG/M)   |
| 80X140X4.75MM RECTANGULAR STEEL PIPE (15.86KG/M)  |
| 80X140X5MM RECTANGULAR STEEL PIPE (16.66KG/M)     |
| 80X140X5.25MM RECTANGULAR STEEL PIPE (17.46KG/M)  |
| 80X140X5.5MM RECTANGULAR STEEL PIPE (18.26KG/M)   |
| 80X140X5.75MM RECTANGULAR STEEL PIPE (19.06KG/M)  |
| 80X140X6MM RECTANGULAR STEEL PIPE (19.85KG/M)     |
| 80X140X6.3MM RECTANGULAR STEEL PIPE (20.79KG/M)   |
| 80X140X6.5MM RECTANGULAR STEEL PIPE (21.42KG/M)   |
| 80X140X6.75MM RECTANGULAR STEEL PIPE (22.2KG/M)   |
| 80X140X7MM RECTANGULAR STEEL PIPE (22.98KG/M)     |
| 80X140X7.25MM RECTANGULAR STEEL PIPE (23.76KG/M)  |
| 80X140X7.5MM RECTANGULAR STEEL PIPE (24.53KG/M)   |
| 80X140X7.75MM RECTANGULAR STEEL PIPE (25.3KG/M)   |
| 80X140X8MM RECTANGULAR STEEL PIPE (26.07KG/M)     |
| 80X140X8.25MM RECTANGULAR STEEL PIPE (26.83KG/M)  |
| 80X140X8.5MM RECTANGULAR STEEL PIPE (27.59KG/M)   |

|   |
|---|
| 80X140X8.75MM RECTANGULAR STEEL PIPE (28.35KG/M)  |
| 80X140X9MM RECTANGULAR STEEL PIPE (29.1KG/M)      |
| 80X140X9.25MM RECTANGULAR STEEL PIPE (29.86KG/M)  |
| 80X140X9.5MM RECTANGULAR STEEL PIPE (30.6KG/M)    |
| 80X140X9.75MM RECTANGULAR STEEL PIPE (31.35KG/M)  |
| 80X140X10MM RECTANGULAR STEEL PIPE (32.09KG/M)    |
| 80X140X10.25MM RECTANGULAR STEEL PIPE (32.83KG/M) |
| 80X140X10.5MM RECTANGULAR STEEL PIPE (33.57KG/M)  |
| 80X140X10.75MM RECTANGULAR STEEL PIPE (34.3KG/M)  |
| 80X140X11MM RECTANGULAR STEEL PIPE (35.03KG/M)    |
| 80X140X11.25MM RECTANGULAR STEEL PIPE (35.76KG/M) |
| 80X140X11.5MM RECTANGULAR STEEL PIPE (36.48KG/M)  |
| 80X140X11.75MM RECTANGULAR STEEL PIPE (37.2KG/M)  |
| 80X140X12MM RECTANGULAR STEEL PIPE (37.92KG/M)    |
| 80X140X12.25MM RECTANGULAR STEEL PIPE (38.63KG/M) |
| 80X140X12.5MM RECTANGULAR STEEL PIPE (39.34KG/M)  |
| 80X140X12.75MM RECTANGULAR STEEL PIPE (40.05KG/M) |
| 80X140X13MM RECTANGULAR STEEL PIPE (40.76KG/M)    |
| 80X140X13.25MM RECTANGULAR STEEL PIPE (41.46KG/M) |
| 80X140X13.5MM RECTANGULAR STEEL PIPE (42.16KG/M)  |
| 80X140X13.75MM RECTANGULAR STEEL PIPE (42.85KG/M) |
| 80X140X14MM RECTANGULAR STEEL PIPE (43.55KG/M)    |
| 80X140X14.25MM RECTANGULAR STEEL PIPE (44.24KG/M) |
| 80X140X14.5MM RECTANGULAR STEEL PIPE (44.92KG/M)  |
| 80X140X14.75MM RECTANGULAR STEEL PIPE (45.61KG/M) |
| 80X140X15MM RECTANGULAR STEEL PIPE (46.29KG/M)    |
| 80X140X15.25MM RECTANGULAR STEEL PIPE (46.96KG/M) |
| 80X140X15.5MM RECTANGULAR STEEL PIPE (47.64KG/M)  |
| 80X140X15.75MM RECTANGULAR STEEL PIPE (48.31KG/M) |
| 80X140X16MM RECTANGULAR STEEL PIPE (48.98KG/M)    |
| 100X120X2.5MM RECTANGULAR STEEL PIPE (8.49KG/M)   |
| 100X120X2.75MM RECTANGULAR STEEL PIPE (9.32KG/M)  |
| 100X120X3MM RECTANGULAR STEEL PIPE (10.15KG/M)    |
| 100X120X3.25MM RECTANGULAR STEEL PIPE (10.97KG/M) |
| 100X120X3.5MM RECTANGULAR STEEL PIPE (11.79KG/M)  |
| 100X120X3.75MM RECTANGULAR STEEL PIPE (12.61KG/M) |
| 100X120X4MM RECTANGULAR STEEL PIPE (13.43KG/M)    |
| 100X120X4.25MM RECTANGULAR STEEL PIPE (14.24KG/M) |
| 100X120X4.5MM RECTANGULAR STEEL PIPE (15.05KG/M)  |
| 100X120X4.75MM RECTANGULAR STEEL PIPE (15.86KG/M) |
| 100X120X5MM RECTANGULAR STEEL PIPE (16.66KG/M)    |
| 100X120X5.25MM RECTANGULAR STEEL PIPE (17.46KG/M) |
| 100X120X5.5MM RECTANGULAR STEEL PIPE (18.26KG/M)  |
| 100X120X5.75MM RECTANGULAR STEEL PIPE (19.06KG/M) |
| 100X120X6MM RECTANGULAR STEEL PIPE (19.85KG/M)    |
| 100X120X6.3MM RECTANGULAR STEEL PIPE (20.79KG/M)  |
| 100X120X6.5MM RECTANGULAR STEEL PIPE (21.42KG/M)  |
| 100X120X6.75MM RECTANGULAR STEEL PIPE (22.2KG/M)  |
| 100X120X7MM RECTANGULAR STEEL PIPE (22.98KG/M)    |
| 100X120X7.25MM RECTANGULAR STEEL PIPE (23.76KG/M) |
| 100X120X7.5MM RECTANGULAR STEEL PIPE (24.53KG/M)  |
| 100X120X7.75MM RECTANGULAR STEEL PIPE (25.3KG/M)  |
| 100X120X8MM RECTANGULAR STEEL PIPE (26.07KG/M)    |
| 100X120X8.25MM RECTANGULAR STEEL PIPE (26.83KG/M) |
| 100X120X8.5MM RECTANGULAR STEEL PIPE (27.59KG/M)  |
| 100X120X8.75MM RECTANGULAR STEEL PIPE (28.35KG/M) |
| 100X120X9MM RECTANGULAR STEEL PIPE (29.1KG/M)     |

|  |
|--|
| 100X120X9.25MM RECTANGULAR STEEL PIPE (29.86KG/M)  |
| 100X120X9.5MM RECTANGULAR STEEL PIPE (30.6KG/M)    |
| 100X120X9.75MM RECTANGULAR STEEL PIPE (31.35KG/M)  |
| 100X120X10MM RECTANGULAR STEEL PIPE (32.09KG/M)    |
| 100X120X10.25MM RECTANGULAR STEEL PIPE (32.83KG/M) |
| 100X120X10.5MM RECTANGULAR STEEL PIPE (33.57KG/M)  |
| 100X120X10.75MM RECTANGULAR STEEL PIPE (34.3KG/M)  |
| 100X120X11MM RECTANGULAR STEEL PIPE (35.03KG/M)    |
| 100X120X11.25MM RECTANGULAR STEEL PIPE (35.76KG/M) |
| 100X120X11.5MM RECTANGULAR STEEL PIPE (36.48KG/M)  |
| 100X120X11.75MM RECTANGULAR STEEL PIPE (37.2KG/M)  |
| 100X120X12MM RECTANGULAR STEEL PIPE (37.92KG/M)    |
| 100X120X12.25MM RECTANGULAR STEEL PIPE (38.63KG/M) |
| 100X120X12.5MM RECTANGULAR STEEL PIPE (39.34KG/M)  |
| 100X120X12.75MM RECTANGULAR STEEL PIPE (40.05KG/M) |
| 100X120X13MM RECTANGULAR STEEL PIPE (40.76KG/M)    |
| 100X120X13.25MM RECTANGULAR STEEL PIPE (41.46KG/M) |
| 100X120X13.5MM RECTANGULAR STEEL PIPE (42.16KG/M)  |
| 100X120X13.75MM RECTANGULAR STEEL PIPE (42.85KG/M) |
| 100X120X14MM RECTANGULAR STEEL PIPE (43.55KG/M)    |
| 100X120X14.25MM RECTANGULAR STEEL PIPE (44.24KG/M) |
| 100X120X14.5MM RECTANGULAR STEEL PIPE (44.92KG/M)  |
| 100X120X14.75MM RECTANGULAR STEEL PIPE (45.61KG/M) |
| 100X120X15MM RECTANGULAR STEEL PIPE (46.29KG/M)    |
| 100X120X15.25MM RECTANGULAR STEEL PIPE (46.96KG/M) |
| 100X120X15.5MM RECTANGULAR STEEL PIPE (47.64KG/M)  |
| 100X120X15.75MM RECTANGULAR STEEL PIPE (48.31KG/M) |
| 100X120X16MM RECTANGULAR STEEL PIPE (48.98KG/M)    |
| 75X150X2.5MM RECTANGULAR STEEL PIPE (8.68KG/M)     |
| 75X150X2.75MM RECTANGULAR STEEL PIPE (9.53KG/M)    |
| 75X150X3MM RECTANGULAR STEEL PIPE (10.38KG/M)      |
| 75X150X3.25MM RECTANGULAR STEEL PIPE (11.23KG/M)   |
| 75X150X3.5MM RECTANGULAR STEEL PIPE (12.07KG/M)    |
| 75X150X3.75MM RECTANGULAR STEEL PIPE (12.91KG/M)   |
| 75X150X4MM RECTANGULAR STEEL PIPE (13.74KG/M)      |
| 75X150X4.25MM RECTANGULAR STEEL PIPE (14.58KG/M)   |
| 75X150X4.5MM RECTANGULAR STEEL PIPE (15.4KG/M)     |
| 75X150X4.75MM RECTANGULAR STEEL PIPE (16.23KG/M)   |
| 75X150X5MM RECTANGULAR STEEL PIPE (17.05KG/M)      |
| 75X150X5.25MM RECTANGULAR STEEL PIPE (17.88KG/M)   |
| 75X150X5.5MM RECTANGULAR STEEL PIPE (18.69KG/M)    |
| 75X150X5.75MM RECTANGULAR STEEL PIPE (19.51KG/M)   |
| 75X150X6MM RECTANGULAR STEEL PIPE (20.32KG/M)      |
| 75X150X6.3MM RECTANGULAR STEEL PIPE (21.29KG/M)    |
| 75X150X6.5MM RECTANGULAR STEEL PIPE (21.93KG/M)    |
| 75X150X6.75MM RECTANGULAR STEEL PIPE (22.73KG/M)   |
| 75X150X7MM RECTANGULAR STEEL PIPE (23.53KG/M)      |
| 75X150X7.25MM RECTANGULAR STEEL PIPE (24.33KG/M)   |
| 75X150X7.5MM RECTANGULAR STEEL PIPE (25.12KG/M)    |
| 75X150X7.75MM RECTANGULAR STEEL PIPE (25.91KG/M)   |
| 75X150X8MM RECTANGULAR STEEL PIPE (26.7KG/M)       |
| 75X150X8.25MM RECTANGULAR STEEL PIPE (27.48KG/M)   |
| 75X150X8.5MM RECTANGULAR STEEL PIPE (28.26KG/M)    |
| 75X150X8.75MM RECTANGULAR STEEL PIPE (29.04KG/M)   |
| 75X150X9MM RECTANGULAR STEEL PIPE (29.81KG/M)      |
| 75X150X9.25MM RECTANGULAR STEEL PIPE (30.58KG/M)   |
| 75X150X9.5MM RECTANGULAR STEEL PIPE (31.35KG/M)    |

|   |
|---|
| 75X150X9.75MM RECTANGULAR STEEL PIPE (32.11KG/M)  |
| 75X150X10MM RECTANGULAR STEEL PIPE (32.88KG/M)    |
| 75X150X10.25MM RECTANGULAR STEEL PIPE (33.64KG/M) |
| 75X150X10.5MM RECTANGULAR STEEL PIPE (34.39KG/M)  |
| 75X150X10.75MM RECTANGULAR STEEL PIPE (35.14KG/M) |
| 75X150X11MM RECTANGULAR STEEL PIPE (35.89KG/M)    |
| 75X150X11.25MM RECTANGULAR STEEL PIPE (36.64KG/M) |
| 75X150X11.5MM RECTANGULAR STEEL PIPE (37.38KG/M)  |
| 75X150X11.75MM RECTANGULAR STEEL PIPE (38.12KG/M) |
| 75X150X12MM RECTANGULAR STEEL PIPE (38.86KG/M)    |
| 75X150X12.25MM RECTANGULAR STEEL PIPE (39.59KG/M) |
| 75X150X12.5MM RECTANGULAR STEEL PIPE (40.33KG/M)  |
| 75X150X12.75MM RECTANGULAR STEEL PIPE (41.05KG/M) |
| 75X150X13MM RECTANGULAR STEEL PIPE (41.78KG/M)    |
| 75X150X13.25MM RECTANGULAR STEEL PIPE (42.5KG/M)  |
| 75X150X13.5MM RECTANGULAR STEEL PIPE (43.22KG/M)  |
| 75X150X13.75MM RECTANGULAR STEEL PIPE (43.93KG/M) |
| 75X150X14MM RECTANGULAR STEEL PIPE (44.65KG/M)    |
| 75X150X14.25MM RECTANGULAR STEEL PIPE (45.36KG/M) |
| 75X150X14.5MM RECTANGULAR STEEL PIPE (46.06KG/M)  |
| 75X150X14.75MM RECTANGULAR STEEL PIPE (46.77KG/M) |
| 75X150X15MM RECTANGULAR STEEL PIPE (47.47KG/M)    |
| 75X150X15.25MM RECTANGULAR STEEL PIPE (48.16KG/M) |
| 75X150X15.5MM RECTANGULAR STEEL PIPE (48.86KG/M)  |
| 75X150X15.75MM RECTANGULAR STEEL PIPE (49.55KG/M) |
| 75X150X16MM RECTANGULAR STEEL PIPE (50.24KG/M)    |
| 80X160X2.5MM RECTANGULAR STEEL PIPE (9.27KG/M)    |
| 80X160X2.75MM RECTANGULAR STEEL PIPE (10.18KG/M)  |
| 80X160X3MM RECTANGULAR STEEL PIPE (11.09KG/M)     |
| 80X160X3.25MM RECTANGULAR STEEL PIPE (11.99KG/M)  |
| 80X160X3.5MM RECTANGULAR STEEL PIPE (12.89KG/M)   |
| 80X160X3.75MM RECTANGULAR STEEL PIPE (13.79KG/M)  |
| 80X160X4MM RECTANGULAR STEEL PIPE (14.69KG/M)     |
| 80X160X4.25MM RECTANGULAR STEEL PIPE (15.58KG/M)  |
| 80X160X4.5MM RECTANGULAR STEEL PIPE (16.47KG/M)   |
| 80X160X4.75MM RECTANGULAR STEEL PIPE (17.35KG/M)  |
| 80X160X5MM RECTANGULAR STEEL PIPE (18.23KG/M)     |
| 80X160X5.25MM RECTANGULAR STEEL PIPE (19.11KG/M)  |
| 80X160X5.5MM RECTANGULAR STEEL PIPE (19.99KG/M)   |
| 80X160X5.75MM RECTANGULAR STEEL PIPE (20.86KG/M)  |
| 80X160X6MM RECTANGULAR STEEL PIPE (21.73KG/M)     |
| 80X160X6.3MM RECTANGULAR STEEL PIPE (22.77KG/M)   |
| 80X160X6.5MM RECTANGULAR STEEL PIPE (23.46KG/M)   |
| 80X160X6.75MM RECTANGULAR STEEL PIPE (24.32KG/M)  |
| 80X160X7MM RECTANGULAR STEEL PIPE (25.18KG/M)     |
| 80X160X7.25MM RECTANGULAR STEEL PIPE (26.04KG/M)  |
| 80X160X7.5MM RECTANGULAR STEEL PIPE (26.89KG/M)   |
| 80X160X7.75MM RECTANGULAR STEEL PIPE (27.74KG/M)  |
| 80X160X8MM RECTANGULAR STEEL PIPE (28.58KG/M)     |
| 80X160X8.25MM RECTANGULAR STEEL PIPE (29.42KG/M)  |
| 80X160X8.5MM RECTANGULAR STEEL PIPE (30.26KG/M)   |
| 80X160X8.75MM RECTANGULAR STEEL PIPE (31.1KG/M)   |
| 80X160X9MM RECTANGULAR STEEL PIPE (31.93KG/M)     |
| 80X160X9.25MM RECTANGULAR STEEL PIPE (32.76KG/M)  |
| 80X160X9.5MM RECTANGULAR STEEL PIPE (33.59KG/M)   |
| 80X160X9.75MM RECTANGULAR STEEL PIPE (34.41KG/M)  |
| 80X160X10MM RECTANGULAR STEEL PIPE (35.23KG/M)    |

|   |
|---|
| 80X160X10.25MM RECTANGULAR STEEL PIPE (36.05KG/M) |
| 80X160X10.5MM RECTANGULAR STEEL PIPE (36.87KG/M)  |
| 80X160X10.75MM RECTANGULAR STEEL PIPE (37.68KG/M) |
| 80X160X11MM RECTANGULAR STEEL PIPE (38.48KG/M)    |
| 80X160X11.25MM RECTANGULAR STEEL PIPE (39.29KG/M) |
| 80X160X11.5MM RECTANGULAR STEEL PIPE (40.09KG/M)  |
| 80X160X11.75MM RECTANGULAR STEEL PIPE (40.89KG/M) |
| 80X160X12MM RECTANGULAR STEEL PIPE (41.69KG/M)    |
| 80X160X12.25MM RECTANGULAR STEEL PIPE (42.48KG/M) |
| 80X160X12.5MM RECTANGULAR STEEL PIPE (43.27KG/M)  |
| 80X160X12.75MM RECTANGULAR STEEL PIPE (44.06KG/M) |
| 80X160X13MM RECTANGULAR STEEL PIPE (44.84KG/M)    |
| 80X160X13.25MM RECTANGULAR STEEL PIPE (45.62KG/M) |
| 80X160X13.5MM RECTANGULAR STEEL PIPE (46.4KG/M)   |
| 80X160X13.75MM RECTANGULAR STEEL PIPE (47.17KG/M) |
| 80X160X14MM RECTANGULAR STEEL PIPE (47.95KG/M)    |
| 80X160X14.25MM RECTANGULAR STEEL PIPE (48.71KG/M) |
| 80X160X14.5MM RECTANGULAR STEEL PIPE (49.48KG/M)  |
| 80X160X14.75MM RECTANGULAR STEEL PIPE (50.24KG/M) |
| 80X160X15MM RECTANGULAR STEEL PIPE (51KG/M)       |
| 80X160X15.25MM RECTANGULAR STEEL PIPE (51.76KG/M) |
| 80X160X15.5MM RECTANGULAR STEEL PIPE (52.51KG/M)  |
| 80X160X15.75MM RECTANGULAR STEEL PIPE (53.26KG/M) |
| 80X160X16MM RECTANGULAR STEEL PIPE (54.01KG/M)    |
| 80X160X16.25MM RECTANGULAR STEEL PIPE (54.75KG/M) |
| 80X160X16.5MM RECTANGULAR STEEL PIPE (55.49KG/M)  |
| 80X160X16.75MM RECTANGULAR STEEL PIPE (56.23KG/M) |
| 80X160X17MM RECTANGULAR STEEL PIPE (56.96KG/M)    |
| 80X160X17.25MM RECTANGULAR STEEL PIPE (57.69KG/M) |
| 80X160X17.5MM RECTANGULAR STEEL PIPE (58.42KG/M)  |
| 80X160X17.75MM RECTANGULAR STEEL PIPE (59.15KG/M) |
| 80X160X18MM RECTANGULAR STEEL PIPE (59.87KG/M)    |
| 80X160X18.25MM RECTANGULAR STEEL PIPE (60.59KG/M) |
| 80X160X18.5MM RECTANGULAR STEEL PIPE (61.3KG/M)   |
| 80X160X18.75MM RECTANGULAR STEEL PIPE (62.02KG/M) |
| 80X160X19MM RECTANGULAR STEEL PIPE (62.73KG/M)    |
| 80X160X19.25MM RECTANGULAR STEEL PIPE (63.43KG/M) |
| 80X160X19.5MM RECTANGULAR STEEL PIPE (64.14KG/M)  |
| 80X160X19.75MM RECTANGULAR STEEL PIPE (64.84KG/M) |
| 80X160X20MM RECTANGULAR STEEL PIPE (65.53KG/M)    |
| 100X150X2.5MM RECTANGULAR STEEL PIPE (9.66KG/M)   |
| 100X150X2.75MM RECTANGULAR STEEL PIPE (10.61KG/M) |
| 100X150X3MM RECTANGULAR STEEL PIPE (11.56KG/M)    |
| 100X150X3.25MM RECTANGULAR STEEL PIPE (12.5KG/M)  |
| 100X150X3.5MM RECTANGULAR STEEL PIPE (13.44KG/M)  |
| 100X150X3.75MM RECTANGULAR STEEL PIPE (14.38KG/M) |
| 100X150X4MM RECTANGULAR STEEL PIPE (15.31KG/M)    |
| 100X150X4.25MM RECTANGULAR STEEL PIPE (16.24KG/M) |
| 100X150X4.5MM RECTANGULAR STEEL PIPE (17.17KG/M)  |
| 100X150X4.75MM RECTANGULAR STEEL PIPE (18.1KG/M)  |
| 100X150X5MM RECTANGULAR STEEL PIPE (19.02KG/M)    |
| 100X150X5.25MM RECTANGULAR STEEL PIPE (19.94KG/M) |
| 100X150X5.5MM RECTANGULAR STEEL PIPE (20.85KG/M)  |
| 100X150X5.75MM RECTANGULAR STEEL PIPE (21.76KG/M) |
| 100X150X6MM RECTANGULAR STEEL PIPE (22.67KG/M)    |
| 100X150X6.3MM RECTANGULAR STEEL PIPE (23.76KG/M)  |
| 100X150X6.5MM RECTANGULAR STEEL PIPE (24.48KG/M)  |



|  |
|--|
| 100X150X6.75MM RECTANGULAR STEEL PIPE (25.38KG/M)  |
| 100X150X7MM RECTANGULAR STEEL PIPE (26.28KG/M)     |
| 100X150X7.25MM RECTANGULAR STEEL PIPE (27.17KG/M)  |
| 100X150X7.5MM RECTANGULAR STEEL PIPE (28.07KG/M)   |
| 100X150X7.75MM RECTANGULAR STEEL PIPE (28.95KG/M)  |
| 100X150X8MM RECTANGULAR STEEL PIPE (29.84KG/M)     |
| 100X150X8.25MM RECTANGULAR STEEL PIPE (30.72KG/M)  |
| 100X150X8.5MM RECTANGULAR STEEL PIPE (31.6KG/M)    |
| 100X150X8.75MM RECTANGULAR STEEL PIPE (32.47KG/M)  |
| 100X150X9MM RECTANGULAR STEEL PIPE (33.35KG/M)     |
| 100X150X9.25MM RECTANGULAR STEEL PIPE (34.21KG/M)  |
| 100X150X9.5MM RECTANGULAR STEEL PIPE (35.08KG/M)   |
| 100X150X9.75MM RECTANGULAR STEEL PIPE (35.94KG/M)  |
| 100X150X10MM RECTANGULAR STEEL PIPE (36.8KG/M)     |
| 100X150X10.25MM RECTANGULAR STEEL PIPE (37.66KG/M) |
| 100X150X10.5MM RECTANGULAR STEEL PIPE (38.51KG/M)  |
| 100X150X10.75MM RECTANGULAR STEEL PIPE (39.37KG/M) |
| 100X150X11MM RECTANGULAR STEEL PIPE (40.21KG/M)    |
| 100X150X11.25MM RECTANGULAR STEEL PIPE (41.06KG/M) |
| 100X150X11.5MM RECTANGULAR STEEL PIPE (41.9KG/M)   |
| 100X150X11.75MM RECTANGULAR STEEL PIPE (42.74KG/M) |
| 100X150X12MM RECTANGULAR STEEL PIPE (43.57KG/M)    |
| 100X150X12.25MM RECTANGULAR STEEL PIPE (44.4KG/M)  |
| 100X150X12.5MM RECTANGULAR STEEL PIPE (45.23KG/M)  |
| 100X150X12.75MM RECTANGULAR STEEL PIPE (46.06KG/M) |
| 100X150X13MM RECTANGULAR STEEL PIPE (46.88KG/M)    |
| 100X150X13.25MM RECTANGULAR STEEL PIPE (47.7KG/M)  |
| 100X150X13.5MM RECTANGULAR STEEL PIPE (48.52KG/M)  |
| 100X150X13.75MM RECTANGULAR STEEL PIPE (49.33KG/M) |
| 100X150X14MM RECTANGULAR STEEL PIPE (50.14KG/M)    |
| 100X150X14.25MM RECTANGULAR STEEL PIPE (50.95KG/M) |
| 100X150X14.5MM RECTANGULAR STEEL PIPE (51.76KG/M)  |
| 100X150X14.75MM RECTANGULAR STEEL PIPE (52.56KG/M) |
| 100X150X15MM RECTANGULAR STEEL PIPE (53.36KG/M)    |
| 100X150X15.25MM RECTANGULAR STEEL PIPE (54.15KG/M) |
| 100X150X15.5MM RECTANGULAR STEEL PIPE (54.94KG/M)  |
| 100X150X15.75MM RECTANGULAR STEEL PIPE (55.73KG/M) |
| 100X150X16MM RECTANGULAR STEEL PIPE (56.52KG/M)    |
| 100X150X16.25MM RECTANGULAR STEEL PIPE (57.3KG/M)  |
| 100X150X16.5MM RECTANGULAR STEEL PIPE (58.08KG/M)  |
| 100X150X16.75MM RECTANGULAR STEEL PIPE (58.86KG/M) |
| 100X150X17MM RECTANGULAR STEEL PIPE (59.63KG/M)    |
| 100X150X17.25MM RECTANGULAR STEEL PIPE (60.4KG/M)  |
| 100X150X17.5MM RECTANGULAR STEEL PIPE (61.17KG/M)  |
| 100X150X17.75MM RECTANGULAR STEEL PIPE (61.93KG/M) |
| 100X150X18MM RECTANGULAR STEEL PIPE (62.7KG/M)     |
| 100X150X18.25MM RECTANGULAR STEEL PIPE (63.45KG/M) |
| 100X150X18.5MM RECTANGULAR STEEL PIPE (64.21KG/M)  |
| 100X150X18.75MM RECTANGULAR STEEL PIPE (64.96KG/M) |
| 100X150X19MM RECTANGULAR STEEL PIPE (65.71KG/M)    |
| 100X150X19.25MM RECTANGULAR STEEL PIPE (66.46KG/M) |
| 100X150X19.5MM RECTANGULAR STEEL PIPE (67.2KG/M)   |
| 100X150X19.75MM RECTANGULAR STEEL PIPE (67.94KG/M) |
| 100X150X20MM RECTANGULAR STEEL PIPE (68.68KG/M)    |
| 100X200X2.5MM RECTANGULAR STEEL PIPE (11.63KG/M)   |
| 100X200X2.75MM RECTANGULAR STEEL PIPE (12.77KG/M)  |
| 100X200X3MM RECTANGULAR STEEL PIPE (13.92KG/M)     |

|  |
|--|
| 100X200X3.25MM RECTANGULAR STEEL PIPE (15.05KG/M)  |
| 100X200X3.5MM RECTANGULAR STEEL PIPE (16.19KG/M)   |
| 100X200X3.75MM RECTANGULAR STEEL PIPE (17.32KG/M)  |
| 100X200X4MM RECTANGULAR STEEL PIPE (18.45KG/M)     |
| 100X200X4.25MM RECTANGULAR STEEL PIPE (19.58KG/M)  |
| 100X200X4.5MM RECTANGULAR STEEL PIPE (20.71KG/M)   |
| 100X200X4.75MM RECTANGULAR STEEL PIPE (21.83KG/M)  |
| 100X200X5MM RECTANGULAR STEEL PIPE (22.95KG/M)     |
| 100X200X5.25MM RECTANGULAR STEEL PIPE (24.06KG/M)  |
| 100X200X5.5MM RECTANGULAR STEEL PIPE (25.17KG/M)   |
| 100X200X5.75MM RECTANGULAR STEEL PIPE (26.28KG/M)  |
| 100X200X6MM RECTANGULAR STEEL PIPE (27.39KG/M)     |
| 100X200X6.3MM RECTANGULAR STEEL PIPE (28.71KG/M)   |
| 100X200X6.5MM RECTANGULAR STEEL PIPE (29.59KG/M)   |
| 100X200X6.75MM RECTANGULAR STEEL PIPE (30.68KG/M)  |
| 100X200X7MM RECTANGULAR STEEL PIPE (31.78KG/M)     |
| 100X200X7.25MM RECTANGULAR STEEL PIPE (32.87KG/M)  |
| 100X200X7.5MM RECTANGULAR STEEL PIPE (33.96KG/M)   |
| 100X200X7.75MM RECTANGULAR STEEL PIPE (35.04KG/M)  |
| 100X200X8MM RECTANGULAR STEEL PIPE (36.12KG/M)     |
| 100X200X8.25MM RECTANGULAR STEEL PIPE (37.2KG/M)   |
| 100X200X8.5MM RECTANGULAR STEEL PIPE (38.27KG/M)   |
| 100X200X8.75MM RECTANGULAR STEEL PIPE (39.35KG/M)  |
| 100X200X9MM RECTANGULAR STEEL PIPE (40.41KG/M)     |
| 100X200X9.25MM RECTANGULAR STEEL PIPE (41.48KG/M)  |
| 100X200X9.5MM RECTANGULAR STEEL PIPE (42.54KG/M)   |
| 100X200X9.75MM RECTANGULAR STEEL PIPE (43.6KG/M)   |
| 100X200X10MM RECTANGULAR STEEL PIPE (44.66KG/M)    |
| 100X200X10.25MM RECTANGULAR STEEL PIPE (45.71KG/M) |
| 100X200X10.5MM RECTANGULAR STEEL PIPE (46.76KG/M)  |
| 100X200X10.75MM RECTANGULAR STEEL PIPE (47.81KG/M) |
| 100X200X11MM RECTANGULAR STEEL PIPE (48.85KG/M)    |
| 100X200X11.25MM RECTANGULAR STEEL PIPE (49.89KG/M) |
| 100X200X11.5MM RECTANGULAR STEEL PIPE (50.93KG/M)  |
| 100X200X11.75MM RECTANGULAR STEEL PIPE (51.97KG/M) |
| 100X200X12MM RECTANGULAR STEEL PIPE (53KG/M)       |
| 100X200X12.25MM RECTANGULAR STEEL PIPE (54.03KG/M) |
| 100X200X12.5MM RECTANGULAR STEEL PIPE (55.05KG/M)  |
| 100X200X12.75MM RECTANGULAR STEEL PIPE (56.07KG/M) |
| 100X200X13MM RECTANGULAR STEEL PIPE (57.09KG/M)    |
| 100X200X13.25MM RECTANGULAR STEEL PIPE (58.11KG/M) |
| 100X200X13.5MM RECTANGULAR STEEL PIPE (59.12KG/M)  |
| 100X200X13.75MM RECTANGULAR STEEL PIPE (60.13KG/M) |
| 100X200X14MM RECTANGULAR STEEL PIPE (61.14KG/M)    |
| 100X200X14.25MM RECTANGULAR STEEL PIPE (62.14KG/M) |
| 100X200X14.5MM RECTANGULAR STEEL PIPE (63.14KG/M)  |
| 100X200X14.75MM RECTANGULAR STEEL PIPE (64.14KG/M) |
| 100X200X15MM RECTANGULAR STEEL PIPE (65.14KG/M)    |
| 100X200X15.25MM RECTANGULAR STEEL PIPE (66.13KG/M) |
| 100X200X15.5MM RECTANGULAR STEEL PIPE (67.12KG/M)  |
| 100X200X15.75MM RECTANGULAR STEEL PIPE (68.1KG/M)  |
| 100X200X16MM RECTANGULAR STEEL PIPE (69.08KG/M)    |
| 100X200X16.25MM RECTANGULAR STEEL PIPE (70.06KG/M) |
| 100X200X16.5MM RECTANGULAR STEEL PIPE (71.04KG/M)  |
| 100X200X16.75MM RECTANGULAR STEEL PIPE (72.01KG/M) |
| 100X200X17MM RECTANGULAR STEEL PIPE (72.98KG/M)    |
| 100X200X17.25MM RECTANGULAR STEEL PIPE (73.95KG/M) |

|  |
|--|
| 100X200X17.5MM RECTANGULAR STEEL PIPE (74.91KG/M)  |
| 100X200X17.75MM RECTANGULAR STEEL PIPE (75.87KG/M) |
| 100X200X18MM RECTANGULAR STEEL PIPE (76.83KG/M)    |
| 100X200X18.25MM RECTANGULAR STEEL PIPE (77.79KG/M) |
| 100X200X18.5MM RECTANGULAR STEEL PIPE (78.74KG/M)  |
| 100X200X18.75MM RECTANGULAR STEEL PIPE (79.69KG/M) |
| 100X200X19MM RECTANGULAR STEEL PIPE (80.63KG/M)    |
| 100X200X19.25MM RECTANGULAR STEEL PIPE (81.57KG/M) |
| 100X200X19.5MM RECTANGULAR STEEL PIPE (82.51KG/M)  |
| 100X200X19.75MM RECTANGULAR STEEL PIPE (83.45KG/M) |
| 100X200X20MM RECTANGULAR STEEL PIPE (84.38KG/M)    |
| 120X180X2.5MM RECTANGULAR STEEL PIPE (11.63KG/M)   |
| 120X180X2.75MM RECTANGULAR STEEL PIPE (12.77KG/M)  |
| 120X180X3MM RECTANGULAR STEEL PIPE (13.92KG/M)     |
| 120X180X3.25MM RECTANGULAR STEEL PIPE (15.05KG/M)  |
| 120X180X3.5MM RECTANGULAR STEEL PIPE (16.19KG/M)   |
| 120X180X3.75MM RECTANGULAR STEEL PIPE (17.32KG/M)  |
| 120X180X4MM RECTANGULAR STEEL PIPE (18.45KG/M)     |
| 120X180X4.25MM RECTANGULAR STEEL PIPE (19.58KG/M)  |
| 120X180X4.5MM RECTANGULAR STEEL PIPE (20.71KG/M)   |
| 120X180X4.75MM RECTANGULAR STEEL PIPE (21.83KG/M)  |
| 120X180X5MM RECTANGULAR STEEL PIPE (22.95KG/M)     |
| 120X180X5.25MM RECTANGULAR STEEL PIPE (24.06KG/M)  |
| 120X180X5.5MM RECTANGULAR STEEL PIPE (25.17KG/M)   |
| 120X180X5.75MM RECTANGULAR STEEL PIPE (26.28KG/M)  |
| 120X180X6MM RECTANGULAR STEEL PIPE (27.39KG/M)     |
| 120X180X6.3MM RECTANGULAR STEEL PIPE (28.71KG/M)   |
| 120X180X6.5MM RECTANGULAR STEEL PIPE (29.59KG/M)   |
| 120X180X6.75MM RECTANGULAR STEEL PIPE (30.68KG/M)  |
| 120X180X7MM RECTANGULAR STEEL PIPE (31.78KG/M)     |
| 120X180X7.25MM RECTANGULAR STEEL PIPE (32.87KG/M)  |
| 120X180X7.5MM RECTANGULAR STEEL PIPE (33.96KG/M)   |
| 120X180X7.75MM RECTANGULAR STEEL PIPE (35.04KG/M)  |
| 120X180X8MM RECTANGULAR STEEL PIPE (36.12KG/M)     |
| 120X180X8.25MM RECTANGULAR STEEL PIPE (37.2KG/M)   |
| 120X180X8.5MM RECTANGULAR STEEL PIPE (38.27KG/M)   |
| 120X180X8.75MM RECTANGULAR STEEL PIPE (39.35KG/M)  |
| 120X180X9MM RECTANGULAR STEEL PIPE (40.41KG/M)     |
| 120X180X9.25MM RECTANGULAR STEEL PIPE (41.48KG/M)  |
| 120X180X9.5MM RECTANGULAR STEEL PIPE (42.54KG/M)   |
| 120X180X9.75MM RECTANGULAR STEEL PIPE (43.6KG/M)   |
| 120X180X10MM RECTANGULAR STEEL PIPE (44.66KG/M)    |
| 120X180X10.25MM RECTANGULAR STEEL PIPE (45.71KG/M) |
| 120X180X10.5MM RECTANGULAR STEEL PIPE (46.76KG/M)  |
| 120X180X10.75MM RECTANGULAR STEEL PIPE (47.81KG/M) |
| 120X180X11MM RECTANGULAR STEEL PIPE (48.85KG/M)    |
| 120X180X11.25MM RECTANGULAR STEEL PIPE (49.89KG/M) |
| 120X180X11.5MM RECTANGULAR STEEL PIPE (50.93KG/M)  |
| 120X180X11.75MM RECTANGULAR STEEL PIPE (51.97KG/M) |
| 120X180X12MM RECTANGULAR STEEL PIPE (53KG/M)       |
| 120X180X12.25MM RECTANGULAR STEEL PIPE (54.03KG/M) |
| 120X180X12.5MM RECTANGULAR STEEL PIPE (55.05KG/M)  |
| 120X180X12.75MM RECTANGULAR STEEL PIPE (56.07KG/M) |
| 120X180X13MM RECTANGULAR STEEL PIPE (57.09KG/M)    |
| 120X180X13.25MM RECTANGULAR STEEL PIPE (58.11KG/M) |
| 120X180X13.5MM RECTANGULAR STEEL PIPE (59.12KG/M)  |
| 120X180X13.75MM RECTANGULAR STEEL PIPE (60.13KG/M) |

|  |
|--|
| 120X180X14MM RECTANGULAR STEEL PIPE (61.14KG/M)    |
| 120X180X14.25MM RECTANGULAR STEEL PIPE (62.14KG/M) |
| 120X180X14.5MM RECTANGULAR STEEL PIPE (63.14KG/M)  |
| 120X180X14.75MM RECTANGULAR STEEL PIPE (64.14KG/M) |
| 120X180X15MM RECTANGULAR STEEL PIPE (65.14KG/M)    |
| 120X180X15.25MM RECTANGULAR STEEL PIPE (66.13KG/M) |
| 120X180X15.5MM RECTANGULAR STEEL PIPE (67.12KG/M)  |
| 120X180X15.75MM RECTANGULAR STEEL PIPE (68.1KG/M)  |
| 120X180X16MM RECTANGULAR STEEL PIPE (69.08KG/M)    |
| 120X180X16.25MM RECTANGULAR STEEL PIPE (70.06KG/M) |
| 120X180X16.5MM RECTANGULAR STEEL PIPE (71.04KG/M)  |
| 120X180X16.75MM RECTANGULAR STEEL PIPE (72.01KG/M) |
| 120X180X17MM RECTANGULAR STEEL PIPE (72.98KG/M)    |
| 120X180X17.25MM RECTANGULAR STEEL PIPE (73.95KG/M) |
| 120X180X17.5MM RECTANGULAR STEEL PIPE (74.91KG/M)  |
| 120X180X17.75MM RECTANGULAR STEEL PIPE (75.87KG/M) |
| 120X180X18MM RECTANGULAR STEEL PIPE (76.83KG/M)    |
| 120X180X18.25MM RECTANGULAR STEEL PIPE (77.79KG/M) |
| 120X180X18.5MM RECTANGULAR STEEL PIPE (78.74KG/M)  |
| 120X180X18.75MM RECTANGULAR STEEL PIPE (79.69KG/M) |
| 120X180X19MM RECTANGULAR STEEL PIPE (80.63KG/M)    |
| 120X180X19.25MM RECTANGULAR STEEL PIPE (81.57KG/M) |
| 120X180X19.5MM RECTANGULAR STEEL PIPE (82.51KG/M)  |
| 120X180X19.75MM RECTANGULAR STEEL PIPE (83.45KG/M) |
| 120X180X20MM RECTANGULAR STEEL PIPE (84.38KG/M)    |
| 100X250X3MM RECTANGULAR STEEL PIPE (16.27KG/M)     |
| 100X250X3.25MM RECTANGULAR STEEL PIPE (17.61KG/M)  |
| 100X250X3.5MM RECTANGULAR STEEL PIPE (18.94KG/M)   |
| 100X250X3.75MM RECTANGULAR STEEL PIPE (20.27KG/M)  |
| 100X250X4MM RECTANGULAR STEEL PIPE (21.6KG/M)      |
| 100X250X4.25MM RECTANGULAR STEEL PIPE (22.92KG/M)  |
| 100X250X4.5MM RECTANGULAR STEEL PIPE (24.24KG/M)   |
| 100X250X4.75MM RECTANGULAR STEEL PIPE (25.56KG/M)  |
| 100X250X5MM RECTANGULAR STEEL PIPE (26.87KG/M)     |
| 100X250X5.25MM RECTANGULAR STEEL PIPE (28.18KG/M)  |
| 100X250X5.5MM RECTANGULAR STEEL PIPE (29.49KG/M)   |
| 100X250X5.75MM RECTANGULAR STEEL PIPE (30.8KG/M)   |
| 100X250X6MM RECTANGULAR STEEL PIPE (32.1KG/M)      |
| 100X250X6.3MM RECTANGULAR STEEL PIPE (33.66KG/M)   |
| 100X250X6.5MM RECTANGULAR STEEL PIPE (34.69KG/M)   |
| 100X250X6.75MM RECTANGULAR STEEL PIPE (35.99KG/M)  |
| 100X250X7MM RECTANGULAR STEEL PIPE (37.28KG/M)     |
| 100X250X7.25MM RECTANGULAR STEEL PIPE (38.56KG/M)  |
| 100X250X7.5MM RECTANGULAR STEEL PIPE (39.85KG/M)   |
| 100X250X7.75MM RECTANGULAR STEEL PIPE (41.13KG/M)  |
| 100X250X8MM RECTANGULAR STEEL PIPE (42.4KG/M)      |
| 100X250X8.25MM RECTANGULAR STEEL PIPE (43.68KG/M)  |
| 100X250X8.5MM RECTANGULAR STEEL PIPE (44.95KG/M)   |
| 100X250X8.75MM RECTANGULAR STEEL PIPE (46.22KG/M)  |
| 100X250X9MM RECTANGULAR STEEL PIPE (47.48KG/M)     |
| 100X250X9.25MM RECTANGULAR STEEL PIPE (48.74KG/M)  |
| 100X250X9.5MM RECTANGULAR STEEL PIPE (50KG/M)      |
| 100X250X9.75MM RECTANGULAR STEEL PIPE (51.26KG/M)  |
| 100X250X10MM RECTANGULAR STEEL PIPE (52.51KG/M)    |
| 100X250X10.25MM RECTANGULAR STEEL PIPE (53.76KG/M) |
| 100X250X10.5MM RECTANGULAR STEEL PIPE (55.01KG/M)  |
| 100X250X10.75MM RECTANGULAR STEEL PIPE (56.25KG/M) |

|   |
|---|
| 100X250X11MM RECTANGULAR STEEL PIPE (57.49KG/M)     |
| 100X250X11.25MM RECTANGULAR STEEL PIPE (58.73KG/M)  |
| 100X250X11.5MM RECTANGULAR STEEL PIPE (59.96KG/M)   |
| 100X250X11.75MM RECTANGULAR STEEL PIPE (61.19KG/M)  |
| 100X250X12MM RECTANGULAR STEEL PIPE (62.42KG/M)     |
| 100X250X12.25MM RECTANGULAR STEEL PIPE (63.65KG/M)  |
| 100X250X12.5MM RECTANGULAR STEEL PIPE (64.87KG/M)   |
| 100X250X12.75MM RECTANGULAR STEEL PIPE (66.09KG/M)  |
| 100X250X13MM RECTANGULAR STEEL PIPE (67.3KG/M)      |
| 100X250X13.25MM RECTANGULAR STEEL PIPE (68.52KG/M)  |
| 100X250X13.5MM RECTANGULAR STEEL PIPE (69.73KG/M)   |
| 100X250X13.75MM RECTANGULAR STEEL PIPE (70.93KG/M)  |
| 100X250X14MM RECTANGULAR STEEL PIPE (72.14KG/M)     |
| 100X250X14.25MM RECTANGULAR STEEL PIPE (73.34KG/M)  |
| 100X250X14.5MM RECTANGULAR STEEL PIPE (74.53KG/M)   |
| 100X250X14.75MM RECTANGULAR STEEL PIPE (75.73KG/M)  |
| 100X250X15MM RECTANGULAR STEEL PIPE (76.92KG/M)     |
| 100X250X15.25MM RECTANGULAR STEEL PIPE (78.11KG/M)  |
| 100X250X15.5MM RECTANGULAR STEEL PIPE (79.29KG/M)   |
| 100X250X15.75MM RECTANGULAR STEEL PIPE (80.47KG/M)  |
| 100X250X16MM RECTANGULAR STEEL PIPE (81.65KG/M)     |
| 100X250X16.25MM RECTANGULAR STEEL PIPE (82.83KG/M)  |
| 100X250X16.5MM RECTANGULAR STEEL PIPE (84KG/M)      |
| 100X250X16.75MM RECTANGULAR STEEL PIPE (85.17KG/M)  |
| 100X250X17MM RECTANGULAR STEEL PIPE (86.34KG/M)     |
| 100X250X17.25MM RECTANGULAR STEEL PIPE (87.5KG/M)   |
| 100X250X17.5MM RECTANGULAR STEEL PIPE (88.66KG/M)   |
| 100X250X17.75MM RECTANGULAR STEEL PIPE (89.82KG/M)  |
| 100X250X18MM RECTANGULAR STEEL PIPE (90.97KG/M)     |
| 100X250X18.25MM RECTANGULAR STEEL PIPE (92.12KG/M)  |
| 100X250X18.5MM RECTANGULAR STEEL PIPE (93.27KG/M)   |
| 100X250X18.75MM RECTANGULAR STEEL PIPE (94.41KG/M)  |
| 100X250X19MM RECTANGULAR STEEL PIPE (95.56KG/M)     |
| 100X250X19.25MM RECTANGULAR STEEL PIPE (96.69KG/M)  |
| 100X250X19.5MM RECTANGULAR STEEL PIPE (97.83KG/M)   |
| 100X250X19.75MM RECTANGULAR STEEL PIPE (98.96KG/M)  |
| 100X250X20MM RECTANGULAR STEEL PIPE (100.09KG/M)    |
| 100X250X20.25MM RECTANGULAR STEEL PIPE (101.22KG/M) |
| 100X250X20.5MM RECTANGULAR STEEL PIPE (102.34KG/M)  |
| 100X250X20.75MM RECTANGULAR STEEL PIPE (103.46KG/M) |
| 100X250X21MM RECTANGULAR STEEL PIPE (104.58KG/M)    |
| 100X250X21.25MM RECTANGULAR STEEL PIPE (105.69KG/M) |
| 100X250X21.5MM RECTANGULAR STEEL PIPE (106.8KG/M)   |
| 100X250X21.75MM RECTANGULAR STEEL PIPE (107.91KG/M) |
| 100X250X22MM RECTANGULAR STEEL PIPE (109.02KG/M)    |
| 100X250X22.25MM RECTANGULAR STEEL PIPE (110.12KG/M) |
| 100X250X22.5MM RECTANGULAR STEEL PIPE (111.22KG/M)  |
| 100X250X22.75MM RECTANGULAR STEEL PIPE (112.31KG/M) |
| 100X250X23MM RECTANGULAR STEEL PIPE (113.4KG/M)     |
| 100X250X23.25MM RECTANGULAR STEEL PIPE (114.49KG/M) |
| 100X250X23.5MM RECTANGULAR STEEL PIPE (115.58KG/M)  |
| 100X250X23.75MM RECTANGULAR STEEL PIPE (116.66KG/M) |
| 100X250X24MM RECTANGULAR STEEL PIPE (117.74KG/M)    |
| 100X250X24.25MM RECTANGULAR STEEL PIPE (118.82KG/M) |
| 100X250X24.5MM RECTANGULAR STEEL PIPE (119.89KG/M)  |
| 100X250X24.75MM RECTANGULAR STEEL PIPE (120.96KG/M) |
| 100X250X25MM RECTANGULAR STEEL PIPE (122.03KG/M)    |

|  |
|--|
| 150X200X3MM RECTANGULAR STEEL PIPE (16.27KG/M)     |
| 150X200X3.25MM RECTANGULAR STEEL PIPE (17.61KG/M)  |
| 150X200X3.5MM RECTANGULAR STEEL PIPE (18.94KG/M)   |
| 150X200X3.75MM RECTANGULAR STEEL PIPE (20.27KG/M)  |
| 150X200X4MM RECTANGULAR STEEL PIPE (21.6KG/M)      |
| 150X200X4.25MM RECTANGULAR STEEL PIPE (22.92KG/M)  |
| 150X200X4.5MM RECTANGULAR STEEL PIPE (24.24KG/M)   |
| 150X200X4.75MM RECTANGULAR STEEL PIPE (25.56KG/M)  |
| 150X200X5MM RECTANGULAR STEEL PIPE (26.87KG/M)     |
| 150X200X5.25MM RECTANGULAR STEEL PIPE (28.18KG/M)  |
| 150X200X5.5MM RECTANGULAR STEEL PIPE (29.49KG/M)   |
| 150X200X5.75MM RECTANGULAR STEEL PIPE (30.8KG/M)   |
| 150X200X6MM RECTANGULAR STEEL PIPE (32.1KG/M)      |
| 150X200X6.3MM RECTANGULAR STEEL PIPE (33.66KG/M)   |
| 150X200X6.5MM RECTANGULAR STEEL PIPE (34.69KG/M)   |
| 150X200X6.75MM RECTANGULAR STEEL PIPE (35.99KG/M)  |
| 150X200X7MM RECTANGULAR STEEL PIPE (37.28KG/M)     |
| 150X200X7.25MM RECTANGULAR STEEL PIPE (38.56KG/M)  |
| 150X200X7.5MM RECTANGULAR STEEL PIPE (39.85KG/M)   |
| 150X200X7.75MM RECTANGULAR STEEL PIPE (41.13KG/M)  |
| 150X200X8MM RECTANGULAR STEEL PIPE (42.4KG/M)      |
| 150X200X8.25MM RECTANGULAR STEEL PIPE (43.68KG/M)  |
| 150X200X8.5MM RECTANGULAR STEEL PIPE (44.95KG/M)   |
| 150X200X8.75MM RECTANGULAR STEEL PIPE (46.22KG/M)  |
| 150X200X9MM RECTANGULAR STEEL PIPE (47.48KG/M)     |
| 150X200X9.25MM RECTANGULAR STEEL PIPE (48.74KG/M)  |
| 150X200X9.5MM RECTANGULAR STEEL PIPE (50KG/M)      |
| 150X200X9.75MM RECTANGULAR STEEL PIPE (51.26KG/M)  |
| 150X200X10MM RECTANGULAR STEEL PIPE (52.51KG/M)    |
| 150X200X10.25MM RECTANGULAR STEEL PIPE (53.76KG/M) |
| 150X200X10.5MM RECTANGULAR STEEL PIPE (55.01KG/M)  |
| 150X200X10.75MM RECTANGULAR STEEL PIPE (56.25KG/M) |
| 150X200X11MM RECTANGULAR STEEL PIPE (57.49KG/M)    |
| 150X200X11.25MM RECTANGULAR STEEL PIPE (58.73KG/M) |
| 150X200X11.5MM RECTANGULAR STEEL PIPE (59.96KG/M)  |
| 150X200X11.75MM RECTANGULAR STEEL PIPE (61.19KG/M) |
| 150X200X12MM RECTANGULAR STEEL PIPE (62.42KG/M)    |
| 150X200X12.25MM RECTANGULAR STEEL PIPE (63.65KG/M) |
| 150X200X12.5MM RECTANGULAR STEEL PIPE (64.87KG/M)  |
| 150X200X12.75MM RECTANGULAR STEEL PIPE (66.09KG/M) |
| 150X200X13MM RECTANGULAR STEEL PIPE (67.3KG/M)     |
| 150X200X13.25MM RECTANGULAR STEEL PIPE (68.52KG/M) |
| 150X200X13.5MM RECTANGULAR STEEL PIPE (69.73KG/M)  |
| 150X200X13.75MM RECTANGULAR STEEL PIPE (70.93KG/M) |
| 150X200X14MM RECTANGULAR STEEL PIPE (72.14KG/M)    |
| 150X200X14.25MM RECTANGULAR STEEL PIPE (73.34KG/M) |
| 150X200X14.5MM RECTANGULAR STEEL PIPE (74.53KG/M)  |
| 150X200X14.75MM RECTANGULAR STEEL PIPE (75.73KG/M) |
| 150X200X15MM RECTANGULAR STEEL PIPE (76.92KG/M)    |
| 150X200X15.25MM RECTANGULAR STEEL PIPE (78.11KG/M) |
| 150X200X15.5MM RECTANGULAR STEEL PIPE (79.29KG/M)  |
| 150X200X15.75MM RECTANGULAR STEEL PIPE (80.47KG/M) |
| 150X200X16MM RECTANGULAR STEEL PIPE (81.65KG/M)    |
| 150X200X16.25MM RECTANGULAR STEEL PIPE (82.83KG/M) |
| 150X200X16.5MM RECTANGULAR STEEL PIPE (84KG/M)     |
| 150X200X16.75MM RECTANGULAR STEEL PIPE (85.17KG/M) |
| 150X200X17MM RECTANGULAR STEEL PIPE (86.34KG/M)    |

|   |
|---|
| 150X200X17.25MM RECTANGULAR STEEL PIPE (87.5KG/M)   |
| 150X200X17.5MM RECTANGULAR STEEL PIPE (88.66KG/M)   |
| 150X200X17.75MM RECTANGULAR STEEL PIPE (89.82KG/M)  |
| 150X200X18MM RECTANGULAR STEEL PIPE (90.97KG/M)     |
| 150X200X18.25MM RECTANGULAR STEEL PIPE (92.12KG/M)  |
| 150X200X18.5MM RECTANGULAR STEEL PIPE (93.27KG/M)   |
| 150X200X18.75MM RECTANGULAR STEEL PIPE (94.41KG/M)  |
| 150X200X19MM RECTANGULAR STEEL PIPE (95.56KG/M)     |
| 150X200X19.25MM RECTANGULAR STEEL PIPE (96.69KG/M)  |
| 150X200X19.5MM RECTANGULAR STEEL PIPE (97.83KG/M)   |
| 150X200X19.75MM RECTANGULAR STEEL PIPE (98.96KG/M)  |
| 150X200X20MM RECTANGULAR STEEL PIPE (100.09KG/M)    |
| 150X200X20.25MM RECTANGULAR STEEL PIPE (101.22KG/M) |
| 150X200X20.5MM RECTANGULAR STEEL PIPE (102.34KG/M)  |
| 150X200X20.75MM RECTANGULAR STEEL PIPE (103.46KG/M) |
| 150X200X21MM RECTANGULAR STEEL PIPE (104.58KG/M)    |
| 150X200X21.25MM RECTANGULAR STEEL PIPE (105.69KG/M) |
| 150X200X21.5MM RECTANGULAR STEEL PIPE (106.8KG/M)   |
| 150X200X21.75MM RECTANGULAR STEEL PIPE (107.91KG/M) |
| 150X200X22MM RECTANGULAR STEEL PIPE (109.02KG/M)    |
| 150X200X22.25MM RECTANGULAR STEEL PIPE (110.12KG/M) |
| 150X200X22.5MM RECTANGULAR STEEL PIPE (111.22KG/M)  |
| 150X200X22.75MM RECTANGULAR STEEL PIPE (112.31KG/M) |
| 150X200X23MM RECTANGULAR STEEL PIPE (113.4KG/M)     |
| 150X200X23.25MM RECTANGULAR STEEL PIPE (114.49KG/M) |
| 150X200X23.5MM RECTANGULAR STEEL PIPE (115.58KG/M)  |
| 150X200X23.75MM RECTANGULAR STEEL PIPE (116.66KG/M) |
| 150X200X24MM RECTANGULAR STEEL PIPE (117.74KG/M)    |
| 150X200X24.25MM RECTANGULAR STEEL PIPE (118.82KG/M) |
| 150X200X24.5MM RECTANGULAR STEEL PIPE (119.89KG/M)  |
| 150X200X24.75MM RECTANGULAR STEEL PIPE (120.96KG/M) |
| 150X200X25MM RECTANGULAR STEEL PIPE (122.03KG/M)    |
| 100X300X2.75MM RECTANGULAR STEEL PIPE (17.09KG/M)   |
| 100X300X3MM RECTANGULAR STEEL PIPE (18.63KG/M)      |
| 100X300X3.25MM RECTANGULAR STEEL PIPE (20.16KG/M)   |
| 100X300X3.5MM RECTANGULAR STEEL PIPE (21.69KG/M)    |
| 100X300X3.75MM RECTANGULAR STEEL PIPE (23.22KG/M)   |
| 100X300X4MM RECTANGULAR STEEL PIPE (24.74KG/M)      |
| 100X300X4.25MM RECTANGULAR STEEL PIPE (26.26KG/M)   |
| 100X300X4.5MM RECTANGULAR STEEL PIPE (27.77KG/M)    |
| 100X300X4.75MM RECTANGULAR STEEL PIPE (29.29KG/M)   |
| 100X300X5MM RECTANGULAR STEEL PIPE (30.8KG/M)       |
| 100X300X5.25MM RECTANGULAR STEEL PIPE (32.31KG/M)   |
| 100X300X5.5MM RECTANGULAR STEEL PIPE (33.81KG/M)    |
| 100X300X5.75MM RECTANGULAR STEEL PIPE (35.31KG/M)   |
| 100X300X6MM RECTANGULAR STEEL PIPE (36.81KG/M)      |
| 100X300X6.3MM RECTANGULAR STEEL PIPE (38.61KG/M)    |
| 100X300X6.5MM RECTANGULAR STEEL PIPE (39.8KG/M)     |
| 100X300X6.75MM RECTANGULAR STEEL PIPE (41.29KG/M)   |
| 100X300X7MM RECTANGULAR STEEL PIPE (42.77KG/M)      |
| 100X300X7.25MM RECTANGULAR STEEL PIPE (44.26KG/M)   |
| 100X300X7.5MM RECTANGULAR STEEL PIPE (45.74KG/M)    |
| 100X300X7.75MM RECTANGULAR STEEL PIPE (47.21KG/M)   |
| 100X300X8MM RECTANGULAR STEEL PIPE (48.69KG/M)      |
| 100X300X8.25MM RECTANGULAR STEEL PIPE (50.16KG/M)   |
| 100X300X8.5MM RECTANGULAR STEEL PIPE (51.63KG/M)    |
| 100X300X8.75MM RECTANGULAR STEEL PIPE (53.09KG/M)   |

|   |
|---|
| 100X300X9MM RECTANGULAR STEEL PIPE (54.55KG/M)      |
| 100X300X9.25MM RECTANGULAR STEEL PIPE (56.01KG/M)   |
| 100X300X9.5MM RECTANGULAR STEEL PIPE (57.46KG/M)    |
| 100X300X9.75MM RECTANGULAR STEEL PIPE (58.92KG/M)   |
| 100X300X10MM RECTANGULAR STEEL PIPE (60.37KG/M)     |
| 100X300X10.25MM RECTANGULAR STEEL PIPE (61.81KG/M)  |
| 100X300X10.5MM RECTANGULAR STEEL PIPE (63.25KG/M)   |
| 100X300X10.75MM RECTANGULAR STEEL PIPE (64.69KG/M)  |
| 100X300X11MM RECTANGULAR STEEL PIPE (66.13KG/M)     |
| 100X300X11.25MM RECTANGULAR STEEL PIPE (67.56KG/M)  |
| 100X300X11.5MM RECTANGULAR STEEL PIPE (69KG/M)      |
| 100X300X11.75MM RECTANGULAR STEEL PIPE (70.42KG/M)  |
| 100X300X12MM RECTANGULAR STEEL PIPE (71.85KG/M)     |
| 100X300X12.25MM RECTANGULAR STEEL PIPE (73.27KG/M)  |
| 100X300X12.5MM RECTANGULAR STEEL PIPE (74.69KG/M)   |
| 100X300X12.75MM RECTANGULAR STEEL PIPE (76.1KG/M)   |
| 100X300X13MM RECTANGULAR STEEL PIPE (77.51KG/M)     |
| 100X300X13.25MM RECTANGULAR STEEL PIPE (78.92KG/M)  |
| 100X300X13.5MM RECTANGULAR STEEL PIPE (80.33KG/M)   |
| 100X300X13.75MM RECTANGULAR STEEL PIPE (81.73KG/M)  |
| 100X300X14MM RECTANGULAR STEEL PIPE (83.13KG/M)     |
| 100X300X14.25MM RECTANGULAR STEEL PIPE (84.53KG/M)  |
| 100X300X14.5MM RECTANGULAR STEEL PIPE (85.92KG/M)   |
| 100X300X14.75MM RECTANGULAR STEEL PIPE (87.31KG/M)  |
| 100X300X15MM RECTANGULAR STEEL PIPE (88.7KG/M)      |
| 100X300X15.25MM RECTANGULAR STEEL PIPE (90.08KG/M)  |
| 100X300X15.5MM RECTANGULAR STEEL PIPE (91.46KG/M)   |
| 100X300X15.75MM RECTANGULAR STEEL PIPE (92.84KG/M)  |
| 100X300X16MM RECTANGULAR STEEL PIPE (94.22KG/M)     |
| 100X300X16.25MM RECTANGULAR STEEL PIPE (95.59KG/M)  |
| 100X300X16.5MM RECTANGULAR STEEL PIPE (96.96KG/M)   |
| 100X300X16.75MM RECTANGULAR STEEL PIPE (98.32KG/M)  |
| 100X300X17MM RECTANGULAR STEEL PIPE (99.69KG/M)     |
| 100X300X17.25MM RECTANGULAR STEEL PIPE (101.05KG/M) |
| 100X300X17.5MM RECTANGULAR STEEL PIPE (102.4KG/M)   |
| 100X300X17.75MM RECTANGULAR STEEL PIPE (103.76KG/M) |
| 100X300X18MM RECTANGULAR STEEL PIPE (105.11KG/M)    |
| 100X300X18.25MM RECTANGULAR STEEL PIPE (106.45KG/M) |
| 100X300X18.5MM RECTANGULAR STEEL PIPE (107.8KG/M)   |
| 100X300X18.75MM RECTANGULAR STEEL PIPE (109.14KG/M) |
| 100X300X19MM RECTANGULAR STEEL PIPE (110.48KG/M)    |
| 100X300X19.25MM RECTANGULAR STEEL PIPE (111.81KG/M) |
| 100X300X19.5MM RECTANGULAR STEEL PIPE (113.14KG/M)  |
| 100X300X19.75MM RECTANGULAR STEEL PIPE (114.47KG/M) |
| 100X300X20MM RECTANGULAR STEEL PIPE (115.8KG/M)     |
| 100X300X20.25MM RECTANGULAR STEEL PIPE (117.12KG/M) |
| 100X300X20.5MM RECTANGULAR STEEL PIPE (118.44KG/M)  |
| 100X300X20.75MM RECTANGULAR STEEL PIPE (119.76KG/M) |
| 100X300X21MM RECTANGULAR STEEL PIPE (121.07KG/M)    |
| 100X300X21.25MM RECTANGULAR STEEL PIPE (122.38KG/M) |
| 100X300X21.5MM RECTANGULAR STEEL PIPE (123.69KG/M)  |
| 100X300X21.75MM RECTANGULAR STEEL PIPE (124.99KG/M) |
| 100X300X22MM RECTANGULAR STEEL PIPE (126.29KG/M)    |
| 100X300X22.25MM RECTANGULAR STEEL PIPE (127.59KG/M) |
| 100X300X22.5MM RECTANGULAR STEEL PIPE (128.89KG/M)  |
| 100X300X22.75MM RECTANGULAR STEEL PIPE (130.18KG/M) |
| 100X300X23MM RECTANGULAR STEEL PIPE (131.47KG/M)    |



|   |
|---|
| 100X300X23.25MM RECTANGULAR STEEL PIPE (132.75KG/M) |
| 100X300X23.5MM RECTANGULAR STEEL PIPE (134.04KG/M)  |
| 100X300X23.75MM RECTANGULAR STEEL PIPE (135.32KG/M) |
| 100X300X24MM RECTANGULAR STEEL PIPE (136.59KG/M)    |
| 100X300X24.25MM RECTANGULAR STEEL PIPE (137.86KG/M) |
| 100X300X24.5MM RECTANGULAR STEEL PIPE (139.13KG/M)  |
| 100X300X24.75MM RECTANGULAR STEEL PIPE (140.4KG/M)  |
| 100X300X25MM RECTANGULAR STEEL PIPE (141.67KG/M)    |
| 100X300X25.25MM RECTANGULAR STEEL PIPE (142.93KG/M) |
| 100X300X25.5MM RECTANGULAR STEEL PIPE (144.19KG/M)  |
| 100X300X25.75MM RECTANGULAR STEEL PIPE (145.44KG/M) |
| 100X300X26MM RECTANGULAR STEEL PIPE (146.69KG/M)    |
| 100X300X26.25MM RECTANGULAR STEEL PIPE (147.94KG/M) |
| 100X300X26.5MM RECTANGULAR STEEL PIPE (149.19KG/M)  |
| 100X300X26.75MM RECTANGULAR STEEL PIPE (150.43KG/M) |
| 100X300X27MM RECTANGULAR STEEL PIPE (151.67KG/M)    |
| 100X300X27.25MM RECTANGULAR STEEL PIPE (152.9KG/M)  |
| 100X300X27.5MM RECTANGULAR STEEL PIPE (154.14KG/M)  |
| 100X300X27.75MM RECTANGULAR STEEL PIPE (155.37KG/M) |
| 100X300X28MM RECTANGULAR STEEL PIPE (156.59KG/M)    |
| 100X300X28.25MM RECTANGULAR STEEL PIPE (157.82KG/M) |
| 100X300X28.5MM RECTANGULAR STEEL PIPE (159.04KG/M)  |
| 100X300X28.75MM RECTANGULAR STEEL PIPE (160.26KG/M) |
| 100X300X29MM RECTANGULAR STEEL PIPE (161.47KG/M)    |
| 100X300X29.25MM RECTANGULAR STEEL PIPE (162.68KG/M) |
| 100X300X29.5MM RECTANGULAR STEEL PIPE (163.89KG/M)  |
| 100X300X29.75MM RECTANGULAR STEEL PIPE (165.1KG/M)  |
| 100X300X30MM RECTANGULAR STEEL PIPE (166.3KG/M)     |
| 150X250X2.75MM RECTANGULAR STEEL PIPE (17.09KG/M)   |
| 150X250X3MM RECTANGULAR STEEL PIPE (18.63KG/M)      |
| 150X250X3.25MM RECTANGULAR STEEL PIPE (20.16KG/M)   |
| 150X250X3.5MM RECTANGULAR STEEL PIPE (21.69KG/M)    |
| 150X250X3.75MM RECTANGULAR STEEL PIPE (23.22KG/M)   |
| 150X250X4MM RECTANGULAR STEEL PIPE (24.74KG/M)      |
| 150X250X4.25MM RECTANGULAR STEEL PIPE (26.26KG/M)   |
| 150X250X4.5MM RECTANGULAR STEEL PIPE (27.77KG/M)    |
| 150X250X4.75MM RECTANGULAR STEEL PIPE (29.29KG/M)   |
| 150X250X5MM RECTANGULAR STEEL PIPE (30.8KG/M)       |
| 150X250X5.25MM RECTANGULAR STEEL PIPE (32.31KG/M)   |
| 150X250X5.5MM RECTANGULAR STEEL PIPE (33.81KG/M)    |
| 150X250X5.75MM RECTANGULAR STEEL PIPE (35.31KG/M)   |
| 150X250X6MM RECTANGULAR STEEL PIPE (36.81KG/M)      |
| 150X250X6.3MM RECTANGULAR STEEL PIPE (38.61KG/M)    |
| 150X250X6.5MM RECTANGULAR STEEL PIPE (39.8KG/M)     |
| 150X250X6.75MM RECTANGULAR STEEL PIPE (41.29KG/M)   |
| 150X250X7MM RECTANGULAR STEEL PIPE (42.77KG/M)      |
| 150X250X7.25MM RECTANGULAR STEEL PIPE (44.26KG/M)   |
| 150X250X7.5MM RECTANGULAR STEEL PIPE (45.74KG/M)    |
| 150X250X7.75MM RECTANGULAR STEEL PIPE (47.21KG/M)   |
| 150X250X8MM RECTANGULAR STEEL PIPE (48.69KG/M)      |
| 150X250X8.25MM RECTANGULAR STEEL PIPE (50.16KG/M)   |
| 150X250X8.5MM RECTANGULAR STEEL PIPE (51.63KG/M)    |
| 150X250X8.75MM RECTANGULAR STEEL PIPE (53.09KG/M)   |
| 150X250X9MM RECTANGULAR STEEL PIPE (54.55KG/M)      |
| 150X250X9.25MM RECTANGULAR STEEL PIPE (56.01KG/M)   |
| 150X250X9.5MM RECTANGULAR STEEL PIPE (57.46KG/M)    |
| 150X250X9.75MM RECTANGULAR STEEL PIPE (58.92KG/M)   |

|   |
|---|
| 150X250X10MM RECTANGULAR STEEL PIPE (60.37KG/M)     |
| 150X250X10.25MM RECTANGULAR STEEL PIPE (61.81KG/M)  |
| 150X250X10.5MM RECTANGULAR STEEL PIPE (63.25KG/M)   |
| 150X250X10.75MM RECTANGULAR STEEL PIPE (64.69KG/M)  |
| 150X250X11MM RECTANGULAR STEEL PIPE (66.13KG/M)     |
| 150X250X11.25MM RECTANGULAR STEEL PIPE (67.56KG/M)  |
| 150X250X11.5MM RECTANGULAR STEEL PIPE (69KG/M)      |
| 150X250X11.75MM RECTANGULAR STEEL PIPE (70.42KG/M)  |
| 150X250X12MM RECTANGULAR STEEL PIPE (71.85KG/M)     |
| 150X250X12.25MM RECTANGULAR STEEL PIPE (73.27KG/M)  |
| 150X250X12.5MM RECTANGULAR STEEL PIPE (74.69KG/M)   |
| 150X250X12.75MM RECTANGULAR STEEL PIPE (76.1KG/M)   |
| 150X250X13MM RECTANGULAR STEEL PIPE (77.51KG/M)     |
| 150X250X13.25MM RECTANGULAR STEEL PIPE (78.92KG/M)  |
| 150X250X13.5MM RECTANGULAR STEEL PIPE (80.33KG/M)   |
| 150X250X13.75MM RECTANGULAR STEEL PIPE (81.73KG/M)  |
| 150X250X14MM RECTANGULAR STEEL PIPE (83.13KG/M)     |
| 150X250X14.25MM RECTANGULAR STEEL PIPE (84.53KG/M)  |
| 150X250X14.5MM RECTANGULAR STEEL PIPE (85.92KG/M)   |
| 150X250X14.75MM RECTANGULAR STEEL PIPE (87.31KG/M)  |
| 150X250X15MM RECTANGULAR STEEL PIPE (88.7KG/M)      |
| 150X250X15.25MM RECTANGULAR STEEL PIPE (90.08KG/M)  |
| 150X250X15.5MM RECTANGULAR STEEL PIPE (91.46KG/M)   |
| 150X250X15.75MM RECTANGULAR STEEL PIPE (92.84KG/M)  |
| 150X250X16MM RECTANGULAR STEEL PIPE (94.22KG/M)     |
| 150X250X16.25MM RECTANGULAR STEEL PIPE (95.59KG/M)  |
| 150X250X16.5MM RECTANGULAR STEEL PIPE (96.96KG/M)   |
| 150X250X16.75MM RECTANGULAR STEEL PIPE (98.32KG/M)  |
| 150X250X17MM RECTANGULAR STEEL PIPE (99.69KG/M)     |
| 150X250X17.25MM RECTANGULAR STEEL PIPE (101.05KG/M) |
| 150X250X17.5MM RECTANGULAR STEEL PIPE (102.4KG/M)   |
| 150X250X17.75MM RECTANGULAR STEEL PIPE (103.76KG/M) |
| 150X250X18MM RECTANGULAR STEEL PIPE (105.11KG/M)    |
| 150X250X18.25MM RECTANGULAR STEEL PIPE (106.45KG/M) |
| 150X250X18.5MM RECTANGULAR STEEL PIPE (107.8KG/M)   |
| 150X250X18.75MM RECTANGULAR STEEL PIPE (109.14KG/M) |
| 150X250X19MM RECTANGULAR STEEL PIPE (110.48KG/M)    |
| 150X250X19.25MM RECTANGULAR STEEL PIPE (111.81KG/M) |
| 150X250X19.5MM RECTANGULAR STEEL PIPE (113.14KG/M)  |
| 150X250X19.75MM RECTANGULAR STEEL PIPE (114.47KG/M) |
| 150X250X20MM RECTANGULAR STEEL PIPE (115.8KG/M)     |
| 150X250X20.25MM RECTANGULAR STEEL PIPE (117.12KG/M) |
| 150X250X20.5MM RECTANGULAR STEEL PIPE (118.44KG/M)  |
| 150X250X20.75MM RECTANGULAR STEEL PIPE (119.76KG/M) |
| 150X250X21MM RECTANGULAR STEEL PIPE (121.07KG/M)    |
| 150X250X21.25MM RECTANGULAR STEEL PIPE (122.38KG/M) |
| 150X250X21.5MM RECTANGULAR STEEL PIPE (123.69KG/M)  |
| 150X250X21.75MM RECTANGULAR STEEL PIPE (124.99KG/M) |
| 150X250X22MM RECTANGULAR STEEL PIPE (126.29KG/M)    |
| 150X250X22.25MM RECTANGULAR STEEL PIPE (127.59KG/M) |
| 150X250X22.5MM RECTANGULAR STEEL PIPE (128.89KG/M)  |
| 150X250X22.75MM RECTANGULAR STEEL PIPE (130.18KG/M) |
| 150X250X23MM RECTANGULAR STEEL PIPE (131.47KG/M)    |
| 150X250X23.25MM RECTANGULAR STEEL PIPE (132.75KG/M) |
| 150X250X23.5MM RECTANGULAR STEEL PIPE (134.04KG/M)  |
| 150X250X23.75MM RECTANGULAR STEEL PIPE (135.32KG/M) |
| 150X250X24MM RECTANGULAR STEEL PIPE (136.59KG/M)    |

|   |
|---|
| 150X250X24.25MM RECTANGULAR STEEL PIPE (137.86KG/M) |
| 150X250X24.5MM RECTANGULAR STEEL PIPE (139.13KG/M)  |
| 150X250X24.75MM RECTANGULAR STEEL PIPE (140.4KG/M)  |
| 150X250X25MM RECTANGULAR STEEL PIPE (141.67KG/M)    |
| 150X250X25.25MM RECTANGULAR STEEL PIPE (142.93KG/M) |
| 150X250X25.5MM RECTANGULAR STEEL PIPE (144.19KG/M)  |
| 150X250X25.75MM RECTANGULAR STEEL PIPE (145.44KG/M) |
| 150X250X26MM RECTANGULAR STEEL PIPE (146.69KG/M)    |
| 150X250X26.25MM RECTANGULAR STEEL PIPE (147.94KG/M) |
| 150X250X26.5MM RECTANGULAR STEEL PIPE (149.19KG/M)  |
| 150X250X26.75MM RECTANGULAR STEEL PIPE (150.43KG/M) |
| 150X250X27MM RECTANGULAR STEEL PIPE (151.67KG/M)    |
| 150X250X27.25MM RECTANGULAR STEEL PIPE (152.9KG/M)  |
| 150X250X27.5MM RECTANGULAR STEEL PIPE (154.14KG/M)  |
| 150X250X27.75MM RECTANGULAR STEEL PIPE (155.37KG/M) |
| 150X250X28MM RECTANGULAR STEEL PIPE (156.59KG/M)    |
| 150X250X28.25MM RECTANGULAR STEEL PIPE (157.82KG/M) |
| 150X250X28.5MM RECTANGULAR STEEL PIPE (159.04KG/M)  |
| 150X250X28.75MM RECTANGULAR STEEL PIPE (160.26KG/M) |
| 150X250X29MM RECTANGULAR STEEL PIPE (161.47KG/M)    |
| 150X250X29.25MM RECTANGULAR STEEL PIPE (162.68KG/M) |
| 150X250X29.5MM RECTANGULAR STEEL PIPE (163.89KG/M)  |
| 150X250X29.75MM RECTANGULAR STEEL PIPE (165.1KG/M)  |
| 150X250X30MM RECTANGULAR STEEL PIPE (166.3KG/M)     |
| 150X300X3.75MM RECTANGULAR STEEL PIPE (26.16KG/M)   |
| 150X300X4MM RECTANGULAR STEEL PIPE (27.88KG/M)      |
| 150X300X4.25MM RECTANGULAR STEEL PIPE (29.6KG/M)    |
| 150X300X4.5MM RECTANGULAR STEEL PIPE (31.31KG/M)    |
| 150X300X4.75MM RECTANGULAR STEEL PIPE (33.02KG/M)   |
| 150X300X5MM RECTANGULAR STEEL PIPE (34.73KG/M)      |
| 150X300X5.25MM RECTANGULAR STEEL PIPE (36.43KG/M)   |
| 150X300X5.5MM RECTANGULAR STEEL PIPE (38.13KG/M)    |
| 150X300X5.75MM RECTANGULAR STEEL PIPE (39.83KG/M)   |
| 150X300X6MM RECTANGULAR STEEL PIPE (41.52KG/M)      |
| 150X300X6.3MM RECTANGULAR STEEL PIPE (43.55KG/M)    |
| 150X300X6.5MM RECTANGULAR STEEL PIPE (44.9KG/M)     |
| 150X300X6.75MM RECTANGULAR STEEL PIPE (46.59KG/M)   |
| 150X300X7MM RECTANGULAR STEEL PIPE (48.27KG/M)      |
| 150X300X7.25MM RECTANGULAR STEEL PIPE (49.95KG/M)   |
| 150X300X7.5MM RECTANGULAR STEEL PIPE (51.63KG/M)    |
| 150X300X7.75MM RECTANGULAR STEEL PIPE (53.3KG/M)    |
| 150X300X8MM RECTANGULAR STEEL PIPE (54.97KG/M)      |
| 150X300X8.25MM RECTANGULAR STEEL PIPE (56.64KG/M)   |
| 150X300X8.5MM RECTANGULAR STEEL PIPE (58.3KG/M)     |
| 150X300X8.75MM RECTANGULAR STEEL PIPE (59.96KG/M)   |
| 150X300X9MM RECTANGULAR STEEL PIPE (61.62KG/M)      |
| 150X300X9.25MM RECTANGULAR STEEL PIPE (63.27KG/M)   |
| 150X300X9.5MM RECTANGULAR STEEL PIPE (64.93KG/M)    |
| 150X300X9.75MM RECTANGULAR STEEL PIPE (66.57KG/M)   |
| 150X300X10MM RECTANGULAR STEEL PIPE (68.22KG/M)     |
| 150X300X10.25MM RECTANGULAR STEEL PIPE (69.86KG/M)  |
| 150X300X10.5MM RECTANGULAR STEEL PIPE (71.5KG/M)    |
| 150X300X10.75MM RECTANGULAR STEEL PIPE (73.14KG/M)  |
| 150X300X11MM RECTANGULAR STEEL PIPE (74.77KG/M)     |
| 150X300X11.25MM RECTANGULAR STEEL PIPE (76.4KG/M)   |
| 150X300X11.5MM RECTANGULAR STEEL PIPE (78.03KG/M)   |
| 150X300X11.75MM RECTANGULAR STEEL PIPE (79.65KG/M)  |

|   |
|---|
| 150X300X12MM RECTANGULAR STEEL PIPE (81.27KG/M)     |
| 150X300X12.25MM RECTANGULAR STEEL PIPE (82.89KG/M)  |
| 150X300X12.5MM RECTANGULAR STEEL PIPE (84.5KG/M)    |
| 150X300X12.75MM RECTANGULAR STEEL PIPE (86.12KG/M)  |
| 150X300X13MM RECTANGULAR STEEL PIPE (87.72KG/M)     |
| 150X300X13.25MM RECTANGULAR STEEL PIPE (89.33KG/M)  |
| 150X300X13.5MM RECTANGULAR STEEL PIPE (90.93KG/M)   |
| 150X300X13.75MM RECTANGULAR STEEL PIPE (92.53KG/M)  |
| 150X300X14MM RECTANGULAR STEEL PIPE (94.13KG/M)     |
| 150X300X14.25MM RECTANGULAR STEEL PIPE (95.72KG/M)  |
| 150X300X14.5MM RECTANGULAR STEEL PIPE (97.31KG/M)   |
| 150X300X14.75MM RECTANGULAR STEEL PIPE (98.9KG/M)   |
| 150X300X15MM RECTANGULAR STEEL PIPE (100.48KG/M)    |
| 150X300X15.25MM RECTANGULAR STEEL PIPE (102.06KG/M) |
| 150X300X15.5MM RECTANGULAR STEEL PIPE (103.64KG/M)  |
| 150X300X15.75MM RECTANGULAR STEEL PIPE (105.21KG/M) |
| 150X300X16MM RECTANGULAR STEEL PIPE (106.78KG/M)    |
| 150X300X16.25MM RECTANGULAR STEEL PIPE (108.35KG/M) |
| 150X300X16.5MM RECTANGULAR STEEL PIPE (109.92KG/M)  |
| 150X300X16.75MM RECTANGULAR STEEL PIPE (111.48KG/M) |
| 150X300X17MM RECTANGULAR STEEL PIPE (113.04KG/M)    |
| 150X300X17.25MM RECTANGULAR STEEL PIPE (114.59KG/M) |
| 150X300X17.5MM RECTANGULAR STEEL PIPE (116.15KG/M)  |
| 150X300X17.75MM RECTANGULAR STEEL PIPE (117.7KG/M)  |
| 150X300X18MM RECTANGULAR STEEL PIPE (119.24KG/M)    |
| 150X300X18.25MM RECTANGULAR STEEL PIPE (120.79KG/M) |
| 150X300X18.5MM RECTANGULAR STEEL PIPE (122.33KG/M)  |
| 150X300X18.75MM RECTANGULAR STEEL PIPE (123.87KG/M) |
| 150X300X19MM RECTANGULAR STEEL PIPE (125.4KG/M)     |
| 150X300X19.25MM RECTANGULAR STEEL PIPE (126.93KG/M) |
| 150X300X19.5MM RECTANGULAR STEEL PIPE (128.46KG/M)  |
| 150X300X19.75MM RECTANGULAR STEEL PIPE (129.98KG/M) |
| 150X300X20MM RECTANGULAR STEEL PIPE (131.51KG/M)    |
| 150X300X20.25MM RECTANGULAR STEEL PIPE (133.03KG/M) |
| 150X300X20.5MM RECTANGULAR STEEL PIPE (134.54KG/M)  |
| 150X300X20.75MM RECTANGULAR STEEL PIPE (136.05KG/M) |
| 150X300X21MM RECTANGULAR STEEL PIPE (137.56KG/M)    |
| 150X300X21.25MM RECTANGULAR STEEL PIPE (139.07KG/M) |
| 150X300X21.5MM RECTANGULAR STEEL PIPE (140.57KG/M)  |
| 150X300X21.75MM RECTANGULAR STEEL PIPE (142.08KG/M) |
| 150X300X22MM RECTANGULAR STEEL PIPE (143.57KG/M)    |
| 150X300X22.25MM RECTANGULAR STEEL PIPE (145.07KG/M) |
| 150X300X22.5MM RECTANGULAR STEEL PIPE (146.56KG/M)  |
| 150X300X22.75MM RECTANGULAR STEEL PIPE (148.05KG/M) |
| 150X300X23MM RECTANGULAR STEEL PIPE (149.53KG/M)    |
| 150X300X23.25MM RECTANGULAR STEEL PIPE (151.01KG/M) |
| 150X300X23.5MM RECTANGULAR STEEL PIPE (152.49KG/M)  |
| 150X300X23.75MM RECTANGULAR STEEL PIPE (153.97KG/M) |
| 150X300X24MM RECTANGULAR STEEL PIPE (155.44KG/M)    |
| 150X300X24.25MM RECTANGULAR STEEL PIPE (156.91KG/M) |
| 150X300X24.5MM RECTANGULAR STEEL PIPE (158.38KG/M)  |
| 150X300X24.75MM RECTANGULAR STEEL PIPE (159.84KG/M) |
| 150X300X25MM RECTANGULAR STEEL PIPE (161.3KG/M)     |
| 150X300X25.25MM RECTANGULAR STEEL PIPE (162.76KG/M) |
| 150X300X25.5MM RECTANGULAR STEEL PIPE (164.21KG/M)  |
| 150X300X25.75MM RECTANGULAR STEEL PIPE (165.66KG/M) |
| 150X300X26MM RECTANGULAR STEEL PIPE (167.11KG/M)    |

|   |
|---|
| 150X300X26.25MM RECTANGULAR STEEL PIPE (168.56KG/M) |
| 150X300X26.5MM RECTANGULAR STEEL PIPE (170KG/M)     |
| 150X300X26.75MM RECTANGULAR STEEL PIPE (171.44KG/M) |
| 150X300X27MM RECTANGULAR STEEL PIPE (172.87KG/M)    |
| 150X300X27.25MM RECTANGULAR STEEL PIPE (174.31KG/M) |
| 150X300X27.5MM RECTANGULAR STEEL PIPE (175.74KG/M)  |
| 150X300X27.75MM RECTANGULAR STEEL PIPE (177.16KG/M) |
| 150X300X28MM RECTANGULAR STEEL PIPE (178.59KG/M)    |
| 150X300X28.25MM RECTANGULAR STEEL PIPE (180.01KG/M) |
| 150X300X28.5MM RECTANGULAR STEEL PIPE (181.42KG/M)  |
| 150X300X28.75MM RECTANGULAR STEEL PIPE (182.84KG/M) |
| 150X300X29MM RECTANGULAR STEEL PIPE (184.25KG/M)    |
| 150X300X29.25MM RECTANGULAR STEEL PIPE (185.66KG/M) |
| 150X300X29.5MM RECTANGULAR STEEL PIPE (187.06KG/M)  |
| 150X300X29.75MM RECTANGULAR STEEL PIPE (188.46KG/M) |
| 150X300X30MM RECTANGULAR STEEL PIPE (189.86KG/M)    |
| 200X250X3.75MM RECTANGULAR STEEL PIPE (26.16KG/M)   |
| 200X250X4MM RECTANGULAR STEEL PIPE (27.88KG/M)      |
| 200X250X4.25MM RECTANGULAR STEEL PIPE (29.6KG/M)    |
| 200X250X4.5MM RECTANGULAR STEEL PIPE (31.31KG/M)    |
| 200X250X4.75MM RECTANGULAR STEEL PIPE (33.02KG/M)   |
| 200X250X5MM RECTANGULAR STEEL PIPE (34.73KG/M)      |
| 200X250X5.25MM RECTANGULAR STEEL PIPE (36.43KG/M)   |
| 200X250X5.5MM RECTANGULAR STEEL PIPE (38.13KG/M)    |
| 200X250X5.75MM RECTANGULAR STEEL PIPE (39.83KG/M)   |
| 200X250X6MM RECTANGULAR STEEL PIPE (41.52KG/M)      |
| 200X250X6.3MM RECTANGULAR STEEL PIPE (43.55KG/M)    |
| 200X250X6.5MM RECTANGULAR STEEL PIPE (44.9KG/M)     |
| 200X250X6.75MM RECTANGULAR STEEL PIPE (46.59KG/M)   |
| 200X250X7MM RECTANGULAR STEEL PIPE (48.27KG/M)      |
| 200X250X7.25MM RECTANGULAR STEEL PIPE (49.95KG/M)   |
| 200X250X7.5MM RECTANGULAR STEEL PIPE (51.63KG/M)    |
| 200X250X7.75MM RECTANGULAR STEEL PIPE (53.3KG/M)    |
| 200X250X8MM RECTANGULAR STEEL PIPE (54.97KG/M)      |
| 200X250X8.25MM RECTANGULAR STEEL PIPE (56.64KG/M)   |
| 200X250X8.5MM RECTANGULAR STEEL PIPE (58.3KG/M)     |
| 200X250X8.75MM RECTANGULAR STEEL PIPE (59.96KG/M)   |
| 200X250X9MM RECTANGULAR STEEL PIPE (61.62KG/M)      |
| 200X250X9.25MM RECTANGULAR STEEL PIPE (63.27KG/M)   |
| 200X250X9.5MM RECTANGULAR STEEL PIPE (64.93KG/M)    |
| 200X250X9.75MM RECTANGULAR STEEL PIPE (66.57KG/M)   |
| 200X250X10MM RECTANGULAR STEEL PIPE (68.22KG/M)     |
| 200X250X10.25MM RECTANGULAR STEEL PIPE (69.86KG/M)  |
| 200X250X10.5MM RECTANGULAR STEEL PIPE (71.5KG/M)    |
| 200X250X10.75MM RECTANGULAR STEEL PIPE (73.14KG/M)  |
| 200X250X11MM RECTANGULAR STEEL PIPE (74.77KG/M)     |
| 200X250X11.25MM RECTANGULAR STEEL PIPE (76.4KG/M)   |
| 200X250X11.5MM RECTANGULAR STEEL PIPE (78.03KG/M)   |
| 200X250X11.75MM RECTANGULAR STEEL PIPE (79.65KG/M)  |
| 200X250X12MM RECTANGULAR STEEL PIPE (81.27KG/M)     |
| 200X250X12.25MM RECTANGULAR STEEL PIPE (82.89KG/M)  |
| 200X250X12.5MM RECTANGULAR STEEL PIPE (84.5KG/M)    |
| 200X250X12.75MM RECTANGULAR STEEL PIPE (86.12KG/M)  |
| 200X250X13MM RECTANGULAR STEEL PIPE (87.72KG/M)     |
| 200X250X13.25MM RECTANGULAR STEEL PIPE (89.33KG/M)  |
| 200X250X13.5MM RECTANGULAR STEEL PIPE (90.93KG/M)   |
| 200X250X13.75MM RECTANGULAR STEEL PIPE (92.53KG/M)  |

|   |
|---|
| 200X250X14MM RECTANGULAR STEEL PIPE (94.13KG/M)     |
| 200X250X14.25MM RECTANGULAR STEEL PIPE (95.72KG/M)  |
| 200X250X14.5MM RECTANGULAR STEEL PIPE (97.31KG/M)   |
| 200X250X14.75MM RECTANGULAR STEEL PIPE (98.9KG/M)   |
| 200X250X15MM RECTANGULAR STEEL PIPE (100.48KG/M)    |
| 200X250X15.25MM RECTANGULAR STEEL PIPE (102.06KG/M) |
| 200X250X15.5MM RECTANGULAR STEEL PIPE (103.64KG/M)  |
| 200X250X15.75MM RECTANGULAR STEEL PIPE (105.21KG/M) |
| 200X250X16MM RECTANGULAR STEEL PIPE (106.78KG/M)    |
| 200X250X16.25MM RECTANGULAR STEEL PIPE (108.35KG/M) |
| 200X250X16.5MM RECTANGULAR STEEL PIPE (109.92KG/M)  |
| 200X250X16.75MM RECTANGULAR STEEL PIPE (111.48KG/M) |
| 200X250X17MM RECTANGULAR STEEL PIPE (113.04KG/M)    |
| 200X250X17.25MM RECTANGULAR STEEL PIPE (114.59KG/M) |
| 200X250X17.5MM RECTANGULAR STEEL PIPE (116.15KG/M)  |
| 200X250X17.75MM RECTANGULAR STEEL PIPE (117.7KG/M)  |
| 200X250X18MM RECTANGULAR STEEL PIPE (119.24KG/M)    |
| 200X250X18.25MM RECTANGULAR STEEL PIPE (120.79KG/M) |
| 200X250X18.5MM RECTANGULAR STEEL PIPE (122.33KG/M)  |
| 200X250X18.75MM RECTANGULAR STEEL PIPE (123.87KG/M) |
| 200X250X19MM RECTANGULAR STEEL PIPE (125.4KG/M)     |
| 200X250X19.25MM RECTANGULAR STEEL PIPE (126.93KG/M) |
| 200X250X19.5MM RECTANGULAR STEEL PIPE (128.46KG/M)  |
| 200X250X19.75MM RECTANGULAR STEEL PIPE (129.98KG/M) |
| 200X250X20MM RECTANGULAR STEEL PIPE (131.51KG/M)    |
| 200X250X20.25MM RECTANGULAR STEEL PIPE (133.03KG/M) |
| 200X250X20.5MM RECTANGULAR STEEL PIPE (134.54KG/M)  |
| 200X250X20.75MM RECTANGULAR STEEL PIPE (136.05KG/M) |
| 200X250X21MM RECTANGULAR STEEL PIPE (137.56KG/M)    |
| 200X250X21.25MM RECTANGULAR STEEL PIPE (139.07KG/M) |
| 200X250X21.5MM RECTANGULAR STEEL PIPE (140.57KG/M)  |
| 200X250X21.75MM RECTANGULAR STEEL PIPE (142.08KG/M) |
| 200X250X22MM RECTANGULAR STEEL PIPE (143.57KG/M)    |
| 200X250X22.25MM RECTANGULAR STEEL PIPE (145.07KG/M) |
| 200X250X22.5MM RECTANGULAR STEEL PIPE (146.56KG/M)  |
| 200X250X22.75MM RECTANGULAR STEEL PIPE (148.05KG/M) |
| 200X250X23MM RECTANGULAR STEEL PIPE (149.53KG/M)    |
| 200X250X23.25MM RECTANGULAR STEEL PIPE (151.01KG/M) |
| 200X250X23.5MM RECTANGULAR STEEL PIPE (152.49KG/M)  |
| 200X250X23.75MM RECTANGULAR STEEL PIPE (153.97KG/M) |
| 200X250X24MM RECTANGULAR STEEL PIPE (155.44KG/M)    |
| 200X250X24.25MM RECTANGULAR STEEL PIPE (156.91KG/M) |
| 200X250X24.5MM RECTANGULAR STEEL PIPE (158.38KG/M)  |
| 200X250X24.75MM RECTANGULAR STEEL PIPE (159.84KG/M) |
| 200X250X25MM RECTANGULAR STEEL PIPE (161.3KG/M)     |
| 200X250X25.25MM RECTANGULAR STEEL PIPE (162.76KG/M) |
| 200X250X25.5MM RECTANGULAR STEEL PIPE (164.21KG/M)  |
| 200X250X25.75MM RECTANGULAR STEEL PIPE (165.66KG/M) |
| 200X250X26MM RECTANGULAR STEEL PIPE (167.11KG/M)    |
| 200X250X26.25MM RECTANGULAR STEEL PIPE (168.56KG/M) |
| 200X250X26.5MM RECTANGULAR STEEL PIPE (170KG/M)     |
| 200X250X26.75MM RECTANGULAR STEEL PIPE (171.44KG/M) |
| 200X250X27MM RECTANGULAR STEEL PIPE (172.87KG/M)    |
| 200X250X27.25MM RECTANGULAR STEEL PIPE (174.31KG/M) |
| 200X250X27.5MM RECTANGULAR STEEL PIPE (175.74KG/M)  |
| 200X250X27.75MM RECTANGULAR STEEL PIPE (177.16KG/M) |
| 200X250X28MM RECTANGULAR STEEL PIPE (178.59KG/M)    |

|   |
|---|
| 200X250X28.25MM RECTANGULAR STEEL PIPE (180.01KG/M) |
| 200X250X28.5MM RECTANGULAR STEEL PIPE (181.42KG/M)  |
| 200X250X28.75MM RECTANGULAR STEEL PIPE (182.84KG/M) |
| 200X250X29MM RECTANGULAR STEEL PIPE (184.25KG/M)    |
| 200X250X29.25MM RECTANGULAR STEEL PIPE (185.66KG/M) |
| 200X250X29.5MM RECTANGULAR STEEL PIPE (187.06KG/M)  |
| 200X250X29.75MM RECTANGULAR STEEL PIPE (188.46KG/M) |
| 200X250X30MM RECTANGULAR STEEL PIPE (189.86KG/M)    |
| 200X300X3.75MM RECTANGULAR STEEL PIPE (29.11KG/M)   |
| 200X300X4MM RECTANGULAR STEEL PIPE (31.02KG/M)      |
| 200X300X4.25MM RECTANGULAR STEEL PIPE (32.93KG/M)   |
| 200X300X4.5MM RECTANGULAR STEEL PIPE (34.84KG/M)    |
| 200X300X4.75MM RECTANGULAR STEEL PIPE (36.75KG/M)   |
| 200X300X5MM RECTANGULAR STEEL PIPE (38.65KG/M)      |
| 200X300X5.25MM RECTANGULAR STEEL PIPE (40.55KG/M)   |
| 200X300X5.5MM RECTANGULAR STEEL PIPE (42.45KG/M)    |
| 200X300X5.75MM RECTANGULAR STEEL PIPE (44.35KG/M)   |
| 200X300X6MM RECTANGULAR STEEL PIPE (46.24KG/M)      |
| 200X300X6.3MM RECTANGULAR STEEL PIPE (48.5KG/M)     |
| 200X300X6.5MM RECTANGULAR STEEL PIPE (50.01KG/M)    |
| 200X300X6.75MM RECTANGULAR STEEL PIPE (51.89KG/M)   |
| 200X300X7MM RECTANGULAR STEEL PIPE (53.77KG/M)      |
| 200X300X7.25MM RECTANGULAR STEEL PIPE (55.65KG/M)   |
| 200X300X7.5MM RECTANGULAR STEEL PIPE (57.52KG/M)    |
| 200X300X7.75MM RECTANGULAR STEEL PIPE (59.39KG/M)   |
| 200X300X8MM RECTANGULAR STEEL PIPE (61.25KG/M)      |
| 200X300X8.25MM RECTANGULAR STEEL PIPE (63.12KG/M)   |
| 200X300X8.5MM RECTANGULAR STEEL PIPE (64.98KG/M)    |
| 200X300X8.75MM RECTANGULAR STEEL PIPE (66.83KG/M)   |
| 200X300X9MM RECTANGULAR STEEL PIPE (68.69KG/M)      |
| 200X300X9.25MM RECTANGULAR STEEL PIPE (70.54KG/M)   |
| 200X300X9.5MM RECTANGULAR STEEL PIPE (72.39KG/M)    |
| 200X300X9.75MM RECTANGULAR STEEL PIPE (74.23KG/M)   |
| 200X300X10MM RECTANGULAR STEEL PIPE (76.07KG/M)     |
| 200X300X10.25MM RECTANGULAR STEEL PIPE (77.91KG/M)  |
| 200X300X10.5MM RECTANGULAR STEEL PIPE (79.75KG/M)   |
| 200X300X10.75MM RECTANGULAR STEEL PIPE (81.58KG/M)  |
| 200X300X11MM RECTANGULAR STEEL PIPE (83.41KG/M)     |
| 200X300X11.25MM RECTANGULAR STEEL PIPE (85.24KG/M)  |
| 200X300X11.5MM RECTANGULAR STEEL PIPE (87.06KG/M)   |
| 200X300X11.75MM RECTANGULAR STEEL PIPE (88.88KG/M)  |
| 200X300X12MM RECTANGULAR STEEL PIPE (90.7KG/M)      |
| 200X300X12.25MM RECTANGULAR STEEL PIPE (92.51KG/M)  |
| 200X300X12.5MM RECTANGULAR STEEL PIPE (94.32KG/M)   |
| 200X300X12.75MM RECTANGULAR STEEL PIPE (96.13KG/M)  |
| 200X300X13MM RECTANGULAR STEEL PIPE (97.93KG/M)     |
| 200X300X13.25MM RECTANGULAR STEEL PIPE (99.74KG/M)  |
| 200X300X13.5MM RECTANGULAR STEEL PIPE (101.53KG/M)  |
| 200X300X13.75MM RECTANGULAR STEEL PIPE (103.33KG/M) |
| 200X300X14MM RECTANGULAR STEEL PIPE (105.12KG/M)    |
| 200X300X14.25MM RECTANGULAR STEEL PIPE (106.91KG/M) |
| 200X300X14.5MM RECTANGULAR STEEL PIPE (108.7KG/M)   |
| 200X300X14.75MM RECTANGULAR STEEL PIPE (110.48KG/M) |
| 200X300X15MM RECTANGULAR STEEL PIPE (112.26KG/M)    |
| 200X300X15.25MM RECTANGULAR STEEL PIPE (114.04KG/M) |
| 200X300X15.5MM RECTANGULAR STEEL PIPE (115.81KG/M)  |
| 200X300X15.75MM RECTANGULAR STEEL PIPE (117.58KG/M) |

|   |
|---|
| 200X300X16MM RECTANGULAR STEEL PIPE (119.35KG/M)    |
| 200X300X16.25MM RECTANGULAR STEEL PIPE (121.12KG/M) |
| 200X300X16.5MM RECTANGULAR STEEL PIPE (122.88KG/M)  |
| 200X300X16.75MM RECTANGULAR STEEL PIPE (124.64KG/M) |
| 200X300X17MM RECTANGULAR STEEL PIPE (126.39KG/M)    |
| 200X300X17.25MM RECTANGULAR STEEL PIPE (128.14KG/M) |
| 200X300X17.5MM RECTANGULAR STEEL PIPE (129.89KG/M)  |
| 200X300X17.75MM RECTANGULAR STEEL PIPE (131.64KG/M) |
| 200X300X18MM RECTANGULAR STEEL PIPE (133.38KG/M)    |
| 200X300X18.25MM RECTANGULAR STEEL PIPE (135.12KG/M) |
| 200X300X18.5MM RECTANGULAR STEEL PIPE (136.86KG/M)  |
| 200X300X18.75MM RECTANGULAR STEEL PIPE (138.59KG/M) |
| 200X300X19MM RECTANGULAR STEEL PIPE (140.32KG/M)    |
| 200X300X19.25MM RECTANGULAR STEEL PIPE (142.05KG/M) |
| 200X300X19.5MM RECTANGULAR STEEL PIPE (143.78KG/M)  |
| 200X300X19.75MM RECTANGULAR STEEL PIPE (145.5KG/M)  |
| 200X300X20MM RECTANGULAR STEEL PIPE (147.22KG/M)    |
| 200X300X20.25MM RECTANGULAR STEEL PIPE (148.93KG/M) |
| 200X300X20.5MM RECTANGULAR STEEL PIPE (150.64KG/M)  |
| 200X300X20.75MM RECTANGULAR STEEL PIPE (152.35KG/M) |
| 200X300X21MM RECTANGULAR STEEL PIPE (154.06KG/M)    |
| 200X300X21.25MM RECTANGULAR STEEL PIPE (155.76KG/M) |
| 200X300X21.5MM RECTANGULAR STEEL PIPE (157.46KG/M)  |
| 200X300X21.75MM RECTANGULAR STEEL PIPE (159.16KG/M) |
| 200X300X22MM RECTANGULAR STEEL PIPE (160.85KG/M)    |
| 200X300X22.25MM RECTANGULAR STEEL PIPE (162.54KG/M) |
| 200X300X22.5MM RECTANGULAR STEEL PIPE (164.23KG/M)  |
| 200X300X22.75MM RECTANGULAR STEEL PIPE (165.91KG/M) |
| 200X300X23MM RECTANGULAR STEEL PIPE (167.6KG/M)     |
| 200X300X23.25MM RECTANGULAR STEEL PIPE (169.27KG/M) |
| 200X300X23.5MM RECTANGULAR STEEL PIPE (170.95KG/M)  |
| 200X300X23.75MM RECTANGULAR STEEL PIPE (172.62KG/M) |
| 200X300X24MM RECTANGULAR STEEL PIPE (174.29KG/M)    |
| 200X300X24.25MM RECTANGULAR STEEL PIPE (175.96KG/M) |
| 200X300X24.5MM RECTANGULAR STEEL PIPE (177.62KG/M)  |
| 200X300X24.75MM RECTANGULAR STEEL PIPE (179.28KG/M) |
| 200X300X25MM RECTANGULAR STEEL PIPE (180.94KG/M)    |
| 200X300X25.25MM RECTANGULAR STEEL PIPE (182.59KG/M) |
| 200X300X25.5MM RECTANGULAR STEEL PIPE (184.24KG/M)  |
| 200X300X25.75MM RECTANGULAR STEEL PIPE (185.89KG/M) |
| 200X300X26MM RECTANGULAR STEEL PIPE (187.53KG/M)    |
| 200X300X26.25MM RECTANGULAR STEEL PIPE (189.17KG/M) |
| 200X300X26.5MM RECTANGULAR STEEL PIPE (190.81KG/M)  |
| 200X300X26.75MM RECTANGULAR STEEL PIPE (192.45KG/M) |
| 200X300X27MM RECTANGULAR STEEL PIPE (194.08KG/M)    |
| 200X300X27.25MM RECTANGULAR STEEL PIPE (195.71KG/M) |
| 200X300X27.5MM RECTANGULAR STEEL PIPE (197.33KG/M)  |
| 200X300X27.75MM RECTANGULAR STEEL PIPE (198.96KG/M) |
| 200X300X28MM RECTANGULAR STEEL PIPE (200.58KG/M)    |
| 200X300X28.25MM RECTANGULAR STEEL PIPE (202.19KG/M) |
| 200X300X28.5MM RECTANGULAR STEEL PIPE (203.81KG/M)  |
| 200X300X28.75MM RECTANGULAR STEEL PIPE (205.42KG/M) |
| 200X300X29MM RECTANGULAR STEEL PIPE (207.03KG/M)    |
| 200X300X29.25MM RECTANGULAR STEEL PIPE (208.63KG/M) |
| 200X300X29.5MM RECTANGULAR STEEL PIPE (210.23KG/M)  |
| 200X300X29.75MM RECTANGULAR STEEL PIPE (211.83KG/M) |
| 200X300X30MM RECTANGULAR STEEL PIPE (213.42KG/M)    |



|   |
|---|
| 200X400X4.5MM RECTANGULAR STEEL PIPE (41.91KG/M)    |
| 200X400X4.75MM RECTANGULAR STEEL PIPE (44.21KG/M)   |
| 200X400X5MM RECTANGULAR STEEL PIPE (46.51KG/M)      |
| 200X400X5.25MM RECTANGULAR STEEL PIPE (48.8KG/M)    |
| 200X400X5.5MM RECTANGULAR STEEL PIPE (51.09KG/M)    |
| 200X400X5.75MM RECTANGULAR STEEL PIPE (53.38KG/M)   |
| 200X400X6MM RECTANGULAR STEEL PIPE (55.66KG/M)      |
| 200X400X6.3MM RECTANGULAR STEEL PIPE (58.4KG/M)     |
| 200X400X6.5MM RECTANGULAR STEEL PIPE (60.22KG/M)    |
| 200X400X6.75MM RECTANGULAR STEEL PIPE (62.49KG/M)   |
| 200X400X7MM RECTANGULAR STEEL PIPE (64.77KG/M)      |
| 200X400X7.25MM RECTANGULAR STEEL PIPE (67.03KG/M)   |
| 200X400X7.5MM RECTANGULAR STEEL PIPE (69.3KG/M)     |
| 200X400X7.75MM RECTANGULAR STEEL PIPE (71.56KG/M)   |
| 200X400X8MM RECTANGULAR STEEL PIPE (73.82KG/M)      |
| 200X400X8.25MM RECTANGULAR STEEL PIPE (76.08KG/M)   |
| 200X400X8.5MM RECTANGULAR STEEL PIPE (78.33KG/M)    |
| 200X400X8.75MM RECTANGULAR STEEL PIPE (80.58KG/M)   |
| 200X400X9MM RECTANGULAR STEEL PIPE (82.83KG/M)      |
| 200X400X9.25MM RECTANGULAR STEEL PIPE (85.07KG/M)   |
| 200X400X9.5MM RECTANGULAR STEEL PIPE (87.31KG/M)    |
| 200X400X9.75MM RECTANGULAR STEEL PIPE (89.55KG/M)   |
| 200X400X10MM RECTANGULAR STEEL PIPE (91.78KG/M)     |
| 200X400X10.25MM RECTANGULAR STEEL PIPE (94.01KG/M)  |
| 200X400X10.5MM RECTANGULAR STEEL PIPE (96.24KG/M)   |
| 200X400X10.75MM RECTANGULAR STEEL PIPE (98.47KG/M)  |
| 200X400X11MM RECTANGULAR STEEL PIPE (100.69KG/M)    |
| 200X400X11.25MM RECTANGULAR STEEL PIPE (102.91KG/M) |
| 200X400X11.5MM RECTANGULAR STEEL PIPE (105.12KG/M)  |
| 200X400X11.75MM RECTANGULAR STEEL PIPE (107.34KG/M) |
| 200X400X12MM RECTANGULAR STEEL PIPE (109.55KG/M)    |
| 200X400X12.25MM RECTANGULAR STEEL PIPE (111.75KG/M) |
| 200X400X12.5MM RECTANGULAR STEEL PIPE (113.96KG/M)  |
| 200X400X12.75MM RECTANGULAR STEEL PIPE (116.16KG/M) |
| 200X400X13MM RECTANGULAR STEEL PIPE (118.35KG/M)    |
| 200X400X13.25MM RECTANGULAR STEEL PIPE (120.55KG/M) |
| 200X400X13.5MM RECTANGULAR STEEL PIPE (122.74KG/M)  |
| 200X400X13.75MM RECTANGULAR STEEL PIPE (124.93KG/M) |
| 200X400X14MM RECTANGULAR STEEL PIPE (127.11KG/M)    |
| 200X400X14.25MM RECTANGULAR STEEL PIPE (129.3KG/M)  |
| 200X400X14.5MM RECTANGULAR STEEL PIPE (131.47KG/M)  |
| 200X400X14.75MM RECTANGULAR STEEL PIPE (133.65KG/M) |
| 200X400X15MM RECTANGULAR STEEL PIPE (135.82KG/M)    |
| 200X400X15.25MM RECTANGULAR STEEL PIPE (137.99KG/M) |
| 200X400X15.5MM RECTANGULAR STEEL PIPE (140.16KG/M)  |
| 200X400X15.75MM RECTANGULAR STEEL PIPE (142.32KG/M) |
| 200X400X16MM RECTANGULAR STEEL PIPE (144.48KG/M)    |
| 200X400X16.25MM RECTANGULAR STEEL PIPE (146.64KG/M) |
| 200X400X16.5MM RECTANGULAR STEEL PIPE (148.79KG/M)  |
| 200X400X16.75MM RECTANGULAR STEEL PIPE (150.95KG/M) |
| 200X400X17MM RECTANGULAR STEEL PIPE (153.09KG/M)    |
| 200X400X17.25MM RECTANGULAR STEEL PIPE (155.24KG/M) |
| 200X400X17.5MM RECTANGULAR STEEL PIPE (157.38KG/M)  |
| 200X400X17.75MM RECTANGULAR STEEL PIPE (159.52KG/M) |
| 200X400X18MM RECTANGULAR STEEL PIPE (161.66KG/M)    |
| 200X400X18.25MM RECTANGULAR STEEL PIPE (163.79KG/M) |
| 200X400X18.5MM RECTANGULAR STEEL PIPE (165.92KG/M)  |

|   |
|---|
| 200X400X18.75MM RECTANGULAR STEEL PIPE (168.04KG/M) |
| 200X400X19MM RECTANGULAR STEEL PIPE (170.17KG/M)    |
| 200X400X19.25MM RECTANGULAR STEEL PIPE (172.29KG/M) |
| 200X400X19.5MM RECTANGULAR STEEL PIPE (174.41KG/M)  |
| 200X400X19.75MM RECTANGULAR STEEL PIPE (176.52KG/M) |
| 200X400X20MM RECTANGULAR STEEL PIPE (178.63KG/M)    |
| 200X400X20.25MM RECTANGULAR STEEL PIPE (180.74KG/M) |
| 200X400X20.5MM RECTANGULAR STEEL PIPE (182.84KG/M)  |
| 200X400X20.75MM RECTANGULAR STEEL PIPE (184.95KG/M) |
| 200X400X21MM RECTANGULAR STEEL PIPE (187.04KG/M)    |
| 200X400X21.25MM RECTANGULAR STEEL PIPE (189.14KG/M) |
| 200X400X21.5MM RECTANGULAR STEEL PIPE (191.23KG/M)  |
| 200X400X21.75MM RECTANGULAR STEEL PIPE (193.32KG/M) |
| 200X400X22MM RECTANGULAR STEEL PIPE (195.41KG/M)    |
| 200X400X22.25MM RECTANGULAR STEEL PIPE (197.49KG/M) |
| 200X400X22.5MM RECTANGULAR STEEL PIPE (199.57KG/M)  |
| 200X400X22.75MM RECTANGULAR STEEL PIPE (201.65KG/M) |
| 200X400X23MM RECTANGULAR STEEL PIPE (203.72KG/M)    |
| 200X400X23.25MM RECTANGULAR STEEL PIPE (205.79KG/M) |
| 200X400X23.5MM RECTANGULAR STEEL PIPE (207.86KG/M)  |
| 200X400X23.75MM RECTANGULAR STEEL PIPE (209.93KG/M) |
| 200X400X24MM RECTANGULAR STEEL PIPE (211.99KG/M)    |
| 200X400X24.25MM RECTANGULAR STEEL PIPE (214.05KG/M) |
| 200X400X24.5MM RECTANGULAR STEEL PIPE (216.1KG/M)   |
| 200X400X24.75MM RECTANGULAR STEEL PIPE (218.16KG/M) |
| 200X400X25MM RECTANGULAR STEEL PIPE (220.21KG/M)    |
| 200X400X25.25MM RECTANGULAR STEEL PIPE (222.25KG/M) |
| 200X400X25.5MM RECTANGULAR STEEL PIPE (224.3KG/M)   |
| 200X400X25.75MM RECTANGULAR STEEL PIPE (226.34KG/M) |
| 200X400X26MM RECTANGULAR STEEL PIPE (228.37KG/M)    |
| 200X400X26.25MM RECTANGULAR STEEL PIPE (230.41KG/M) |
| 200X400X26.5MM RECTANGULAR STEEL PIPE (232.44KG/M)  |
| 200X400X26.75MM RECTANGULAR STEEL PIPE (234.47KG/M) |
| 200X400X27MM RECTANGULAR STEEL PIPE (236.49KG/M)    |
| 200X400X27.25MM RECTANGULAR STEEL PIPE (238.51KG/M) |
| 200X400X27.5MM RECTANGULAR STEEL PIPE (240.53KG/M)  |
| 200X400X27.75MM RECTANGULAR STEEL PIPE (242.55KG/M) |
| 200X400X28MM RECTANGULAR STEEL PIPE (244.56KG/M)    |
| 200X400X28.25MM RECTANGULAR STEEL PIPE (246.57KG/M) |
| 200X400X28.5MM RECTANGULAR STEEL PIPE (248.57KG/M)  |
| 200X400X28.75MM RECTANGULAR STEEL PIPE (250.58KG/M) |
| 200X400X29MM RECTANGULAR STEEL PIPE (252.58KG/M)    |
| 200X400X29.25MM RECTANGULAR STEEL PIPE (254.58KG/M) |
| 200X400X29.5MM RECTANGULAR STEEL PIPE (256.57KG/M)  |
| 200X400X29.75MM RECTANGULAR STEEL PIPE (258.56KG/M) |
| 200X400X30MM RECTANGULAR STEEL PIPE (260.55KG/M)    |
| 250X350X4.5MM RECTANGULAR STEEL PIPE (41.91KG/M)    |
| 250X350X4.75MM RECTANGULAR STEEL PIPE (44.21KG/M)   |
| 250X350X5MM RECTANGULAR STEEL PIPE (46.51KG/M)      |
| 250X350X5.25MM RECTANGULAR STEEL PIPE (48.8KG/M)    |
| 250X350X5.5MM RECTANGULAR STEEL PIPE (51.09KG/M)    |
| 250X350X5.75MM RECTANGULAR STEEL PIPE (53.38KG/M)   |
| 250X350X6MM RECTANGULAR STEEL PIPE (55.66KG/M)      |
| 250X350X6.3MM RECTANGULAR STEEL PIPE (58.4KG/M)     |
| 250X350X6.5MM RECTANGULAR STEEL PIPE (60.22KG/M)    |
| 250X350X6.75MM RECTANGULAR STEEL PIPE (62.49KG/M)   |
| 250X350X7MM RECTANGULAR STEEL PIPE (64.77KG/M)      |

|   |
|---|
| 250X350X7.25MM RECTANGULAR STEEL PIPE (67.03KG/M)   |
| 250X350X7.5MM RECTANGULAR STEEL PIPE (69.3KG/M)     |
| 250X350X7.75MM RECTANGULAR STEEL PIPE (71.56KG/M)   |
| 250X350X8MM RECTANGULAR STEEL PIPE (73.82KG/M)      |
| 250X350X8.25MM RECTANGULAR STEEL PIPE (76.08KG/M)   |
| 250X350X8.5MM RECTANGULAR STEEL PIPE (78.33KG/M)    |
| 250X350X8.75MM RECTANGULAR STEEL PIPE (80.58KG/M)   |
| 250X350X9MM RECTANGULAR STEEL PIPE (82.83KG/M)      |
| 250X350X9.25MM RECTANGULAR STEEL PIPE (85.07KG/M)   |
| 250X350X9.5MM RECTANGULAR STEEL PIPE (87.31KG/M)    |
| 250X350X9.75MM RECTANGULAR STEEL PIPE (89.55KG/M)   |
| 250X350X10MM RECTANGULAR STEEL PIPE (91.78KG/M)     |
| 250X350X10.25MM RECTANGULAR STEEL PIPE (94.01KG/M)  |
| 250X350X10.5MM RECTANGULAR STEEL PIPE (96.24KG/M)   |
| 250X350X10.75MM RECTANGULAR STEEL PIPE (98.47KG/M)  |
| 250X350X11MM RECTANGULAR STEEL PIPE (100.69KG/M)    |
| 250X350X11.25MM RECTANGULAR STEEL PIPE (102.91KG/M) |
| 250X350X11.5MM RECTANGULAR STEEL PIPE (105.12KG/M)  |
| 250X350X11.75MM RECTANGULAR STEEL PIPE (107.34KG/M) |
| 250X350X12MM RECTANGULAR STEEL PIPE (109.55KG/M)    |
| 250X350X12.25MM RECTANGULAR STEEL PIPE (111.75KG/M) |
| 250X350X12.5MM RECTANGULAR STEEL PIPE (113.96KG/M)  |
| 250X350X12.75MM RECTANGULAR STEEL PIPE (116.16KG/M) |
| 250X350X13MM RECTANGULAR STEEL PIPE (118.35KG/M)    |
| 250X350X13.25MM RECTANGULAR STEEL PIPE (120.55KG/M) |
| 250X350X13.5MM RECTANGULAR STEEL PIPE (122.74KG/M)  |
| 250X350X13.75MM RECTANGULAR STEEL PIPE (124.93KG/M) |
| 250X350X14MM RECTANGULAR STEEL PIPE (127.11KG/M)    |
| 250X350X14.25MM RECTANGULAR STEEL PIPE (129.3KG/M)  |
| 250X350X14.5MM RECTANGULAR STEEL PIPE (131.47KG/M)  |
| 250X350X14.75MM RECTANGULAR STEEL PIPE (133.65KG/M) |
| 250X350X15MM RECTANGULAR STEEL PIPE (135.82KG/M)    |
| 250X350X15.25MM RECTANGULAR STEEL PIPE (137.99KG/M) |
| 250X350X15.5MM RECTANGULAR STEEL PIPE (140.16KG/M)  |
| 250X350X15.75MM RECTANGULAR STEEL PIPE (142.32KG/M) |
| 250X350X16MM RECTANGULAR STEEL PIPE (144.48KG/M)    |
| 250X350X16.25MM RECTANGULAR STEEL PIPE (146.64KG/M) |
| 250X350X16.5MM RECTANGULAR STEEL PIPE (148.79KG/M)  |
| 250X350X16.75MM RECTANGULAR STEEL PIPE (150.95KG/M) |
| 250X350X17MM RECTANGULAR STEEL PIPE (153.09KG/M)    |
| 250X350X17.25MM RECTANGULAR STEEL PIPE (155.24KG/M) |
| 250X350X17.5MM RECTANGULAR STEEL PIPE (157.38KG/M)  |
| 250X350X17.75MM RECTANGULAR STEEL PIPE (159.52KG/M) |
| 250X350X18MM RECTANGULAR STEEL PIPE (161.66KG/M)    |
| 250X350X18.25MM RECTANGULAR STEEL PIPE (163.79KG/M) |
| 250X350X18.5MM RECTANGULAR STEEL PIPE (165.92KG/M)  |
| 250X350X18.75MM RECTANGULAR STEEL PIPE (168.04KG/M) |
| 250X350X19MM RECTANGULAR STEEL PIPE (170.17KG/M)    |
| 250X350X19.25MM RECTANGULAR STEEL PIPE (172.29KG/M) |
| 250X350X19.5MM RECTANGULAR STEEL PIPE (174.41KG/M)  |
| 250X350X19.75MM RECTANGULAR STEEL PIPE (176.52KG/M) |
| 250X350X20MM RECTANGULAR STEEL PIPE (178.63KG/M)    |
| 250X350X20.25MM RECTANGULAR STEEL PIPE (180.74KG/M) |
| 250X350X20.5MM RECTANGULAR STEEL PIPE (182.84KG/M)  |
| 250X350X20.75MM RECTANGULAR STEEL PIPE (184.95KG/M) |
| 250X350X21MM RECTANGULAR STEEL PIPE (187.04KG/M)    |
| 250X350X21.25MM RECTANGULAR STEEL PIPE (189.14KG/M) |

|   |
|---|
| 250X350X21.5MM RECTANGULAR STEEL PIPE (191.23KG/M)  |
| 250X350X21.75MM RECTANGULAR STEEL PIPE (193.32KG/M) |
| 250X350X22MM RECTANGULAR STEEL PIPE (195.41KG/M)    |
| 250X350X22.25MM RECTANGULAR STEEL PIPE (197.49KG/M) |
| 250X350X22.5MM RECTANGULAR STEEL PIPE (199.57KG/M)  |
| 250X350X22.75MM RECTANGULAR STEEL PIPE (201.65KG/M) |
| 250X350X23MM RECTANGULAR STEEL PIPE (203.72KG/M)    |
| 250X350X23.25MM RECTANGULAR STEEL PIPE (205.79KG/M) |
| 250X350X23.5MM RECTANGULAR STEEL PIPE (207.86KG/M)  |
| 250X350X23.75MM RECTANGULAR STEEL PIPE (209.93KG/M) |
| 250X350X24MM RECTANGULAR STEEL PIPE (211.99KG/M)    |
| 250X350X24.25MM RECTANGULAR STEEL PIPE (214.05KG/M) |
| 250X350X24.5MM RECTANGULAR STEEL PIPE (216.1KG/M)   |
| 250X350X24.75MM RECTANGULAR STEEL PIPE (218.16KG/M) |
| 250X350X25MM RECTANGULAR STEEL PIPE (220.21KG/M)    |
| 250X350X25.25MM RECTANGULAR STEEL PIPE (222.25KG/M) |
| 250X350X25.5MM RECTANGULAR STEEL PIPE (224.3KG/M)   |
| 250X350X25.75MM RECTANGULAR STEEL PIPE (226.34KG/M) |
| 250X350X26MM RECTANGULAR STEEL PIPE (228.37KG/M)    |
| 250X350X26.25MM RECTANGULAR STEEL PIPE (230.41KG/M) |
| 250X350X26.5MM RECTANGULAR STEEL PIPE (232.44KG/M)  |
| 250X350X26.75MM RECTANGULAR STEEL PIPE (234.47KG/M) |
| 250X350X27MM RECTANGULAR STEEL PIPE (236.49KG/M)    |
| 250X350X27.25MM RECTANGULAR STEEL PIPE (238.51KG/M) |
| 250X350X27.5MM RECTANGULAR STEEL PIPE (240.53KG/M)  |
| 250X350X27.75MM RECTANGULAR STEEL PIPE (242.55KG/M) |
| 250X350X28MM RECTANGULAR STEEL PIPE (244.56KG/M)    |
| 250X350X28.25MM RECTANGULAR STEEL PIPE (246.57KG/M) |
| 250X350X28.5MM RECTANGULAR STEEL PIPE (248.57KG/M)  |
| 250X350X28.75MM RECTANGULAR STEEL PIPE (250.58KG/M) |
| 250X350X29MM RECTANGULAR STEEL PIPE (252.58KG/M)    |
| 250X350X29.25MM RECTANGULAR STEEL PIPE (254.58KG/M) |
| 250X350X29.5MM RECTANGULAR STEEL PIPE (256.57KG/M)  |
| 250X350X29.75MM RECTANGULAR STEEL PIPE (258.56KG/M) |
| 250X350X30MM RECTANGULAR STEEL PIPE (260.55KG/M)    |
| 200X500X5.5MM RECTANGULAR STEEL PIPE (59.73KG/M)    |
| 200X500X5.75MM RECTANGULAR STEEL PIPE (62.41KG/M)   |
| 200X500X6MM RECTANGULAR STEEL PIPE (65.09KG/M)      |
| 200X500X6.3MM RECTANGULAR STEEL PIPE (68.29KG/M)    |
| 200X500X6.5MM RECTANGULAR STEEL PIPE (70.43KG/M)    |
| 200X500X6.75MM RECTANGULAR STEEL PIPE (73.1KG/M)    |
| 200X500X7MM RECTANGULAR STEEL PIPE (75.76KG/M)      |
| 200X500X7.25MM RECTANGULAR STEEL PIPE (78.42KG/M)   |
| 200X500X7.5MM RECTANGULAR STEEL PIPE (81.08KG/M)    |
| 200X500X7.75MM RECTANGULAR STEEL PIPE (83.73KG/M)   |
| 200X500X8MM RECTANGULAR STEEL PIPE (86.39KG/M)      |
| 200X500X8.25MM RECTANGULAR STEEL PIPE (89.03KG/M)   |
| 200X500X8.5MM RECTANGULAR STEEL PIPE (91.68KG/M)    |
| 200X500X8.75MM RECTANGULAR STEEL PIPE (94.32KG/M)   |
| 200X500X9MM RECTANGULAR STEEL PIPE (96.96KG/M)      |
| 200X500X9.25MM RECTANGULAR STEEL PIPE (99.6KG/M)    |
| 200X500X9.5MM RECTANGULAR STEEL PIPE (102.23KG/M)   |
| 200X500X9.75MM RECTANGULAR STEEL PIPE (104.86KG/M)  |
| 200X500X10MM RECTANGULAR STEEL PIPE (107.49KG/M)    |
| 200X500X10.25MM RECTANGULAR STEEL PIPE (110.11KG/M) |
| 200X500X10.5MM RECTANGULAR STEEL PIPE (112.73KG/M)  |
| 200X500X10.75MM RECTANGULAR STEEL PIPE (115.35KG/M) |

|   |
|---|
| 200X500X11MM RECTANGULAR STEEL PIPE (117.97KG/M)    |
| 200X500X11.25MM RECTANGULAR STEEL PIPE (120.58KG/M) |
| 200X500X11.5MM RECTANGULAR STEEL PIPE (123.19KG/M)  |
| 200X500X11.75MM RECTANGULAR STEEL PIPE (125.79KG/M) |
| 200X500X12MM RECTANGULAR STEEL PIPE (128.4KG/M)     |
| 200X500X12.25MM RECTANGULAR STEEL PIPE (131KG/M)    |
| 200X500X12.5MM RECTANGULAR STEEL PIPE (133.59KG/M)  |
| 200X500X12.75MM RECTANGULAR STEEL PIPE (136.18KG/M) |
| 200X500X13MM RECTANGULAR STEEL PIPE (138.77KG/M)    |
| 200X500X13.25MM RECTANGULAR STEEL PIPE (141.36KG/M) |
| 200X500X13.5MM RECTANGULAR STEEL PIPE (143.95KG/M)  |
| 200X500X13.75MM RECTANGULAR STEEL PIPE (146.53KG/M) |
| 200X500X14MM RECTANGULAR STEEL PIPE (149.1KG/M)     |
| 200X500X14.25MM RECTANGULAR STEEL PIPE (151.68KG/M) |
| 200X500X14.5MM RECTANGULAR STEEL PIPE (154.25KG/M)  |
| 200X500X14.75MM RECTANGULAR STEEL PIPE (156.82KG/M) |
| 200X500X15MM RECTANGULAR STEEL PIPE (159.38KG/M)    |
| 200X500X15.25MM RECTANGULAR STEEL PIPE (161.95KG/M) |
| 200X500X15.5MM RECTANGULAR STEEL PIPE (164.51KG/M)  |
| 200X500X15.75MM RECTANGULAR STEEL PIPE (167.06KG/M) |
| 200X500X16MM RECTANGULAR STEEL PIPE (169.62KG/M)    |
| 200X500X16.25MM RECTANGULAR STEEL PIPE (172.17KG/M) |
| 200X500X16.5MM RECTANGULAR STEEL PIPE (174.71KG/M)  |
| 200X500X16.75MM RECTANGULAR STEEL PIPE (177.26KG/M) |
| 200X500X17MM RECTANGULAR STEEL PIPE (179.8KG/M)     |
| 200X500X17.25MM RECTANGULAR STEEL PIPE (182.34KG/M) |
| 200X500X17.5MM RECTANGULAR STEEL PIPE (184.87KG/M)  |
| 200X500X17.75MM RECTANGULAR STEEL PIPE (187.4KG/M)  |
| 200X500X18MM RECTANGULAR STEEL PIPE (189.93KG/M)    |
| 200X500X18.25MM RECTANGULAR STEEL PIPE (192.46KG/M) |
| 200X500X18.5MM RECTANGULAR STEEL PIPE (194.98KG/M)  |
| 200X500X18.75MM RECTANGULAR STEEL PIPE (197.5KG/M)  |
| 200X500X19MM RECTANGULAR STEEL PIPE (200.01KG/M)    |
| 200X500X19.25MM RECTANGULAR STEEL PIPE (202.53KG/M) |
| 200X500X19.5MM RECTANGULAR STEEL PIPE (205.04KG/M)  |
| 200X500X19.75MM RECTANGULAR STEEL PIPE (207.54KG/M) |
| 200X500X20MM RECTANGULAR STEEL PIPE (210.05KG/M)    |
| 200X500X20.25MM RECTANGULAR STEEL PIPE (212.55KG/M) |
| 200X500X20.5MM RECTANGULAR STEEL PIPE (215.05KG/M)  |
| 200X500X20.75MM RECTANGULAR STEEL PIPE (217.54KG/M) |
| 200X500X21MM RECTANGULAR STEEL PIPE (220.03KG/M)    |
| 200X500X21.25MM RECTANGULAR STEEL PIPE (222.52KG/M) |
| 200X500X21.5MM RECTANGULAR STEEL PIPE (225.01KG/M)  |
| 200X500X21.75MM RECTANGULAR STEEL PIPE (227.49KG/M) |
| 200X500X22MM RECTANGULAR STEEL PIPE (229.97KG/M)    |
| 200X500X22.25MM RECTANGULAR STEEL PIPE (232.44KG/M) |
| 200X500X22.5MM RECTANGULAR STEEL PIPE (234.92KG/M)  |
| 200X500X22.75MM RECTANGULAR STEEL PIPE (237.39KG/M) |
| 200X500X23MM RECTANGULAR STEEL PIPE (239.85KG/M)    |
| 200X500X23.25MM RECTANGULAR STEEL PIPE (242.32KG/M) |
| 200X500X23.5MM RECTANGULAR STEEL PIPE (244.78KG/M)  |
| 200X500X23.75MM RECTANGULAR STEEL PIPE (247.23KG/M) |
| 200X500X24MM RECTANGULAR STEEL PIPE (249.69KG/M)    |
| 200X500X24.25MM RECTANGULAR STEEL PIPE (252.14KG/M) |
| 200X500X24.5MM RECTANGULAR STEEL PIPE (254.59KG/M)  |
| 200X500X24.75MM RECTANGULAR STEEL PIPE (257.03KG/M) |
| 200X500X25MM RECTANGULAR STEEL PIPE (259.48KG/M)    |

|   |
|---|
| 200X500X25.25MM RECTANGULAR STEEL PIPE (261.91KG/M) |
| 200X500X25.5MM RECTANGULAR STEEL PIPE (264.35KG/M)  |
| 200X500X25.75MM RECTANGULAR STEEL PIPE (266.78KG/M) |
| 200X500X26MM RECTANGULAR STEEL PIPE (269.21KG/M)    |
| 200X500X26.25MM RECTANGULAR STEEL PIPE (271.64KG/M) |
| 200X500X26.5MM RECTANGULAR STEEL PIPE (274.06KG/M)  |
| 200X500X26.75MM RECTANGULAR STEEL PIPE (276.48KG/M) |
| 200X500X27MM RECTANGULAR STEEL PIPE (278.9KG/M)     |
| 200X500X27.25MM RECTANGULAR STEEL PIPE (281.32KG/M) |
| 200X500X27.5MM RECTANGULAR STEEL PIPE (283.73KG/M)  |
| 200X500X27.75MM RECTANGULAR STEEL PIPE (286.14KG/M) |
| 200X500X28MM RECTANGULAR STEEL PIPE (288.54KG/M)    |
| 200X500X28.25MM RECTANGULAR STEEL PIPE (290.94KG/M) |
| 200X500X28.5MM RECTANGULAR STEEL PIPE (293.34KG/M)  |
| 200X500X28.75MM RECTANGULAR STEEL PIPE (295.74KG/M) |
| 200X500X29MM RECTANGULAR STEEL PIPE (298.13KG/M)    |
| 200X500X29.25MM RECTANGULAR STEEL PIPE (300.52KG/M) |
| 200X500X29.5MM RECTANGULAR STEEL PIPE (302.91KG/M)  |
| 200X500X29.75MM RECTANGULAR STEEL PIPE (305.29KG/M) |
| 200X500X30MM RECTANGULAR STEEL PIPE (307.67KG/M)    |
| 250X450X5.5MM RECTANGULAR STEEL PIPE (59.73KG/M)    |
| 250X450X5.75MM RECTANGULAR STEEL PIPE (62.41KG/M)   |
| 250X450X6MM RECTANGULAR STEEL PIPE (65.09KG/M)      |
| 250X450X6.3MM RECTANGULAR STEEL PIPE (68.29KG/M)    |
| 250X450X6.5MM RECTANGULAR STEEL PIPE (70.43KG/M)    |
| 250X450X6.75MM RECTANGULAR STEEL PIPE (73.1KG/M)    |
| 250X450X7MM RECTANGULAR STEEL PIPE (75.76KG/M)      |
| 250X450X7.25MM RECTANGULAR STEEL PIPE (78.42KG/M)   |
| 250X450X7.5MM RECTANGULAR STEEL PIPE (81.08KG/M)    |
| 250X450X7.75MM RECTANGULAR STEEL PIPE (83.73KG/M)   |
| 250X450X8MM RECTANGULAR STEEL PIPE (86.39KG/M)      |
| 250X450X8.25MM RECTANGULAR STEEL PIPE (89.03KG/M)   |
| 250X450X8.5MM RECTANGULAR STEEL PIPE (91.68KG/M)    |
| 250X450X8.75MM RECTANGULAR STEEL PIPE (94.32KG/M)   |
| 250X450X9MM RECTANGULAR STEEL PIPE (96.96KG/M)      |
| 250X450X9.25MM RECTANGULAR STEEL PIPE (99.6KG/M)    |
| 250X450X9.5MM RECTANGULAR STEEL PIPE (102.23KG/M)   |
| 250X450X9.75MM RECTANGULAR STEEL PIPE (104.86KG/M)  |
| 250X450X10MM RECTANGULAR STEEL PIPE (107.49KG/M)    |
| 250X450X10.25MM RECTANGULAR STEEL PIPE (110.11KG/M) |
| 250X450X10.5MM RECTANGULAR STEEL PIPE (112.73KG/M)  |
| 250X450X10.75MM RECTANGULAR STEEL PIPE (115.35KG/M) |
| 250X450X11MM RECTANGULAR STEEL PIPE (117.97KG/M)    |
| 250X450X11.25MM RECTANGULAR STEEL PIPE (120.58KG/M) |
| 250X450X11.5MM RECTANGULAR STEEL PIPE (123.19KG/M)  |
| 250X450X11.75MM RECTANGULAR STEEL PIPE (125.79KG/M) |
| 250X450X12MM RECTANGULAR STEEL PIPE (128.4KG/M)     |
| 250X450X12.25MM RECTANGULAR STEEL PIPE (131KG/M)    |
| 250X450X12.5MM RECTANGULAR STEEL PIPE (133.59KG/M)  |
| 250X450X12.75MM RECTANGULAR STEEL PIPE (136.18KG/M) |
| 250X450X13MM RECTANGULAR STEEL PIPE (138.77KG/M)    |
| 250X450X13.25MM RECTANGULAR STEEL PIPE (141.36KG/M) |
| 250X450X13.5MM RECTANGULAR STEEL PIPE (143.95KG/M)  |
| 250X450X13.75MM RECTANGULAR STEEL PIPE (146.53KG/M) |
| 250X450X14MM RECTANGULAR STEEL PIPE (149.1KG/M)     |
| 250X450X14.25MM RECTANGULAR STEEL PIPE (151.68KG/M) |
| 250X450X14.5MM RECTANGULAR STEEL PIPE (154.25KG/M)  |

|   |
|---|
| 250X450X14.75MM RECTANGULAR STEEL PIPE (156.82KG/M) |
| 250X450X15MM RECTANGULAR STEEL PIPE (159.38KG/M)    |
| 250X450X15.25MM RECTANGULAR STEEL PIPE (161.95KG/M) |
| 250X450X15.5MM RECTANGULAR STEEL PIPE (164.51KG/M)  |
| 250X450X15.75MM RECTANGULAR STEEL PIPE (167.06KG/M) |
| 250X450X16MM RECTANGULAR STEEL PIPE (169.62KG/M)    |
| 250X450X16.25MM RECTANGULAR STEEL PIPE (172.17KG/M) |
| 250X450X16.5MM RECTANGULAR STEEL PIPE (174.71KG/M)  |
| 250X450X16.75MM RECTANGULAR STEEL PIPE (177.26KG/M) |
| 250X450X17MM RECTANGULAR STEEL PIPE (179.8KG/M)     |
| 250X450X17.25MM RECTANGULAR STEEL PIPE (182.34KG/M) |
| 250X450X17.5MM RECTANGULAR STEEL PIPE (184.87KG/M)  |
| 250X450X17.75MM RECTANGULAR STEEL PIPE (187.4KG/M)  |
| 250X450X18MM RECTANGULAR STEEL PIPE (189.93KG/M)    |
| 250X450X18.25MM RECTANGULAR STEEL PIPE (192.46KG/M) |
| 250X450X18.5MM RECTANGULAR STEEL PIPE (194.98KG/M)  |
| 250X450X18.75MM RECTANGULAR STEEL PIPE (197.5KG/M)  |
| 250X450X19MM RECTANGULAR STEEL PIPE (200.01KG/M)    |
| 250X450X19.25MM RECTANGULAR STEEL PIPE (202.53KG/M) |
| 250X450X19.5MM RECTANGULAR STEEL PIPE (205.04KG/M)  |
| 250X450X19.75MM RECTANGULAR STEEL PIPE (207.54KG/M) |
| 250X450X20MM RECTANGULAR STEEL PIPE (210.05KG/M)    |
| 250X450X20.25MM RECTANGULAR STEEL PIPE (212.55KG/M) |
| 250X450X20.5MM RECTANGULAR STEEL PIPE (215.05KG/M)  |
| 250X450X20.75MM RECTANGULAR STEEL PIPE (217.54KG/M) |
| 250X450X21MM RECTANGULAR STEEL PIPE (220.03KG/M)    |
| 250X450X21.25MM RECTANGULAR STEEL PIPE (222.52KG/M) |
| 250X450X21.5MM RECTANGULAR STEEL PIPE (225.01KG/M)  |
| 250X450X21.75MM RECTANGULAR STEEL PIPE (227.49KG/M) |
| 250X450X22MM RECTANGULAR STEEL PIPE (229.97KG/M)    |
| 250X450X22.25MM RECTANGULAR STEEL PIPE (232.44KG/M) |
| 250X450X22.5MM RECTANGULAR STEEL PIPE (234.92KG/M)  |
| 250X450X22.75MM RECTANGULAR STEEL PIPE (237.39KG/M) |
| 250X450X23MM RECTANGULAR STEEL PIPE (239.85KG/M)    |
| 250X450X23.25MM RECTANGULAR STEEL PIPE (242.32KG/M) |
| 250X450X23.5MM RECTANGULAR STEEL PIPE (244.78KG/M)  |
| 250X450X23.75MM RECTANGULAR STEEL PIPE (247.23KG/M) |
| 250X450X24MM RECTANGULAR STEEL PIPE (249.69KG/M)    |
| 250X450X24.25MM RECTANGULAR STEEL PIPE (252.14KG/M) |
| 250X450X24.5MM RECTANGULAR STEEL PIPE (254.59KG/M)  |
| 250X450X24.75MM RECTANGULAR STEEL PIPE (257.03KG/M) |
| 250X450X25MM RECTANGULAR STEEL PIPE (259.48KG/M)    |
| 250X450X25.25MM RECTANGULAR STEEL PIPE (261.91KG/M) |
| 250X450X25.5MM RECTANGULAR STEEL PIPE (264.35KG/M)  |
| 250X450X25.75MM RECTANGULAR STEEL PIPE (266.78KG/M) |
| 250X450X26MM RECTANGULAR STEEL PIPE (269.21KG/M)    |
| 250X450X26.25MM RECTANGULAR STEEL PIPE (271.64KG/M) |
| 250X450X26.5MM RECTANGULAR STEEL PIPE (274.06KG/M)  |
| 250X450X26.75MM RECTANGULAR STEEL PIPE (276.48KG/M) |
| 250X450X27MM RECTANGULAR STEEL PIPE (278.9KG/M)     |
| 250X450X27.25MM RECTANGULAR STEEL PIPE (281.32KG/M) |
| 250X450X27.5MM RECTANGULAR STEEL PIPE (283.73KG/M)  |
| 250X450X27.75MM RECTANGULAR STEEL PIPE (286.14KG/M) |
| 250X450X28MM RECTANGULAR STEEL PIPE (288.54KG/M)    |
| 250X450X28.25MM RECTANGULAR STEEL PIPE (290.94KG/M) |
| 250X450X28.5MM RECTANGULAR STEEL PIPE (293.34KG/M)  |
| 250X450X28.75MM RECTANGULAR STEEL PIPE (295.74KG/M) |

|   |
|---|
| 250X450X29MM RECTANGULAR STEEL PIPE (298.13KG/M)    |
| 250X450X29.25MM RECTANGULAR STEEL PIPE (300.52KG/M) |
| 250X450X29.5MM RECTANGULAR STEEL PIPE (302.91KG/M)  |
| 250X450X29.75MM RECTANGULAR STEEL PIPE (305.29KG/M) |
| 250X450X30MM RECTANGULAR STEEL PIPE (307.67KG/M)    |
| 300X400X5.5MM RECTANGULAR STEEL PIPE (59.73KG/M)    |
| 300X400X5.75MM RECTANGULAR STEEL PIPE (62.41KG/M)   |
| 300X400X6MM RECTANGULAR STEEL PIPE (65.09KG/M)      |
| 300X400X6.3MM RECTANGULAR STEEL PIPE (68.29KG/M)    |
| 300X400X6.5MM RECTANGULAR STEEL PIPE (70.43KG/M)    |
| 300X400X6.75MM RECTANGULAR STEEL PIPE (73.1KG/M)    |
| 300X400X7MM RECTANGULAR STEEL PIPE (75.76KG/M)      |
| 300X400X7.25MM RECTANGULAR STEEL PIPE (78.42KG/M)   |
| 300X400X7.5MM RECTANGULAR STEEL PIPE (81.08KG/M)    |
| 300X400X7.75MM RECTANGULAR STEEL PIPE (83.73KG/M)   |
| 300X400X8MM RECTANGULAR STEEL PIPE (86.39KG/M)      |
| 300X400X8.25MM RECTANGULAR STEEL PIPE (89.03KG/M)   |
| 300X400X8.5MM RECTANGULAR STEEL PIPE (91.68KG/M)    |
| 300X400X8.75MM RECTANGULAR STEEL PIPE (94.32KG/M)   |
| 300X400X9MM RECTANGULAR STEEL PIPE (96.96KG/M)      |
| 300X400X9.25MM RECTANGULAR STEEL PIPE (99.6KG/M)    |
| 300X400X9.5MM RECTANGULAR STEEL PIPE (102.23KG/M)   |
| 300X400X9.75MM RECTANGULAR STEEL PIPE (104.86KG/M)  |
| 300X400X10MM RECTANGULAR STEEL PIPE (107.49KG/M)    |
| 300X400X10.25MM RECTANGULAR STEEL PIPE (110.11KG/M) |
| 300X400X10.5MM RECTANGULAR STEEL PIPE (112.73KG/M)  |
| 300X400X10.75MM RECTANGULAR STEEL PIPE (115.35KG/M) |
| 300X400X11MM RECTANGULAR STEEL PIPE (117.97KG/M)    |
| 300X400X11.25MM RECTANGULAR STEEL PIPE (120.58KG/M) |
| 300X400X11.5MM RECTANGULAR STEEL PIPE (123.19KG/M)  |
| 300X400X11.75MM RECTANGULAR STEEL PIPE (125.79KG/M) |
| 300X400X12MM RECTANGULAR STEEL PIPE (128.4KG/M)     |
| 300X400X12.25MM RECTANGULAR STEEL PIPE (131KG/M)    |
| 300X400X12.5MM RECTANGULAR STEEL PIPE (133.59KG/M)  |
| 300X400X12.75MM RECTANGULAR STEEL PIPE (136.18KG/M) |
| 300X400X13MM RECTANGULAR STEEL PIPE (138.77KG/M)    |
| 300X400X13.25MM RECTANGULAR STEEL PIPE (141.36KG/M) |
| 300X400X13.5MM RECTANGULAR STEEL PIPE (143.95KG/M)  |
| 300X400X13.75MM RECTANGULAR STEEL PIPE (146.53KG/M) |
| 300X400X14MM RECTANGULAR STEEL PIPE (149.1KG/M)     |
| 300X400X14.25MM RECTANGULAR STEEL PIPE (151.68KG/M) |
| 300X400X14.5MM RECTANGULAR STEEL PIPE (154.25KG/M)  |
| 300X400X14.75MM RECTANGULAR STEEL PIPE (156.82KG/M) |
| 300X400X15MM RECTANGULAR STEEL PIPE (159.38KG/M)    |
| 300X400X15.25MM RECTANGULAR STEEL PIPE (161.95KG/M) |
| 300X400X15.5MM RECTANGULAR STEEL PIPE (164.51KG/M)  |
| 300X400X15.75MM RECTANGULAR STEEL PIPE (167.06KG/M) |
| 300X400X16MM RECTANGULAR STEEL PIPE (169.62KG/M)    |
| 300X400X16.25MM RECTANGULAR STEEL PIPE (172.17KG/M) |
| 300X400X16.5MM RECTANGULAR STEEL PIPE (174.71KG/M)  |
| 300X400X16.75MM RECTANGULAR STEEL PIPE (177.26KG/M) |
| 300X400X17MM RECTANGULAR STEEL PIPE (179.8KG/M)     |
| 300X400X17.25MM RECTANGULAR STEEL PIPE (182.34KG/M) |
| 300X400X17.5MM RECTANGULAR STEEL PIPE (184.87KG/M)  |
| 300X400X17.75MM RECTANGULAR STEEL PIPE (187.4KG/M)  |
| 300X400X18MM RECTANGULAR STEEL PIPE (189.93KG/M)    |
| 300X400X18.25MM RECTANGULAR STEEL PIPE (192.46KG/M) |



|   |
|---|
| 300X400X18.5MM RECTANGULAR STEEL PIPE (194.98KG/M)  |
| 300X400X18.75MM RECTANGULAR STEEL PIPE (197.5KG/M)  |
| 300X400X19MM RECTANGULAR STEEL PIPE (200.01KG/M)    |
| 300X400X19.25MM RECTANGULAR STEEL PIPE (202.53KG/M) |
| 300X400X19.5MM RECTANGULAR STEEL PIPE (205.04KG/M)  |
| 300X400X19.75MM RECTANGULAR STEEL PIPE (207.54KG/M) |
| 300X400X20MM RECTANGULAR STEEL PIPE (210.05KG/M)    |
| 300X400X20.25MM RECTANGULAR STEEL PIPE (212.55KG/M) |
| 300X400X20.5MM RECTANGULAR STEEL PIPE (215.05KG/M)  |
| 300X400X20.75MM RECTANGULAR STEEL PIPE (217.54KG/M) |
| 300X400X21MM RECTANGULAR STEEL PIPE (220.03KG/M)    |
| 300X400X21.25MM RECTANGULAR STEEL PIPE (222.52KG/M) |
| 300X400X21.5MM RECTANGULAR STEEL PIPE (225.01KG/M)  |
| 300X400X21.75MM RECTANGULAR STEEL PIPE (227.49KG/M) |
| 300X400X22MM RECTANGULAR STEEL PIPE (229.97KG/M)    |
| 300X400X22.25MM RECTANGULAR STEEL PIPE (232.44KG/M) |
| 300X400X22.5MM RECTANGULAR STEEL PIPE (234.92KG/M)  |
| 300X400X22.75MM RECTANGULAR STEEL PIPE (237.39KG/M) |
| 300X400X23MM RECTANGULAR STEEL PIPE (239.85KG/M)    |
| 300X400X23.25MM RECTANGULAR STEEL PIPE (242.32KG/M) |
| 300X400X23.5MM RECTANGULAR STEEL PIPE (244.78KG/M)  |
| 300X400X23.75MM RECTANGULAR STEEL PIPE (247.23KG/M) |
| 300X400X24MM RECTANGULAR STEEL PIPE (249.69KG/M)    |
| 300X400X24.25MM RECTANGULAR STEEL PIPE (252.14KG/M) |
| 300X400X24.5MM RECTANGULAR STEEL PIPE (254.59KG/M)  |
| 300X400X24.75MM RECTANGULAR STEEL PIPE (257.03KG/M) |
| 300X400X25MM RECTANGULAR STEEL PIPE (259.48KG/M)    |
| 300X400X25.25MM RECTANGULAR STEEL PIPE (261.91KG/M) |
| 300X400X25.5MM RECTANGULAR STEEL PIPE (264.35KG/M)  |
| 300X400X25.75MM RECTANGULAR STEEL PIPE (266.78KG/M) |
| 300X400X26MM RECTANGULAR STEEL PIPE (269.21KG/M)    |
| 300X400X26.25MM RECTANGULAR STEEL PIPE (271.64KG/M) |
| 300X400X26.5MM RECTANGULAR STEEL PIPE (274.06KG/M)  |
| 300X400X26.75MM RECTANGULAR STEEL PIPE (276.48KG/M) |
| 300X400X27MM RECTANGULAR STEEL PIPE (278.9KG/M)     |
| 300X400X27.25MM RECTANGULAR STEEL PIPE (281.32KG/M) |
| 300X400X27.5MM RECTANGULAR STEEL PIPE (283.73KG/M)  |
| 300X400X27.75MM RECTANGULAR STEEL PIPE (286.14KG/M) |
| 300X400X28MM RECTANGULAR STEEL PIPE (288.54KG/M)    |
| 300X400X28.25MM RECTANGULAR STEEL PIPE (290.94KG/M) |
| 300X400X28.5MM RECTANGULAR STEEL PIPE (293.34KG/M)  |
| 300X400X28.75MM RECTANGULAR STEEL PIPE (295.74KG/M) |
| 300X400X29MM RECTANGULAR STEEL PIPE (298.13KG/M)    |
| 300X400X29.25MM RECTANGULAR STEEL PIPE (300.52KG/M) |
| 300X400X29.5MM RECTANGULAR STEEL PIPE (302.91KG/M)  |
| 300X400X29.75MM RECTANGULAR STEEL PIPE (305.29KG/M) |
| 300X400X30MM RECTANGULAR STEEL PIPE (307.67KG/M)    |
| 350X400X7.5MM RECTANGULAR STEEL PIPE (86.97KG/M)    |
| 350X400X7.75MM RECTANGULAR STEEL PIPE (89.82KG/M)   |
| 350X400X8MM RECTANGULAR STEEL PIPE (92.67KG/M)      |
| 350X400X8.25MM RECTANGULAR STEEL PIPE (95.51KG/M)   |
| 350X400X8.5MM RECTANGULAR STEEL PIPE (98.36KG/M)    |
| 350X400X8.75MM RECTANGULAR STEEL PIPE (101.2KG/M)   |
| 350X400X9MM RECTANGULAR STEEL PIPE (104.03KG/M)     |
| 350X400X9.25MM RECTANGULAR STEEL PIPE (106.86KG/M)  |
| 350X400X9.5MM RECTANGULAR STEEL PIPE (109.69KG/M)   |
| 350X400X9.75MM RECTANGULAR STEEL PIPE (112.52KG/M)  |

|   |
|---|
| 350X400X10MM RECTANGULAR STEEL PIPE (115.34KG/M)    |
| 350X400X10.25MM RECTANGULAR STEEL PIPE (118.16KG/M) |
| 350X400X10.5MM RECTANGULAR STEEL PIPE (120.98KG/M)  |
| 350X400X10.75MM RECTANGULAR STEEL PIPE (123.8KG/M)  |
| 350X400X11MM RECTANGULAR STEEL PIPE (126.61KG/M)    |
| 350X400X11.25MM RECTANGULAR STEEL PIPE (129.41KG/M) |
| 350X400X11.5MM RECTANGULAR STEEL PIPE (132.22KG/M)  |
| 350X400X11.75MM RECTANGULAR STEEL PIPE (135.02KG/M) |
| 350X400X12MM RECTANGULAR STEEL PIPE (137.82KG/M)    |
| 350X400X12.25MM RECTANGULAR STEEL PIPE (140.62KG/M) |
| 350X400X12.5MM RECTANGULAR STEEL PIPE (143.41KG/M)  |
| 350X400X12.75MM RECTANGULAR STEEL PIPE (146.2KG/M)  |
| 350X400X13MM RECTANGULAR STEEL PIPE (148.98KG/M)    |
| 350X400X13.25MM RECTANGULAR STEEL PIPE (151.77KG/M) |
| 350X400X13.5MM RECTANGULAR STEEL PIPE (154.55KG/M)  |
| 350X400X13.75MM RECTANGULAR STEEL PIPE (157.33KG/M) |
| 350X400X14MM RECTANGULAR STEEL PIPE (160.1KG/M)     |
| 350X400X14.25MM RECTANGULAR STEEL PIPE (162.87KG/M) |
| 350X400X14.5MM RECTANGULAR STEEL PIPE (165.64KG/M)  |
| 350X400X14.75MM RECTANGULAR STEEL PIPE (168.4KG/M)  |
| 350X400X15MM RECTANGULAR STEEL PIPE (171.17KG/M)    |
| 350X400X15.25MM RECTANGULAR STEEL PIPE (173.92KG/M) |
| 350X400X15.5MM RECTANGULAR STEEL PIPE (176.68KG/M)  |
| 350X400X15.75MM RECTANGULAR STEEL PIPE (179.43KG/M) |
| 350X400X16MM RECTANGULAR STEEL PIPE (182.18KG/M)    |
| 350X400X16.25MM RECTANGULAR STEEL PIPE (184.93KG/M) |
| 350X400X16.5MM RECTANGULAR STEEL PIPE (187.67KG/M)  |
| 350X400X16.75MM RECTANGULAR STEEL PIPE (190.41KG/M) |
| 350X400X17MM RECTANGULAR STEEL PIPE (193.15KG/M)    |
| 350X400X17.25MM RECTANGULAR STEEL PIPE (195.88KG/M) |
| 350X400X17.5MM RECTANGULAR STEEL PIPE (198.61KG/M)  |
| 350X400X17.75MM RECTANGULAR STEEL PIPE (201.34KG/M) |
| 350X400X18MM RECTANGULAR STEEL PIPE (204.07KG/M)    |
| 350X400X18.25MM RECTANGULAR STEEL PIPE (206.79KG/M) |
| 350X400X18.5MM RECTANGULAR STEEL PIPE (209.51KG/M)  |
| 350X400X18.75MM RECTANGULAR STEEL PIPE (212.22KG/M) |
| 350X400X19MM RECTANGULAR STEEL PIPE (214.94KG/M)    |
| 350X400X19.25MM RECTANGULAR STEEL PIPE (217.65KG/M) |
| 350X400X19.5MM RECTANGULAR STEEL PIPE (220.35KG/M)  |
| 350X400X19.75MM RECTANGULAR STEEL PIPE (223.05KG/M) |
| 350X400X20MM RECTANGULAR STEEL PIPE (225.75KG/M)    |
| 350X400X20.25MM RECTANGULAR STEEL PIPE (228.45KG/M) |
| 350X400X20.5MM RECTANGULAR STEEL PIPE (231.15KG/M)  |
| 350X400X20.75MM RECTANGULAR STEEL PIPE (233.84KG/M) |
| 350X400X21MM RECTANGULAR STEEL PIPE (236.52KG/M)    |
| 350X400X21.25MM RECTANGULAR STEEL PIPE (239.21KG/M) |
| 350X400X21.5MM RECTANGULAR STEEL PIPE (241.89KG/M)  |
| 350X400X21.75MM RECTANGULAR STEEL PIPE (244.57KG/M) |
| 350X400X22MM RECTANGULAR STEEL PIPE (247.25KG/M)    |
| 350X400X22.25MM RECTANGULAR STEEL PIPE (249.92KG/M) |
| 350X400X22.5MM RECTANGULAR STEEL PIPE (252.59KG/M)  |
| 350X400X22.75MM RECTANGULAR STEEL PIPE (255.25KG/M) |
| 350X400X23MM RECTANGULAR STEEL PIPE (257.92KG/M)    |
| 350X400X23.25MM RECTANGULAR STEEL PIPE (260.58KG/M) |
| 350X400X23.5MM RECTANGULAR STEEL PIPE (263.23KG/M)  |
| 350X400X23.75MM RECTANGULAR STEEL PIPE (265.89KG/M) |
| 350X400X24MM RECTANGULAR STEEL PIPE (268.54KG/M)    |

|   |
|---|
| 350X400X24.25MM RECTANGULAR STEEL PIPE (271.19KG/M) |
| 350X400X24.5MM RECTANGULAR STEEL PIPE (273.83KG/M)  |
| 350X400X24.75MM RECTANGULAR STEEL PIPE (276.47KG/M) |
| 350X400X25MM RECTANGULAR STEEL PIPE (279.11KG/M)    |
| 350X400X25.25MM RECTANGULAR STEEL PIPE (281.75KG/M) |
| 350X400X25.5MM RECTANGULAR STEEL PIPE (284.38KG/M)  |
| 350X400X25.75MM RECTANGULAR STEEL PIPE (287.01KG/M) |
| 350X400X26MM RECTANGULAR STEEL PIPE (289.63KG/M)    |
| 350X400X26.25MM RECTANGULAR STEEL PIPE (292.26KG/M) |
| 350X400X26.5MM RECTANGULAR STEEL PIPE (294.88KG/M)  |
| 350X400X26.75MM RECTANGULAR STEEL PIPE (297.49KG/M) |
| 350X400X27MM RECTANGULAR STEEL PIPE (300.11KG/M)    |
| 350X400X27.25MM RECTANGULAR STEEL PIPE (302.72KG/M) |
| 350X400X27.5MM RECTANGULAR STEEL PIPE (305.33KG/M)  |
| 350X400X27.75MM RECTANGULAR STEEL PIPE (307.93KG/M) |
| 350X400X28MM RECTANGULAR STEEL PIPE (310.53KG/M)    |
| 350X400X28.25MM RECTANGULAR STEEL PIPE (313.13KG/M) |
| 350X400X28.5MM RECTANGULAR STEEL PIPE (315.73KG/M)  |
| 350X400X28.75MM RECTANGULAR STEEL PIPE (318.32KG/M) |
| 350X400X29MM RECTANGULAR STEEL PIPE (320.91KG/M)    |
| 350X400X29.25MM RECTANGULAR STEEL PIPE (323.49KG/M) |
| 350X400X29.5MM RECTANGULAR STEEL PIPE (326.08KG/M)  |
| 350X400X29.75MM RECTANGULAR STEEL PIPE (328.66KG/M) |
| 350X400X30MM RECTANGULAR STEEL PIPE (331.23KG/M)    |
| 300X450X7.5MM RECTANGULAR STEEL PIPE (86.97KG/M)    |
| 300X450X7.75MM RECTANGULAR STEEL PIPE (89.82KG/M)   |
| 300X450X8MM RECTANGULAR STEEL PIPE (92.67KG/M)      |
| 300X450X8.25MM RECTANGULAR STEEL PIPE (95.51KG/M)   |
| 300X450X8.5MM RECTANGULAR STEEL PIPE (98.36KG/M)    |
| 300X450X8.75MM RECTANGULAR STEEL PIPE (101.2KG/M)   |
| 300X450X9MM RECTANGULAR STEEL PIPE (104.03KG/M)     |
| 300X450X9.25MM RECTANGULAR STEEL PIPE (106.86KG/M)  |
| 300X450X9.5MM RECTANGULAR STEEL PIPE (109.69KG/M)   |
| 300X450X9.75MM RECTANGULAR STEEL PIPE (112.52KG/M)  |
| 300X450X10MM RECTANGULAR STEEL PIPE (115.34KG/M)    |
| 300X450X10.25MM RECTANGULAR STEEL PIPE (118.16KG/M) |
| 300X450X10.5MM RECTANGULAR STEEL PIPE (120.98KG/M)  |
| 300X450X10.75MM RECTANGULAR STEEL PIPE (123.8KG/M)  |
| 300X450X11MM RECTANGULAR STEEL PIPE (126.61KG/M)    |
| 300X450X11.25MM RECTANGULAR STEEL PIPE (129.41KG/M) |
| 300X450X11.5MM RECTANGULAR STEEL PIPE (132.22KG/M)  |
| 300X450X11.75MM RECTANGULAR STEEL PIPE (135.02KG/M) |
| 300X450X12MM RECTANGULAR STEEL PIPE (137.82KG/M)    |
| 300X450X12.25MM RECTANGULAR STEEL PIPE (140.62KG/M) |
| 300X450X12.5MM RECTANGULAR STEEL PIPE (143.41KG/M)  |
| 300X450X12.75MM RECTANGULAR STEEL PIPE (146.2KG/M)  |
| 300X450X13MM RECTANGULAR STEEL PIPE (148.98KG/M)    |
| 300X450X13.25MM RECTANGULAR STEEL PIPE (151.77KG/M) |
| 300X450X13.5MM RECTANGULAR STEEL PIPE (154.55KG/M)  |
| 300X450X13.75MM RECTANGULAR STEEL PIPE (157.33KG/M) |
| 300X450X14MM RECTANGULAR STEEL PIPE (160.1KG/M)     |
| 300X450X14.25MM RECTANGULAR STEEL PIPE (162.87KG/M) |
| 300X450X14.5MM RECTANGULAR STEEL PIPE (165.64KG/M)  |
| 300X450X14.75MM RECTANGULAR STEEL PIPE (168.4KG/M)  |
| 300X450X15MM RECTANGULAR STEEL PIPE (171.17KG/M)    |
| 300X450X15.25MM RECTANGULAR STEEL PIPE (173.92KG/M) |
| 300X450X15.5MM RECTANGULAR STEEL PIPE (176.68KG/M)  |

|   |
|---|
| 300X450X15.75MM RECTANGULAR STEEL PIPE (179.43KG/M) |
| 300X450X16MM RECTANGULAR STEEL PIPE (182.18KG/M)    |
| 300X450X16.25MM RECTANGULAR STEEL PIPE (184.93KG/M) |
| 300X450X16.5MM RECTANGULAR STEEL PIPE (187.67KG/M)  |
| 300X450X16.75MM RECTANGULAR STEEL PIPE (190.41KG/M) |
| 300X450X17MM RECTANGULAR STEEL PIPE (193.15KG/M)    |
| 300X450X17.25MM RECTANGULAR STEEL PIPE (195.88KG/M) |
| 300X450X17.5MM RECTANGULAR STEEL PIPE (198.61KG/M)  |
| 300X450X17.75MM RECTANGULAR STEEL PIPE (201.34KG/M) |
| 300X450X18MM RECTANGULAR STEEL PIPE (204.07KG/M)    |
| 300X450X18.25MM RECTANGULAR STEEL PIPE (206.79KG/M) |
| 300X450X18.5MM RECTANGULAR STEEL PIPE (209.51KG/M)  |
| 300X450X18.75MM RECTANGULAR STEEL PIPE (212.22KG/M) |
| 300X450X19MM RECTANGULAR STEEL PIPE (214.94KG/M)    |
| 300X450X19.25MM RECTANGULAR STEEL PIPE (217.65KG/M) |
| 300X450X19.5MM RECTANGULAR STEEL PIPE (220.35KG/M)  |
| 300X450X19.75MM RECTANGULAR STEEL PIPE (223.05KG/M) |
| 300X450X20MM RECTANGULAR STEEL PIPE (225.75KG/M)    |
| 300X450X20.25MM RECTANGULAR STEEL PIPE (228.45KG/M) |
| 300X450X20.5MM RECTANGULAR STEEL PIPE (231.15KG/M)  |
| 300X450X20.75MM RECTANGULAR STEEL PIPE (233.84KG/M) |
| 300X450X21MM RECTANGULAR STEEL PIPE (236.52KG/M)    |
| 300X450X21.25MM RECTANGULAR STEEL PIPE (239.21KG/M) |
| 300X450X21.5MM RECTANGULAR STEEL PIPE (241.89KG/M)  |
| 300X450X21.75MM RECTANGULAR STEEL PIPE (244.57KG/M) |
| 300X450X22MM RECTANGULAR STEEL PIPE (247.25KG/M)    |
| 300X450X22.25MM RECTANGULAR STEEL PIPE (249.92KG/M) |
| 300X450X22.5MM RECTANGULAR STEEL PIPE (252.59KG/M)  |
| 300X450X22.75MM RECTANGULAR STEEL PIPE (255.25KG/M) |
| 300X450X23MM RECTANGULAR STEEL PIPE (257.92KG/M)    |
| 300X450X23.25MM RECTANGULAR STEEL PIPE (260.58KG/M) |
| 300X450X23.5MM RECTANGULAR STEEL PIPE (263.23KG/M)  |
| 300X450X23.75MM RECTANGULAR STEEL PIPE (265.89KG/M) |
| 300X450X24MM RECTANGULAR STEEL PIPE (268.54KG/M)    |
| 300X450X24.25MM RECTANGULAR STEEL PIPE (271.19KG/M) |
| 300X450X24.5MM RECTANGULAR STEEL PIPE (273.83KG/M)  |
| 300X450X24.75MM RECTANGULAR STEEL PIPE (276.47KG/M) |
| 300X450X25MM RECTANGULAR STEEL PIPE (279.11KG/M)    |
| 300X450X25.25MM RECTANGULAR STEEL PIPE (281.75KG/M) |
| 300X450X25.5MM RECTANGULAR STEEL PIPE (284.38KG/M)  |
| 300X450X25.75MM RECTANGULAR STEEL PIPE (287.01KG/M) |
| 300X450X26MM RECTANGULAR STEEL PIPE (289.63KG/M)    |
| 300X450X26.25MM RECTANGULAR STEEL PIPE (292.26KG/M) |
| 300X450X26.5MM RECTANGULAR STEEL PIPE (294.88KG/M)  |
| 300X450X26.75MM RECTANGULAR STEEL PIPE (297.49KG/M) |
| 300X450X27MM RECTANGULAR STEEL PIPE (300.11KG/M)    |
| 300X450X27.25MM RECTANGULAR STEEL PIPE (302.72KG/M) |
| 300X450X27.5MM RECTANGULAR STEEL PIPE (305.33KG/M)  |
| 300X450X27.75MM RECTANGULAR STEEL PIPE (307.93KG/M) |
| 300X450X28MM RECTANGULAR STEEL PIPE (310.53KG/M)    |
| 300X450X28.25MM RECTANGULAR STEEL PIPE (313.13KG/M) |
| 300X450X28.5MM RECTANGULAR STEEL PIPE (315.73KG/M)  |
| 300X450X28.75MM RECTANGULAR STEEL PIPE (318.32KG/M) |
| 300X450X29MM RECTANGULAR STEEL PIPE (320.91KG/M)    |
| 300X450X29.25MM RECTANGULAR STEEL PIPE (323.49KG/M) |
| 300X450X29.5MM RECTANGULAR STEEL PIPE (326.08KG/M)  |
| 300X450X29.75MM RECTANGULAR STEEL PIPE (328.66KG/M) |

|   |
|---|
| 300X450X30MM RECTANGULAR STEEL PIPE (331.23KG/M)    |
| 200X600X7.5MM RECTANGULAR STEEL PIPE (92.86KG/M)    |
| 200X600X7.75MM RECTANGULAR STEEL PIPE (95.91KG/M)   |
| 200X600X8MM RECTANGULAR STEEL PIPE (98.95KG/M)      |
| 200X600X8.25MM RECTANGULAR STEEL PIPE (101.99KG/M)  |
| 200X600X8.5MM RECTANGULAR STEEL PIPE (105.03KG/M)   |
| 200X600X8.75MM RECTANGULAR STEEL PIPE (108.07KG/M)  |
| 200X600X9MM RECTANGULAR STEEL PIPE (111.1KG/M)      |
| 200X600X9.25MM RECTANGULAR STEEL PIPE (114.13KG/M)  |
| 200X600X9.5MM RECTANGULAR STEEL PIPE (117.15KG/M)   |
| 200X600X9.75MM RECTANGULAR STEEL PIPE (120.18KG/M)  |
| 200X600X10MM RECTANGULAR STEEL PIPE (123.2KG/M)     |
| 200X600X10.25MM RECTANGULAR STEEL PIPE (126.21KG/M) |
| 200X600X10.5MM RECTANGULAR STEEL PIPE (129.23KG/M)  |
| 200X600X10.75MM RECTANGULAR STEEL PIPE (132.24KG/M) |
| 200X600X11MM RECTANGULAR STEEL PIPE (135.25KG/M)    |
| 200X600X11.25MM RECTANGULAR STEEL PIPE (138.25KG/M) |
| 200X600X11.5MM RECTANGULAR STEEL PIPE (141.25KG/M)  |
| 200X600X11.75MM RECTANGULAR STEEL PIPE (144.25KG/M) |
| 200X600X12MM RECTANGULAR STEEL PIPE (147.25KG/M)    |
| 200X600X12.25MM RECTANGULAR STEEL PIPE (150.24KG/M) |
| 200X600X12.5MM RECTANGULAR STEEL PIPE (153.23KG/M)  |
| 200X600X12.75MM RECTANGULAR STEEL PIPE (156.21KG/M) |
| 200X600X13MM RECTANGULAR STEEL PIPE (159.2KG/M)     |
| 200X600X13.25MM RECTANGULAR STEEL PIPE (162.17KG/M) |
| 200X600X13.5MM RECTANGULAR STEEL PIPE (165.15KG/M)  |
| 200X600X13.75MM RECTANGULAR STEEL PIPE (168.13KG/M) |
| 200X600X14MM RECTANGULAR STEEL PIPE (171.1KG/M)     |
| 200X600X14.25MM RECTANGULAR STEEL PIPE (174.06KG/M) |
| 200X600X14.5MM RECTANGULAR STEEL PIPE (177.03KG/M)  |
| 200X600X14.75MM RECTANGULAR STEEL PIPE (179.99KG/M) |
| 200X600X15MM RECTANGULAR STEEL PIPE (182.95KG/M)    |
| 200X600X15.25MM RECTANGULAR STEEL PIPE (185.9KG/M)  |
| 200X600X15.5MM RECTANGULAR STEEL PIPE (188.85KG/M)  |
| 200X600X15.75MM RECTANGULAR STEEL PIPE (191.8KG/M)  |
| 200X600X16MM RECTANGULAR STEEL PIPE (194.75KG/M)    |
| 200X600X16.25MM RECTANGULAR STEEL PIPE (197.69KG/M) |
| 200X600X16.5MM RECTANGULAR STEEL PIPE (200.63KG/M)  |
| 200X600X16.75MM RECTANGULAR STEEL PIPE (203.57KG/M) |
| 200X600X17MM RECTANGULAR STEEL PIPE (206.5KG/M)     |
| 200X600X17.25MM RECTANGULAR STEEL PIPE (209.43KG/M) |
| 200X600X17.5MM RECTANGULAR STEEL PIPE (212.36KG/M)  |
| 200X600X17.75MM RECTANGULAR STEEL PIPE (215.28KG/M) |
| 200X600X18MM RECTANGULAR STEEL PIPE (218.2KG/M)     |
| 200X600X18.25MM RECTANGULAR STEEL PIPE (221.12KG/M) |
| 200X600X18.5MM RECTANGULAR STEEL PIPE (224.04KG/M)  |
| 200X600X18.75MM RECTANGULAR STEEL PIPE (226.95KG/M) |
| 200X600X19MM RECTANGULAR STEEL PIPE (229.86KG/M)    |
| 200X600X19.25MM RECTANGULAR STEEL PIPE (232.76KG/M) |
| 200X600X19.5MM RECTANGULAR STEEL PIPE (235.67KG/M)  |
| 200X600X19.75MM RECTANGULAR STEEL PIPE (238.57KG/M) |
| 200X600X20MM RECTANGULAR STEEL PIPE (241.46KG/M)    |
| 200X600X20.25MM RECTANGULAR STEEL PIPE (244.36KG/M) |
| 200X600X20.5MM RECTANGULAR STEEL PIPE (247.25KG/M)  |
| 200X600X20.75MM RECTANGULAR STEEL PIPE (250.13KG/M) |
| 200X600X21MM RECTANGULAR STEEL PIPE (253.02KG/M)    |
| 200X600X21.25MM RECTANGULAR STEEL PIPE (255.9KG/M)  |

|   |
|---|
| 200X600X21.5MM RECTANGULAR STEEL PIPE (258.78KG/M)  |
| 200X600X21.75MM RECTANGULAR STEEL PIPE (261.65KG/M) |
| 200X600X22MM RECTANGULAR STEEL PIPE (264.52KG/M)    |
| 200X600X22.25MM RECTANGULAR STEEL PIPE (267.39KG/M) |
| 200X600X22.5MM RECTANGULAR STEEL PIPE (270.26KG/M)  |
| 200X600X22.75MM RECTANGULAR STEEL PIPE (273.12KG/M) |
| 200X600X23MM RECTANGULAR STEEL PIPE (275.98KG/M)    |
| 200X600X23.25MM RECTANGULAR STEEL PIPE (278.84KG/M) |
| 200X600X23.5MM RECTANGULAR STEEL PIPE (281.69KG/M)  |
| 200X600X23.75MM RECTANGULAR STEEL PIPE (284.54KG/M) |
| 200X600X24MM RECTANGULAR STEEL PIPE (287.39KG/M)    |
| 200X600X24.25MM RECTANGULAR STEEL PIPE (290.23KG/M) |
| 200X600X24.5MM RECTANGULAR STEEL PIPE (293.07KG/M)  |
| 200X600X24.75MM RECTANGULAR STEEL PIPE (295.91KG/M) |
| 200X600X25MM RECTANGULAR STEEL PIPE (298.75KG/M)    |
| 200X600X25.25MM RECTANGULAR STEEL PIPE (301.58KG/M) |
| 200X600X25.5MM RECTANGULAR STEEL PIPE (304.41KG/M)  |
| 200X600X25.75MM RECTANGULAR STEEL PIPE (307.23KG/M) |
| 200X600X26MM RECTANGULAR STEEL PIPE (310.05KG/M)    |
| 200X600X26.25MM RECTANGULAR STEEL PIPE (312.87KG/M) |
| 200X600X26.5MM RECTANGULAR STEEL PIPE (315.69KG/M)  |
| 200X600X26.75MM RECTANGULAR STEEL PIPE (318.5KG/M)  |
| 200X600X27MM RECTANGULAR STEEL PIPE (321.31KG/M)    |
| 200X600X27.25MM RECTANGULAR STEEL PIPE (324.12KG/M) |
| 200X600X27.5MM RECTANGULAR STEEL PIPE (326.92KG/M)  |
| 200X600X27.75MM RECTANGULAR STEEL PIPE (329.73KG/M) |
| 200X600X28MM RECTANGULAR STEEL PIPE (332.52KG/M)    |
| 200X600X28.25MM RECTANGULAR STEEL PIPE (335.32KG/M) |
| 200X600X28.5MM RECTANGULAR STEEL PIPE (338.11KG/M)  |
| 200X600X28.75MM RECTANGULAR STEEL PIPE (340.9KG/M)  |
| 200X600X29MM RECTANGULAR STEEL PIPE (343.68KG/M)    |
| 200X600X29.25MM RECTANGULAR STEEL PIPE (346.47KG/M) |
| 200X600X29.5MM RECTANGULAR STEEL PIPE (349.25KG/M)  |
| 200X600X29.75MM RECTANGULAR STEEL PIPE (352.02KG/M) |
| 200X600X30MM RECTANGULAR STEEL PIPE (354.8KG/M)     |
| 200X600X30.25MM RECTANGULAR STEEL PIPE (357.57KG/M) |
| 200X600X30.5MM RECTANGULAR STEEL PIPE (360.33KG/M)  |
| 200X600X30.75MM RECTANGULAR STEEL PIPE (363.1KG/M)  |
| 200X600X31MM RECTANGULAR STEEL PIPE (365.86KG/M)    |
| 200X600X31.25MM RECTANGULAR STEEL PIPE (368.62KG/M) |
| 200X600X31.5MM RECTANGULAR STEEL PIPE (371.37KG/M)  |
| 200X600X31.75MM RECTANGULAR STEEL PIPE (374.12KG/M) |
| 200X600X32MM RECTANGULAR STEEL PIPE (376.87KG/M)    |
| 200X600X32.25MM RECTANGULAR STEEL PIPE (379.62KG/M) |
| 200X600X32.5MM RECTANGULAR STEEL PIPE (382.36KG/M)  |
| 200X600X32.75MM RECTANGULAR STEEL PIPE (385.1KG/M)  |
| 200X600X33MM RECTANGULAR STEEL PIPE (387.83KG/M)    |
| 200X600X33.25MM RECTANGULAR STEEL PIPE (390.57KG/M) |
| 200X600X33.5MM RECTANGULAR STEEL PIPE (393.3KG/M)   |
| 200X600X33.75MM RECTANGULAR STEEL PIPE (396.02KG/M) |
| 200X600X34MM RECTANGULAR STEEL PIPE (398.75KG/M)    |
| 200X600X34.25MM RECTANGULAR STEEL PIPE (401.47KG/M) |
| 200X600X34.5MM RECTANGULAR STEEL PIPE (404.19KG/M)  |
| 200X600X34.75MM RECTANGULAR STEEL PIPE (406.9KG/M)  |
| 200X600X35MM RECTANGULAR STEEL PIPE (409.61KG/M)    |
| 200X600X35.25MM RECTANGULAR STEEL PIPE (412.32KG/M) |
| 200X600X35.5MM RECTANGULAR STEEL PIPE (415.03KG/M)  |

|   |
|---|
| 200X600X35.75MM RECTANGULAR STEEL PIPE (417.73KG/M) |
| 200X600X36MM RECTANGULAR STEEL PIPE (420.43KG/M)    |
| 200X600X36.25MM RECTANGULAR STEEL PIPE (423.12KG/M) |
| 200X600X36.5MM RECTANGULAR STEEL PIPE (425.82KG/M)  |
| 200X600X36.75MM RECTANGULAR STEEL PIPE (428.51KG/M) |
| 200X600X37MM RECTANGULAR STEEL PIPE (431.19KG/M)    |
| 200X600X37.25MM RECTANGULAR STEEL PIPE (433.88KG/M) |
| 200X600X37.5MM RECTANGULAR STEEL PIPE (436.56KG/M)  |
| 200X600X37.75MM RECTANGULAR STEEL PIPE (439.24KG/M) |
| 200X600X38MM RECTANGULAR STEEL PIPE (441.91KG/M)    |
| 200X600X38.25MM RECTANGULAR STEEL PIPE (444.58KG/M) |
| 200X600X38.5MM RECTANGULAR STEEL PIPE (447.25KG/M)  |
| 200X600X38.75MM RECTANGULAR STEEL PIPE (449.92KG/M) |
| 200X600X39MM RECTANGULAR STEEL PIPE (452.58KG/M)    |
| 200X600X39.25MM RECTANGULAR STEEL PIPE (455.24KG/M) |
| 200X600X39.5MM RECTANGULAR STEEL PIPE (457.89KG/M)  |
| 200X600X39.75MM RECTANGULAR STEEL PIPE (460.55KG/M) |
| 200X600X40MM RECTANGULAR STEEL PIPE (463.2KG/M)     |
| 300X500X7.5MM RECTANGULAR STEEL PIPE (92.86KG/M)    |
| 300X500X7.75MM RECTANGULAR STEEL PIPE (95.91KG/M)   |
| 300X500X8MM RECTANGULAR STEEL PIPE (98.95KG/M)      |
| 300X500X8.25MM RECTANGULAR STEEL PIPE (101.99KG/M)  |
| 300X500X8.5MM RECTANGULAR STEEL PIPE (105.03KG/M)   |
| 300X500X8.75MM RECTANGULAR STEEL PIPE (108.07KG/M)  |
| 300X500X9MM RECTANGULAR STEEL PIPE (111.1KG/M)      |
| 300X500X9.25MM RECTANGULAR STEEL PIPE (114.13KG/M)  |
| 300X500X9.5MM RECTANGULAR STEEL PIPE (117.15KG/M)   |
| 300X500X9.75MM RECTANGULAR STEEL PIPE (120.18KG/M)  |
| 300X500X10MM RECTANGULAR STEEL PIPE (123.2KG/M)     |
| 300X500X10.25MM RECTANGULAR STEEL PIPE (126.21KG/M) |
| 300X500X10.5MM RECTANGULAR STEEL PIPE (129.23KG/M)  |
| 300X500X10.75MM RECTANGULAR STEEL PIPE (132.24KG/M) |
| 300X500X11MM RECTANGULAR STEEL PIPE (135.25KG/M)    |
| 300X500X11.25MM RECTANGULAR STEEL PIPE (138.25KG/M) |
| 300X500X11.5MM RECTANGULAR STEEL PIPE (141.25KG/M)  |
| 300X500X11.75MM RECTANGULAR STEEL PIPE (144.25KG/M) |
| 300X500X12MM RECTANGULAR STEEL PIPE (147.25KG/M)    |
| 300X500X12.25MM RECTANGULAR STEEL PIPE (150.24KG/M) |
| 300X500X12.5MM RECTANGULAR STEEL PIPE (153.23KG/M)  |
| 300X500X12.75MM RECTANGULAR STEEL PIPE (156.21KG/M) |
| 300X500X13MM RECTANGULAR STEEL PIPE (159.2KG/M)     |
| 300X500X13.25MM RECTANGULAR STEEL PIPE (162.17KG/M) |
| 300X500X13.5MM RECTANGULAR STEEL PIPE (165.15KG/M)  |
| 300X500X13.75MM RECTANGULAR STEEL PIPE (168.13KG/M) |
| 300X500X14MM RECTANGULAR STEEL PIPE (171.1KG/M)     |
| 300X500X14.25MM RECTANGULAR STEEL PIPE (174.06KG/M) |
| 300X500X14.5MM RECTANGULAR STEEL PIPE (177.03KG/M)  |
| 300X500X14.75MM RECTANGULAR STEEL PIPE (179.99KG/M) |
| 300X500X15MM RECTANGULAR STEEL PIPE (182.95KG/M)    |
| 300X500X15.25MM RECTANGULAR STEEL PIPE (185.9KG/M)  |
| 300X500X15.5MM RECTANGULAR STEEL PIPE (188.85KG/M)  |
| 300X500X15.75MM RECTANGULAR STEEL PIPE (191.8KG/M)  |
| 300X500X16MM RECTANGULAR STEEL PIPE (194.75KG/M)    |
| 300X500X16.25MM RECTANGULAR STEEL PIPE (197.69KG/M) |
| 300X500X16.5MM RECTANGULAR STEEL PIPE (200.63KG/M)  |
| 300X500X16.75MM RECTANGULAR STEEL PIPE (203.57KG/M) |
| 300X500X17MM RECTANGULAR STEEL PIPE (206.5KG/M)     |

|   |
|---|
| 300X500X17.25MM RECTANGULAR STEEL PIPE (209.43KG/M) |
| 300X500X17.5MM RECTANGULAR STEEL PIPE (212.36KG/M)  |
| 300X500X17.75MM RECTANGULAR STEEL PIPE (215.28KG/M) |
| 300X500X18MM RECTANGULAR STEEL PIPE (218.2KG/M)     |
| 300X500X18.25MM RECTANGULAR STEEL PIPE (221.12KG/M) |
| 300X500X18.5MM RECTANGULAR STEEL PIPE (224.04KG/M)  |
| 300X500X18.75MM RECTANGULAR STEEL PIPE (226.95KG/M) |
| 300X500X19MM RECTANGULAR STEEL PIPE (229.86KG/M)    |
| 300X500X19.25MM RECTANGULAR STEEL PIPE (232.76KG/M) |
| 300X500X19.5MM RECTANGULAR STEEL PIPE (235.67KG/M)  |
| 300X500X19.75MM RECTANGULAR STEEL PIPE (238.57KG/M) |
| 300X500X20MM RECTANGULAR STEEL PIPE (241.46KG/M)    |
| 300X500X20.25MM RECTANGULAR STEEL PIPE (244.36KG/M) |
| 300X500X20.5MM RECTANGULAR STEEL PIPE (247.25KG/M)  |
| 300X500X20.75MM RECTANGULAR STEEL PIPE (250.13KG/M) |
| 300X500X21MM RECTANGULAR STEEL PIPE (253.02KG/M)    |
| 300X500X21.25MM RECTANGULAR STEEL PIPE (255.9KG/M)  |
| 300X500X21.5MM RECTANGULAR STEEL PIPE (258.78KG/M)  |
| 300X500X21.75MM RECTANGULAR STEEL PIPE (261.65KG/M) |
| 300X500X22MM RECTANGULAR STEEL PIPE (264.52KG/M)    |
| 300X500X22.25MM RECTANGULAR STEEL PIPE (267.39KG/M) |
| 300X500X22.5MM RECTANGULAR STEEL PIPE (270.26KG/M)  |
| 300X500X22.75MM RECTANGULAR STEEL PIPE (273.12KG/M) |
| 300X500X23MM RECTANGULAR STEEL PIPE (275.98KG/M)    |
| 300X500X23.25MM RECTANGULAR STEEL PIPE (278.84KG/M) |
| 300X500X23.5MM RECTANGULAR STEEL PIPE (281.69KG/M)  |
| 300X500X23.75MM RECTANGULAR STEEL PIPE (284.54KG/M) |
| 300X500X24MM RECTANGULAR STEEL PIPE (287.39KG/M)    |
| 300X500X24.25MM RECTANGULAR STEEL PIPE (290.23KG/M) |
| 300X500X24.5MM RECTANGULAR STEEL PIPE (293.07KG/M)  |
| 300X500X24.75MM RECTANGULAR STEEL PIPE (295.91KG/M) |
| 300X500X25MM RECTANGULAR STEEL PIPE (298.75KG/M)    |
| 300X500X25.25MM RECTANGULAR STEEL PIPE (301.58KG/M) |
| 300X500X25.5MM RECTANGULAR STEEL PIPE (304.41KG/M)  |
| 300X500X25.75MM RECTANGULAR STEEL PIPE (307.23KG/M) |
| 300X500X26MM RECTANGULAR STEEL PIPE (310.05KG/M)    |
| 300X500X26.25MM RECTANGULAR STEEL PIPE (312.87KG/M) |
| 300X500X26.5MM RECTANGULAR STEEL PIPE (315.69KG/M)  |
| 300X500X26.75MM RECTANGULAR STEEL PIPE (318.5KG/M)  |
| 300X500X27MM RECTANGULAR STEEL PIPE (321.31KG/M)    |
| 300X500X27.25MM RECTANGULAR STEEL PIPE (324.12KG/M) |
| 300X500X27.5MM RECTANGULAR STEEL PIPE (326.92KG/M)  |
| 300X500X27.75MM RECTANGULAR STEEL PIPE (329.73KG/M) |
| 300X500X28MM RECTANGULAR STEEL PIPE (332.52KG/M)    |
| 300X500X28.25MM RECTANGULAR STEEL PIPE (335.32KG/M) |
| 300X500X28.5MM RECTANGULAR STEEL PIPE (338.11KG/M)  |
| 300X500X28.75MM RECTANGULAR STEEL PIPE (340.9KG/M)  |
| 300X500X29MM RECTANGULAR STEEL PIPE (343.68KG/M)    |
| 300X500X29.25MM RECTANGULAR STEEL PIPE (346.47KG/M) |
| 300X500X29.5MM RECTANGULAR STEEL PIPE (349.25KG/M)  |
| 300X500X29.75MM RECTANGULAR STEEL PIPE (352.02KG/M) |
| 300X500X30MM RECTANGULAR STEEL PIPE (354.8KG/M)     |
| 300X500X30.25MM RECTANGULAR STEEL PIPE (357.57KG/M) |
| 300X500X30.5MM RECTANGULAR STEEL PIPE (360.33KG/M)  |
| 300X500X30.75MM RECTANGULAR STEEL PIPE (363.1KG/M)  |
| 300X500X31MM RECTANGULAR STEEL PIPE (365.86KG/M)    |
| 300X500X31.25MM RECTANGULAR STEEL PIPE (368.62KG/M) |



|   |
|---|
| 300X500X31.5MM RECTANGULAR STEEL PIPE (371.37KG/M)  |
| 300X500X31.75MM RECTANGULAR STEEL PIPE (374.12KG/M) |
| 300X500X32MM RECTANGULAR STEEL PIPE (376.87KG/M)    |
| 300X500X32.25MM RECTANGULAR STEEL PIPE (379.62KG/M) |
| 300X500X32.5MM RECTANGULAR STEEL PIPE (382.36KG/M)  |
| 300X500X32.75MM RECTANGULAR STEEL PIPE (385.1KG/M)  |
| 300X500X33MM RECTANGULAR STEEL PIPE (387.83KG/M)    |
| 300X500X33.25MM RECTANGULAR STEEL PIPE (390.57KG/M) |
| 300X500X33.5MM RECTANGULAR STEEL PIPE (393.3KG/M)   |
| 300X500X33.75MM RECTANGULAR STEEL PIPE (396.02KG/M) |
| 300X500X34MM RECTANGULAR STEEL PIPE (398.75KG/M)    |
| 300X500X34.25MM RECTANGULAR STEEL PIPE (401.47KG/M) |
| 300X500X34.5MM RECTANGULAR STEEL PIPE (404.19KG/M)  |
| 300X500X34.75MM RECTANGULAR STEEL PIPE (406.9KG/M)  |
| 300X500X35MM RECTANGULAR STEEL PIPE (409.61KG/M)    |
| 300X500X35.25MM RECTANGULAR STEEL PIPE (412.32KG/M) |
| 300X500X35.5MM RECTANGULAR STEEL PIPE (415.03KG/M)  |
| 300X500X35.75MM RECTANGULAR STEEL PIPE (417.73KG/M) |
| 300X500X36MM RECTANGULAR STEEL PIPE (420.43KG/M)    |
| 300X500X36.25MM RECTANGULAR STEEL PIPE (423.12KG/M) |
| 300X500X36.5MM RECTANGULAR STEEL PIPE (425.82KG/M)  |
| 300X500X36.75MM RECTANGULAR STEEL PIPE (428.51KG/M) |
| 300X500X37MM RECTANGULAR STEEL PIPE (431.19KG/M)    |
| 300X500X37.25MM RECTANGULAR STEEL PIPE (433.88KG/M) |
| 300X500X37.5MM RECTANGULAR STEEL PIPE (436.56KG/M)  |
| 300X500X37.75MM RECTANGULAR STEEL PIPE (439.24KG/M) |
| 300X500X38MM RECTANGULAR STEEL PIPE (441.91KG/M)    |
| 300X500X38.25MM RECTANGULAR STEEL PIPE (444.58KG/M) |
| 300X500X38.5MM RECTANGULAR STEEL PIPE (447.25KG/M)  |
| 300X500X38.75MM RECTANGULAR STEEL PIPE (449.92KG/M) |
| 300X500X39MM RECTANGULAR STEEL PIPE (452.58KG/M)    |
| 300X500X39.25MM RECTANGULAR STEEL PIPE (455.24KG/M) |
| 300X500X39.5MM RECTANGULAR STEEL PIPE (457.89KG/M)  |
| 300X500X39.75MM RECTANGULAR STEEL PIPE (460.55KG/M) |
| 300X500X40MM RECTANGULAR STEEL PIPE (463.2KG/M)     |
| 300X600X7.5MM RECTANGULAR STEEL PIPE (104.64KG/M)   |
| 300X600X7.75MM RECTANGULAR STEEL PIPE (108.08KG/M)  |
| 300X600X8MM RECTANGULAR STEEL PIPE (111.52KG/M)     |
| 300X600X8.25MM RECTANGULAR STEEL PIPE (114.95KG/M)  |
| 300X600X8.5MM RECTANGULAR STEEL PIPE (118.38KG/M)   |
| 300X600X8.75MM RECTANGULAR STEEL PIPE (121.81KG/M)  |
| 300X600X9MM RECTANGULAR STEEL PIPE (125.24KG/M)     |
| 300X600X9.25MM RECTANGULAR STEEL PIPE (128.66KG/M)  |
| 300X600X9.5MM RECTANGULAR STEEL PIPE (132.08KG/M)   |
| 300X600X9.75MM RECTANGULAR STEEL PIPE (135.49KG/M)  |
| 300X600X10MM RECTANGULAR STEEL PIPE (138.91KG/M)    |
| 300X600X10.25MM RECTANGULAR STEEL PIPE (142.31KG/M) |
| 300X600X10.5MM RECTANGULAR STEEL PIPE (145.72KG/M)  |
| 300X600X10.75MM RECTANGULAR STEEL PIPE (149.12KG/M) |
| 300X600X11MM RECTANGULAR STEEL PIPE (152.52KG/M)    |
| 300X600X11.25MM RECTANGULAR STEEL PIPE (155.92KG/M) |
| 300X600X11.5MM RECTANGULAR STEEL PIPE (159.32KG/M)  |
| 300X600X11.75MM RECTANGULAR STEEL PIPE (162.71KG/M) |
| 300X600X12MM RECTANGULAR STEEL PIPE (166.09KG/M)    |
| 300X600X12.25MM RECTANGULAR STEEL PIPE (169.48KG/M) |
| 300X600X12.5MM RECTANGULAR STEEL PIPE (172.86KG/M)  |
| 300X600X12.75MM RECTANGULAR STEEL PIPE (176.24KG/M) |

|   |
|---|
| 300X600X13MM RECTANGULAR STEEL PIPE (179.62KG/M)    |
| 300X600X13.25MM RECTANGULAR STEEL PIPE (182.99KG/M) |
| 300X600X13.5MM RECTANGULAR STEEL PIPE (186.36KG/M)  |
| 300X600X13.75MM RECTANGULAR STEEL PIPE (189.72KG/M) |
| 300X600X14MM RECTANGULAR STEEL PIPE (193.09KG/M)    |
| 300X600X14.25MM RECTANGULAR STEEL PIPE (196.45KG/M) |
| 300X600X14.5MM RECTANGULAR STEEL PIPE (199.8KG/M)   |
| 300X600X14.75MM RECTANGULAR STEEL PIPE (203.16KG/M) |
| 300X600X15MM RECTANGULAR STEEL PIPE (206.51KG/M)    |
| 300X600X15.25MM RECTANGULAR STEEL PIPE (209.86KG/M) |
| 300X600X15.5MM RECTANGULAR STEEL PIPE (213.2KG/M)   |
| 300X600X15.75MM RECTANGULAR STEEL PIPE (216.54KG/M) |
| 300X600X16MM RECTANGULAR STEEL PIPE (219.88KG/M)    |
| 300X600X16.25MM RECTANGULAR STEEL PIPE (223.22KG/M) |
| 300X600X16.5MM RECTANGULAR STEEL PIPE (226.55KG/M)  |
| 300X600X16.75MM RECTANGULAR STEEL PIPE (229.88KG/M) |
| 300X600X17MM RECTANGULAR STEEL PIPE (233.2KG/M)     |
| 300X600X17.25MM RECTANGULAR STEEL PIPE (236.53KG/M) |
| 300X600X17.5MM RECTANGULAR STEEL PIPE (239.85KG/M)  |
| 300X600X17.75MM RECTANGULAR STEEL PIPE (243.16KG/M) |
| 300X600X18MM RECTANGULAR STEEL PIPE (246.48KG/M)    |
| 300X600X18.25MM RECTANGULAR STEEL PIPE (249.79KG/M) |
| 300X600X18.5MM RECTANGULAR STEEL PIPE (253.1KG/M)   |
| 300X600X18.75MM RECTANGULAR STEEL PIPE (256.4KG/M)  |
| 300X600X19MM RECTANGULAR STEEL PIPE (259.7KG/M)     |
| 300X600X19.25MM RECTANGULAR STEEL PIPE (263KG/M)    |
| 300X600X19.5MM RECTANGULAR STEEL PIPE (266.3KG/M)   |
| 300X600X19.75MM RECTANGULAR STEEL PIPE (269.59KG/M) |
| 300X600X20MM RECTANGULAR STEEL PIPE (272.88KG/M)    |
| 300X600X20.25MM RECTANGULAR STEEL PIPE (276.16KG/M) |
| 300X600X20.5MM RECTANGULAR STEEL PIPE (279.45KG/M)  |
| 300X600X20.75MM RECTANGULAR STEEL PIPE (282.73KG/M) |
| 300X600X21MM RECTANGULAR STEEL PIPE (286KG/M)       |
| 300X600X21.25MM RECTANGULAR STEEL PIPE (289.28KG/M) |
| 300X600X21.5MM RECTANGULAR STEEL PIPE (292.55KG/M)  |
| 300X600X21.75MM RECTANGULAR STEEL PIPE (295.82KG/M) |
| 300X600X22MM RECTANGULAR STEEL PIPE (299.08KG/M)    |
| 300X600X22.25MM RECTANGULAR STEEL PIPE (302.34KG/M) |
| 300X600X22.5MM RECTANGULAR STEEL PIPE (305.6KG/M)   |
| 300X600X22.75MM RECTANGULAR STEEL PIPE (308.86KG/M) |
| 300X600X23MM RECTANGULAR STEEL PIPE (312.11KG/M)    |
| 300X600X23.25MM RECTANGULAR STEEL PIPE (315.36KG/M) |
| 300X600X23.5MM RECTANGULAR STEEL PIPE (318.6KG/M)   |
| 300X600X23.75MM RECTANGULAR STEEL PIPE (321.85KG/M) |
| 300X600X24MM RECTANGULAR STEEL PIPE (325.09KG/M)    |
| 300X600X24.25MM RECTANGULAR STEEL PIPE (328.32KG/M) |
| 300X600X24.5MM RECTANGULAR STEEL PIPE (331.56KG/M)  |
| 300X600X24.75MM RECTANGULAR STEEL PIPE (334.79KG/M) |
| 300X600X25MM RECTANGULAR STEEL PIPE (338.02KG/M)    |
| 300X600X25.25MM RECTANGULAR STEEL PIPE (341.24KG/M) |
| 300X600X25.5MM RECTANGULAR STEEL PIPE (344.46KG/M)  |
| 300X600X25.75MM RECTANGULAR STEEL PIPE (347.68KG/M) |
| 300X600X26MM RECTANGULAR STEEL PIPE (350.9KG/M)     |
| 300X600X26.25MM RECTANGULAR STEEL PIPE (354.11KG/M) |
| 300X600X26.5MM RECTANGULAR STEEL PIPE (357.32KG/M)  |
| 300X600X26.75MM RECTANGULAR STEEL PIPE (360.52KG/M) |
| 300X600X27MM RECTANGULAR STEEL PIPE (363.73KG/M)    |

|   |
|---|
| 300X600X27.25MM RECTANGULAR STEEL PIPE (366.93KG/M) |
| 300X600X27.5MM RECTANGULAR STEEL PIPE (370.12KG/M)  |
| 300X600X27.75MM RECTANGULAR STEEL PIPE (373.32KG/M) |
| 300X600X28MM RECTANGULAR STEEL PIPE (376.51KG/M)    |
| 300X600X28.25MM RECTANGULAR STEEL PIPE (379.69KG/M) |
| 300X600X28.5MM RECTANGULAR STEEL PIPE (382.88KG/M)  |
| 300X600X28.75MM RECTANGULAR STEEL PIPE (386.06KG/M) |
| 300X600X29MM RECTANGULAR STEEL PIPE (389.24KG/M)    |
| 300X600X29.25MM RECTANGULAR STEEL PIPE (392.41KG/M) |
| 300X600X29.5MM RECTANGULAR STEEL PIPE (395.58KG/M)  |
| 300X600X29.75MM RECTANGULAR STEEL PIPE (398.75KG/M) |
| 300X600X30MM RECTANGULAR STEEL PIPE (401.92KG/M)    |
| 300X600X30.25MM RECTANGULAR STEEL PIPE (405.08KG/M) |
| 300X600X30.5MM RECTANGULAR STEEL PIPE (408.24KG/M)  |
| 300X600X30.75MM RECTANGULAR STEEL PIPE (411.4KG/M)  |
| 300X600X31MM RECTANGULAR STEEL PIPE (414.55KG/M)    |
| 300X600X31.25MM RECTANGULAR STEEL PIPE (417.7KG/M)  |
| 300X600X31.5MM RECTANGULAR STEEL PIPE (420.85KG/M)  |
| 300X600X31.75MM RECTANGULAR STEEL PIPE (423.99KG/M) |
| 300X600X32MM RECTANGULAR STEEL PIPE (427.14KG/M)    |
| 300X600X32.25MM RECTANGULAR STEEL PIPE (430.27KG/M) |
| 300X600X32.5MM RECTANGULAR STEEL PIPE (433.41KG/M)  |
| 300X600X32.75MM RECTANGULAR STEEL PIPE (436.54KG/M) |
| 300X600X33MM RECTANGULAR STEEL PIPE (439.67KG/M)    |
| 300X600X33.25MM RECTANGULAR STEEL PIPE (442.8KG/M)  |
| 300X600X33.5MM RECTANGULAR STEEL PIPE (445.92KG/M)  |
| 300X600X33.75MM RECTANGULAR STEEL PIPE (449.04KG/M) |
| 300X600X34MM RECTANGULAR STEEL PIPE (452.15KG/M)    |
| 300X600X34.25MM RECTANGULAR STEEL PIPE (455.27KG/M) |
| 300X600X34.5MM RECTANGULAR STEEL PIPE (458.38KG/M)  |
| 300X600X34.75MM RECTANGULAR STEEL PIPE (461.49KG/M) |
| 300X600X35MM RECTANGULAR STEEL PIPE (464.59KG/M)    |
| 300X600X35.25MM RECTANGULAR STEEL PIPE (467.69KG/M) |
| 300X600X35.5MM RECTANGULAR STEEL PIPE (470.79KG/M)  |
| 300X600X35.75MM RECTANGULAR STEEL PIPE (473.88KG/M) |
| 300X600X36MM RECTANGULAR STEEL PIPE (476.98KG/M)    |
| 300X600X36.25MM RECTANGULAR STEEL PIPE (480.07KG/M) |
| 300X600X36.5MM RECTANGULAR STEEL PIPE (483.15KG/M)  |
| 300X600X36.75MM RECTANGULAR STEEL PIPE (486.23KG/M) |
| 300X600X37MM RECTANGULAR STEEL PIPE (489.31KG/M)    |
| 300X600X37.25MM RECTANGULAR STEEL PIPE (492.39KG/M) |
| 300X600X37.5MM RECTANGULAR STEEL PIPE (495.46KG/M)  |
| 300X600X37.75MM RECTANGULAR STEEL PIPE (498.53KG/M) |
| 300X600X38MM RECTANGULAR STEEL PIPE (501.6KG/M)     |
| 300X600X38.25MM RECTANGULAR STEEL PIPE (504.67KG/M) |
| 300X600X38.5MM RECTANGULAR STEEL PIPE (507.73KG/M)  |
| 300X600X38.75MM RECTANGULAR STEEL PIPE (510.78KG/M) |
| 300X600X39MM RECTANGULAR STEEL PIPE (513.84KG/M)    |
| 300X600X39.25MM RECTANGULAR STEEL PIPE (516.89KG/M) |
| 300X600X39.5MM RECTANGULAR STEEL PIPE (519.94KG/M)  |
| 300X600X39.75MM RECTANGULAR STEEL PIPE (522.99KG/M) |
| 300X600X40MM RECTANGULAR STEEL PIPE (526.03KG/M)    |
| 400X500X7.5MM RECTANGULAR STEEL PIPE (104.64KG/M)   |
| 400X500X7.75MM RECTANGULAR STEEL PIPE (108.08KG/M)  |
| 400X500X8MM RECTANGULAR STEEL PIPE (111.52KG/M)     |
| 400X500X8.25MM RECTANGULAR STEEL PIPE (114.95KG/M)  |
| 400X500X8.5MM RECTANGULAR STEEL PIPE (118.38KG/M)   |

|   |
|---|
| 400X500X8.75MM RECTANGULAR STEEL PIPE (121.81KG/M)  |
| 400X500X9MM RECTANGULAR STEEL PIPE (125.24KG/M)     |
| 400X500X9.25MM RECTANGULAR STEEL PIPE (128.66KG/M)  |
| 400X500X9.5MM RECTANGULAR STEEL PIPE (132.08KG/M)   |
| 400X500X9.75MM RECTANGULAR STEEL PIPE (135.49KG/M)  |
| 400X500X10MM RECTANGULAR STEEL PIPE (138.91KG/M)    |
| 400X500X10.25MM RECTANGULAR STEEL PIPE (142.31KG/M) |
| 400X500X10.5MM RECTANGULAR STEEL PIPE (145.72KG/M)  |
| 400X500X10.75MM RECTANGULAR STEEL PIPE (149.12KG/M) |
| 400X500X11MM RECTANGULAR STEEL PIPE (152.52KG/M)    |
| 400X500X11.25MM RECTANGULAR STEEL PIPE (155.92KG/M) |
| 400X500X11.5MM RECTANGULAR STEEL PIPE (159.32KG/M)  |
| 400X500X11.75MM RECTANGULAR STEEL PIPE (162.71KG/M) |
| 400X500X12MM RECTANGULAR STEEL PIPE (166.09KG/M)    |
| 400X500X12.25MM RECTANGULAR STEEL PIPE (169.48KG/M) |
| 400X500X12.5MM RECTANGULAR STEEL PIPE (172.86KG/M)  |
| 400X500X12.75MM RECTANGULAR STEEL PIPE (176.24KG/M) |
| 400X500X13MM RECTANGULAR STEEL PIPE (179.62KG/M)    |
| 400X500X13.25MM RECTANGULAR STEEL PIPE (182.99KG/M) |
| 400X500X13.5MM RECTANGULAR STEEL PIPE (186.36KG/M)  |
| 400X500X13.75MM RECTANGULAR STEEL PIPE (189.72KG/M) |
| 400X500X14MM RECTANGULAR STEEL PIPE (193.09KG/M)    |
| 400X500X14.25MM RECTANGULAR STEEL PIPE (196.45KG/M) |
| 400X500X14.5MM RECTANGULAR STEEL PIPE (199.8KG/M)   |
| 400X500X14.75MM RECTANGULAR STEEL PIPE (203.16KG/M) |
| 400X500X15MM RECTANGULAR STEEL PIPE (206.51KG/M)    |
| 400X500X15.25MM RECTANGULAR STEEL PIPE (209.86KG/M) |
| 400X500X15.5MM RECTANGULAR STEEL PIPE (213.2KG/M)   |
| 400X500X15.75MM RECTANGULAR STEEL PIPE (216.54KG/M) |
| 400X500X16MM RECTANGULAR STEEL PIPE (219.88KG/M)    |
| 400X500X16.25MM RECTANGULAR STEEL PIPE (223.22KG/M) |
| 400X500X16.5MM RECTANGULAR STEEL PIPE (226.55KG/M)  |
| 400X500X16.75MM RECTANGULAR STEEL PIPE (229.88KG/M) |
| 400X500X17MM RECTANGULAR STEEL PIPE (233.2KG/M)     |
| 400X500X17.25MM RECTANGULAR STEEL PIPE (236.53KG/M) |
| 400X500X17.5MM RECTANGULAR STEEL PIPE (239.85KG/M)  |
| 400X500X17.75MM RECTANGULAR STEEL PIPE (243.16KG/M) |
| 400X500X18MM RECTANGULAR STEEL PIPE (246.48KG/M)    |
| 400X500X18.25MM RECTANGULAR STEEL PIPE (249.79KG/M) |
| 400X500X18.5MM RECTANGULAR STEEL PIPE (253.1KG/M)   |
| 400X500X18.75MM RECTANGULAR STEEL PIPE (256.4KG/M)  |
| 400X500X19MM RECTANGULAR STEEL PIPE (259.7KG/M)     |
| 400X500X19.25MM RECTANGULAR STEEL PIPE (263KG/M)    |
| 400X500X19.5MM RECTANGULAR STEEL PIPE (266.3KG/M)   |
| 400X500X19.75MM RECTANGULAR STEEL PIPE (269.59KG/M) |
| 400X500X20MM RECTANGULAR STEEL PIPE (272.88KG/M)    |
| 400X500X20.25MM RECTANGULAR STEEL PIPE (276.16KG/M) |
| 400X500X20.5MM RECTANGULAR STEEL PIPE (279.45KG/M)  |
| 400X500X20.75MM RECTANGULAR STEEL PIPE (282.73KG/M) |
| 400X500X21MM RECTANGULAR STEEL PIPE (286KG/M)       |
| 400X500X21.25MM RECTANGULAR STEEL PIPE (289.28KG/M) |
| 400X500X21.5MM RECTANGULAR STEEL PIPE (292.55KG/M)  |
| 400X500X21.75MM RECTANGULAR STEEL PIPE (295.82KG/M) |
| 400X500X22MM RECTANGULAR STEEL PIPE (299.08KG/M)    |
| 400X500X22.25MM RECTANGULAR STEEL PIPE (302.34KG/M) |
| 400X500X22.5MM RECTANGULAR STEEL PIPE (305.6KG/M)   |
| 400X500X22.75MM RECTANGULAR STEEL PIPE (308.86KG/M) |

|   |
|---|
| 400X500X23MM RECTANGULAR STEEL PIPE (312.11KG/M)    |
| 400X500X23.25MM RECTANGULAR STEEL PIPE (315.36KG/M) |
| 400X500X23.5MM RECTANGULAR STEEL PIPE (318.6KG/M)   |
| 400X500X23.75MM RECTANGULAR STEEL PIPE (321.85KG/M) |
| 400X500X24MM RECTANGULAR STEEL PIPE (325.09KG/M)    |
| 400X500X24.25MM RECTANGULAR STEEL PIPE (328.32KG/M) |
| 400X500X24.5MM RECTANGULAR STEEL PIPE (331.56KG/M)  |
| 400X500X24.75MM RECTANGULAR STEEL PIPE (334.79KG/M) |
| 400X500X25MM RECTANGULAR STEEL PIPE (338.02KG/M)    |
| 400X500X25.25MM RECTANGULAR STEEL PIPE (341.24KG/M) |
| 400X500X25.5MM RECTANGULAR STEEL PIPE (344.46KG/M)  |
| 400X500X25.75MM RECTANGULAR STEEL PIPE (347.68KG/M) |
| 400X500X26MM RECTANGULAR STEEL PIPE (350.9KG/M)     |
| 400X500X26.25MM RECTANGULAR STEEL PIPE (354.11KG/M) |
| 400X500X26.5MM RECTANGULAR STEEL PIPE (357.32KG/M)  |
| 400X500X26.75MM RECTANGULAR STEEL PIPE (360.52KG/M) |
| 400X500X27MM RECTANGULAR STEEL PIPE (363.73KG/M)    |
| 400X500X27.25MM RECTANGULAR STEEL PIPE (366.93KG/M) |
| 400X500X27.5MM RECTANGULAR STEEL PIPE (370.12KG/M)  |
| 400X500X27.75MM RECTANGULAR STEEL PIPE (373.32KG/M) |
| 400X500X28MM RECTANGULAR STEEL PIPE (376.51KG/M)    |
| 400X500X28.25MM RECTANGULAR STEEL PIPE (379.69KG/M) |
| 400X500X28.5MM RECTANGULAR STEEL PIPE (382.88KG/M)  |
| 400X500X28.75MM RECTANGULAR STEEL PIPE (386.06KG/M) |
| 400X500X29MM RECTANGULAR STEEL PIPE (389.24KG/M)    |
| 400X500X29.25MM RECTANGULAR STEEL PIPE (392.41KG/M) |
| 400X500X29.5MM RECTANGULAR STEEL PIPE (395.58KG/M)  |
| 400X500X29.75MM RECTANGULAR STEEL PIPE (398.75KG/M) |
| 400X500X30MM RECTANGULAR STEEL PIPE (401.92KG/M)    |
| 400X500X30.25MM RECTANGULAR STEEL PIPE (405.08KG/M) |
| 400X500X30.5MM RECTANGULAR STEEL PIPE (408.24KG/M)  |
| 400X500X30.75MM RECTANGULAR STEEL PIPE (411.4KG/M)  |
| 400X500X31MM RECTANGULAR STEEL PIPE (414.55KG/M)    |
| 400X500X31.25MM RECTANGULAR STEEL PIPE (417.7KG/M)  |
| 400X500X31.5MM RECTANGULAR STEEL PIPE (420.85KG/M)  |
| 400X500X31.75MM RECTANGULAR STEEL PIPE (423.99KG/M) |
| 400X500X32MM RECTANGULAR STEEL PIPE (427.14KG/M)    |
| 400X500X32.25MM RECTANGULAR STEEL PIPE (430.27KG/M) |
| 400X500X32.5MM RECTANGULAR STEEL PIPE (433.41KG/M)  |
| 400X500X32.75MM RECTANGULAR STEEL PIPE (436.54KG/M) |
| 400X500X33MM RECTANGULAR STEEL PIPE (439.67KG/M)    |
| 400X500X33.25MM RECTANGULAR STEEL PIPE (442.8KG/M)  |
| 400X500X33.5MM RECTANGULAR STEEL PIPE (445.92KG/M)  |
| 400X500X33.75MM RECTANGULAR STEEL PIPE (449.04KG/M) |
| 400X500X34MM RECTANGULAR STEEL PIPE (452.15KG/M)    |
| 400X500X34.25MM RECTANGULAR STEEL PIPE (455.27KG/M) |
| 400X500X34.5MM RECTANGULAR STEEL PIPE (458.38KG/M)  |
| 400X500X34.75MM RECTANGULAR STEEL PIPE (461.49KG/M) |
| 400X500X35MM RECTANGULAR STEEL PIPE (464.59KG/M)    |
| 400X500X35.25MM RECTANGULAR STEEL PIPE (467.69KG/M) |
| 400X500X35.5MM RECTANGULAR STEEL PIPE (470.79KG/M)  |
| 400X500X35.75MM RECTANGULAR STEEL PIPE (473.88KG/M) |
| 400X500X36MM RECTANGULAR STEEL PIPE (476.98KG/M)    |
| 400X500X36.25MM RECTANGULAR STEEL PIPE (480.07KG/M) |
| 400X500X36.5MM RECTANGULAR STEEL PIPE (483.15KG/M)  |
| 400X500X36.75MM RECTANGULAR STEEL PIPE (486.23KG/M) |
| 400X500X37MM RECTANGULAR STEEL PIPE (489.31KG/M)    |

|   |
|---|
| 400X500X37.25MM RECTANGULAR STEEL PIPE (492.39KG/M) |
| 400X500X37.5MM RECTANGULAR STEEL PIPE (495.46KG/M)  |
| 400X500X37.75MM RECTANGULAR STEEL PIPE (498.53KG/M) |
| 400X500X38MM RECTANGULAR STEEL PIPE (501.6KG/M)     |
| 400X500X38.25MM RECTANGULAR STEEL PIPE (504.67KG/M) |
| 400X500X38.5MM RECTANGULAR STEEL PIPE (507.73KG/M)  |
| 400X500X38.75MM RECTANGULAR STEEL PIPE (510.78KG/M) |
| 400X500X39MM RECTANGULAR STEEL PIPE (513.84KG/M)    |
| 400X500X39.25MM RECTANGULAR STEEL PIPE (516.89KG/M) |
| 400X500X39.5MM RECTANGULAR STEEL PIPE (519.94KG/M)  |
| 400X500X39.75MM RECTANGULAR STEEL PIPE (522.99KG/M) |
| 400X500X40MM RECTANGULAR STEEL PIPE (526.03KG/M)    |
| 400X600X9.5MM RECTANGULAR STEEL PIPE (147KG/M)      |
| 400X600X9.75MM RECTANGULAR STEEL PIPE (150.81KG/M)  |
| 400X600X10MM RECTANGULAR STEEL PIPE (154.61KG/M)    |
| 400X600X10.25MM RECTANGULAR STEEL PIPE (158.42KG/M) |
| 400X600X10.5MM RECTANGULAR STEEL PIPE (162.21KG/M)  |
| 400X600X10.75MM RECTANGULAR STEEL PIPE (166.01KG/M) |
| 400X600X11MM RECTANGULAR STEEL PIPE (169.8KG/M)     |
| 400X600X11.25MM RECTANGULAR STEEL PIPE (173.59KG/M) |
| 400X600X11.5MM RECTANGULAR STEEL PIPE (177.38KG/M)  |
| 400X600X11.75MM RECTANGULAR STEEL PIPE (181.16KG/M) |
| 400X600X12MM RECTANGULAR STEEL PIPE (184.94KG/M)    |
| 400X600X12.25MM RECTANGULAR STEEL PIPE (188.72KG/M) |
| 400X600X12.5MM RECTANGULAR STEEL PIPE (192.5KG/M)   |
| 400X600X12.75MM RECTANGULAR STEEL PIPE (196.27KG/M) |
| 400X600X13MM RECTANGULAR STEEL PIPE (200.04KG/M)    |
| 400X600X13.25MM RECTANGULAR STEEL PIPE (203.8KG/M)  |
| 400X600X13.5MM RECTANGULAR STEEL PIPE (207.56KG/M)  |
| 400X600X13.75MM RECTANGULAR STEEL PIPE (211.32KG/M) |
| 400X600X14MM RECTANGULAR STEEL PIPE (215.08KG/M)    |
| 400X600X14.25MM RECTANGULAR STEEL PIPE (218.83KG/M) |
| 400X600X14.5MM RECTANGULAR STEEL PIPE (222.58KG/M)  |
| 400X600X14.75MM RECTANGULAR STEEL PIPE (226.33KG/M) |
| 400X600X15MM RECTANGULAR STEEL PIPE (230.07KG/M)    |
| 400X600X15.25MM RECTANGULAR STEEL PIPE (233.81KG/M) |
| 400X600X15.5MM RECTANGULAR STEEL PIPE (237.55KG/M)  |
| 400X600X15.75MM RECTANGULAR STEEL PIPE (241.28KG/M) |
| 400X600X16MM RECTANGULAR STEEL PIPE (245.01KG/M)    |
| 400X600X16.25MM RECTANGULAR STEEL PIPE (248.74KG/M) |
| 400X600X16.5MM RECTANGULAR STEEL PIPE (252.47KG/M)  |
| 400X600X16.75MM RECTANGULAR STEEL PIPE (256.19KG/M) |
| 400X600X17MM RECTANGULAR STEEL PIPE (259.91KG/M)    |
| 400X600X17.25MM RECTANGULAR STEEL PIPE (263.62KG/M) |
| 400X600X17.5MM RECTANGULAR STEEL PIPE (267.34KG/M)  |
| 400X600X17.75MM RECTANGULAR STEEL PIPE (271.05KG/M) |
| 400X600X18MM RECTANGULAR STEEL PIPE (274.75KG/M)    |
| 400X600X18.25MM RECTANGULAR STEEL PIPE (278.46KG/M) |
| 400X600X18.5MM RECTANGULAR STEEL PIPE (282.16KG/M)  |
| 400X600X18.75MM RECTANGULAR STEEL PIPE (285.85KG/M) |
| 400X600X19MM RECTANGULAR STEEL PIPE (289.55KG/M)    |
| 400X600X19.25MM RECTANGULAR STEEL PIPE (293.24KG/M) |
| 400X600X19.5MM RECTANGULAR STEEL PIPE (296.93KG/M)  |
| 400X600X19.75MM RECTANGULAR STEEL PIPE (300.61KG/M) |
| 400X600X20MM RECTANGULAR STEEL PIPE (304.29KG/M)    |
| 400X600X20.25MM RECTANGULAR STEEL PIPE (307.97KG/M) |
| 400X600X20.5MM RECTANGULAR STEEL PIPE (311.65KG/M)  |

|   |
|---|
| 400X600X20.75MM RECTANGULAR STEEL PIPE (315.32KG/M) |
| 400X600X21MM RECTANGULAR STEEL PIPE (318.99KG/M)    |
| 400X600X21.25MM RECTANGULAR STEEL PIPE (322.66KG/M) |
| 400X600X21.5MM RECTANGULAR STEEL PIPE (326.32KG/M)  |
| 400X600X21.75MM RECTANGULAR STEEL PIPE (329.98KG/M) |
| 400X600X22MM RECTANGULAR STEEL PIPE (333.64KG/M)    |
| 400X600X22.25MM RECTANGULAR STEEL PIPE (337.29KG/M) |
| 400X600X22.5MM RECTANGULAR STEEL PIPE (340.94KG/M)  |
| 400X600X22.75MM RECTANGULAR STEEL PIPE (344.59KG/M) |
| 400X600X23MM RECTANGULAR STEEL PIPE (348.24KG/M)    |
| 400X600X23.25MM RECTANGULAR STEEL PIPE (351.88KG/M) |
| 400X600X23.5MM RECTANGULAR STEEL PIPE (355.52KG/M)  |
| 400X600X23.75MM RECTANGULAR STEEL PIPE (359.15KG/M) |
| 400X600X24MM RECTANGULAR STEEL PIPE (362.79KG/M)    |
| 400X600X24.25MM RECTANGULAR STEEL PIPE (366.42KG/M) |
| 400X600X24.5MM RECTANGULAR STEEL PIPE (370.04KG/M)  |
| 400X600X24.75MM RECTANGULAR STEEL PIPE (373.67KG/M) |
| 400X600X25MM RECTANGULAR STEEL PIPE (377.29KG/M)    |
| 400X600X25.25MM RECTANGULAR STEEL PIPE (380.9KG/M)  |
| 400X600X25.5MM RECTANGULAR STEEL PIPE (384.52KG/M)  |
| 400X600X25.75MM RECTANGULAR STEEL PIPE (388.13KG/M) |
| 400X600X26MM RECTANGULAR STEEL PIPE (391.74KG/M)    |
| 400X600X26.25MM RECTANGULAR STEEL PIPE (395.34KG/M) |
| 400X600X26.5MM RECTANGULAR STEEL PIPE (398.94KG/M)  |
| 400X600X26.75MM RECTANGULAR STEEL PIPE (402.54KG/M) |
| 400X600X27MM RECTANGULAR STEEL PIPE (406.14KG/M)    |
| 400X600X27.25MM RECTANGULAR STEEL PIPE (409.73KG/M) |
| 400X600X27.5MM RECTANGULAR STEEL PIPE (413.32KG/M)  |
| 400X600X27.75MM RECTANGULAR STEEL PIPE (416.91KG/M) |
| 400X600X28MM RECTANGULAR STEEL PIPE (420.49KG/M)    |
| 400X600X28.25MM RECTANGULAR STEEL PIPE (424.07KG/M) |
| 400X600X28.5MM RECTANGULAR STEEL PIPE (427.65KG/M)  |
| 400X600X28.75MM RECTANGULAR STEEL PIPE (431.22KG/M) |
| 400X600X29MM RECTANGULAR STEEL PIPE (434.79KG/M)    |
| 400X600X29.25MM RECTANGULAR STEEL PIPE (438.36KG/M) |
| 400X600X29.5MM RECTANGULAR STEEL PIPE (441.92KG/M)  |
| 400X600X29.75MM RECTANGULAR STEEL PIPE (445.48KG/M) |
| 400X600X30MM RECTANGULAR STEEL PIPE (449.04KG/M)    |
| 400X600X30.25MM RECTANGULAR STEEL PIPE (452.6KG/M)  |
| 400X600X30.5MM RECTANGULAR STEEL PIPE (456.15KG/M)  |
| 400X600X30.75MM RECTANGULAR STEEL PIPE (459.7KG/M)  |
| 400X600X31MM RECTANGULAR STEEL PIPE (463.25KG/M)    |
| 400X600X31.25MM RECTANGULAR STEEL PIPE (466.79KG/M) |
| 400X600X31.5MM RECTANGULAR STEEL PIPE (470.33KG/M)  |
| 400X600X31.75MM RECTANGULAR STEEL PIPE (473.87KG/M) |
| 400X600X32MM RECTANGULAR STEEL PIPE (477.4KG/M)     |
| 400X600X32.25MM RECTANGULAR STEEL PIPE (480.93KG/M) |
| 400X600X32.5MM RECTANGULAR STEEL PIPE (484.46KG/M)  |
| 400X600X32.75MM RECTANGULAR STEEL PIPE (487.98KG/M) |
| 400X600X33MM RECTANGULAR STEEL PIPE (491.51KG/M)    |
| 400X600X33.25MM RECTANGULAR STEEL PIPE (495.02KG/M) |
| 400X600X33.5MM RECTANGULAR STEEL PIPE (498.54KG/M)  |
| 400X600X33.75MM RECTANGULAR STEEL PIPE (502.05KG/M) |
| 400X600X34MM RECTANGULAR STEEL PIPE (505.56KG/M)    |
| 400X600X34.25MM RECTANGULAR STEEL PIPE (509.07KG/M) |
| 400X600X34.5MM RECTANGULAR STEEL PIPE (512.57KG/M)  |
| 400X600X34.75MM RECTANGULAR STEEL PIPE (516.07KG/M) |

|   |
|---|
| 400X600X35MM RECTANGULAR STEEL PIPE (519.57KG/M)    |
| 400X600X35.25MM RECTANGULAR STEEL PIPE (523.06KG/M) |
| 400X600X35.5MM RECTANGULAR STEEL PIPE (526.55KG/M)  |
| 400X600X35.75MM RECTANGULAR STEEL PIPE (530.04KG/M) |
| 400X600X36MM RECTANGULAR STEEL PIPE (533.53KG/M)    |
| 400X600X36.25MM RECTANGULAR STEEL PIPE (537.01KG/M) |
| 400X600X36.5MM RECTANGULAR STEEL PIPE (540.49KG/M)  |
| 400X600X36.75MM RECTANGULAR STEEL PIPE (543.96KG/M) |
| 400X600X37MM RECTANGULAR STEEL PIPE (547.43KG/M)    |
| 400X600X37.25MM RECTANGULAR STEEL PIPE (550.9KG/M)  |
| 400X600X37.5MM RECTANGULAR STEEL PIPE (554.37KG/M)  |
| 400X600X37.75MM RECTANGULAR STEEL PIPE (557.83KG/M) |
| 400X600X38MM RECTANGULAR STEEL PIPE (561.29KG/M)    |
| 400X600X38.25MM RECTANGULAR STEEL PIPE (564.75KG/M) |
| 400X600X38.5MM RECTANGULAR STEEL PIPE (568.2KG/M)   |
| 400X600X38.75MM RECTANGULAR STEEL PIPE (571.65KG/M) |
| 400X600X39MM RECTANGULAR STEEL PIPE (575.1KG/M)     |
| 400X600X39.25MM RECTANGULAR STEEL PIPE (578.54KG/M) |
| 400X600X39.5MM RECTANGULAR STEEL PIPE (581.99KG/M)  |
| 400X600X39.75MM RECTANGULAR STEEL PIPE (585.42KG/M) |
| 400X600X40MM RECTANGULAR STEEL PIPE (588.86KG/M)    |
| 300X800X9.5MM RECTANGULAR STEEL PIPE (161.92KG/M)   |
| 300X800X9.75MM RECTANGULAR STEEL PIPE (166.12KG/M)  |
| 300X800X10MM RECTANGULAR STEEL PIPE (170.32KG/M)    |
| 300X800X10.25MM RECTANGULAR STEEL PIPE (174.52KG/M) |
| 300X800X10.5MM RECTANGULAR STEEL PIPE (178.71KG/M)  |
| 300X800X10.75MM RECTANGULAR STEEL PIPE (182.9KG/M)  |
| 300X800X11MM RECTANGULAR STEEL PIPE (187.08KG/M)    |
| 300X800X11.25MM RECTANGULAR STEEL PIPE (191.26KG/M) |
| 300X800X11.5MM RECTANGULAR STEEL PIPE (195.44KG/M)  |
| 300X800X11.75MM RECTANGULAR STEEL PIPE (199.62KG/M) |
| 300X800X12MM RECTANGULAR STEEL PIPE (203.79KG/M)    |
| 300X800X12.25MM RECTANGULAR STEEL PIPE (207.96KG/M) |
| 300X800X12.5MM RECTANGULAR STEEL PIPE (212.13KG/M)  |
| 300X800X12.75MM RECTANGULAR STEEL PIPE (216.3KG/M)  |
| 300X800X13MM RECTANGULAR STEEL PIPE (220.46KG/M)    |
| 300X800X13.25MM RECTANGULAR STEEL PIPE (224.61KG/M) |
| 300X800X13.5MM RECTANGULAR STEEL PIPE (228.77KG/M)  |
| 300X800X13.75MM RECTANGULAR STEEL PIPE (232.92KG/M) |
| 300X800X14MM RECTANGULAR STEEL PIPE (237.07KG/M)    |
| 300X800X14.25MM RECTANGULAR STEEL PIPE (241.21KG/M) |
| 300X800X14.5MM RECTANGULAR STEEL PIPE (245.36KG/M)  |
| 300X800X14.75MM RECTANGULAR STEEL PIPE (249.5KG/M)  |
| 300X800X15MM RECTANGULAR STEEL PIPE (253.63KG/M)    |
| 300X800X15.25MM RECTANGULAR STEEL PIPE (257.77KG/M) |
| 300X800X15.5MM RECTANGULAR STEEL PIPE (261.9KG/M)   |
| 300X800X15.75MM RECTANGULAR STEEL PIPE (266.02KG/M) |
| 300X800X16MM RECTANGULAR STEEL PIPE (270.15KG/M)    |
| 300X800X16.25MM RECTANGULAR STEEL PIPE (274.27KG/M) |
| 300X800X16.5MM RECTANGULAR STEEL PIPE (278.39KG/M)  |
| 300X800X16.75MM RECTANGULAR STEEL PIPE (282.5KG/M)  |
| 300X800X17MM RECTANGULAR STEEL PIPE (286.61KG/M)    |
| 300X800X17.25MM RECTANGULAR STEEL PIPE (290.72KG/M) |
| 300X800X17.5MM RECTANGULAR STEEL PIPE (294.83KG/M)  |
| 300X800X17.75MM RECTANGULAR STEEL PIPE (298.93KG/M) |
| 300X800X18MM RECTANGULAR STEEL PIPE (303.03KG/M)    |
| 300X800X18.25MM RECTANGULAR STEEL PIPE (307.12KG/M) |



|   |
|---|
| 300X800X18.5MM RECTANGULAR STEEL PIPE (311.22KG/M)  |
| 300X800X18.75MM RECTANGULAR STEEL PIPE (315.31KG/M) |
| 300X800X19MM RECTANGULAR STEEL PIPE (319.39KG/M)    |
| 300X800X19.25MM RECTANGULAR STEEL PIPE (323.48KG/M) |
| 300X800X19.5MM RECTANGULAR STEEL PIPE (327.56KG/M)  |
| 300X800X19.75MM RECTANGULAR STEEL PIPE (331.64KG/M) |
| 300X800X20MM RECTANGULAR STEEL PIPE (335.71KG/M)    |
| 300X800X20.25MM RECTANGULAR STEEL PIPE (339.78KG/M) |
| 300X800X20.5MM RECTANGULAR STEEL PIPE (343.85KG/M)  |
| 300X800X20.75MM RECTANGULAR STEEL PIPE (347.92KG/M) |
| 300X800X21MM RECTANGULAR STEEL PIPE (351.98KG/M)    |
| 300X800X21.25MM RECTANGULAR STEEL PIPE (356.04KG/M) |
| 300X800X21.5MM RECTANGULAR STEEL PIPE (360.09KG/M)  |
| 300X800X21.75MM RECTANGULAR STEEL PIPE (364.15KG/M) |
| 300X800X22MM RECTANGULAR STEEL PIPE (368.2KG/M)     |
| 300X800X22.25MM RECTANGULAR STEEL PIPE (372.24KG/M) |
| 300X800X22.5MM RECTANGULAR STEEL PIPE (376.29KG/M)  |
| 300X800X22.75MM RECTANGULAR STEEL PIPE (380.33KG/M) |
| 300X800X23MM RECTANGULAR STEEL PIPE (384.37KG/M)    |
| 300X800X23.25MM RECTANGULAR STEEL PIPE (388.4KG/M)  |
| 300X800X23.5MM RECTANGULAR STEEL PIPE (392.43KG/M)  |
| 300X800X23.75MM RECTANGULAR STEEL PIPE (396.46KG/M) |
| 300X800X24MM RECTANGULAR STEEL PIPE (400.49KG/M)    |
| 300X800X24.25MM RECTANGULAR STEEL PIPE (404.51KG/M) |
| 300X800X24.5MM RECTANGULAR STEEL PIPE (408.53KG/M)  |
| 300X800X24.75MM RECTANGULAR STEEL PIPE (412.54KG/M) |
| 300X800X25MM RECTANGULAR STEEL PIPE (416.56KG/M)    |
| 300X800X25.25MM RECTANGULAR STEEL PIPE (420.57KG/M) |
| 300X800X25.5MM RECTANGULAR STEEL PIPE (424.57KG/M)  |
| 300X800X25.75MM RECTANGULAR STEEL PIPE (428.58KG/M) |
| 300X800X26MM RECTANGULAR STEEL PIPE (432.58KG/M)    |
| 300X800X26.25MM RECTANGULAR STEEL PIPE (436.57KG/M) |
| 300X800X26.5MM RECTANGULAR STEEL PIPE (440.57KG/M)  |
| 300X800X26.75MM RECTANGULAR STEEL PIPE (444.56KG/M) |
| 300X800X27MM RECTANGULAR STEEL PIPE (448.55KG/M)    |
| 300X800X27.25MM RECTANGULAR STEEL PIPE (452.53KG/M) |
| 300X800X27.5MM RECTANGULAR STEEL PIPE (456.52KG/M)  |
| 300X800X27.75MM RECTANGULAR STEEL PIPE (460.49KG/M) |
| 300X800X28MM RECTANGULAR STEEL PIPE (464.47KG/M)    |
| 300X800X28.25MM RECTANGULAR STEEL PIPE (468.44KG/M) |
| 300X800X28.5MM RECTANGULAR STEEL PIPE (472.41KG/M)  |
| 300X800X28.75MM RECTANGULAR STEEL PIPE (476.38KG/M) |
| 300X800X29MM RECTANGULAR STEEL PIPE (480.34KG/M)    |
| 300X800X29.25MM RECTANGULAR STEEL PIPE (484.3KG/M)  |
| 300X800X29.5MM RECTANGULAR STEEL PIPE (488.26KG/M)  |
| 300X800X29.75MM RECTANGULAR STEEL PIPE (492.22KG/M) |
| 300X800X30MM RECTANGULAR STEEL PIPE (496.17KG/M)    |
| 300X800X30.25MM RECTANGULAR STEEL PIPE (500.12KG/M) |
| 300X800X30.5MM RECTANGULAR STEEL PIPE (504.06KG/M)  |
| 300X800X30.75MM RECTANGULAR STEEL PIPE (508KG/M)    |
| 300X800X31MM RECTANGULAR STEEL PIPE (511.94KG/M)    |
| 300X800X31.25MM RECTANGULAR STEEL PIPE (515.88KG/M) |
| 300X800X31.5MM RECTANGULAR STEEL PIPE (519.81KG/M)  |
| 300X800X31.75MM RECTANGULAR STEEL PIPE (523.74KG/M) |
| 300X800X32MM RECTANGULAR STEEL PIPE (527.67KG/M)    |
| 300X800X32.25MM RECTANGULAR STEEL PIPE (531.59KG/M) |
| 300X800X32.5MM RECTANGULAR STEEL PIPE (535.51KG/M)  |

|   |
|---|
| 300X800X32.75MM RECTANGULAR STEEL PIPE (539.43KG/M) |
| 300X800X33MM RECTANGULAR STEEL PIPE (543.34KG/M)    |
| 300X800X33.25MM RECTANGULAR STEEL PIPE (547.25KG/M) |
| 300X800X33.5MM RECTANGULAR STEEL PIPE (551.16KG/M)  |
| 300X800X33.75MM RECTANGULAR STEEL PIPE (555.07KG/M) |
| 300X800X34MM RECTANGULAR STEEL PIPE (558.97KG/M)    |
| 300X800X34.25MM RECTANGULAR STEEL PIPE (562.87KG/M) |
| 300X800X34.5MM RECTANGULAR STEEL PIPE (566.76KG/M)  |
| 300X800X34.75MM RECTANGULAR STEEL PIPE (570.66KG/M) |
| 300X800X35MM RECTANGULAR STEEL PIPE (574.55KG/M)    |
| 300X800X35.25MM RECTANGULAR STEEL PIPE (578.43KG/M) |
| 300X800X35.5MM RECTANGULAR STEEL PIPE (582.32KG/M)  |
| 300X800X35.75MM RECTANGULAR STEEL PIPE (586.2KG/M)  |
| 300X800X36MM RECTANGULAR STEEL PIPE (590.07KG/M)    |
| 300X800X36.25MM RECTANGULAR STEEL PIPE (593.95KG/M) |
| 300X800X36.5MM RECTANGULAR STEEL PIPE (597.82KG/M)  |
| 300X800X36.75MM RECTANGULAR STEEL PIPE (601.69KG/M) |
| 300X800X37MM RECTANGULAR STEEL PIPE (605.55KG/M)    |
| 300X800X37.25MM RECTANGULAR STEEL PIPE (609.41KG/M) |
| 300X800X37.5MM RECTANGULAR STEEL PIPE (613.27KG/M)  |
| 300X800X37.75MM RECTANGULAR STEEL PIPE (617.13KG/M) |
| 300X800X38MM RECTANGULAR STEEL PIPE (620.98KG/M)    |
| 300X800X38.25MM RECTANGULAR STEEL PIPE (624.83KG/M) |
| 300X800X38.5MM RECTANGULAR STEEL PIPE (628.68KG/M)  |
| 300X800X38.75MM RECTANGULAR STEEL PIPE (632.52KG/M) |
| 300X800X39MM RECTANGULAR STEEL PIPE (636.36KG/M)    |
| 300X800X39.25MM RECTANGULAR STEEL PIPE (640.2KG/M)  |
| 300X800X39.5MM RECTANGULAR STEEL PIPE (644.03KG/M)  |
| 300X800X39.75MM RECTANGULAR STEEL PIPE (647.86KG/M) |
| 300X800X40MM RECTANGULAR STEEL PIPE (651.69KG/M)    |
| 300X800X40.25MM RECTANGULAR STEEL PIPE (655.52KG/M) |
| 300X800X40.5MM RECTANGULAR STEEL PIPE (659.34KG/M)  |
| 300X800X40.75MM RECTANGULAR STEEL PIPE (663.16KG/M) |
| 300X800X41MM RECTANGULAR STEEL PIPE (666.97KG/M)    |
| 300X800X41.25MM RECTANGULAR STEEL PIPE (670.79KG/M) |
| 300X800X41.5MM RECTANGULAR STEEL PIPE (674.6KG/M)   |
| 300X800X41.75MM RECTANGULAR STEEL PIPE (678.4KG/M)  |
| 300X800X42MM RECTANGULAR STEEL PIPE (682.2KG/M)     |
| 300X800X42.25MM RECTANGULAR STEEL PIPE (686.01KG/M) |
| 300X800X42.5MM RECTANGULAR STEEL PIPE (689.8KG/M)   |
| 300X800X42.75MM RECTANGULAR STEEL PIPE (693.6KG/M)  |
| 300X800X43MM RECTANGULAR STEEL PIPE (697.39KG/M)    |
| 300X800X43.25MM RECTANGULAR STEEL PIPE (701.18KG/M) |
| 300X800X43.5MM RECTANGULAR STEEL PIPE (704.96KG/M)  |
| 300X800X43.75MM RECTANGULAR STEEL PIPE (708.74KG/M) |
| 300X800X44MM RECTANGULAR STEEL PIPE (712.52KG/M)    |
| 300X800X44.25MM RECTANGULAR STEEL PIPE (716.3KG/M)  |
| 300X800X44.5MM RECTANGULAR STEEL PIPE (720.07KG/M)  |
| 300X800X44.75MM RECTANGULAR STEEL PIPE (723.84KG/M) |
| 300X800X45MM RECTANGULAR STEEL PIPE (727.6KG/M)     |
| 300X800X45.25MM RECTANGULAR STEEL PIPE (731.37KG/M) |
| 300X800X45.5MM RECTANGULAR STEEL PIPE (735.13KG/M)  |
| 300X800X45.75MM RECTANGULAR STEEL PIPE (738.89KG/M) |
| 300X800X46MM RECTANGULAR STEEL PIPE (742.64KG/M)    |
| 300X800X46.25MM RECTANGULAR STEEL PIPE (746.39KG/M) |
| 300X800X46.5MM RECTANGULAR STEEL PIPE (750.14KG/M)  |
| 300X800X46.75MM RECTANGULAR STEEL PIPE (753.88KG/M) |

|   |
|---|
| 300X800X47MM RECTANGULAR STEEL PIPE (757.62KG/M)    |
| 300X800X47.25MM RECTANGULAR STEEL PIPE (761.36KG/M) |
| 300X800X47.5MM RECTANGULAR STEEL PIPE (765.1KG/M)   |
| 300X800X47.75MM RECTANGULAR STEEL PIPE (768.83KG/M) |
| 300X800X48MM RECTANGULAR STEEL PIPE (772.56KG/M)    |
| 300X800X48.25MM RECTANGULAR STEEL PIPE (776.29KG/M) |
| 300X800X48.5MM RECTANGULAR STEEL PIPE (780.01KG/M)  |
| 300X800X48.75MM RECTANGULAR STEEL PIPE (783.73KG/M) |
| 300X800X49MM RECTANGULAR STEEL PIPE (787.45KG/M)    |
| 300X800X49.25MM RECTANGULAR STEEL PIPE (791.16KG/M) |
| 300X800X49.5MM RECTANGULAR STEEL PIPE (794.87KG/M)  |
| 300X800X49.75MM RECTANGULAR STEEL PIPE (798.58KG/M) |
| 300X800X50MM RECTANGULAR STEEL PIPE (802.28KG/M)    |
| 400X700X9.5MM RECTANGULAR STEEL PIPE (161.92KG/M)   |
| 400X700X9.75MM RECTANGULAR STEEL PIPE (166.12KG/M)  |
| 400X700X10MM RECTANGULAR STEEL PIPE (170.32KG/M)    |
| 400X700X10.25MM RECTANGULAR STEEL PIPE (174.52KG/M) |
| 400X700X10.5MM RECTANGULAR STEEL PIPE (178.71KG/M)  |
| 400X700X10.75MM RECTANGULAR STEEL PIPE (182.9KG/M)  |
| 400X700X11MM RECTANGULAR STEEL PIPE (187.08KG/M)    |
| 400X700X11.25MM RECTANGULAR STEEL PIPE (191.26KG/M) |
| 400X700X11.5MM RECTANGULAR STEEL PIPE (195.44KG/M)  |
| 400X700X11.75MM RECTANGULAR STEEL PIPE (199.62KG/M) |
| 400X700X12MM RECTANGULAR STEEL PIPE (203.79KG/M)    |
| 400X700X12.25MM RECTANGULAR STEEL PIPE (207.96KG/M) |
| 400X700X12.5MM RECTANGULAR STEEL PIPE (212.13KG/M)  |
| 400X700X12.75MM RECTANGULAR STEEL PIPE (216.3KG/M)  |
| 400X700X13MM RECTANGULAR STEEL PIPE (220.46KG/M)    |
| 400X700X13.25MM RECTANGULAR STEEL PIPE (224.61KG/M) |
| 400X700X13.5MM RECTANGULAR STEEL PIPE (228.77KG/M)  |
| 400X700X13.75MM RECTANGULAR STEEL PIPE (232.92KG/M) |
| 400X700X14MM RECTANGULAR STEEL PIPE (237.07KG/M)    |
| 400X700X14.25MM RECTANGULAR STEEL PIPE (241.21KG/M) |
| 400X700X14.5MM RECTANGULAR STEEL PIPE (245.36KG/M)  |
| 400X700X14.75MM RECTANGULAR STEEL PIPE (249.5KG/M)  |
| 400X700X15MM RECTANGULAR STEEL PIPE (253.63KG/M)    |
| 400X700X15.25MM RECTANGULAR STEEL PIPE (257.77KG/M) |
| 400X700X15.5MM RECTANGULAR STEEL PIPE (261.9KG/M)   |
| 400X700X15.75MM RECTANGULAR STEEL PIPE (266.02KG/M) |
| 400X700X16MM RECTANGULAR STEEL PIPE (270.15KG/M)    |
| 400X700X16.25MM RECTANGULAR STEEL PIPE (274.27KG/M) |
| 400X700X16.5MM RECTANGULAR STEEL PIPE (278.39KG/M)  |
| 400X700X16.75MM RECTANGULAR STEEL PIPE (282.5KG/M)  |
| 400X700X17MM RECTANGULAR STEEL PIPE (286.61KG/M)    |
| 400X700X17.25MM RECTANGULAR STEEL PIPE (290.72KG/M) |
| 400X700X17.5MM RECTANGULAR STEEL PIPE (294.83KG/M)  |
| 400X700X17.75MM RECTANGULAR STEEL PIPE (298.93KG/M) |
| 400X700X18MM RECTANGULAR STEEL PIPE (303.03KG/M)    |
| 400X700X18.25MM RECTANGULAR STEEL PIPE (307.12KG/M) |
| 400X700X18.5MM RECTANGULAR STEEL PIPE (311.22KG/M)  |
| 400X700X18.75MM RECTANGULAR STEEL PIPE (315.31KG/M) |
| 400X700X19MM RECTANGULAR STEEL PIPE (319.39KG/M)    |
| 400X700X19.25MM RECTANGULAR STEEL PIPE (323.48KG/M) |
| 400X700X19.5MM RECTANGULAR STEEL PIPE (327.56KG/M)  |
| 400X700X19.75MM RECTANGULAR STEEL PIPE (331.64KG/M) |
| 400X700X20MM RECTANGULAR STEEL PIPE (335.71KG/M)    |
| 400X700X20.25MM RECTANGULAR STEEL PIPE (339.78KG/M) |

|   |
|---|
| 400X700X20.5MM RECTANGULAR STEEL PIPE (343.85KG/M)  |
| 400X700X20.75MM RECTANGULAR STEEL PIPE (347.92KG/M) |
| 400X700X21MM RECTANGULAR STEEL PIPE (351.98KG/M)    |
| 400X700X21.25MM RECTANGULAR STEEL PIPE (356.04KG/M) |
| 400X700X21.5MM RECTANGULAR STEEL PIPE (360.09KG/M)  |
| 400X700X21.75MM RECTANGULAR STEEL PIPE (364.15KG/M) |
| 400X700X22MM RECTANGULAR STEEL PIPE (368.2KG/M)     |
| 400X700X22.25MM RECTANGULAR STEEL PIPE (372.24KG/M) |
| 400X700X22.5MM RECTANGULAR STEEL PIPE (376.29KG/M)  |
| 400X700X22.75MM RECTANGULAR STEEL PIPE (380.33KG/M) |
| 400X700X23MM RECTANGULAR STEEL PIPE (384.37KG/M)    |
| 400X700X23.25MM RECTANGULAR STEEL PIPE (388.4KG/M)  |
| 400X700X23.5MM RECTANGULAR STEEL PIPE (392.43KG/M)  |
| 400X700X23.75MM RECTANGULAR STEEL PIPE (396.46KG/M) |
| 400X700X24MM RECTANGULAR STEEL PIPE (400.49KG/M)    |
| 400X700X24.25MM RECTANGULAR STEEL PIPE (404.51KG/M) |
| 400X700X24.5MM RECTANGULAR STEEL PIPE (408.53KG/M)  |
| 400X700X24.75MM RECTANGULAR STEEL PIPE (412.54KG/M) |
| 400X700X25MM RECTANGULAR STEEL PIPE (416.56KG/M)    |
| 400X700X25.25MM RECTANGULAR STEEL PIPE (420.57KG/M) |
| 400X700X25.5MM RECTANGULAR STEEL PIPE (424.57KG/M)  |
| 400X700X25.75MM RECTANGULAR STEEL PIPE (428.58KG/M) |
| 400X700X26MM RECTANGULAR STEEL PIPE (432.58KG/M)    |
| 400X700X26.25MM RECTANGULAR STEEL PIPE (436.57KG/M) |
| 400X700X26.5MM RECTANGULAR STEEL PIPE (440.57KG/M)  |
| 400X700X26.75MM RECTANGULAR STEEL PIPE (444.56KG/M) |
| 400X700X27MM RECTANGULAR STEEL PIPE (448.55KG/M)    |
| 400X700X27.25MM RECTANGULAR STEEL PIPE (452.53KG/M) |
| 400X700X27.5MM RECTANGULAR STEEL PIPE (456.52KG/M)  |
| 400X700X27.75MM RECTANGULAR STEEL PIPE (460.49KG/M) |
| 400X700X28MM RECTANGULAR STEEL PIPE (464.47KG/M)    |
| 400X700X28.25MM RECTANGULAR STEEL PIPE (468.44KG/M) |
| 400X700X28.5MM RECTANGULAR STEEL PIPE (472.41KG/M)  |
| 400X700X28.75MM RECTANGULAR STEEL PIPE (476.38KG/M) |
| 400X700X29MM RECTANGULAR STEEL PIPE (480.34KG/M)    |
| 400X700X29.25MM RECTANGULAR STEEL PIPE (484.3KG/M)  |
| 400X700X29.5MM RECTANGULAR STEEL PIPE (488.26KG/M)  |
| 400X700X29.75MM RECTANGULAR STEEL PIPE (492.22KG/M) |
| 400X700X30MM RECTANGULAR STEEL PIPE (496.17KG/M)    |
| 400X700X30.25MM RECTANGULAR STEEL PIPE (500.12KG/M) |
| 400X700X30.5MM RECTANGULAR STEEL PIPE (504.06KG/M)  |
| 400X700X30.75MM RECTANGULAR STEEL PIPE (508KG/M)    |
| 400X700X31MM RECTANGULAR STEEL PIPE (511.94KG/M)    |
| 400X700X31.25MM RECTANGULAR STEEL PIPE (515.88KG/M) |
| 400X700X31.5MM RECTANGULAR STEEL PIPE (519.81KG/M)  |
| 400X700X31.75MM RECTANGULAR STEEL PIPE (523.74KG/M) |
| 400X700X32MM RECTANGULAR STEEL PIPE (527.67KG/M)    |
| 400X700X32.25MM RECTANGULAR STEEL PIPE (531.59KG/M) |
| 400X700X32.5MM RECTANGULAR STEEL PIPE (535.51KG/M)  |
| 400X700X32.75MM RECTANGULAR STEEL PIPE (539.43KG/M) |
| 400X700X33MM RECTANGULAR STEEL PIPE (543.34KG/M)    |
| 400X700X33.25MM RECTANGULAR STEEL PIPE (547.25KG/M) |
| 400X700X33.5MM RECTANGULAR STEEL PIPE (551.16KG/M)  |
| 400X700X33.75MM RECTANGULAR STEEL PIPE (555.07KG/M) |
| 400X700X34MM RECTANGULAR STEEL PIPE (558.97KG/M)    |
| 400X700X34.25MM RECTANGULAR STEEL PIPE (562.87KG/M) |
| 400X700X34.5MM RECTANGULAR STEEL PIPE (566.76KG/M)  |

|   |
|---|
| 400X700X34.75MM RECTANGULAR STEEL PIPE (570.66KG/M) |
| 400X700X35MM RECTANGULAR STEEL PIPE (574.55KG/M)    |
| 400X700X35.25MM RECTANGULAR STEEL PIPE (578.43KG/M) |
| 400X700X35.5MM RECTANGULAR STEEL PIPE (582.32KG/M)  |
| 400X700X35.75MM RECTANGULAR STEEL PIPE (586.2KG/M)  |
| 400X700X36MM RECTANGULAR STEEL PIPE (590.07KG/M)    |
| 400X700X36.25MM RECTANGULAR STEEL PIPE (593.95KG/M) |
| 400X700X36.5MM RECTANGULAR STEEL PIPE (597.82KG/M)  |
| 400X700X36.75MM RECTANGULAR STEEL PIPE (601.69KG/M) |
| 400X700X37MM RECTANGULAR STEEL PIPE (605.55KG/M)    |
| 400X700X37.25MM RECTANGULAR STEEL PIPE (609.41KG/M) |
| 400X700X37.5MM RECTANGULAR STEEL PIPE (613.27KG/M)  |
| 400X700X37.75MM RECTANGULAR STEEL PIPE (617.13KG/M) |
| 400X700X38MM RECTANGULAR STEEL PIPE (620.98KG/M)    |
| 400X700X38.25MM RECTANGULAR STEEL PIPE (624.83KG/M) |
| 400X700X38.5MM RECTANGULAR STEEL PIPE (628.68KG/M)  |
| 400X700X38.75MM RECTANGULAR STEEL PIPE (632.52KG/M) |
| 400X700X39MM RECTANGULAR STEEL PIPE (636.36KG/M)    |
| 400X700X39.25MM RECTANGULAR STEEL PIPE (640.2KG/M)  |
| 400X700X39.5MM RECTANGULAR STEEL PIPE (644.03KG/M)  |
| 400X700X39.75MM RECTANGULAR STEEL PIPE (647.86KG/M) |
| 400X700X40MM RECTANGULAR STEEL PIPE (651.69KG/M)    |
| 400X700X40.25MM RECTANGULAR STEEL PIPE (655.52KG/M) |
| 400X700X40.5MM RECTANGULAR STEEL PIPE (659.34KG/M)  |
| 400X700X40.75MM RECTANGULAR STEEL PIPE (663.16KG/M) |
| 400X700X41MM RECTANGULAR STEEL PIPE (666.97KG/M)    |
| 400X700X41.25MM RECTANGULAR STEEL PIPE (670.79KG/M) |
| 400X700X41.5MM RECTANGULAR STEEL PIPE (674.6KG/M)   |
| 400X700X41.75MM RECTANGULAR STEEL PIPE (678.4KG/M)  |
| 400X700X42MM RECTANGULAR STEEL PIPE (682.2KG/M)     |
| 400X700X42.25MM RECTANGULAR STEEL PIPE (686.01KG/M) |
| 400X700X42.5MM RECTANGULAR STEEL PIPE (689.8KG/M)   |
| 400X700X42.75MM RECTANGULAR STEEL PIPE (693.6KG/M)  |
| 400X700X43MM RECTANGULAR STEEL PIPE (697.39KG/M)    |
| 400X700X43.25MM RECTANGULAR STEEL PIPE (701.18KG/M) |
| 400X700X43.5MM RECTANGULAR STEEL PIPE (704.96KG/M)  |
| 400X700X43.75MM RECTANGULAR STEEL PIPE (708.74KG/M) |
| 400X700X44MM RECTANGULAR STEEL PIPE (712.52KG/M)    |
| 400X700X44.25MM RECTANGULAR STEEL PIPE (716.3KG/M)  |
| 400X700X44.5MM RECTANGULAR STEEL PIPE (720.07KG/M)  |
| 400X700X44.75MM RECTANGULAR STEEL PIPE (723.84KG/M) |
| 400X700X45MM RECTANGULAR STEEL PIPE (727.6KG/M)     |
| 400X700X45.25MM RECTANGULAR STEEL PIPE (731.37KG/M) |
| 400X700X45.5MM RECTANGULAR STEEL PIPE (735.13KG/M)  |
| 400X700X45.75MM RECTANGULAR STEEL PIPE (738.89KG/M) |
| 400X700X46MM RECTANGULAR STEEL PIPE (742.64KG/M)    |
| 400X700X46.25MM RECTANGULAR STEEL PIPE (746.39KG/M) |
| 400X700X46.5MM RECTANGULAR STEEL PIPE (750.14KG/M)  |
| 400X700X46.75MM RECTANGULAR STEEL PIPE (753.88KG/M) |
| 400X700X47MM RECTANGULAR STEEL PIPE (757.62KG/M)    |
| 400X700X47.25MM RECTANGULAR STEEL PIPE (761.36KG/M) |
| 400X700X47.5MM RECTANGULAR STEEL PIPE (765.1KG/M)   |
| 400X700X47.75MM RECTANGULAR STEEL PIPE (768.83KG/M) |
| 400X700X48MM RECTANGULAR STEEL PIPE (772.56KG/M)    |
| 400X700X48.25MM RECTANGULAR STEEL PIPE (776.29KG/M) |
| 400X700X48.5MM RECTANGULAR STEEL PIPE (780.01KG/M)  |
| 400X700X48.75MM RECTANGULAR STEEL PIPE (783.73KG/M) |

|   |
|---|
| 400X700X49MM RECTANGULAR STEEL PIPE (787.45KG/M)    |
| 400X700X49.25MM RECTANGULAR STEEL PIPE (791.16KG/M) |
| 400X700X49.5MM RECTANGULAR STEEL PIPE (794.87KG/M)  |
| 400X700X49.75MM RECTANGULAR STEEL PIPE (798.58KG/M) |
| 400X700X50MM RECTANGULAR STEEL PIPE (802.28KG/M)    |
| 500X600X9.5MM RECTANGULAR STEEL PIPE (161.92KG/M)   |
| 500X600X9.75MM RECTANGULAR STEEL PIPE (166.12KG/M)  |
| 500X600X10MM RECTANGULAR STEEL PIPE (170.32KG/M)    |
| 500X600X10.25MM RECTANGULAR STEEL PIPE (174.52KG/M) |
| 500X600X10.5MM RECTANGULAR STEEL PIPE (178.71KG/M)  |
| 500X600X10.75MM RECTANGULAR STEEL PIPE (182.9KG/M)  |
| 500X600X11MM RECTANGULAR STEEL PIPE (187.08KG/M)    |
| 500X600X11.25MM RECTANGULAR STEEL PIPE (191.26KG/M) |
| 500X600X11.5MM RECTANGULAR STEEL PIPE (195.44KG/M)  |
| 500X600X11.75MM RECTANGULAR STEEL PIPE (199.62KG/M) |
| 500X600X12MM RECTANGULAR STEEL PIPE (203.79KG/M)    |
| 500X600X12.25MM RECTANGULAR STEEL PIPE (207.96KG/M) |
| 500X600X12.5MM RECTANGULAR STEEL PIPE (212.13KG/M)  |
| 500X600X12.75MM RECTANGULAR STEEL PIPE (216.3KG/M)  |
| 500X600X13MM RECTANGULAR STEEL PIPE (220.46KG/M)    |
| 500X600X13.25MM RECTANGULAR STEEL PIPE (224.61KG/M) |
| 500X600X13.5MM RECTANGULAR STEEL PIPE (228.77KG/M)  |
| 500X600X13.75MM RECTANGULAR STEEL PIPE (232.92KG/M) |
| 500X600X14MM RECTANGULAR STEEL PIPE (237.07KG/M)    |
| 500X600X14.25MM RECTANGULAR STEEL PIPE (241.21KG/M) |
| 500X600X14.5MM RECTANGULAR STEEL PIPE (245.36KG/M)  |
| 500X600X14.75MM RECTANGULAR STEEL PIPE (249.5KG/M)  |
| 500X600X15MM RECTANGULAR STEEL PIPE (253.63KG/M)    |
| 500X600X15.25MM RECTANGULAR STEEL PIPE (257.77KG/M) |
| 500X600X15.5MM RECTANGULAR STEEL PIPE (261.9KG/M)   |
| 500X600X15.75MM RECTANGULAR STEEL PIPE (266.02KG/M) |
| 500X600X16MM RECTANGULAR STEEL PIPE (270.15KG/M)    |
| 500X600X16.25MM RECTANGULAR STEEL PIPE (274.27KG/M) |
| 500X600X16.5MM RECTANGULAR STEEL PIPE (278.39KG/M)  |
| 500X600X16.75MM RECTANGULAR STEEL PIPE (282.5KG/M)  |
| 500X600X17MM RECTANGULAR STEEL PIPE (286.61KG/M)    |
| 500X600X17.25MM RECTANGULAR STEEL PIPE (290.72KG/M) |
| 500X600X17.5MM RECTANGULAR STEEL PIPE (294.83KG/M)  |
| 500X600X17.75MM RECTANGULAR STEEL PIPE (298.93KG/M) |
| 500X600X18MM RECTANGULAR STEEL PIPE (303.03KG/M)    |
| 500X600X18.25MM RECTANGULAR STEEL PIPE (307.12KG/M) |
| 500X600X18.5MM RECTANGULAR STEEL PIPE (311.22KG/M)  |
| 500X600X18.75MM RECTANGULAR STEEL PIPE (315.31KG/M) |
| 500X600X19MM RECTANGULAR STEEL PIPE (319.39KG/M)    |
| 500X600X19.25MM RECTANGULAR STEEL PIPE (323.48KG/M) |
| 500X600X19.5MM RECTANGULAR STEEL PIPE (327.56KG/M)  |
| 500X600X19.75MM RECTANGULAR STEEL PIPE (331.64KG/M) |
| 500X600X20MM RECTANGULAR STEEL PIPE (335.71KG/M)    |
| 500X600X20.25MM RECTANGULAR STEEL PIPE (339.78KG/M) |
| 500X600X20.5MM RECTANGULAR STEEL PIPE (343.85KG/M)  |
| 500X600X20.75MM RECTANGULAR STEEL PIPE (347.92KG/M) |
| 500X600X21MM RECTANGULAR STEEL PIPE (351.98KG/M)    |
| 500X600X21.25MM RECTANGULAR STEEL PIPE (356.04KG/M) |
| 500X600X21.5MM RECTANGULAR STEEL PIPE (360.09KG/M)  |
| 500X600X21.75MM RECTANGULAR STEEL PIPE (364.15KG/M) |
| 500X600X22MM RECTANGULAR STEEL PIPE (368.2KG/M)     |
| 500X600X22.25MM RECTANGULAR STEEL PIPE (372.24KG/M) |

|   |
|---|
| 500X600X22.5MM RECTANGULAR STEEL PIPE (376.29KG/M)  |
| 500X600X22.75MM RECTANGULAR STEEL PIPE (380.33KG/M) |
| 500X600X23MM RECTANGULAR STEEL PIPE (384.37KG/M)    |
| 500X600X23.25MM RECTANGULAR STEEL PIPE (388.4KG/M)  |
| 500X600X23.5MM RECTANGULAR STEEL PIPE (392.43KG/M)  |
| 500X600X23.75MM RECTANGULAR STEEL PIPE (396.46KG/M) |
| 500X600X24MM RECTANGULAR STEEL PIPE (400.49KG/M)    |
| 500X600X24.25MM RECTANGULAR STEEL PIPE (404.51KG/M) |
| 500X600X24.5MM RECTANGULAR STEEL PIPE (408.53KG/M)  |
| 500X600X24.75MM RECTANGULAR STEEL PIPE (412.54KG/M) |
| 500X600X25MM RECTANGULAR STEEL PIPE (416.56KG/M)    |
| 500X600X25.25MM RECTANGULAR STEEL PIPE (420.57KG/M) |
| 500X600X25.5MM RECTANGULAR STEEL PIPE (424.57KG/M)  |
| 500X600X25.75MM RECTANGULAR STEEL PIPE (428.58KG/M) |
| 500X600X26MM RECTANGULAR STEEL PIPE (432.58KG/M)    |
| 500X600X26.25MM RECTANGULAR STEEL PIPE (436.57KG/M) |
| 500X600X26.5MM RECTANGULAR STEEL PIPE (440.57KG/M)  |
| 500X600X26.75MM RECTANGULAR STEEL PIPE (444.56KG/M) |
| 500X600X27MM RECTANGULAR STEEL PIPE (448.55KG/M)    |
| 500X600X27.25MM RECTANGULAR STEEL PIPE (452.53KG/M) |
| 500X600X27.5MM RECTANGULAR STEEL PIPE (456.52KG/M)  |
| 500X600X27.75MM RECTANGULAR STEEL PIPE (460.49KG/M) |
| 500X600X28MM RECTANGULAR STEEL PIPE (464.47KG/M)    |
| 500X600X28.25MM RECTANGULAR STEEL PIPE (468.44KG/M) |
| 500X600X28.5MM RECTANGULAR STEEL PIPE (472.41KG/M)  |
| 500X600X28.75MM RECTANGULAR STEEL PIPE (476.38KG/M) |
| 500X600X29MM RECTANGULAR STEEL PIPE (480.34KG/M)    |
| 500X600X29.25MM RECTANGULAR STEEL PIPE (484.3KG/M)  |
| 500X600X29.5MM RECTANGULAR STEEL PIPE (488.26KG/M)  |
| 500X600X29.75MM RECTANGULAR STEEL PIPE (492.22KG/M) |
| 500X600X30MM RECTANGULAR STEEL PIPE (496.17KG/M)    |
| 500X600X30.25MM RECTANGULAR STEEL PIPE (500.12KG/M) |
| 500X600X30.5MM RECTANGULAR STEEL PIPE (504.06KG/M)  |
| 500X600X30.75MM RECTANGULAR STEEL PIPE (508KG/M)    |
| 500X600X31MM RECTANGULAR STEEL PIPE (511.94KG/M)    |
| 500X600X31.25MM RECTANGULAR STEEL PIPE (515.88KG/M) |
| 500X600X31.5MM RECTANGULAR STEEL PIPE (519.81KG/M)  |
| 500X600X31.75MM RECTANGULAR STEEL PIPE (523.74KG/M) |
| 500X600X32MM RECTANGULAR STEEL PIPE (527.67KG/M)    |
| 500X600X32.25MM RECTANGULAR STEEL PIPE (531.59KG/M) |
| 500X600X32.5MM RECTANGULAR STEEL PIPE (535.51KG/M)  |
| 500X600X32.75MM RECTANGULAR STEEL PIPE (539.43KG/M) |
| 500X600X33MM RECTANGULAR STEEL PIPE (543.34KG/M)    |
| 500X600X33.25MM RECTANGULAR STEEL PIPE (547.25KG/M) |
| 500X600X33.5MM RECTANGULAR STEEL PIPE (551.16KG/M)  |
| 500X600X33.75MM RECTANGULAR STEEL PIPE (555.07KG/M) |
| 500X600X34MM RECTANGULAR STEEL PIPE (558.97KG/M)    |
| 500X600X34.25MM RECTANGULAR STEEL PIPE (562.87KG/M) |
| 500X600X34.5MM RECTANGULAR STEEL PIPE (566.76KG/M)  |
| 500X600X34.75MM RECTANGULAR STEEL PIPE (570.66KG/M) |
| 500X600X35MM RECTANGULAR STEEL PIPE (574.55KG/M)    |
| 500X600X35.25MM RECTANGULAR STEEL PIPE (578.43KG/M) |
| 500X600X35.5MM RECTANGULAR STEEL PIPE (582.32KG/M)  |
| 500X600X35.75MM RECTANGULAR STEEL PIPE (586.2KG/M)  |
| 500X600X36MM RECTANGULAR STEEL PIPE (590.07KG/M)    |
| 500X600X36.25MM RECTANGULAR STEEL PIPE (593.95KG/M) |
| 500X600X36.5MM RECTANGULAR STEEL PIPE (597.82KG/M)  |

|   |
|---|
| 500X600X36.75MM RECTANGULAR STEEL PIPE (601.69KG/M) |
| 500X600X37MM RECTANGULAR STEEL PIPE (605.55KG/M)    |
| 500X600X37.25MM RECTANGULAR STEEL PIPE (609.41KG/M) |
| 500X600X37.5MM RECTANGULAR STEEL PIPE (613.27KG/M)  |
| 500X600X37.75MM RECTANGULAR STEEL PIPE (617.13KG/M) |
| 500X600X38MM RECTANGULAR STEEL PIPE (620.98KG/M)    |
| 500X600X38.25MM RECTANGULAR STEEL PIPE (624.83KG/M) |
| 500X600X38.5MM RECTANGULAR STEEL PIPE (628.68KG/M)  |
| 500X600X38.75MM RECTANGULAR STEEL PIPE (632.52KG/M) |
| 500X600X39MM RECTANGULAR STEEL PIPE (636.36KG/M)    |
| 500X600X39.25MM RECTANGULAR STEEL PIPE (640.2KG/M)  |
| 500X600X39.5MM RECTANGULAR STEEL PIPE (644.03KG/M)  |
| 500X600X39.75MM RECTANGULAR STEEL PIPE (647.86KG/M) |
| 500X600X40MM RECTANGULAR STEEL PIPE (651.69KG/M)    |
| 500X600X40.25MM RECTANGULAR STEEL PIPE (655.52KG/M) |
| 500X600X40.5MM RECTANGULAR STEEL PIPE (659.34KG/M)  |
| 500X600X40.75MM RECTANGULAR STEEL PIPE (663.16KG/M) |
| 500X600X41MM RECTANGULAR STEEL PIPE (666.97KG/M)    |
| 500X600X41.25MM RECTANGULAR STEEL PIPE (670.79KG/M) |
| 500X600X41.5MM RECTANGULAR STEEL PIPE (674.6KG/M)   |
| 500X600X41.75MM RECTANGULAR STEEL PIPE (678.4KG/M)  |
| 500X600X42MM RECTANGULAR STEEL PIPE (682.2KG/M)     |
| 500X600X42.25MM RECTANGULAR STEEL PIPE (686.01KG/M) |
| 500X600X42.5MM RECTANGULAR STEEL PIPE (689.8KG/M)   |
| 500X600X42.75MM RECTANGULAR STEEL PIPE (693.6KG/M)  |
| 500X600X43MM RECTANGULAR STEEL PIPE (697.39KG/M)    |
| 500X600X43.25MM RECTANGULAR STEEL PIPE (701.18KG/M) |
| 500X600X43.5MM RECTANGULAR STEEL PIPE (704.96KG/M)  |
| 500X600X43.75MM RECTANGULAR STEEL PIPE (708.74KG/M) |
| 500X600X44MM RECTANGULAR STEEL PIPE (712.52KG/M)    |
| 500X600X44.25MM RECTANGULAR STEEL PIPE (716.3KG/M)  |
| 500X600X44.5MM RECTANGULAR STEEL PIPE (720.07KG/M)  |
| 500X600X44.75MM RECTANGULAR STEEL PIPE (723.84KG/M) |
| 500X600X45MM RECTANGULAR STEEL PIPE (727.6KG/M)     |
| 500X600X45.25MM RECTANGULAR STEEL PIPE (731.37KG/M) |
| 500X600X45.5MM RECTANGULAR STEEL PIPE (735.13KG/M)  |
| 500X600X45.75MM RECTANGULAR STEEL PIPE (738.89KG/M) |
| 500X600X46MM RECTANGULAR STEEL PIPE (742.64KG/M)    |
| 500X600X46.25MM RECTANGULAR STEEL PIPE (746.39KG/M) |
| 500X600X46.5MM RECTANGULAR STEEL PIPE (750.14KG/M)  |
| 500X600X46.75MM RECTANGULAR STEEL PIPE (753.88KG/M) |
| 500X600X47MM RECTANGULAR STEEL PIPE (757.62KG/M)    |
| 500X600X47.25MM RECTANGULAR STEEL PIPE (761.36KG/M) |
| 500X600X47.5MM RECTANGULAR STEEL PIPE (765.1KG/M)   |
| 500X600X47.75MM RECTANGULAR STEEL PIPE (768.83KG/M) |
| 500X600X48MM RECTANGULAR STEEL PIPE (772.56KG/M)    |
| 500X600X48.25MM RECTANGULAR STEEL PIPE (776.29KG/M) |
| 500X600X48.5MM RECTANGULAR STEEL PIPE (780.01KG/M)  |
| 500X600X48.75MM RECTANGULAR STEEL PIPE (783.73KG/M) |
| 500X600X49MM RECTANGULAR STEEL PIPE (787.45KG/M)    |
| 500X600X49.25MM RECTANGULAR STEEL PIPE (791.16KG/M) |
| 500X600X49.5MM RECTANGULAR STEEL PIPE (794.87KG/M)  |
| 500X600X49.75MM RECTANGULAR STEEL PIPE (798.58KG/M) |
| 500X600X50MM RECTANGULAR STEEL PIPE (802.28KG/M)    |
| 300X900X9.5MM RECTANGULAR STEEL PIPE (176.85KG/M)   |
| 300X900X9.75MM RECTANGULAR STEEL PIPE (181.44KG/M)  |
| 300X900X10MM RECTANGULAR STEEL PIPE (186.03KG/M)    |



|   |
|---|
| 300X900X10.25MM RECTANGULAR STEEL PIPE (190.62KG/M) |
| 300X900X10.5MM RECTANGULAR STEEL PIPE (195.2KG/M)   |
| 300X900X10.75MM RECTANGULAR STEEL PIPE (199.78KG/M) |
| 300X900X11MM RECTANGULAR STEEL PIPE (204.36KG/M)    |
| 300X900X11.25MM RECTANGULAR STEEL PIPE (208.94KG/M) |
| 300X900X11.5MM RECTANGULAR STEEL PIPE (213.51KG/M)  |
| 300X900X11.75MM RECTANGULAR STEEL PIPE (218.08KG/M) |
| 300X900X12MM RECTANGULAR STEEL PIPE (222.64KG/M)    |
| 300X900X12.25MM RECTANGULAR STEEL PIPE (227.21KG/M) |
| 300X900X12.5MM RECTANGULAR STEEL PIPE (231.77KG/M)  |
| 300X900X12.75MM RECTANGULAR STEEL PIPE (236.32KG/M) |
| 300X900X13MM RECTANGULAR STEEL PIPE (240.88KG/M)    |
| 300X900X13.25MM RECTANGULAR STEEL PIPE (245.43KG/M) |
| 300X900X13.5MM RECTANGULAR STEEL PIPE (249.97KG/M)  |
| 300X900X13.75MM RECTANGULAR STEEL PIPE (254.52KG/M) |
| 300X900X14MM RECTANGULAR STEEL PIPE (259.06KG/M)    |
| 300X900X14.25MM RECTANGULAR STEEL PIPE (263.6KG/M)  |
| 300X900X14.5MM RECTANGULAR STEEL PIPE (268.13KG/M)  |
| 300X900X14.75MM RECTANGULAR STEEL PIPE (272.67KG/M) |
| 300X900X15MM RECTANGULAR STEEL PIPE (277.19KG/M)    |
| 300X900X15.25MM RECTANGULAR STEEL PIPE (281.72KG/M) |
| 300X900X15.5MM RECTANGULAR STEEL PIPE (286.24KG/M)  |
| 300X900X15.75MM RECTANGULAR STEEL PIPE (290.76KG/M) |
| 300X900X16MM RECTANGULAR STEEL PIPE (295.28KG/M)    |
| 300X900X16.25MM RECTANGULAR STEEL PIPE (299.79KG/M) |
| 300X900X16.5MM RECTANGULAR STEEL PIPE (304.3KG/M)   |
| 300X900X16.75MM RECTANGULAR STEEL PIPE (308.81KG/M) |
| 300X900X17MM RECTANGULAR STEEL PIPE (313.32KG/M)    |
| 300X900X17.25MM RECTANGULAR STEEL PIPE (317.82KG/M) |
| 300X900X17.5MM RECTANGULAR STEEL PIPE (322.31KG/M)  |
| 300X900X17.75MM RECTANGULAR STEEL PIPE (326.81KG/M) |
| 300X900X18MM RECTANGULAR STEEL PIPE (331.3KG/M)     |
| 300X900X18.25MM RECTANGULAR STEEL PIPE (335.79KG/M) |
| 300X900X18.5MM RECTANGULAR STEEL PIPE (340.28KG/M)  |
| 300X900X18.75MM RECTANGULAR STEEL PIPE (344.76KG/M) |
| 300X900X19MM RECTANGULAR STEEL PIPE (349.24KG/M)    |
| 300X900X19.25MM RECTANGULAR STEEL PIPE (353.72KG/M) |
| 300X900X19.5MM RECTANGULAR STEEL PIPE (358.19KG/M)  |
| 300X900X19.75MM RECTANGULAR STEEL PIPE (362.66KG/M) |
| 300X900X20MM RECTANGULAR STEEL PIPE (367.13KG/M)    |
| 300X900X20.25MM RECTANGULAR STEEL PIPE (371.59KG/M) |
| 300X900X20.5MM RECTANGULAR STEEL PIPE (376.05KG/M)  |
| 300X900X20.75MM RECTANGULAR STEEL PIPE (380.51KG/M) |
| 300X900X21MM RECTANGULAR STEEL PIPE (384.96KG/M)    |
| 300X900X21.25MM RECTANGULAR STEEL PIPE (389.42KG/M) |
| 300X900X21.5MM RECTANGULAR STEEL PIPE (393.87KG/M)  |
| 300X900X21.75MM RECTANGULAR STEEL PIPE (398.31KG/M) |
| 300X900X22MM RECTANGULAR STEEL PIPE (402.75KG/M)    |
| 300X900X22.25MM RECTANGULAR STEEL PIPE (407.19KG/M) |
| 300X900X22.5MM RECTANGULAR STEEL PIPE (411.63KG/M)  |
| 300X900X22.75MM RECTANGULAR STEEL PIPE (416.06KG/M) |
| 300X900X23MM RECTANGULAR STEEL PIPE (420.49KG/M)    |
| 300X900X23.25MM RECTANGULAR STEEL PIPE (424.92KG/M) |
| 300X900X23.5MM RECTANGULAR STEEL PIPE (429.35KG/M)  |
| 300X900X23.75MM RECTANGULAR STEEL PIPE (433.77KG/M) |
| 300X900X24MM RECTANGULAR STEEL PIPE (438.18KG/M)    |
| 300X900X24.25MM RECTANGULAR STEEL PIPE (442.6KG/M)  |

|   |
|---|
| 300X900X24.5MM RECTANGULAR STEEL PIPE (447.01KG/M)  |
| 300X900X24.75MM RECTANGULAR STEEL PIPE (451.42KG/M) |
| 300X900X25MM RECTANGULAR STEEL PIPE (455.83KG/M)    |
| 300X900X25.25MM RECTANGULAR STEEL PIPE (460.23KG/M) |
| 300X900X25.5MM RECTANGULAR STEEL PIPE (464.63KG/M)  |
| 300X900X25.75MM RECTANGULAR STEEL PIPE (469.02KG/M) |
| 300X900X26MM RECTANGULAR STEEL PIPE (473.42KG/M)    |
| 300X900X26.25MM RECTANGULAR STEEL PIPE (477.81KG/M) |
| 300X900X26.5MM RECTANGULAR STEEL PIPE (482.19KG/M)  |
| 300X900X26.75MM RECTANGULAR STEEL PIPE (486.58KG/M) |
| 300X900X27MM RECTANGULAR STEEL PIPE (490.96KG/M)    |
| 300X900X27.25MM RECTANGULAR STEEL PIPE (495.34KG/M) |
| 300X900X27.5MM RECTANGULAR STEEL PIPE (499.71KG/M)  |
| 300X900X27.75MM RECTANGULAR STEEL PIPE (504.08KG/M) |
| 300X900X28MM RECTANGULAR STEEL PIPE (508.45KG/M)    |
| 300X900X28.25MM RECTANGULAR STEEL PIPE (512.82KG/M) |
| 300X900X28.5MM RECTANGULAR STEEL PIPE (517.18KG/M)  |
| 300X900X28.75MM RECTANGULAR STEEL PIPE (521.54KG/M) |
| 300X900X29MM RECTANGULAR STEEL PIPE (525.9KG/M)     |
| 300X900X29.25MM RECTANGULAR STEEL PIPE (530.25KG/M) |
| 300X900X29.5MM RECTANGULAR STEEL PIPE (534.6KG/M)   |
| 300X900X29.75MM RECTANGULAR STEEL PIPE (538.95KG/M) |
| 300X900X30MM RECTANGULAR STEEL PIPE (543.29KG/M)    |
| 300X900X30.25MM RECTANGULAR STEEL PIPE (547.63KG/M) |
| 300X900X30.5MM RECTANGULAR STEEL PIPE (551.97KG/M)  |
| 300X900X30.75MM RECTANGULAR STEEL PIPE (556.3KG/M)  |
| 300X900X31MM RECTANGULAR STEEL PIPE (560.64KG/M)    |
| 300X900X31.25MM RECTANGULAR STEEL PIPE (564.97KG/M) |
| 300X900X31.5MM RECTANGULAR STEEL PIPE (569.29KG/M)  |
| 300X900X31.75MM RECTANGULAR STEEL PIPE (573.61KG/M) |
| 300X900X32MM RECTANGULAR STEEL PIPE (577.93KG/M)    |
| 300X900X32.25MM RECTANGULAR STEEL PIPE (582.25KG/M) |
| 300X900X32.5MM RECTANGULAR STEEL PIPE (586.56KG/M)  |
| 300X900X32.75MM RECTANGULAR STEEL PIPE (590.87KG/M) |
| 300X900X33MM RECTANGULAR STEEL PIPE (595.18KG/M)    |
| 300X900X33.25MM RECTANGULAR STEEL PIPE (599.48KG/M) |
| 300X900X33.5MM RECTANGULAR STEEL PIPE (603.78KG/M)  |
| 300X900X33.75MM RECTANGULAR STEEL PIPE (608.08KG/M) |
| 300X900X34MM RECTANGULAR STEEL PIPE (612.38KG/M)    |
| 300X900X34.25MM RECTANGULAR STEEL PIPE (616.67KG/M) |
| 300X900X34.5MM RECTANGULAR STEEL PIPE (620.96KG/M)  |
| 300X900X34.75MM RECTANGULAR STEEL PIPE (625.24KG/M) |
| 300X900X35MM RECTANGULAR STEEL PIPE (629.52KG/M)    |
| 300X900X35.25MM RECTANGULAR STEEL PIPE (633.8KG/M)  |
| 300X900X35.5MM RECTANGULAR STEEL PIPE (638.08KG/M)  |
| 300X900X35.75MM RECTANGULAR STEEL PIPE (642.35KG/M) |
| 300X900X36MM RECTANGULAR STEEL PIPE (646.62KG/M)    |
| 300X900X36.25MM RECTANGULAR STEEL PIPE (650.89KG/M) |
| 300X900X36.5MM RECTANGULAR STEEL PIPE (655.15KG/M)  |
| 300X900X36.75MM RECTANGULAR STEEL PIPE (659.41KG/M) |
| 300X900X37MM RECTANGULAR STEEL PIPE (663.67KG/M)    |
| 300X900X37.25MM RECTANGULAR STEEL PIPE (667.93KG/M) |
| 300X900X37.5MM RECTANGULAR STEEL PIPE (672.18KG/M)  |
| 300X900X37.75MM RECTANGULAR STEEL PIPE (676.43KG/M) |
| 300X900X38MM RECTANGULAR STEEL PIPE (680.67KG/M)    |
| 300X900X38.25MM RECTANGULAR STEEL PIPE (684.91KG/M) |
| 300X900X38.5MM RECTANGULAR STEEL PIPE (689.15KG/M)  |

|   |
|---|
| 300X900X38.75MM RECTANGULAR STEEL PIPE (693.39KG/M) |
| 300X900X39MM RECTANGULAR STEEL PIPE (697.62KG/M)    |
| 300X900X39.25MM RECTANGULAR STEEL PIPE (701.85KG/M) |
| 300X900X39.5MM RECTANGULAR STEEL PIPE (706.08KG/M)  |
| 300X900X39.75MM RECTANGULAR STEEL PIPE (710.3KG/M)  |
| 300X900X40MM RECTANGULAR STEEL PIPE (714.52KG/M)    |
| 300X900X40.25MM RECTANGULAR STEEL PIPE (718.74KG/M) |
| 300X900X40.5MM RECTANGULAR STEEL PIPE (722.96KG/M)  |
| 300X900X40.75MM RECTANGULAR STEEL PIPE (727.17KG/M) |
| 300X900X41MM RECTANGULAR STEEL PIPE (731.38KG/M)    |
| 300X900X41.25MM RECTANGULAR STEEL PIPE (735.58KG/M) |
| 300X900X41.5MM RECTANGULAR STEEL PIPE (739.78KG/M)  |
| 300X900X41.75MM RECTANGULAR STEEL PIPE (743.98KG/M) |
| 300X900X42MM RECTANGULAR STEEL PIPE (748.18KG/M)    |
| 300X900X42.25MM RECTANGULAR STEEL PIPE (752.37KG/M) |
| 300X900X42.5MM RECTANGULAR STEEL PIPE (756.56KG/M)  |
| 300X900X42.75MM RECTANGULAR STEEL PIPE (760.75KG/M) |
| 300X900X43MM RECTANGULAR STEEL PIPE (764.93KG/M)    |
| 300X900X43.25MM RECTANGULAR STEEL PIPE (769.11KG/M) |
| 300X900X43.5MM RECTANGULAR STEEL PIPE (773.29KG/M)  |
| 300X900X43.75MM RECTANGULAR STEEL PIPE (777.46KG/M) |
| 300X900X44MM RECTANGULAR STEEL PIPE (781.64KG/M)    |
| 300X900X44.25MM RECTANGULAR STEEL PIPE (785.8KG/M)  |
| 300X900X44.5MM RECTANGULAR STEEL PIPE (789.97KG/M)  |
| 300X900X44.75MM RECTANGULAR STEEL PIPE (794.13KG/M) |
| 300X900X45MM RECTANGULAR STEEL PIPE (798.29KG/M)    |
| 300X900X45.25MM RECTANGULAR STEEL PIPE (802.45KG/M) |
| 300X900X45.5MM RECTANGULAR STEEL PIPE (806.6KG/M)   |
| 300X900X45.75MM RECTANGULAR STEEL PIPE (810.75KG/M) |
| 300X900X46MM RECTANGULAR STEEL PIPE (814.9KG/M)     |
| 300X900X46.25MM RECTANGULAR STEEL PIPE (819.04KG/M) |
| 300X900X46.5MM RECTANGULAR STEEL PIPE (823.18KG/M)  |
| 300X900X46.75MM RECTANGULAR STEEL PIPE (827.32KG/M) |
| 300X900X47MM RECTANGULAR STEEL PIPE (831.45KG/M)    |
| 300X900X47.25MM RECTANGULAR STEEL PIPE (835.58KG/M) |
| 300X900X47.5MM RECTANGULAR STEEL PIPE (839.71KG/M)  |
| 300X900X47.75MM RECTANGULAR STEEL PIPE (843.84KG/M) |
| 300X900X48MM RECTANGULAR STEEL PIPE (847.96KG/M)    |
| 300X900X48.25MM RECTANGULAR STEEL PIPE (852.08KG/M) |
| 300X900X48.5MM RECTANGULAR STEEL PIPE (856.19KG/M)  |
| 300X900X48.75MM RECTANGULAR STEEL PIPE (860.31KG/M) |
| 300X900X49MM RECTANGULAR STEEL PIPE (864.42KG/M)    |
| 300X900X49.25MM RECTANGULAR STEEL PIPE (868.52KG/M) |
| 300X900X49.5MM RECTANGULAR STEEL PIPE (872.63KG/M)  |
| 300X900X49.75MM RECTANGULAR STEEL PIPE (876.73KG/M) |
| 300X900X50MM RECTANGULAR STEEL PIPE (880.82KG/M)    |
| 400X800X9.5MM RECTANGULAR STEEL PIPE (176.85KG/M)   |
| 400X800X9.75MM RECTANGULAR STEEL PIPE (181.44KG/M)  |
| 400X800X10MM RECTANGULAR STEEL PIPE (186.03KG/M)    |
| 400X800X10.25MM RECTANGULAR STEEL PIPE (190.62KG/M) |
| 400X800X10.5MM RECTANGULAR STEEL PIPE (195.2KG/M)   |
| 400X800X10.75MM RECTANGULAR STEEL PIPE (199.78KG/M) |
| 400X800X11MM RECTANGULAR STEEL PIPE (204.36KG/M)    |
| 400X800X11.25MM RECTANGULAR STEEL PIPE (208.94KG/M) |
| 400X800X11.5MM RECTANGULAR STEEL PIPE (213.51KG/M)  |
| 400X800X11.75MM RECTANGULAR STEEL PIPE (218.08KG/M) |
| 400X800X12MM RECTANGULAR STEEL PIPE (222.64KG/M)    |

|   |
|---|
| 400X800X12.25MM RECTANGULAR STEEL PIPE (227.21KG/M) |
| 400X800X12.5MM RECTANGULAR STEEL PIPE (231.77KG/M)  |
| 400X800X12.75MM RECTANGULAR STEEL PIPE (236.32KG/M) |
| 400X800X13MM RECTANGULAR STEEL PIPE (240.88KG/M)    |
| 400X800X13.25MM RECTANGULAR STEEL PIPE (245.43KG/M) |
| 400X800X13.5MM RECTANGULAR STEEL PIPE (249.97KG/M)  |
| 400X800X13.75MM RECTANGULAR STEEL PIPE (254.52KG/M) |
| 400X800X14MM RECTANGULAR STEEL PIPE (259.06KG/M)    |
| 400X800X14.25MM RECTANGULAR STEEL PIPE (263.6KG/M)  |
| 400X800X14.5MM RECTANGULAR STEEL PIPE (268.13KG/M)  |
| 400X800X14.75MM RECTANGULAR STEEL PIPE (272.67KG/M) |
| 400X800X15MM RECTANGULAR STEEL PIPE (277.19KG/M)    |
| 400X800X15.25MM RECTANGULAR STEEL PIPE (281.72KG/M) |
| 400X800X15.5MM RECTANGULAR STEEL PIPE (286.24KG/M)  |
| 400X800X15.75MM RECTANGULAR STEEL PIPE (290.76KG/M) |
| 400X800X16MM RECTANGULAR STEEL PIPE (295.28KG/M)    |
| 400X800X16.25MM RECTANGULAR STEEL PIPE (299.79KG/M) |
| 400X800X16.5MM RECTANGULAR STEEL PIPE (304.3KG/M)   |
| 400X800X16.75MM RECTANGULAR STEEL PIPE (308.81KG/M) |
| 400X800X17MM RECTANGULAR STEEL PIPE (313.32KG/M)    |
| 400X800X17.25MM RECTANGULAR STEEL PIPE (317.82KG/M) |
| 400X800X17.5MM RECTANGULAR STEEL PIPE (322.31KG/M)  |
| 400X800X17.75MM RECTANGULAR STEEL PIPE (326.81KG/M) |
| 400X800X18MM RECTANGULAR STEEL PIPE (331.3KG/M)     |
| 400X800X18.25MM RECTANGULAR STEEL PIPE (335.79KG/M) |
| 400X800X18.5MM RECTANGULAR STEEL PIPE (340.28KG/M)  |
| 400X800X18.75MM RECTANGULAR STEEL PIPE (344.76KG/M) |
| 400X800X19MM RECTANGULAR STEEL PIPE (349.24KG/M)    |
| 400X800X19.25MM RECTANGULAR STEEL PIPE (353.72KG/M) |
| 400X800X19.5MM RECTANGULAR STEEL PIPE (358.19KG/M)  |
| 400X800X19.75MM RECTANGULAR STEEL PIPE (362.66KG/M) |
| 400X800X20MM RECTANGULAR STEEL PIPE (367.13KG/M)    |
| 400X800X20.25MM RECTANGULAR STEEL PIPE (371.59KG/M) |
| 400X800X20.5MM RECTANGULAR STEEL PIPE (376.05KG/M)  |
| 400X800X20.75MM RECTANGULAR STEEL PIPE (380.51KG/M) |
| 400X800X21MM RECTANGULAR STEEL PIPE (384.96KG/M)    |
| 400X800X21.25MM RECTANGULAR STEEL PIPE (389.42KG/M) |
| 400X800X21.5MM RECTANGULAR STEEL PIPE (393.87KG/M)  |
| 400X800X21.75MM RECTANGULAR STEEL PIPE (398.31KG/M) |
| 400X800X22MM RECTANGULAR STEEL PIPE (402.75KG/M)    |
| 400X800X22.25MM RECTANGULAR STEEL PIPE (407.19KG/M) |
| 400X800X22.5MM RECTANGULAR STEEL PIPE (411.63KG/M)  |
| 400X800X22.75MM RECTANGULAR STEEL PIPE (416.06KG/M) |
| 400X800X23MM RECTANGULAR STEEL PIPE (420.49KG/M)    |
| 400X800X23.25MM RECTANGULAR STEEL PIPE (424.92KG/M) |
| 400X800X23.5MM RECTANGULAR STEEL PIPE (429.35KG/M)  |
| 400X800X23.75MM RECTANGULAR STEEL PIPE (433.77KG/M) |
| 400X800X24MM RECTANGULAR STEEL PIPE (438.18KG/M)    |
| 400X800X24.25MM RECTANGULAR STEEL PIPE (442.6KG/M)  |
| 400X800X24.5MM RECTANGULAR STEEL PIPE (447.01KG/M)  |
| 400X800X24.75MM RECTANGULAR STEEL PIPE (451.42KG/M) |
| 400X800X25MM RECTANGULAR STEEL PIPE (455.83KG/M)    |
| 400X800X25.25MM RECTANGULAR STEEL PIPE (460.23KG/M) |
| 400X800X25.5MM RECTANGULAR STEEL PIPE (464.63KG/M)  |
| 400X800X25.75MM RECTANGULAR STEEL PIPE (469.02KG/M) |
| 400X800X26MM RECTANGULAR STEEL PIPE (473.42KG/M)    |
| 400X800X26.25MM RECTANGULAR STEEL PIPE (477.81KG/M) |

|   |
|---|
| 400X800X26.5MM RECTANGULAR STEEL PIPE (482.19KG/M)  |
| 400X800X26.75MM RECTANGULAR STEEL PIPE (486.58KG/M) |
| 400X800X27MM RECTANGULAR STEEL PIPE (490.96KG/M)    |
| 400X800X27.25MM RECTANGULAR STEEL PIPE (495.34KG/M) |
| 400X800X27.5MM RECTANGULAR STEEL PIPE (499.71KG/M)  |
| 400X800X27.75MM RECTANGULAR STEEL PIPE (504.08KG/M) |
| 400X800X28MM RECTANGULAR STEEL PIPE (508.45KG/M)    |
| 400X800X28.25MM RECTANGULAR STEEL PIPE (512.82KG/M) |
| 400X800X28.5MM RECTANGULAR STEEL PIPE (517.18KG/M)  |
| 400X800X28.75MM RECTANGULAR STEEL PIPE (521.54KG/M) |
| 400X800X29MM RECTANGULAR STEEL PIPE (525.9KG/M)     |
| 400X800X29.25MM RECTANGULAR STEEL PIPE (530.25KG/M) |
| 400X800X29.5MM RECTANGULAR STEEL PIPE (534.6KG/M)   |
| 400X800X29.75MM RECTANGULAR STEEL PIPE (538.95KG/M) |
| 400X800X30MM RECTANGULAR STEEL PIPE (543.29KG/M)    |
| 400X800X30.25MM RECTANGULAR STEEL PIPE (547.63KG/M) |
| 400X800X30.5MM RECTANGULAR STEEL PIPE (551.97KG/M)  |
| 400X800X30.75MM RECTANGULAR STEEL PIPE (556.3KG/M)  |
| 400X800X31MM RECTANGULAR STEEL PIPE (560.64KG/M)    |
| 400X800X31.25MM RECTANGULAR STEEL PIPE (564.97KG/M) |
| 400X800X31.5MM RECTANGULAR STEEL PIPE (569.29KG/M)  |
| 400X800X31.75MM RECTANGULAR STEEL PIPE (573.61KG/M) |
| 400X800X32MM RECTANGULAR STEEL PIPE (577.93KG/M)    |
| 400X800X32.25MM RECTANGULAR STEEL PIPE (582.25KG/M) |
| 400X800X32.5MM RECTANGULAR STEEL PIPE (586.56KG/M)  |
| 400X800X32.75MM RECTANGULAR STEEL PIPE (590.87KG/M) |
| 400X800X33MM RECTANGULAR STEEL PIPE (595.18KG/M)    |
| 400X800X33.25MM RECTANGULAR STEEL PIPE (599.48KG/M) |
| 400X800X33.5MM RECTANGULAR STEEL PIPE (603.78KG/M)  |
| 400X800X33.75MM RECTANGULAR STEEL PIPE (608.08KG/M) |
| 400X800X34MM RECTANGULAR STEEL PIPE (612.38KG/M)    |
| 400X800X34.25MM RECTANGULAR STEEL PIPE (616.67KG/M) |
| 400X800X34.5MM RECTANGULAR STEEL PIPE (620.96KG/M)  |
| 400X800X34.75MM RECTANGULAR STEEL PIPE (625.24KG/M) |
| 400X800X35MM RECTANGULAR STEEL PIPE (629.52KG/M)    |
| 400X800X35.25MM RECTANGULAR STEEL PIPE (633.8KG/M)  |
| 400X800X35.5MM RECTANGULAR STEEL PIPE (638.08KG/M)  |
| 400X800X35.75MM RECTANGULAR STEEL PIPE (642.35KG/M) |
| 400X800X36MM RECTANGULAR STEEL PIPE (646.62KG/M)    |
| 400X800X36.25MM RECTANGULAR STEEL PIPE (650.89KG/M) |
| 400X800X36.5MM RECTANGULAR STEEL PIPE (655.15KG/M)  |
| 400X800X36.75MM RECTANGULAR STEEL PIPE (659.41KG/M) |
| 400X800X37MM RECTANGULAR STEEL PIPE (663.67KG/M)    |
| 400X800X37.25MM RECTANGULAR STEEL PIPE (667.93KG/M) |
| 400X800X37.5MM RECTANGULAR STEEL PIPE (672.18KG/M)  |
| 400X800X37.75MM RECTANGULAR STEEL PIPE (676.43KG/M) |
| 400X800X38MM RECTANGULAR STEEL PIPE (680.67KG/M)    |
| 400X800X38.25MM RECTANGULAR STEEL PIPE (684.91KG/M) |
| 400X800X38.5MM RECTANGULAR STEEL PIPE (689.15KG/M)  |
| 400X800X38.75MM RECTANGULAR STEEL PIPE (693.39KG/M) |
| 400X800X39MM RECTANGULAR STEEL PIPE (697.62KG/M)    |
| 400X800X39.25MM RECTANGULAR STEEL PIPE (701.85KG/M) |
| 400X800X39.5MM RECTANGULAR STEEL PIPE (706.08KG/M)  |
| 400X800X39.75MM RECTANGULAR STEEL PIPE (710.3KG/M)  |
| 400X800X40MM RECTANGULAR STEEL PIPE (714.52KG/M)    |
| 400X800X40.25MM RECTANGULAR STEEL PIPE (718.74KG/M) |
| 400X800X40.5MM RECTANGULAR STEEL PIPE (722.96KG/M)  |

|   |
|---|
| 400X800X40.75MM RECTANGULAR STEEL PIPE (727.17KG/M) |
| 400X800X41MM RECTANGULAR STEEL PIPE (731.38KG/M)    |
| 400X800X41.25MM RECTANGULAR STEEL PIPE (735.58KG/M) |
| 400X800X41.5MM RECTANGULAR STEEL PIPE (739.78KG/M)  |
| 400X800X41.75MM RECTANGULAR STEEL PIPE (743.98KG/M) |
| 400X800X42MM RECTANGULAR STEEL PIPE (748.18KG/M)    |
| 400X800X42.25MM RECTANGULAR STEEL PIPE (752.37KG/M) |
| 400X800X42.5MM RECTANGULAR STEEL PIPE (756.56KG/M)  |
| 400X800X42.75MM RECTANGULAR STEEL PIPE (760.75KG/M) |
| 400X800X43MM RECTANGULAR STEEL PIPE (764.93KG/M)    |
| 400X800X43.25MM RECTANGULAR STEEL PIPE (769.11KG/M) |
| 400X800X43.5MM RECTANGULAR STEEL PIPE (773.29KG/M)  |
| 400X800X43.75MM RECTANGULAR STEEL PIPE (777.46KG/M) |
| 400X800X44MM RECTANGULAR STEEL PIPE (781.64KG/M)    |
| 400X800X44.25MM RECTANGULAR STEEL PIPE (785.8KG/M)  |
| 400X800X44.5MM RECTANGULAR STEEL PIPE (789.97KG/M)  |
| 400X800X44.75MM RECTANGULAR STEEL PIPE (794.13KG/M) |
| 400X800X45MM RECTANGULAR STEEL PIPE (798.29KG/M)    |
| 400X800X45.25MM RECTANGULAR STEEL PIPE (802.45KG/M) |
| 400X800X45.5MM RECTANGULAR STEEL PIPE (806.6KG/M)   |
| 400X800X45.75MM RECTANGULAR STEEL PIPE (810.75KG/M) |
| 400X800X46MM RECTANGULAR STEEL PIPE (814.9KG/M)     |
| 400X800X46.25MM RECTANGULAR STEEL PIPE (819.04KG/M) |
| 400X800X46.5MM RECTANGULAR STEEL PIPE (823.18KG/M)  |
| 400X800X46.75MM RECTANGULAR STEEL PIPE (827.32KG/M) |
| 400X800X47MM RECTANGULAR STEEL PIPE (831.45KG/M)    |
| 400X800X47.25MM RECTANGULAR STEEL PIPE (835.58KG/M) |
| 400X800X47.5MM RECTANGULAR STEEL PIPE (839.71KG/M)  |
| 400X800X47.75MM RECTANGULAR STEEL PIPE (843.84KG/M) |
| 400X800X48MM RECTANGULAR STEEL PIPE (847.96KG/M)    |
| 400X800X48.25MM RECTANGULAR STEEL PIPE (852.08KG/M) |
| 400X800X48.5MM RECTANGULAR STEEL PIPE (856.19KG/M)  |
| 400X800X48.75MM RECTANGULAR STEEL PIPE (860.31KG/M) |
| 400X800X49MM RECTANGULAR STEEL PIPE (864.42KG/M)    |
| 400X800X49.25MM RECTANGULAR STEEL PIPE (868.52KG/M) |
| 400X800X49.5MM RECTANGULAR STEEL PIPE (872.63KG/M)  |
| 400X800X49.75MM RECTANGULAR STEEL PIPE (876.73KG/M) |
| 400X800X50MM RECTANGULAR STEEL PIPE (880.82KG/M)    |
| 500X700X9.5MM RECTANGULAR STEEL PIPE (176.85KG/M)   |
| 500X700X9.75MM RECTANGULAR STEEL PIPE (181.44KG/M)  |
| 500X700X10MM RECTANGULAR STEEL PIPE (186.03KG/M)    |
| 500X700X10.25MM RECTANGULAR STEEL PIPE (190.62KG/M) |
| 500X700X10.5MM RECTANGULAR STEEL PIPE (195.2KG/M)   |
| 500X700X10.75MM RECTANGULAR STEEL PIPE (199.78KG/M) |
| 500X700X11MM RECTANGULAR STEEL PIPE (204.36KG/M)    |
| 500X700X11.25MM RECTANGULAR STEEL PIPE (208.94KG/M) |
| 500X700X11.5MM RECTANGULAR STEEL PIPE (213.51KG/M)  |
| 500X700X11.75MM RECTANGULAR STEEL PIPE (218.08KG/M) |
| 500X700X12MM RECTANGULAR STEEL PIPE (222.64KG/M)    |
| 500X700X12.25MM RECTANGULAR STEEL PIPE (227.21KG/M) |
| 500X700X12.5MM RECTANGULAR STEEL PIPE (231.77KG/M)  |
| 500X700X12.75MM RECTANGULAR STEEL PIPE (236.32KG/M) |
| 500X700X13MM RECTANGULAR STEEL PIPE (240.88KG/M)    |
| 500X700X13.25MM RECTANGULAR STEEL PIPE (245.43KG/M) |
| 500X700X13.5MM RECTANGULAR STEEL PIPE (249.97KG/M)  |
| 500X700X13.75MM RECTANGULAR STEEL PIPE (254.52KG/M) |
| 500X700X14MM RECTANGULAR STEEL PIPE (259.06KG/M)    |

|   |
|---|
| 500X700X14.25MM RECTANGULAR STEEL PIPE (263.6KG/M)  |
| 500X700X14.5MM RECTANGULAR STEEL PIPE (268.13KG/M)  |
| 500X700X14.75MM RECTANGULAR STEEL PIPE (272.67KG/M) |
| 500X700X15MM RECTANGULAR STEEL PIPE (277.19KG/M)    |
| 500X700X15.25MM RECTANGULAR STEEL PIPE (281.72KG/M) |
| 500X700X15.5MM RECTANGULAR STEEL PIPE (286.24KG/M)  |
| 500X700X15.75MM RECTANGULAR STEEL PIPE (290.76KG/M) |
| 500X700X16MM RECTANGULAR STEEL PIPE (295.28KG/M)    |
| 500X700X16.25MM RECTANGULAR STEEL PIPE (299.79KG/M) |
| 500X700X16.5MM RECTANGULAR STEEL PIPE (304.3KG/M)   |
| 500X700X16.75MM RECTANGULAR STEEL PIPE (308.81KG/M) |
| 500X700X17MM RECTANGULAR STEEL PIPE (313.32KG/M)    |
| 500X700X17.25MM RECTANGULAR STEEL PIPE (317.82KG/M) |
| 500X700X17.5MM RECTANGULAR STEEL PIPE (322.31KG/M)  |
| 500X700X17.75MM RECTANGULAR STEEL PIPE (326.81KG/M) |
| 500X700X18MM RECTANGULAR STEEL PIPE (331.3KG/M)     |
| 500X700X18.25MM RECTANGULAR STEEL PIPE (335.79KG/M) |
| 500X700X18.5MM RECTANGULAR STEEL PIPE (340.28KG/M)  |
| 500X700X18.75MM RECTANGULAR STEEL PIPE (344.76KG/M) |
| 500X700X19MM RECTANGULAR STEEL PIPE (349.24KG/M)    |
| 500X700X19.25MM RECTANGULAR STEEL PIPE (353.72KG/M) |
| 500X700X19.5MM RECTANGULAR STEEL PIPE (358.19KG/M)  |
| 500X700X19.75MM RECTANGULAR STEEL PIPE (362.66KG/M) |
| 500X700X20MM RECTANGULAR STEEL PIPE (367.13KG/M)    |
| 500X700X20.25MM RECTANGULAR STEEL PIPE (371.59KG/M) |
| 500X700X20.5MM RECTANGULAR STEEL PIPE (376.05KG/M)  |
| 500X700X20.75MM RECTANGULAR STEEL PIPE (380.51KG/M) |
| 500X700X21MM RECTANGULAR STEEL PIPE (384.96KG/M)    |
| 500X700X21.25MM RECTANGULAR STEEL PIPE (389.42KG/M) |
| 500X700X21.5MM RECTANGULAR STEEL PIPE (393.87KG/M)  |
| 500X700X21.75MM RECTANGULAR STEEL PIPE (398.31KG/M) |
| 500X700X22MM RECTANGULAR STEEL PIPE (402.75KG/M)    |
| 500X700X22.25MM RECTANGULAR STEEL PIPE (407.19KG/M) |
| 500X700X22.5MM RECTANGULAR STEEL PIPE (411.63KG/M)  |
| 500X700X22.75MM RECTANGULAR STEEL PIPE (416.06KG/M) |
| 500X700X23MM RECTANGULAR STEEL PIPE (420.49KG/M)    |
| 500X700X23.25MM RECTANGULAR STEEL PIPE (424.92KG/M) |
| 500X700X23.5MM RECTANGULAR STEEL PIPE (429.35KG/M)  |
| 500X700X23.75MM RECTANGULAR STEEL PIPE (433.77KG/M) |
| 500X700X24MM RECTANGULAR STEEL PIPE (438.18KG/M)    |
| 500X700X24.25MM RECTANGULAR STEEL PIPE (442.6KG/M)  |
| 500X700X24.5MM RECTANGULAR STEEL PIPE (447.01KG/M)  |
| 500X700X24.75MM RECTANGULAR STEEL PIPE (451.42KG/M) |
| 500X700X25MM RECTANGULAR STEEL PIPE (455.83KG/M)    |
| 500X700X25.25MM RECTANGULAR STEEL PIPE (460.23KG/M) |
| 500X700X25.5MM RECTANGULAR STEEL PIPE (464.63KG/M)  |
| 500X700X25.75MM RECTANGULAR STEEL PIPE (469.02KG/M) |
| 500X700X26MM RECTANGULAR STEEL PIPE (473.42KG/M)    |
| 500X700X26.25MM RECTANGULAR STEEL PIPE (477.81KG/M) |
| 500X700X26.5MM RECTANGULAR STEEL PIPE (482.19KG/M)  |
| 500X700X26.75MM RECTANGULAR STEEL PIPE (486.58KG/M) |
| 500X700X27MM RECTANGULAR STEEL PIPE (490.96KG/M)    |
| 500X700X27.25MM RECTANGULAR STEEL PIPE (495.34KG/M) |
| 500X700X27.5MM RECTANGULAR STEEL PIPE (499.71KG/M)  |
| 500X700X27.75MM RECTANGULAR STEEL PIPE (504.08KG/M) |
| 500X700X28MM RECTANGULAR STEEL PIPE (508.45KG/M)    |
| 500X700X28.25MM RECTANGULAR STEEL PIPE (512.82KG/M) |

|   |
|---|
| 500X700X28.5MM RECTANGULAR STEEL PIPE (517.18KG/M)  |
| 500X700X28.75MM RECTANGULAR STEEL PIPE (521.54KG/M) |
| 500X700X29MM RECTANGULAR STEEL PIPE (525.9KG/M)     |
| 500X700X29.25MM RECTANGULAR STEEL PIPE (530.25KG/M) |
| 500X700X29.5MM RECTANGULAR STEEL PIPE (534.6KG/M)   |
| 500X700X29.75MM RECTANGULAR STEEL PIPE (538.95KG/M) |
| 500X700X30MM RECTANGULAR STEEL PIPE (543.29KG/M)    |
| 500X700X30.25MM RECTANGULAR STEEL PIPE (547.63KG/M) |
| 500X700X30.5MM RECTANGULAR STEEL PIPE (551.97KG/M)  |
| 500X700X30.75MM RECTANGULAR STEEL PIPE (556.3KG/M)  |
| 500X700X31MM RECTANGULAR STEEL PIPE (560.64KG/M)    |
| 500X700X31.25MM RECTANGULAR STEEL PIPE (564.97KG/M) |
| 500X700X31.5MM RECTANGULAR STEEL PIPE (569.29KG/M)  |
| 500X700X31.75MM RECTANGULAR STEEL PIPE (573.61KG/M) |
| 500X700X32MM RECTANGULAR STEEL PIPE (577.93KG/M)    |
| 500X700X32.25MM RECTANGULAR STEEL PIPE (582.25KG/M) |
| 500X700X32.5MM RECTANGULAR STEEL PIPE (586.56KG/M)  |
| 500X700X32.75MM RECTANGULAR STEEL PIPE (590.87KG/M) |
| 500X700X33MM RECTANGULAR STEEL PIPE (595.18KG/M)    |
| 500X700X33.25MM RECTANGULAR STEEL PIPE (599.48KG/M) |
| 500X700X33.5MM RECTANGULAR STEEL PIPE (603.78KG/M)  |
| 500X700X33.75MM RECTANGULAR STEEL PIPE (608.08KG/M) |
| 500X700X34MM RECTANGULAR STEEL PIPE (612.38KG/M)    |
| 500X700X34.25MM RECTANGULAR STEEL PIPE (616.67KG/M) |
| 500X700X34.5MM RECTANGULAR STEEL PIPE (620.96KG/M)  |
| 500X700X34.75MM RECTANGULAR STEEL PIPE (625.24KG/M) |
| 500X700X35MM RECTANGULAR STEEL PIPE (629.52KG/M)    |
| 500X700X35.25MM RECTANGULAR STEEL PIPE (633.8KG/M)  |
| 500X700X35.5MM RECTANGULAR STEEL PIPE (638.08KG/M)  |
| 500X700X35.75MM RECTANGULAR STEEL PIPE (642.35KG/M) |
| 500X700X36MM RECTANGULAR STEEL PIPE (646.62KG/M)    |
| 500X700X36.25MM RECTANGULAR STEEL PIPE (650.89KG/M) |
| 500X700X36.5MM RECTANGULAR STEEL PIPE (655.15KG/M)  |
| 500X700X36.75MM RECTANGULAR STEEL PIPE (659.41KG/M) |
| 500X700X37MM RECTANGULAR STEEL PIPE (663.67KG/M)    |
| 500X700X37.25MM RECTANGULAR STEEL PIPE (667.93KG/M) |
| 500X700X37.5MM RECTANGULAR STEEL PIPE (672.18KG/M)  |
| 500X700X37.75MM RECTANGULAR STEEL PIPE (676.43KG/M) |
| 500X700X38MM RECTANGULAR STEEL PIPE (680.67KG/M)    |
| 500X700X38.25MM RECTANGULAR STEEL PIPE (684.91KG/M) |
| 500X700X38.5MM RECTANGULAR STEEL PIPE (689.15KG/M)  |
| 500X700X38.75MM RECTANGULAR STEEL PIPE (693.39KG/M) |
| 500X700X39MM RECTANGULAR STEEL PIPE (697.62KG/M)    |
| 500X700X39.25MM RECTANGULAR STEEL PIPE (701.85KG/M) |
| 500X700X39.5MM RECTANGULAR STEEL PIPE (706.08KG/M)  |
| 500X700X39.75MM RECTANGULAR STEEL PIPE (710.3KG/M)  |
| 500X700X40MM RECTANGULAR STEEL PIPE (714.52KG/M)    |
| 500X700X40.25MM RECTANGULAR STEEL PIPE (718.74KG/M) |
| 500X700X40.5MM RECTANGULAR STEEL PIPE (722.96KG/M)  |
| 500X700X40.75MM RECTANGULAR STEEL PIPE (727.17KG/M) |
| 500X700X41MM RECTANGULAR STEEL PIPE (731.38KG/M)    |
| 500X700X41.25MM RECTANGULAR STEEL PIPE (735.58KG/M) |
| 500X700X41.5MM RECTANGULAR STEEL PIPE (739.78KG/M)  |
| 500X700X41.75MM RECTANGULAR STEEL PIPE (743.98KG/M) |
| 500X700X42MM RECTANGULAR STEEL PIPE (748.18KG/M)    |
| 500X700X42.25MM RECTANGULAR STEEL PIPE (752.37KG/M) |
| 500X700X42.5MM RECTANGULAR STEEL PIPE (756.56KG/M)  |



|  |
|--|
| 500X700X42.75MM RECTANGULAR STEEL PIPE (760.75KG/M)  |
| 500X700X43MM RECTANGULAR STEEL PIPE (764.93KG/M)     |
| 500X700X43.25MM RECTANGULAR STEEL PIPE (769.11KG/M)  |
| 500X700X43.5MM RECTANGULAR STEEL PIPE (773.29KG/M)   |
| 500X700X43.75MM RECTANGULAR STEEL PIPE (777.46KG/M)  |
| 500X700X44MM RECTANGULAR STEEL PIPE (781.64KG/M)     |
| 500X700X44.25MM RECTANGULAR STEEL PIPE (785.8KG/M)   |
| 500X700X44.5MM RECTANGULAR STEEL PIPE (789.97KG/M)   |
| 500X700X44.75MM RECTANGULAR STEEL PIPE (794.13KG/M)  |
| 500X700X45MM RECTANGULAR STEEL PIPE (798.29KG/M)     |
| 500X700X45.25MM RECTANGULAR STEEL PIPE (802.45KG/M)  |
| 500X700X45.5MM RECTANGULAR STEEL PIPE (806.6KG/M)    |
| 500X700X45.75MM RECTANGULAR STEEL PIPE (810.75KG/M)  |
| 500X700X46MM RECTANGULAR STEEL PIPE (814.9KG/M)      |
| 500X700X46.25MM RECTANGULAR STEEL PIPE (819.04KG/M)  |
| 500X700X46.5MM RECTANGULAR STEEL PIPE (823.18KG/M)   |
| 500X700X46.75MM RECTANGULAR STEEL PIPE (827.32KG/M)  |
| 500X700X47MM RECTANGULAR STEEL PIPE (831.45KG/M)     |
| 500X700X47.25MM RECTANGULAR STEEL PIPE (835.58KG/M)  |
| 500X700X47.5MM RECTANGULAR STEEL PIPE (839.71KG/M)   |
| 500X700X47.75MM RECTANGULAR STEEL PIPE (843.84KG/M)  |
| 500X700X48MM RECTANGULAR STEEL PIPE (847.96KG/M)     |
| 500X700X48.25MM RECTANGULAR STEEL PIPE (852.08KG/M)  |
| 500X700X48.5MM RECTANGULAR STEEL PIPE (856.19KG/M)   |
| 500X700X48.75MM RECTANGULAR STEEL PIPE (860.31KG/M)  |
| 500X700X49MM RECTANGULAR STEEL PIPE (864.42KG/M)     |
| 500X700X49.25MM RECTANGULAR STEEL PIPE (868.52KG/M)  |
| 500X700X49.5MM RECTANGULAR STEEL PIPE (872.63KG/M)   |
| 500X700X49.75MM RECTANGULAR STEEL PIPE (876.73KG/M)  |
| 500X700X50MM RECTANGULAR STEEL PIPE (880.82KG/M)     |
| 300X1000X9.5MM RECTANGULAR STEEL PIPE (191.77KG/M)   |
| 300X1000X9.75MM RECTANGULAR STEEL PIPE (196.75KG/M)  |
| 300X1000X10MM RECTANGULAR STEEL PIPE (201.74KG/M)    |
| 300X1000X10.25MM RECTANGULAR STEEL PIPE (206.72KG/M) |
| 300X1000X10.5MM RECTANGULAR STEEL PIPE (211.69KG/M)  |
| 300X1000X10.75MM RECTANGULAR STEEL PIPE (216.67KG/M) |
| 300X1000X11MM RECTANGULAR STEEL PIPE (221.64KG/M)    |
| 300X1000X11.25MM RECTANGULAR STEEL PIPE (226.61KG/M) |
| 300X1000X11.5MM RECTANGULAR STEEL PIPE (231.57KG/M)  |
| 300X1000X11.75MM RECTANGULAR STEEL PIPE (236.53KG/M) |
| 300X1000X12MM RECTANGULAR STEEL PIPE (241.49KG/M)    |
| 300X1000X12.25MM RECTANGULAR STEEL PIPE (246.45KG/M) |
| 300X1000X12.5MM RECTANGULAR STEEL PIPE (251.4KG/M)   |
| 300X1000X12.75MM RECTANGULAR STEEL PIPE (256.35KG/M) |
| 300X1000X13MM RECTANGULAR STEEL PIPE (261.3KG/M)     |
| 300X1000X13.25MM RECTANGULAR STEEL PIPE (266.24KG/M) |
| 300X1000X13.5MM RECTANGULAR STEEL PIPE (271.18KG/M)  |
| 300X1000X13.75MM RECTANGULAR STEEL PIPE (276.12KG/M) |
| 300X1000X14MM RECTANGULAR STEEL PIPE (281.05KG/M)    |
| 300X1000X14.25MM RECTANGULAR STEEL PIPE (285.98KG/M) |
| 300X1000X14.5MM RECTANGULAR STEEL PIPE (290.91KG/M)  |
| 300X1000X14.75MM RECTANGULAR STEEL PIPE (295.83KG/M) |
| 300X1000X15MM RECTANGULAR STEEL PIPE (300.76KG/M)    |
| 300X1000X15.25MM RECTANGULAR STEEL PIPE (305.68KG/M) |
| 300X1000X15.5MM RECTANGULAR STEEL PIPE (310.59KG/M)  |
| 300X1000X15.75MM RECTANGULAR STEEL PIPE (315.5KG/M)  |
| 300X1000X16MM RECTANGULAR STEEL PIPE (320.41KG/M)    |

|  |
|--|
| 300X1000X16.25MM RECTANGULAR STEEL PIPE (325.32KG/M) |
| 300X1000X16.5MM RECTANGULAR STEEL PIPE (330.22KG/M)  |
| 300X1000X16.75MM RECTANGULAR STEEL PIPE (335.12KG/M) |
| 300X1000X17MM RECTANGULAR STEEL PIPE (340.02KG/M)    |
| 300X1000X17.25MM RECTANGULAR STEEL PIPE (344.91KG/M) |
| 300X1000X17.5MM RECTANGULAR STEEL PIPE (349.8KG/M)   |
| 300X1000X17.75MM RECTANGULAR STEEL PIPE (354.69KG/M) |
| 300X1000X18MM RECTANGULAR STEEL PIPE (359.58KG/M)    |
| 300X1000X18.25MM RECTANGULAR STEEL PIPE (364.46KG/M) |
| 300X1000X18.5MM RECTANGULAR STEEL PIPE (369.34KG/M)  |
| 300X1000X18.75MM RECTANGULAR STEEL PIPE (374.21KG/M) |
| 300X1000X19MM RECTANGULAR STEEL PIPE (379.08KG/M)    |
| 300X1000X19.25MM RECTANGULAR STEEL PIPE (383.95KG/M) |
| 300X1000X19.5MM RECTANGULAR STEEL PIPE (388.82KG/M)  |
| 300X1000X19.75MM RECTANGULAR STEEL PIPE (393.68KG/M) |
| 300X1000X20MM RECTANGULAR STEEL PIPE (398.54KG/M)    |
| 300X1000X20.25MM RECTANGULAR STEEL PIPE (403.4KG/M)  |
| 300X1000X20.5MM RECTANGULAR STEEL PIPE (408.25KG/M)  |
| 300X1000X20.75MM RECTANGULAR STEEL PIPE (413.1KG/M)  |
| 300X1000X21MM RECTANGULAR STEEL PIPE (417.95KG/M)    |
| 300X1000X21.25MM RECTANGULAR STEEL PIPE (422.8KG/M)  |
| 300X1000X21.5MM RECTANGULAR STEEL PIPE (427.64KG/M)  |
| 300X1000X21.75MM RECTANGULAR STEEL PIPE (432.48KG/M) |
| 300X1000X22MM RECTANGULAR STEEL PIPE (437.31KG/M)    |
| 300X1000X22.25MM RECTANGULAR STEEL PIPE (442.14KG/M) |
| 300X1000X22.5MM RECTANGULAR STEEL PIPE (446.97KG/M)  |
| 300X1000X22.75MM RECTANGULAR STEEL PIPE (451.8KG/M)  |
| 300X1000X23MM RECTANGULAR STEEL PIPE (456.62KG/M)    |
| 300X1000X23.25MM RECTANGULAR STEEL PIPE (461.44KG/M) |
| 300X1000X23.5MM RECTANGULAR STEEL PIPE (466.26KG/M)  |
| 300X1000X23.75MM RECTANGULAR STEEL PIPE (471.07KG/M) |
| 300X1000X24MM RECTANGULAR STEEL PIPE (475.88KG/M)    |
| 300X1000X24.25MM RECTANGULAR STEEL PIPE (480.69KG/M) |
| 300X1000X24.5MM RECTANGULAR STEEL PIPE (485.5KG/M)   |
| 300X1000X24.75MM RECTANGULAR STEEL PIPE (490.3KG/M)  |
| 300X1000X25MM RECTANGULAR STEEL PIPE (495.1KG/M)     |
| 300X1000X25.25MM RECTANGULAR STEEL PIPE (499.89KG/M) |
| 300X1000X25.5MM RECTANGULAR STEEL PIPE (504.68KG/M)  |
| 300X1000X25.75MM RECTANGULAR STEEL PIPE (509.47KG/M) |
| 300X1000X26MM RECTANGULAR STEEL PIPE (514.26KG/M)    |
| 300X1000X26.25MM RECTANGULAR STEEL PIPE (519.04KG/M) |
| 300X1000X26.5MM RECTANGULAR STEEL PIPE (523.82KG/M)  |
| 300X1000X26.75MM RECTANGULAR STEEL PIPE (528.6KG/M)  |
| 300X1000X27MM RECTANGULAR STEEL PIPE (533.37KG/M)    |
| 300X1000X27.25MM RECTANGULAR STEEL PIPE (538.14KG/M) |
| 300X1000X27.5MM RECTANGULAR STEEL PIPE (542.91KG/M)  |
| 300X1000X27.75MM RECTANGULAR STEEL PIPE (547.67KG/M) |
| 300X1000X28MM RECTANGULAR STEEL PIPE (552.44KG/M)    |
| 300X1000X28.25MM RECTANGULAR STEEL PIPE (557.19KG/M) |
| 300X1000X28.5MM RECTANGULAR STEEL PIPE (561.95KG/M)  |
| 300X1000X28.75MM RECTANGULAR STEEL PIPE (566.7KG/M)  |
| 300X1000X29MM RECTANGULAR STEEL PIPE (571.45KG/M)    |
| 300X1000X29.25MM RECTANGULAR STEEL PIPE (576.2KG/M)  |
| 300X1000X29.5MM RECTANGULAR STEEL PIPE (580.94KG/M)  |
| 300X1000X29.75MM RECTANGULAR STEEL PIPE (585.68KG/M) |
| 300X1000X30MM RECTANGULAR STEEL PIPE (590.42KG/M)    |
| 300X1000X30.25MM RECTANGULAR STEEL PIPE (595.15KG/M) |

|  |
|--|
| 300X1000X30.5MM RECTANGULAR STEEL PIPE (599.88KG/M)  |
| 300X1000X30.75MM RECTANGULAR STEEL PIPE (604.61KG/M) |
| 300X1000X31MM RECTANGULAR STEEL PIPE (609.33KG/M)    |
| 300X1000X31.25MM RECTANGULAR STEEL PIPE (614.05KG/M) |
| 300X1000X31.5MM RECTANGULAR STEEL PIPE (618.77KG/M)  |
| 300X1000X31.75MM RECTANGULAR STEEL PIPE (623.49KG/M) |
| 300X1000X32MM RECTANGULAR STEEL PIPE (628.2KG/M)     |
| 300X1000X32.25MM RECTANGULAR STEEL PIPE (632.91KG/M) |
| 300X1000X32.5MM RECTANGULAR STEEL PIPE (637.61KG/M)  |
| 300X1000X32.75MM RECTANGULAR STEEL PIPE (642.32KG/M) |
| 300X1000X33MM RECTANGULAR STEEL PIPE (647.02KG/M)    |
| 300X1000X33.25MM RECTANGULAR STEEL PIPE (651.71KG/M) |
| 300X1000X33.5MM RECTANGULAR STEEL PIPE (656.41KG/M)  |
| 300X1000X33.75MM RECTANGULAR STEEL PIPE (661.1KG/M)  |
| 300X1000X34MM RECTANGULAR STEEL PIPE (665.78KG/M)    |
| 300X1000X34.25MM RECTANGULAR STEEL PIPE (670.47KG/M) |
| 300X1000X34.5MM RECTANGULAR STEEL PIPE (675.15KG/M)  |
| 300X1000X34.75MM RECTANGULAR STEEL PIPE (679.83KG/M) |
| 300X1000X35MM RECTANGULAR STEEL PIPE (684.5KG/M)     |
| 300X1000X35.25MM RECTANGULAR STEEL PIPE (689.17KG/M) |
| 300X1000X35.5MM RECTANGULAR STEEL PIPE (693.84KG/M)  |
| 300X1000X35.75MM RECTANGULAR STEEL PIPE (698.51KG/M) |
| 300X1000X36MM RECTANGULAR STEEL PIPE (703.17KG/M)    |
| 300X1000X36.25MM RECTANGULAR STEEL PIPE (707.83KG/M) |
| 300X1000X36.5MM RECTANGULAR STEEL PIPE (712.49KG/M)  |
| 300X1000X36.75MM RECTANGULAR STEEL PIPE (717.14KG/M) |
| 300X1000X37MM RECTANGULAR STEEL PIPE (721.79KG/M)    |
| 300X1000X37.25MM RECTANGULAR STEEL PIPE (726.44KG/M) |
| 300X1000X37.5MM RECTANGULAR STEEL PIPE (731.08KG/M)  |
| 300X1000X37.75MM RECTANGULAR STEEL PIPE (735.72KG/M) |
| 300X1000X38MM RECTANGULAR STEEL PIPE (740.36KG/M)    |
| 300X1000X38.25MM RECTANGULAR STEEL PIPE (745KG/M)    |
| 300X1000X38.5MM RECTANGULAR STEEL PIPE (749.63KG/M)  |
| 300X1000X38.75MM RECTANGULAR STEEL PIPE (754.26KG/M) |
| 300X1000X39MM RECTANGULAR STEEL PIPE (758.88KG/M)    |
| 300X1000X39.25MM RECTANGULAR STEEL PIPE (763.51KG/M) |
| 300X1000X39.5MM RECTANGULAR STEEL PIPE (768.13KG/M)  |
| 300X1000X39.75MM RECTANGULAR STEEL PIPE (772.74KG/M) |
| 300X1000X40MM RECTANGULAR STEEL PIPE (777.36KG/M)    |
| 300X1000X40.25MM RECTANGULAR STEEL PIPE (781.97KG/M) |
| 300X1000X40.5MM RECTANGULAR STEEL PIPE (786.57KG/M)  |
| 300X1000X40.75MM RECTANGULAR STEEL PIPE (791.18KG/M) |
| 300X1000X41MM RECTANGULAR STEEL PIPE (795.78KG/M)    |
| 300X1000X41.25MM RECTANGULAR STEEL PIPE (800.38KG/M) |
| 300X1000X41.5MM RECTANGULAR STEEL PIPE (804.97KG/M)  |
| 300X1000X41.75MM RECTANGULAR STEEL PIPE (809.56KG/M) |
| 300X1000X42MM RECTANGULAR STEEL PIPE (814.15KG/M)    |
| 300X1000X42.25MM RECTANGULAR STEEL PIPE (818.74KG/M) |
| 300X1000X42.5MM RECTANGULAR STEEL PIPE (823.32KG/M)  |
| 300X1000X42.75MM RECTANGULAR STEEL PIPE (827.9KG/M)  |
| 300X1000X43MM RECTANGULAR STEEL PIPE (832.48KG/M)    |
| 300X1000X43.25MM RECTANGULAR STEEL PIPE (837.05KG/M) |
| 300X1000X43.5MM RECTANGULAR STEEL PIPE (841.62KG/M)  |
| 300X1000X43.75MM RECTANGULAR STEEL PIPE (846.19KG/M) |
| 300X1000X44MM RECTANGULAR STEEL PIPE (850.75KG/M)    |
| 300X1000X44.25MM RECTANGULAR STEEL PIPE (855.31KG/M) |
| 300X1000X44.5MM RECTANGULAR STEEL PIPE (859.87KG/M)  |

|  |
|--|
| 300X1000X44.75MM RECTANGULAR STEEL PIPE (864.42KG/M) |
| 300X1000X45MM RECTANGULAR STEEL PIPE (868.98KG/M)    |
| 300X1000X45.25MM RECTANGULAR STEEL PIPE (873.52KG/M) |
| 300X1000X45.5MM RECTANGULAR STEEL PIPE (878.07KG/M)  |
| 300X1000X45.75MM RECTANGULAR STEEL PIPE (882.61KG/M) |
| 300X1000X46MM RECTANGULAR STEEL PIPE (887.15KG/M)    |
| 300X1000X46.25MM RECTANGULAR STEEL PIPE (891.69KG/M) |
| 300X1000X46.5MM RECTANGULAR STEEL PIPE (896.22KG/M)  |
| 300X1000X46.75MM RECTANGULAR STEEL PIPE (900.75KG/M) |
| 300X1000X47MM RECTANGULAR STEEL PIPE (905.28KG/M)    |
| 300X1000X47.25MM RECTANGULAR STEEL PIPE (909.8KG/M)  |
| 300X1000X47.5MM RECTANGULAR STEEL PIPE (914.32KG/M)  |
| 300X1000X47.75MM RECTANGULAR STEEL PIPE (918.84KG/M) |
| 300X1000X48MM RECTANGULAR STEEL PIPE (923.36KG/M)    |
| 300X1000X48.25MM RECTANGULAR STEEL PIPE (927.87KG/M) |
| 300X1000X48.5MM RECTANGULAR STEEL PIPE (932.38KG/M)  |
| 300X1000X48.75MM RECTANGULAR STEEL PIPE (936.88KG/M) |
| 300X1000X49MM RECTANGULAR STEEL PIPE (941.38KG/M)    |
| 300X1000X49.25MM RECTANGULAR STEEL PIPE (945.88KG/M) |
| 300X1000X49.5MM RECTANGULAR STEEL PIPE (950.38KG/M)  |
| 300X1000X49.75MM RECTANGULAR STEEL PIPE (954.87KG/M) |
| 300X1000X50MM RECTANGULAR STEEL PIPE (959.36KG/M)    |
| 400X900X9.5MM RECTANGULAR STEEL PIPE (191.77KG/M)    |
| 400X900X9.75MM RECTANGULAR STEEL PIPE (196.75KG/M)   |
| 400X900X10MM RECTANGULAR STEEL PIPE (201.74KG/M)     |
| 400X900X10.25MM RECTANGULAR STEEL PIPE (206.72KG/M)  |
| 400X900X10.5MM RECTANGULAR STEEL PIPE (211.69KG/M)   |
| 400X900X10.75MM RECTANGULAR STEEL PIPE (216.67KG/M)  |
| 400X900X11MM RECTANGULAR STEEL PIPE (221.64KG/M)     |
| 400X900X11.25MM RECTANGULAR STEEL PIPE (226.61KG/M)  |
| 400X900X11.5MM RECTANGULAR STEEL PIPE (231.57KG/M)   |
| 400X900X11.75MM RECTANGULAR STEEL PIPE (236.53KG/M)  |
| 400X900X12MM RECTANGULAR STEEL PIPE (241.49KG/M)     |
| 400X900X12.25MM RECTANGULAR STEEL PIPE (246.45KG/M)  |
| 400X900X12.5MM RECTANGULAR STEEL PIPE (251.4KG/M)    |
| 400X900X12.75MM RECTANGULAR STEEL PIPE (256.35KG/M)  |
| 400X900X13MM RECTANGULAR STEEL PIPE (261.3KG/M)      |
| 400X900X13.25MM RECTANGULAR STEEL PIPE (266.24KG/M)  |
| 400X900X13.5MM RECTANGULAR STEEL PIPE (271.18KG/M)   |
| 400X900X13.75MM RECTANGULAR STEEL PIPE (276.12KG/M)  |
| 400X900X14MM RECTANGULAR STEEL PIPE (281.05KG/M)     |
| 400X900X14.25MM RECTANGULAR STEEL PIPE (285.98KG/M)  |
| 400X900X14.5MM RECTANGULAR STEEL PIPE (290.91KG/M)   |
| 400X900X14.75MM RECTANGULAR STEEL PIPE (295.83KG/M)  |
| 400X900X15MM RECTANGULAR STEEL PIPE (300.76KG/M)     |
| 400X900X15.25MM RECTANGULAR STEEL PIPE (305.68KG/M)  |
| 400X900X15.5MM RECTANGULAR STEEL PIPE (310.59KG/M)   |
| 400X900X15.75MM RECTANGULAR STEEL PIPE (315.5KG/M)   |
| 400X900X16MM RECTANGULAR STEEL PIPE (320.41KG/M)     |
| 400X900X16.25MM RECTANGULAR STEEL PIPE (325.32KG/M)  |
| 400X900X16.5MM RECTANGULAR STEEL PIPE (330.22KG/M)   |
| 400X900X16.75MM RECTANGULAR STEEL PIPE (335.12KG/M)  |
| 400X900X17MM RECTANGULAR STEEL PIPE (340.02KG/M)     |
| 400X900X17.25MM RECTANGULAR STEEL PIPE (344.91KG/M)  |
| 400X900X17.5MM RECTANGULAR STEEL PIPE (349.8KG/M)    |
| 400X900X17.75MM RECTANGULAR STEEL PIPE (354.69KG/M)  |
| 400X900X18MM RECTANGULAR STEEL PIPE (359.58KG/M)     |

|   |
|---|
| 400X900X18.25MM RECTANGULAR STEEL PIPE (364.46KG/M) |
| 400X900X18.5MM RECTANGULAR STEEL PIPE (369.34KG/M)  |
| 400X900X18.75MM RECTANGULAR STEEL PIPE (374.21KG/M) |
| 400X900X19MM RECTANGULAR STEEL PIPE (379.08KG/M)    |
| 400X900X19.25MM RECTANGULAR STEEL PIPE (383.95KG/M) |
| 400X900X19.5MM RECTANGULAR STEEL PIPE (388.82KG/M)  |
| 400X900X19.75MM RECTANGULAR STEEL PIPE (393.68KG/M) |
| 400X900X20MM RECTANGULAR STEEL PIPE (398.54KG/M)    |
| 400X900X20.25MM RECTANGULAR STEEL PIPE (403.4KG/M)  |
| 400X900X20.5MM RECTANGULAR STEEL PIPE (408.25KG/M)  |
| 400X900X20.75MM RECTANGULAR STEEL PIPE (413.1KG/M)  |
| 400X900X21MM RECTANGULAR STEEL PIPE (417.95KG/M)    |
| 400X900X21.25MM RECTANGULAR STEEL PIPE (422.8KG/M)  |
| 400X900X21.5MM RECTANGULAR STEEL PIPE (427.64KG/M)  |
| 400X900X21.75MM RECTANGULAR STEEL PIPE (432.48KG/M) |
| 400X900X22MM RECTANGULAR STEEL PIPE (437.31KG/M)    |
| 400X900X22.25MM RECTANGULAR STEEL PIPE (442.14KG/M) |
| 400X900X22.5MM RECTANGULAR STEEL PIPE (446.97KG/M)  |
| 400X900X22.75MM RECTANGULAR STEEL PIPE (451.8KG/M)  |
| 400X900X23MM RECTANGULAR STEEL PIPE (456.62KG/M)    |
| 400X900X23.25MM RECTANGULAR STEEL PIPE (461.44KG/M) |
| 400X900X23.5MM RECTANGULAR STEEL PIPE (466.26KG/M)  |
| 400X900X23.75MM RECTANGULAR STEEL PIPE (471.07KG/M) |
| 400X900X24MM RECTANGULAR STEEL PIPE (475.88KG/M)    |
| 400X900X24.25MM RECTANGULAR STEEL PIPE (480.69KG/M) |
| 400X900X24.5MM RECTANGULAR STEEL PIPE (485.5KG/M)   |
| 400X900X24.75MM RECTANGULAR STEEL PIPE (490.3KG/M)  |
| 400X900X25MM RECTANGULAR STEEL PIPE (495.1KG/M)     |
| 400X900X25.25MM RECTANGULAR STEEL PIPE (499.89KG/M) |
| 400X900X25.5MM RECTANGULAR STEEL PIPE (504.68KG/M)  |
| 400X900X25.75MM RECTANGULAR STEEL PIPE (509.47KG/M) |
| 400X900X26MM RECTANGULAR STEEL PIPE (514.26KG/M)    |
| 400X900X26.25MM RECTANGULAR STEEL PIPE (519.04KG/M) |
| 400X900X26.5MM RECTANGULAR STEEL PIPE (523.82KG/M)  |
| 400X900X26.75MM RECTANGULAR STEEL PIPE (528.6KG/M)  |
| 400X900X27MM RECTANGULAR STEEL PIPE (533.37KG/M)    |
| 400X900X27.25MM RECTANGULAR STEEL PIPE (538.14KG/M) |
| 400X900X27.5MM RECTANGULAR STEEL PIPE (542.91KG/M)  |
| 400X900X27.75MM RECTANGULAR STEEL PIPE (547.67KG/M) |
| 400X900X28MM RECTANGULAR STEEL PIPE (552.44KG/M)    |
| 400X900X28.25MM RECTANGULAR STEEL PIPE (557.19KG/M) |
| 400X900X28.5MM RECTANGULAR STEEL PIPE (561.95KG/M)  |
| 400X900X28.75MM RECTANGULAR STEEL PIPE (566.7KG/M)  |
| 400X900X29MM RECTANGULAR STEEL PIPE (571.45KG/M)    |
| 400X900X29.25MM RECTANGULAR STEEL PIPE (576.2KG/M)  |
| 400X900X29.5MM RECTANGULAR STEEL PIPE (580.94KG/M)  |
| 400X900X29.75MM RECTANGULAR STEEL PIPE (585.68KG/M) |
| 400X900X30MM RECTANGULAR STEEL PIPE (590.42KG/M)    |
| 400X900X30.25MM RECTANGULAR STEEL PIPE (595.15KG/M) |
| 400X900X30.5MM RECTANGULAR STEEL PIPE (599.88KG/M)  |
| 400X900X30.75MM RECTANGULAR STEEL PIPE (604.61KG/M) |
| 400X900X31MM RECTANGULAR STEEL PIPE (609.33KG/M)    |
| 400X900X31.25MM RECTANGULAR STEEL PIPE (614.05KG/M) |
| 400X900X31.5MM RECTANGULAR STEEL PIPE (618.77KG/M)  |
| 400X900X31.75MM RECTANGULAR STEEL PIPE (623.49KG/M) |
| 400X900X32MM RECTANGULAR STEEL PIPE (628.2KG/M)     |
| 400X900X32.25MM RECTANGULAR STEEL PIPE (632.91KG/M) |

|   |
|---|
| 400X900X32.5MM RECTANGULAR STEEL PIPE (637.61KG/M)  |
| 400X900X32.75MM RECTANGULAR STEEL PIPE (642.32KG/M) |
| 400X900X33MM RECTANGULAR STEEL PIPE (647.02KG/M)    |
| 400X900X33.25MM RECTANGULAR STEEL PIPE (651.71KG/M) |
| 400X900X33.5MM RECTANGULAR STEEL PIPE (656.41KG/M)  |
| 400X900X33.75MM RECTANGULAR STEEL PIPE (661.1KG/M)  |
| 400X900X34MM RECTANGULAR STEEL PIPE (665.78KG/M)    |
| 400X900X34.25MM RECTANGULAR STEEL PIPE (670.47KG/M) |
| 400X900X34.5MM RECTANGULAR STEEL PIPE (675.15KG/M)  |
| 400X900X34.75MM RECTANGULAR STEEL PIPE (679.83KG/M) |
| 400X900X35MM RECTANGULAR STEEL PIPE (684.5KG/M)     |
| 400X900X35.25MM RECTANGULAR STEEL PIPE (689.17KG/M) |
| 400X900X35.5MM RECTANGULAR STEEL PIPE (693.84KG/M)  |
| 400X900X35.75MM RECTANGULAR STEEL PIPE (698.51KG/M) |
| 400X900X36MM RECTANGULAR STEEL PIPE (703.17KG/M)    |
| 400X900X36.25MM RECTANGULAR STEEL PIPE (707.83KG/M) |
| 400X900X36.5MM RECTANGULAR STEEL PIPE (712.49KG/M)  |
| 400X900X36.75MM RECTANGULAR STEEL PIPE (717.14KG/M) |
| 400X900X37MM RECTANGULAR STEEL PIPE (721.79KG/M)    |
| 400X900X37.25MM RECTANGULAR STEEL PIPE (726.44KG/M) |
| 400X900X37.5MM RECTANGULAR STEEL PIPE (731.08KG/M)  |
| 400X900X37.75MM RECTANGULAR STEEL PIPE (735.72KG/M) |
| 400X900X38MM RECTANGULAR STEEL PIPE (740.36KG/M)    |
| 400X900X38.25MM RECTANGULAR STEEL PIPE (745KG/M)    |
| 400X900X38.5MM RECTANGULAR STEEL PIPE (749.63KG/M)  |
| 400X900X38.75MM RECTANGULAR STEEL PIPE (754.26KG/M) |
| 400X900X39MM RECTANGULAR STEEL PIPE (758.88KG/M)    |
| 400X900X39.25MM RECTANGULAR STEEL PIPE (763.51KG/M) |
| 400X900X39.5MM RECTANGULAR STEEL PIPE (768.13KG/M)  |
| 400X900X39.75MM RECTANGULAR STEEL PIPE (772.74KG/M) |
| 400X900X40MM RECTANGULAR STEEL PIPE (777.36KG/M)    |
| 400X900X40.25MM RECTANGULAR STEEL PIPE (781.97KG/M) |
| 400X900X40.5MM RECTANGULAR STEEL PIPE (786.57KG/M)  |
| 400X900X40.75MM RECTANGULAR STEEL PIPE (791.18KG/M) |
| 400X900X41MM RECTANGULAR STEEL PIPE (795.78KG/M)    |
| 400X900X41.25MM RECTANGULAR STEEL PIPE (800.38KG/M) |
| 400X900X41.5MM RECTANGULAR STEEL PIPE (804.97KG/M)  |
| 400X900X41.75MM RECTANGULAR STEEL PIPE (809.56KG/M) |
| 400X900X42MM RECTANGULAR STEEL PIPE (814.15KG/M)    |
| 400X900X42.25MM RECTANGULAR STEEL PIPE (818.74KG/M) |
| 400X900X42.5MM RECTANGULAR STEEL PIPE (823.32KG/M)  |
| 400X900X42.75MM RECTANGULAR STEEL PIPE (827.9KG/M)  |
| 400X900X43MM RECTANGULAR STEEL PIPE (832.48KG/M)    |
| 400X900X43.25MM RECTANGULAR STEEL PIPE (837.05KG/M) |
| 400X900X43.5MM RECTANGULAR STEEL PIPE (841.62KG/M)  |
| 400X900X43.75MM RECTANGULAR STEEL PIPE (846.19KG/M) |
| 400X900X44MM RECTANGULAR STEEL PIPE (850.75KG/M)    |
| 400X900X44.25MM RECTANGULAR STEEL PIPE (855.31KG/M) |
| 400X900X44.5MM RECTANGULAR STEEL PIPE (859.87KG/M)  |
| 400X900X44.75MM RECTANGULAR STEEL PIPE (864.42KG/M) |
| 400X900X45MM RECTANGULAR STEEL PIPE (868.98KG/M)    |
| 400X900X45.25MM RECTANGULAR STEEL PIPE (873.52KG/M) |
| 400X900X45.5MM RECTANGULAR STEEL PIPE (878.07KG/M)  |
| 400X900X45.75MM RECTANGULAR STEEL PIPE (882.61KG/M) |
| 400X900X46MM RECTANGULAR STEEL PIPE (887.15KG/M)    |
| 400X900X46.25MM RECTANGULAR STEEL PIPE (891.69KG/M) |
| 400X900X46.5MM RECTANGULAR STEEL PIPE (896.22KG/M)  |

|   |
|---|
| 400X900X46.75MM RECTANGULAR STEEL PIPE (900.75KG/M) |
| 400X900X47MM RECTANGULAR STEEL PIPE (905.28KG/M)    |
| 400X900X47.25MM RECTANGULAR STEEL PIPE (909.8KG/M)  |
| 400X900X47.5MM RECTANGULAR STEEL PIPE (914.32KG/M)  |
| 400X900X47.75MM RECTANGULAR STEEL PIPE (918.84KG/M) |
| 400X900X48MM RECTANGULAR STEEL PIPE (923.36KG/M)    |
| 400X900X48.25MM RECTANGULAR STEEL PIPE (927.87KG/M) |
| 400X900X48.5MM RECTANGULAR STEEL PIPE (932.38KG/M)  |
| 400X900X48.75MM RECTANGULAR STEEL PIPE (936.88KG/M) |
| 400X900X49MM RECTANGULAR STEEL PIPE (941.38KG/M)    |
| 400X900X49.25MM RECTANGULAR STEEL PIPE (945.88KG/M) |
| 400X900X49.5MM RECTANGULAR STEEL PIPE (950.38KG/M)  |
| 400X900X49.75MM RECTANGULAR STEEL PIPE (954.87KG/M) |
| 400X900X50MM RECTANGULAR STEEL PIPE (959.36KG/M)    |
| 500X800X9.5MM RECTANGULAR STEEL PIPE (191.77KG/M)   |
| 500X800X9.75MM RECTANGULAR STEEL PIPE (196.75KG/M)  |
| 500X800X10MM RECTANGULAR STEEL PIPE (201.74KG/M)    |
| 500X800X10.25MM RECTANGULAR STEEL PIPE (206.72KG/M) |
| 500X800X10.5MM RECTANGULAR STEEL PIPE (211.69KG/M)  |
| 500X800X10.75MM RECTANGULAR STEEL PIPE (216.67KG/M) |
| 500X800X11MM RECTANGULAR STEEL PIPE (221.64KG/M)    |
| 500X800X11.25MM RECTANGULAR STEEL PIPE (226.61KG/M) |
| 500X800X11.5MM RECTANGULAR STEEL PIPE (231.57KG/M)  |
| 500X800X11.75MM RECTANGULAR STEEL PIPE (236.53KG/M) |
| 500X800X12MM RECTANGULAR STEEL PIPE (241.49KG/M)    |
| 500X800X12.25MM RECTANGULAR STEEL PIPE (246.45KG/M) |
| 500X800X12.5MM RECTANGULAR STEEL PIPE (251.4KG/M)   |
| 500X800X12.75MM RECTANGULAR STEEL PIPE (256.35KG/M) |
| 500X800X13MM RECTANGULAR STEEL PIPE (261.3KG/M)     |
| 500X800X13.25MM RECTANGULAR STEEL PIPE (266.24KG/M) |
| 500X800X13.5MM RECTANGULAR STEEL PIPE (271.18KG/M)  |
| 500X800X13.75MM RECTANGULAR STEEL PIPE (276.12KG/M) |
| 500X800X14MM RECTANGULAR STEEL PIPE (281.05KG/M)    |
| 500X800X14.25MM RECTANGULAR STEEL PIPE (285.98KG/M) |
| 500X800X14.5MM RECTANGULAR STEEL PIPE (290.91KG/M)  |
| 500X800X14.75MM RECTANGULAR STEEL PIPE (295.83KG/M) |
| 500X800X15MM RECTANGULAR STEEL PIPE (300.76KG/M)    |
| 500X800X15.25MM RECTANGULAR STEEL PIPE (305.68KG/M) |
| 500X800X15.5MM RECTANGULAR STEEL PIPE (310.59KG/M)  |
| 500X800X15.75MM RECTANGULAR STEEL PIPE (315.5KG/M)  |
| 500X800X16MM RECTANGULAR STEEL PIPE (320.41KG/M)    |
| 500X800X16.25MM RECTANGULAR STEEL PIPE (325.32KG/M) |
| 500X800X16.5MM RECTANGULAR STEEL PIPE (330.22KG/M)  |
| 500X800X16.75MM RECTANGULAR STEEL PIPE (335.12KG/M) |
| 500X800X17MM RECTANGULAR STEEL PIPE (340.02KG/M)    |
| 500X800X17.25MM RECTANGULAR STEEL PIPE (344.91KG/M) |
| 500X800X17.5MM RECTANGULAR STEEL PIPE (349.8KG/M)   |
| 500X800X17.75MM RECTANGULAR STEEL PIPE (354.69KG/M) |
| 500X800X18MM RECTANGULAR STEEL PIPE (359.58KG/M)    |
| 500X800X18.25MM RECTANGULAR STEEL PIPE (364.46KG/M) |
| 500X800X18.5MM RECTANGULAR STEEL PIPE (369.34KG/M)  |
| 500X800X18.75MM RECTANGULAR STEEL PIPE (374.21KG/M) |
| 500X800X19MM RECTANGULAR STEEL PIPE (379.08KG/M)    |
| 500X800X19.25MM RECTANGULAR STEEL PIPE (383.95KG/M) |
| 500X800X19.5MM RECTANGULAR STEEL PIPE (388.82KG/M)  |
| 500X800X19.75MM RECTANGULAR STEEL PIPE (393.68KG/M) |
| 500X800X20MM RECTANGULAR STEEL PIPE (398.54KG/M)    |

|   |
|---|
| 500X800X20.25MM RECTANGULAR STEEL PIPE (403.4KG/M)  |
| 500X800X20.5MM RECTANGULAR STEEL PIPE (408.25KG/M)  |
| 500X800X20.75MM RECTANGULAR STEEL PIPE (413.1KG/M)  |
| 500X800X21MM RECTANGULAR STEEL PIPE (417.95KG/M)    |
| 500X800X21.25MM RECTANGULAR STEEL PIPE (422.8KG/M)  |
| 500X800X21.5MM RECTANGULAR STEEL PIPE (427.64KG/M)  |
| 500X800X21.75MM RECTANGULAR STEEL PIPE (432.48KG/M) |
| 500X800X22MM RECTANGULAR STEEL PIPE (437.31KG/M)    |
| 500X800X22.25MM RECTANGULAR STEEL PIPE (442.14KG/M) |
| 500X800X22.5MM RECTANGULAR STEEL PIPE (446.97KG/M)  |
| 500X800X22.75MM RECTANGULAR STEEL PIPE (451.8KG/M)  |
| 500X800X23MM RECTANGULAR STEEL PIPE (456.62KG/M)    |
| 500X800X23.25MM RECTANGULAR STEEL PIPE (461.44KG/M) |
| 500X800X23.5MM RECTANGULAR STEEL PIPE (466.26KG/M)  |
| 500X800X23.75MM RECTANGULAR STEEL PIPE (471.07KG/M) |
| 500X800X24MM RECTANGULAR STEEL PIPE (475.88KG/M)    |
| 500X800X24.25MM RECTANGULAR STEEL PIPE (480.69KG/M) |
| 500X800X24.5MM RECTANGULAR STEEL PIPE (485.5KG/M)   |
| 500X800X24.75MM RECTANGULAR STEEL PIPE (490.3KG/M)  |
| 500X800X25MM RECTANGULAR STEEL PIPE (495.1KG/M)     |
| 500X800X25.25MM RECTANGULAR STEEL PIPE (499.89KG/M) |
| 500X800X25.5MM RECTANGULAR STEEL PIPE (504.68KG/M)  |
| 500X800X25.75MM RECTANGULAR STEEL PIPE (509.47KG/M) |
| 500X800X26MM RECTANGULAR STEEL PIPE (514.26KG/M)    |
| 500X800X26.25MM RECTANGULAR STEEL PIPE (519.04KG/M) |
| 500X800X26.5MM RECTANGULAR STEEL PIPE (523.82KG/M)  |
| 500X800X26.75MM RECTANGULAR STEEL PIPE (528.6KG/M)  |
| 500X800X27MM RECTANGULAR STEEL PIPE (533.37KG/M)    |
| 500X800X27.25MM RECTANGULAR STEEL PIPE (538.14KG/M) |
| 500X800X27.5MM RECTANGULAR STEEL PIPE (542.91KG/M)  |
| 500X800X27.75MM RECTANGULAR STEEL PIPE (547.67KG/M) |
| 500X800X28MM RECTANGULAR STEEL PIPE (552.44KG/M)    |
| 500X800X28.25MM RECTANGULAR STEEL PIPE (557.19KG/M) |
| 500X800X28.5MM RECTANGULAR STEEL PIPE (561.95KG/M)  |
| 500X800X28.75MM RECTANGULAR STEEL PIPE (566.7KG/M)  |
| 500X800X29MM RECTANGULAR STEEL PIPE (571.45KG/M)    |
| 500X800X29.25MM RECTANGULAR STEEL PIPE (576.2KG/M)  |
| 500X800X29.5MM RECTANGULAR STEEL PIPE (580.94KG/M)  |
| 500X800X29.75MM RECTANGULAR STEEL PIPE (585.68KG/M) |
| 500X800X30MM RECTANGULAR STEEL PIPE (590.42KG/M)    |
| 500X800X30.25MM RECTANGULAR STEEL PIPE (595.15KG/M) |
| 500X800X30.5MM RECTANGULAR STEEL PIPE (599.88KG/M)  |
| 500X800X30.75MM RECTANGULAR STEEL PIPE (604.61KG/M) |
| 500X800X31MM RECTANGULAR STEEL PIPE (609.33KG/M)    |
| 500X800X31.25MM RECTANGULAR STEEL PIPE (614.05KG/M) |
| 500X800X31.5MM RECTANGULAR STEEL PIPE (618.77KG/M)  |
| 500X800X31.75MM RECTANGULAR STEEL PIPE (623.49KG/M) |
| 500X800X32MM RECTANGULAR STEEL PIPE (628.2KG/M)     |
| 500X800X32.25MM RECTANGULAR STEEL PIPE (632.91KG/M) |
| 500X800X32.5MM RECTANGULAR STEEL PIPE (637.61KG/M)  |
| 500X800X32.75MM RECTANGULAR STEEL PIPE (642.32KG/M) |
| 500X800X33MM RECTANGULAR STEEL PIPE (647.02KG/M)    |
| 500X800X33.25MM RECTANGULAR STEEL PIPE (651.71KG/M) |
| 500X800X33.5MM RECTANGULAR STEEL PIPE (656.41KG/M)  |
| 500X800X33.75MM RECTANGULAR STEEL PIPE (661.1KG/M)  |
| 500X800X34MM RECTANGULAR STEEL PIPE (665.78KG/M)    |
| 500X800X34.25MM RECTANGULAR STEEL PIPE (670.47KG/M) |



|   |
|---|
| 500X800X34.5MM RECTANGULAR STEEL PIPE (675.15KG/M)  |
| 500X800X34.75MM RECTANGULAR STEEL PIPE (679.83KG/M) |
| 500X800X35MM RECTANGULAR STEEL PIPE (684.5KG/M)     |
| 500X800X35.25MM RECTANGULAR STEEL PIPE (689.17KG/M) |
| 500X800X35.5MM RECTANGULAR STEEL PIPE (693.84KG/M)  |
| 500X800X35.75MM RECTANGULAR STEEL PIPE (698.51KG/M) |
| 500X800X36MM RECTANGULAR STEEL PIPE (703.17KG/M)    |
| 500X800X36.25MM RECTANGULAR STEEL PIPE (707.83KG/M) |
| 500X800X36.5MM RECTANGULAR STEEL PIPE (712.49KG/M)  |
| 500X800X36.75MM RECTANGULAR STEEL PIPE (717.14KG/M) |
| 500X800X37MM RECTANGULAR STEEL PIPE (721.79KG/M)    |
| 500X800X37.25MM RECTANGULAR STEEL PIPE (726.44KG/M) |
| 500X800X37.5MM RECTANGULAR STEEL PIPE (731.08KG/M)  |
| 500X800X37.75MM RECTANGULAR STEEL PIPE (735.72KG/M) |
| 500X800X38MM RECTANGULAR STEEL PIPE (740.36KG/M)    |
| 500X800X38.25MM RECTANGULAR STEEL PIPE (745KG/M)    |
| 500X800X38.5MM RECTANGULAR STEEL PIPE (749.63KG/M)  |
| 500X800X38.75MM RECTANGULAR STEEL PIPE (754.26KG/M) |
| 500X800X39MM RECTANGULAR STEEL PIPE (758.88KG/M)    |
| 500X800X39.25MM RECTANGULAR STEEL PIPE (763.51KG/M) |
| 500X800X39.5MM RECTANGULAR STEEL PIPE (768.13KG/M)  |
| 500X800X39.75MM RECTANGULAR STEEL PIPE (772.74KG/M) |
| 500X800X40MM RECTANGULAR STEEL PIPE (777.36KG/M)    |
| 500X800X40.25MM RECTANGULAR STEEL PIPE (781.97KG/M) |
| 500X800X40.5MM RECTANGULAR STEEL PIPE (786.57KG/M)  |
| 500X800X40.75MM RECTANGULAR STEEL PIPE (791.18KG/M) |
| 500X800X41MM RECTANGULAR STEEL PIPE (795.78KG/M)    |
| 500X800X41.25MM RECTANGULAR STEEL PIPE (800.38KG/M) |
| 500X800X41.5MM RECTANGULAR STEEL PIPE (804.97KG/M)  |
| 500X800X41.75MM RECTANGULAR STEEL PIPE (809.56KG/M) |
| 500X800X42MM RECTANGULAR STEEL PIPE (814.15KG/M)    |
| 500X800X42.25MM RECTANGULAR STEEL PIPE (818.74KG/M) |
| 500X800X42.5MM RECTANGULAR STEEL PIPE (823.32KG/M)  |
| 500X800X42.75MM RECTANGULAR STEEL PIPE (827.9KG/M)  |
| 500X800X43MM RECTANGULAR STEEL PIPE (832.48KG/M)    |
| 500X800X43.25MM RECTANGULAR STEEL PIPE (837.05KG/M) |
| 500X800X43.5MM RECTANGULAR STEEL PIPE (841.62KG/M)  |
| 500X800X43.75MM RECTANGULAR STEEL PIPE (846.19KG/M) |
| 500X800X44MM RECTANGULAR STEEL PIPE (850.75KG/M)    |
| 500X800X44.25MM RECTANGULAR STEEL PIPE (855.31KG/M) |
| 500X800X44.5MM RECTANGULAR STEEL PIPE (859.87KG/M)  |
| 500X800X44.75MM RECTANGULAR STEEL PIPE (864.42KG/M) |
| 500X800X45MM RECTANGULAR STEEL PIPE (868.98KG/M)    |
| 500X800X45.25MM RECTANGULAR STEEL PIPE (873.52KG/M) |
| 500X800X45.5MM RECTANGULAR STEEL PIPE (878.07KG/M)  |
| 500X800X45.75MM RECTANGULAR STEEL PIPE (882.61KG/M) |
| 500X800X46MM RECTANGULAR STEEL PIPE (887.15KG/M)    |
| 500X800X46.25MM RECTANGULAR STEEL PIPE (891.69KG/M) |
| 500X800X46.5MM RECTANGULAR STEEL PIPE (896.22KG/M)  |
| 500X800X46.75MM RECTANGULAR STEEL PIPE (900.75KG/M) |
| 500X800X47MM RECTANGULAR STEEL PIPE (905.28KG/M)    |
| 500X800X47.25MM RECTANGULAR STEEL PIPE (909.8KG/M)  |
| 500X800X47.5MM RECTANGULAR STEEL PIPE (914.32KG/M)  |
| 500X800X47.75MM RECTANGULAR STEEL PIPE (918.84KG/M) |
| 500X800X48MM RECTANGULAR STEEL PIPE (923.36KG/M)    |
| 500X800X48.25MM RECTANGULAR STEEL PIPE (927.87KG/M) |
| 500X800X48.5MM RECTANGULAR STEEL PIPE (932.38KG/M)  |

|   |
|---|
| 500X800X48.75MM RECTANGULAR STEEL PIPE (936.88KG/M) |
| 500X800X49MM RECTANGULAR STEEL PIPE (941.38KG/M)    |
| 500X800X49.25MM RECTANGULAR STEEL PIPE (945.88KG/M) |
| 500X800X49.5MM RECTANGULAR STEEL PIPE (950.38KG/M)  |
| 500X800X49.75MM RECTANGULAR STEEL PIPE (954.87KG/M) |
| 500X800X50MM RECTANGULAR STEEL PIPE (959.36KG/M)    |
| 600X700X9.5MM RECTANGULAR STEEL PIPE (191.77KG/M)   |
| 600X700X9.75MM RECTANGULAR STEEL PIPE (196.75KG/M)  |
| 600X700X10MM RECTANGULAR STEEL PIPE (201.74KG/M)    |
| 600X700X10.25MM RECTANGULAR STEEL PIPE (206.72KG/M) |
| 600X700X10.5MM RECTANGULAR STEEL PIPE (211.69KG/M)  |
| 600X700X10.75MM RECTANGULAR STEEL PIPE (216.67KG/M) |
| 600X700X11MM RECTANGULAR STEEL PIPE (221.64KG/M)    |
| 600X700X11.25MM RECTANGULAR STEEL PIPE (226.61KG/M) |
| 600X700X11.5MM RECTANGULAR STEEL PIPE (231.57KG/M)  |
| 600X700X11.75MM RECTANGULAR STEEL PIPE (236.53KG/M) |
| 600X700X12MM RECTANGULAR STEEL PIPE (241.49KG/M)    |
| 600X700X12.25MM RECTANGULAR STEEL PIPE (246.45KG/M) |
| 600X700X12.5MM RECTANGULAR STEEL PIPE (251.4KG/M)   |
| 600X700X12.75MM RECTANGULAR STEEL PIPE (256.35KG/M) |
| 600X700X13MM RECTANGULAR STEEL PIPE (261.3KG/M)     |
| 600X700X13.25MM RECTANGULAR STEEL PIPE (266.24KG/M) |
| 600X700X13.5MM RECTANGULAR STEEL PIPE (271.18KG/M)  |
| 600X700X13.75MM RECTANGULAR STEEL PIPE (276.12KG/M) |
| 600X700X14MM RECTANGULAR STEEL PIPE (281.05KG/M)    |
| 600X700X14.25MM RECTANGULAR STEEL PIPE (285.98KG/M) |
| 600X700X14.5MM RECTANGULAR STEEL PIPE (290.91KG/M)  |
| 600X700X14.75MM RECTANGULAR STEEL PIPE (295.83KG/M) |
| 600X700X15MM RECTANGULAR STEEL PIPE (300.76KG/M)    |
| 600X700X15.25MM RECTANGULAR STEEL PIPE (305.68KG/M) |
| 600X700X15.5MM RECTANGULAR STEEL PIPE (310.59KG/M)  |
| 600X700X15.75MM RECTANGULAR STEEL PIPE (315.5KG/M)  |
| 600X700X16MM RECTANGULAR STEEL PIPE (320.41KG/M)    |
| 600X700X16.25MM RECTANGULAR STEEL PIPE (325.32KG/M) |
| 600X700X16.5MM RECTANGULAR STEEL PIPE (330.22KG/M)  |
| 600X700X16.75MM RECTANGULAR STEEL PIPE (335.12KG/M) |
| 600X700X17MM RECTANGULAR STEEL PIPE (340.02KG/M)    |
| 600X700X17.25MM RECTANGULAR STEEL PIPE (344.91KG/M) |
| 600X700X17.5MM RECTANGULAR STEEL PIPE (349.8KG/M)   |
| 600X700X17.75MM RECTANGULAR STEEL PIPE (354.69KG/M) |
| 600X700X18MM RECTANGULAR STEEL PIPE (359.58KG/M)    |
| 600X700X18.25MM RECTANGULAR STEEL PIPE (364.46KG/M) |
| 600X700X18.5MM RECTANGULAR STEEL PIPE (369.34KG/M)  |
| 600X700X18.75MM RECTANGULAR STEEL PIPE (374.21KG/M) |
| 600X700X19MM RECTANGULAR STEEL PIPE (379.08KG/M)    |
| 600X700X19.25MM RECTANGULAR STEEL PIPE (383.95KG/M) |
| 600X700X19.5MM RECTANGULAR STEEL PIPE (388.82KG/M)  |
| 600X700X19.75MM RECTANGULAR STEEL PIPE (393.68KG/M) |
| 600X700X20MM RECTANGULAR STEEL PIPE (398.54KG/M)    |
| 600X700X20.25MM RECTANGULAR STEEL PIPE (403.4KG/M)  |
| 600X700X20.5MM RECTANGULAR STEEL PIPE (408.25KG/M)  |
| 600X700X20.75MM RECTANGULAR STEEL PIPE (413.1KG/M)  |
| 600X700X21MM RECTANGULAR STEEL PIPE (417.95KG/M)    |
| 600X700X21.25MM RECTANGULAR STEEL PIPE (422.8KG/M)  |
| 600X700X21.5MM RECTANGULAR STEEL PIPE (427.64KG/M)  |
| 600X700X21.75MM RECTANGULAR STEEL PIPE (432.48KG/M) |
| 600X700X22MM RECTANGULAR STEEL PIPE (437.31KG/M)    |

|   |
|---|
| 600X700X22.25MM RECTANGULAR STEEL PIPE (442.14KG/M) |
| 600X700X22.5MM RECTANGULAR STEEL PIPE (446.97KG/M)  |
| 600X700X22.75MM RECTANGULAR STEEL PIPE (451.8KG/M)  |
| 600X700X23MM RECTANGULAR STEEL PIPE (456.62KG/M)    |
| 600X700X23.25MM RECTANGULAR STEEL PIPE (461.44KG/M) |
| 600X700X23.5MM RECTANGULAR STEEL PIPE (466.26KG/M)  |
| 600X700X23.75MM RECTANGULAR STEEL PIPE (471.07KG/M) |
| 600X700X24MM RECTANGULAR STEEL PIPE (475.88KG/M)    |
| 600X700X24.25MM RECTANGULAR STEEL PIPE (480.69KG/M) |
| 600X700X24.5MM RECTANGULAR STEEL PIPE (485.5KG/M)   |
| 600X700X24.75MM RECTANGULAR STEEL PIPE (490.3KG/M)  |
| 600X700X25MM RECTANGULAR STEEL PIPE (495.1KG/M)     |
| 600X700X25.25MM RECTANGULAR STEEL PIPE (499.89KG/M) |
| 600X700X25.5MM RECTANGULAR STEEL PIPE (504.68KG/M)  |
| 600X700X25.75MM RECTANGULAR STEEL PIPE (509.47KG/M) |
| 600X700X26MM RECTANGULAR STEEL PIPE (514.26KG/M)    |
| 600X700X26.25MM RECTANGULAR STEEL PIPE (519.04KG/M) |
| 600X700X26.5MM RECTANGULAR STEEL PIPE (523.82KG/M)  |
| 600X700X26.75MM RECTANGULAR STEEL PIPE (528.6KG/M)  |
| 600X700X27MM RECTANGULAR STEEL PIPE (533.37KG/M)    |
| 600X700X27.25MM RECTANGULAR STEEL PIPE (538.14KG/M) |
| 600X700X27.5MM RECTANGULAR STEEL PIPE (542.91KG/M)  |
| 600X700X27.75MM RECTANGULAR STEEL PIPE (547.67KG/M) |
| 600X700X28MM RECTANGULAR STEEL PIPE (552.44KG/M)    |
| 600X700X28.25MM RECTANGULAR STEEL PIPE (557.19KG/M) |
| 600X700X28.5MM RECTANGULAR STEEL PIPE (561.95KG/M)  |
| 600X700X28.75MM RECTANGULAR STEEL PIPE (566.7KG/M)  |
| 600X700X29MM RECTANGULAR STEEL PIPE (571.45KG/M)    |
| 600X700X29.25MM RECTANGULAR STEEL PIPE (576.2KG/M)  |
| 600X700X29.5MM RECTANGULAR STEEL PIPE (580.94KG/M)  |
| 600X700X29.75MM RECTANGULAR STEEL PIPE (585.68KG/M) |
| 600X700X30MM RECTANGULAR STEEL PIPE (590.42KG/M)    |
| 600X700X30.25MM RECTANGULAR STEEL PIPE (595.15KG/M) |
| 600X700X30.5MM RECTANGULAR STEEL PIPE (599.88KG/M)  |
| 600X700X30.75MM RECTANGULAR STEEL PIPE (604.61KG/M) |
| 600X700X31MM RECTANGULAR STEEL PIPE (609.33KG/M)    |
| 600X700X31.25MM RECTANGULAR STEEL PIPE (614.05KG/M) |
| 600X700X31.5MM RECTANGULAR STEEL PIPE (618.77KG/M)  |
| 600X700X31.75MM RECTANGULAR STEEL PIPE (623.49KG/M) |
| 600X700X32MM RECTANGULAR STEEL PIPE (628.2KG/M)     |
| 600X700X32.25MM RECTANGULAR STEEL PIPE (632.91KG/M) |
| 600X700X32.5MM RECTANGULAR STEEL PIPE (637.61KG/M)  |
| 600X700X32.75MM RECTANGULAR STEEL PIPE (642.32KG/M) |
| 600X700X33MM RECTANGULAR STEEL PIPE (647.02KG/M)    |
| 600X700X33.25MM RECTANGULAR STEEL PIPE (651.71KG/M) |
| 600X700X33.5MM RECTANGULAR STEEL PIPE (656.41KG/M)  |
| 600X700X33.75MM RECTANGULAR STEEL PIPE (661.1KG/M)  |
| 600X700X34MM RECTANGULAR STEEL PIPE (665.78KG/M)    |
| 600X700X34.25MM RECTANGULAR STEEL PIPE (670.47KG/M) |
| 600X700X34.5MM RECTANGULAR STEEL PIPE (675.15KG/M)  |
| 600X700X34.75MM RECTANGULAR STEEL PIPE (679.83KG/M) |
| 600X700X35MM RECTANGULAR STEEL PIPE (684.5KG/M)     |
| 600X700X35.25MM RECTANGULAR STEEL PIPE (689.17KG/M) |
| 600X700X35.5MM RECTANGULAR STEEL PIPE (693.84KG/M)  |
| 600X700X35.75MM RECTANGULAR STEEL PIPE (698.51KG/M) |
| 600X700X36MM RECTANGULAR STEEL PIPE (703.17KG/M)    |
| 600X700X36.25MM RECTANGULAR STEEL PIPE (707.83KG/M) |

|   |
|---|
| 600X700X36.5MM RECTANGULAR STEEL PIPE (712.49KG/M)  |
| 600X700X36.75MM RECTANGULAR STEEL PIPE (717.14KG/M) |
| 600X700X37MM RECTANGULAR STEEL PIPE (721.79KG/M)    |
| 600X700X37.25MM RECTANGULAR STEEL PIPE (726.44KG/M) |
| 600X700X37.5MM RECTANGULAR STEEL PIPE (731.08KG/M)  |
| 600X700X37.75MM RECTANGULAR STEEL PIPE (735.72KG/M) |
| 600X700X38MM RECTANGULAR STEEL PIPE (740.36KG/M)    |
| 600X700X38.25MM RECTANGULAR STEEL PIPE (745KG/M)    |
| 600X700X38.5MM RECTANGULAR STEEL PIPE (749.63KG/M)  |
| 600X700X38.75MM RECTANGULAR STEEL PIPE (754.26KG/M) |
| 600X700X39MM RECTANGULAR STEEL PIPE (758.88KG/M)    |
| 600X700X39.25MM RECTANGULAR STEEL PIPE (763.51KG/M) |
| 600X700X39.5MM RECTANGULAR STEEL PIPE (768.13KG/M)  |
| 600X700X39.75MM RECTANGULAR STEEL PIPE (772.74KG/M) |
| 600X700X40MM RECTANGULAR STEEL PIPE (777.36KG/M)    |
| 600X700X40.25MM RECTANGULAR STEEL PIPE (781.97KG/M) |
| 600X700X40.5MM RECTANGULAR STEEL PIPE (786.57KG/M)  |
| 600X700X40.75MM RECTANGULAR STEEL PIPE (791.18KG/M) |
| 600X700X41MM RECTANGULAR STEEL PIPE (795.78KG/M)    |
| 600X700X41.25MM RECTANGULAR STEEL PIPE (800.38KG/M) |
| 600X700X41.5MM RECTANGULAR STEEL PIPE (804.97KG/M)  |
| 600X700X41.75MM RECTANGULAR STEEL PIPE (809.56KG/M) |
| 600X700X42MM RECTANGULAR STEEL PIPE (814.15KG/M)    |
| 600X700X42.25MM RECTANGULAR STEEL PIPE (818.74KG/M) |
| 600X700X42.5MM RECTANGULAR STEEL PIPE (823.32KG/M)  |
| 600X700X42.75MM RECTANGULAR STEEL PIPE (827.9KG/M)  |
| 600X700X43MM RECTANGULAR STEEL PIPE (832.48KG/M)    |
| 600X700X43.25MM RECTANGULAR STEEL PIPE (837.05KG/M) |
| 600X700X43.5MM RECTANGULAR STEEL PIPE (841.62KG/M)  |
| 600X700X43.75MM RECTANGULAR STEEL PIPE (846.19KG/M) |
| 600X700X44MM RECTANGULAR STEEL PIPE (850.75KG/M)    |
| 600X700X44.25MM RECTANGULAR STEEL PIPE (855.31KG/M) |
| 600X700X44.5MM RECTANGULAR STEEL PIPE (859.87KG/M)  |
| 600X700X44.75MM RECTANGULAR STEEL PIPE (864.42KG/M) |
| 600X700X45MM RECTANGULAR STEEL PIPE (868.98KG/M)    |
| 600X700X45.25MM RECTANGULAR STEEL PIPE (873.52KG/M) |
| 600X700X45.5MM RECTANGULAR STEEL PIPE (878.07KG/M)  |
| 600X700X45.75MM RECTANGULAR STEEL PIPE (882.61KG/M) |
| 600X700X46MM RECTANGULAR STEEL PIPE (887.15KG/M)    |
| 600X700X46.25MM RECTANGULAR STEEL PIPE (891.69KG/M) |
| 600X700X46.5MM RECTANGULAR STEEL PIPE (896.22KG/M)  |
| 600X700X46.75MM RECTANGULAR STEEL PIPE (900.75KG/M) |
| 600X700X47MM RECTANGULAR STEEL PIPE (905.28KG/M)    |
| 600X700X47.25MM RECTANGULAR STEEL PIPE (909.8KG/M)  |
| 600X700X47.5MM RECTANGULAR STEEL PIPE (914.32KG/M)  |
| 600X700X47.75MM RECTANGULAR STEEL PIPE (918.84KG/M) |
| 600X700X48MM RECTANGULAR STEEL PIPE (923.36KG/M)    |
| 600X700X48.25MM RECTANGULAR STEEL PIPE (927.87KG/M) |
| 600X700X48.5MM RECTANGULAR STEEL PIPE (932.38KG/M)  |
| 600X700X48.75MM RECTANGULAR STEEL PIPE (936.88KG/M) |
| 600X700X49MM RECTANGULAR STEEL PIPE (941.38KG/M)    |
| 600X700X49.25MM RECTANGULAR STEEL PIPE (945.88KG/M) |
| 600X700X49.5MM RECTANGULAR STEEL PIPE (950.38KG/M)  |
| 600X700X49.75MM RECTANGULAR STEEL PIPE (954.87KG/M) |
| 600X700X50MM RECTANGULAR STEEL PIPE (959.36KG/M)    |
| 400X1000X9.5MM RECTANGULAR STEEL PIPE (206.69KG/M)  |
| 400X1000X9.75MM RECTANGULAR STEEL PIPE (212.07KG/M) |

|  |
|--|
| 400X1000X10MM RECTANGULAR STEEL PIPE (217.45KG/M)    |
| 400X1000X10.25MM RECTANGULAR STEEL PIPE (222.82KG/M) |
| 400X1000X10.5MM RECTANGULAR STEEL PIPE (228.19KG/M)  |
| 400X1000X10.75MM RECTANGULAR STEEL PIPE (233.55KG/M) |
| 400X1000X11MM RECTANGULAR STEEL PIPE (238.92KG/M)    |
| 400X1000X11.25MM RECTANGULAR STEEL PIPE (244.28KG/M) |
| 400X1000X11.5MM RECTANGULAR STEEL PIPE (249.64KG/M)  |
| 400X1000X11.75MM RECTANGULAR STEEL PIPE (254.99KG/M) |
| 400X1000X12MM RECTANGULAR STEEL PIPE (260.34KG/M)    |
| 400X1000X12.25MM RECTANGULAR STEEL PIPE (265.69KG/M) |
| 400X1000X12.5MM RECTANGULAR STEEL PIPE (271.04KG/M)  |
| 400X1000X12.75MM RECTANGULAR STEEL PIPE (276.38KG/M) |
| 400X1000X13MM RECTANGULAR STEEL PIPE (281.72KG/M)    |
| 400X1000X13.25MM RECTANGULAR STEEL PIPE (287.05KG/M) |
| 400X1000X13.5MM RECTANGULAR STEEL PIPE (292.39KG/M)  |
| 400X1000X13.75MM RECTANGULAR STEEL PIPE (297.72KG/M) |
| 400X1000X14MM RECTANGULAR STEEL PIPE (303.04KG/M)    |
| 400X1000X14.25MM RECTANGULAR STEEL PIPE (308.37KG/M) |
| 400X1000X14.5MM RECTANGULAR STEEL PIPE (313.69KG/M)  |
| 400X1000X14.75MM RECTANGULAR STEEL PIPE (319KG/M)    |
| 400X1000X15MM RECTANGULAR STEEL PIPE (324.32KG/M)    |
| 400X1000X15.25MM RECTANGULAR STEEL PIPE (329.63KG/M) |
| 400X1000X15.5MM RECTANGULAR STEEL PIPE (334.94KG/M)  |
| 400X1000X15.75MM RECTANGULAR STEEL PIPE (340.24KG/M) |
| 400X1000X16MM RECTANGULAR STEEL PIPE (345.54KG/M)    |
| 400X1000X16.25MM RECTANGULAR STEEL PIPE (350.84KG/M) |
| 400X1000X16.5MM RECTANGULAR STEEL PIPE (356.14KG/M)  |
| 400X1000X16.75MM RECTANGULAR STEEL PIPE (361.43KG/M) |
| 400X1000X17MM RECTANGULAR STEEL PIPE (366.72KG/M)    |
| 400X1000X17.25MM RECTANGULAR STEEL PIPE (372.01KG/M) |
| 400X1000X17.5MM RECTANGULAR STEEL PIPE (377.29KG/M)  |
| 400X1000X17.75MM RECTANGULAR STEEL PIPE (382.57KG/M) |
| 400X1000X18MM RECTANGULAR STEEL PIPE (387.85KG/M)    |
| 400X1000X18.25MM RECTANGULAR STEEL PIPE (393.12KG/M) |
| 400X1000X18.5MM RECTANGULAR STEEL PIPE (398.4KG/M)   |
| 400X1000X18.75MM RECTANGULAR STEEL PIPE (403.66KG/M) |
| 400X1000X19MM RECTANGULAR STEEL PIPE (408.93KG/M)    |
| 400X1000X19.25MM RECTANGULAR STEEL PIPE (414.19KG/M) |
| 400X1000X19.5MM RECTANGULAR STEEL PIPE (419.45KG/M)  |
| 400X1000X19.75MM RECTANGULAR STEEL PIPE (424.71KG/M) |
| 400X1000X20MM RECTANGULAR STEEL PIPE (429.96KG/M)    |
| 400X1000X20.25MM RECTANGULAR STEEL PIPE (435.21KG/M) |
| 400X1000X20.5MM RECTANGULAR STEEL PIPE (440.45KG/M)  |
| 400X1000X20.75MM RECTANGULAR STEEL PIPE (445.7KG/M)  |
| 400X1000X21MM RECTANGULAR STEEL PIPE (450.94KG/M)    |
| 400X1000X21.25MM RECTANGULAR STEEL PIPE (456.18KG/M) |
| 400X1000X21.5MM RECTANGULAR STEEL PIPE (461.41KG/M)  |
| 400X1000X21.75MM RECTANGULAR STEEL PIPE (466.64KG/M) |
| 400X1000X22MM RECTANGULAR STEEL PIPE (471.87KG/M)    |
| 400X1000X22.25MM RECTANGULAR STEEL PIPE (477.09KG/M) |
| 400X1000X22.5MM RECTANGULAR STEEL PIPE (482.32KG/M)  |
| 400X1000X22.75MM RECTANGULAR STEEL PIPE (487.53KG/M) |
| 400X1000X23MM RECTANGULAR STEEL PIPE (492.75KG/M)    |
| 400X1000X23.25MM RECTANGULAR STEEL PIPE (497.96KG/M) |
| 400X1000X23.5MM RECTANGULAR STEEL PIPE (503.17KG/M)  |
| 400X1000X23.75MM RECTANGULAR STEEL PIPE (508.38KG/M) |
| 400X1000X24MM RECTANGULAR STEEL PIPE (513.58KG/M)    |

|  |
|--|
| 400X1000X24.25MM RECTANGULAR STEEL PIPE (518.78KG/M) |
| 400X1000X24.5MM RECTANGULAR STEEL PIPE (523.98KG/M)  |
| 400X1000X24.75MM RECTANGULAR STEEL PIPE (529.17KG/M) |
| 400X1000X25MM RECTANGULAR STEEL PIPE (534.37KG/M)    |
| 400X1000X25.25MM RECTANGULAR STEEL PIPE (539.55KG/M) |
| 400X1000X25.5MM RECTANGULAR STEEL PIPE (544.74KG/M)  |
| 400X1000X25.75MM RECTANGULAR STEEL PIPE (549.92KG/M) |
| 400X1000X26MM RECTANGULAR STEEL PIPE (555.1KG/M)     |
| 400X1000X26.25MM RECTANGULAR STEEL PIPE (560.27KG/M) |
| 400X1000X26.5MM RECTANGULAR STEEL PIPE (565.45KG/M)  |
| 400X1000X26.75MM RECTANGULAR STEEL PIPE (570.62KG/M) |
| 400X1000X27MM RECTANGULAR STEEL PIPE (575.78KG/M)    |
| 400X1000X27.25MM RECTANGULAR STEEL PIPE (580.95KG/M) |
| 400X1000X27.5MM RECTANGULAR STEEL PIPE (586.11KG/M)  |
| 400X1000X27.75MM RECTANGULAR STEEL PIPE (591.26KG/M) |
| 400X1000X28MM RECTANGULAR STEEL PIPE (596.42KG/M)    |
| 400X1000X28.25MM RECTANGULAR STEEL PIPE (601.57KG/M) |
| 400X1000X28.5MM RECTANGULAR STEEL PIPE (606.72KG/M)  |
| 400X1000X28.75MM RECTANGULAR STEEL PIPE (611.86KG/M) |
| 400X1000X29MM RECTANGULAR STEEL PIPE (617KG/M)       |
| 400X1000X29.25MM RECTANGULAR STEEL PIPE (622.14KG/M) |
| 400X1000X29.5MM RECTANGULAR STEEL PIPE (627.28KG/M)  |
| 400X1000X29.75MM RECTANGULAR STEEL PIPE (632.41KG/M) |
| 400X1000X30MM RECTANGULAR STEEL PIPE (637.54KG/M)    |
| 400X1000X30.25MM RECTANGULAR STEEL PIPE (642.67KG/M) |
| 400X1000X30.5MM RECTANGULAR STEEL PIPE (647.79KG/M)  |
| 400X1000X30.75MM RECTANGULAR STEEL PIPE (652.91KG/M) |
| 400X1000X31MM RECTANGULAR STEEL PIPE (658.03KG/M)    |
| 400X1000X31.25MM RECTANGULAR STEEL PIPE (663.14KG/M) |
| 400X1000X31.5MM RECTANGULAR STEEL PIPE (668.25KG/M)  |
| 400X1000X31.75MM RECTANGULAR STEEL PIPE (673.36KG/M) |
| 400X1000X32MM RECTANGULAR STEEL PIPE (678.46KG/M)    |
| 400X1000X32.25MM RECTANGULAR STEEL PIPE (683.56KG/M) |
| 400X1000X32.5MM RECTANGULAR STEEL PIPE (688.66KG/M)  |
| 400X1000X32.75MM RECTANGULAR STEEL PIPE (693.76KG/M) |
| 400X1000X33MM RECTANGULAR STEEL PIPE (698.85KG/M)    |
| 400X1000X33.25MM RECTANGULAR STEEL PIPE (703.94KG/M) |
| 400X1000X33.5MM RECTANGULAR STEEL PIPE (709.03KG/M)  |
| 400X1000X33.75MM RECTANGULAR STEEL PIPE (714.11KG/M) |
| 400X1000X34MM RECTANGULAR STEEL PIPE (719.19KG/M)    |
| 400X1000X34.25MM RECTANGULAR STEEL PIPE (724.27KG/M) |
| 400X1000X34.5MM RECTANGULAR STEEL PIPE (729.34KG/M)  |
| 400X1000X34.75MM RECTANGULAR STEEL PIPE (734.41KG/M) |
| 400X1000X35MM RECTANGULAR STEEL PIPE (739.48KG/M)    |
| 400X1000X35.25MM RECTANGULAR STEEL PIPE (744.54KG/M) |
| 400X1000X35.5MM RECTANGULAR STEEL PIPE (749.61KG/M)  |
| 400X1000X35.75MM RECTANGULAR STEEL PIPE (754.66KG/M) |
| 400X1000X36MM RECTANGULAR STEEL PIPE (759.72KG/M)    |
| 400X1000X36.25MM RECTANGULAR STEEL PIPE (764.77KG/M) |
| 400X1000X36.5MM RECTANGULAR STEEL PIPE (769.82KG/M)  |
| 400X1000X36.75MM RECTANGULAR STEEL PIPE (774.87KG/M) |
| 400X1000X37MM RECTANGULAR STEEL PIPE (779.91KG/M)    |
| 400X1000X37.25MM RECTANGULAR STEEL PIPE (784.95KG/M) |
| 400X1000X37.5MM RECTANGULAR STEEL PIPE (789.99KG/M)  |
| 400X1000X37.75MM RECTANGULAR STEEL PIPE (795.02KG/M) |
| 400X1000X38MM RECTANGULAR STEEL PIPE (800.05KG/M)    |
| 400X1000X38.25MM RECTANGULAR STEEL PIPE (805.08KG/M) |

|   |
|---|
| 400X1000X38.5MM RECTANGULAR STEEL PIPE (810.1KG/M)    |
| 400X1000X38.75MM RECTANGULAR STEEL PIPE (815.13KG/M)  |
| 400X1000X39MM RECTANGULAR STEEL PIPE (820.14KG/M)     |
| 400X1000X39.25MM RECTANGULAR STEEL PIPE (825.16KG/M)  |
| 400X1000X39.5MM RECTANGULAR STEEL PIPE (830.17KG/M)   |
| 400X1000X39.75MM RECTANGULAR STEEL PIPE (835.18KG/M)  |
| 400X1000X40MM RECTANGULAR STEEL PIPE (840.19KG/M)     |
| 400X1000X40.25MM RECTANGULAR STEEL PIPE (845.19KG/M)  |
| 400X1000X40.5MM RECTANGULAR STEEL PIPE (850.19KG/M)   |
| 400X1000X40.75MM RECTANGULAR STEEL PIPE (855.19KG/M)  |
| 400X1000X41MM RECTANGULAR STEEL PIPE (860.18KG/M)     |
| 400X1000X41.25MM RECTANGULAR STEEL PIPE (865.17KG/M)  |
| 400X1000X41.5MM RECTANGULAR STEEL PIPE (870.16KG/M)   |
| 400X1000X41.75MM RECTANGULAR STEEL PIPE (875.14KG/M)  |
| 400X1000X42MM RECTANGULAR STEEL PIPE (880.13KG/M)     |
| 400X1000X42.25MM RECTANGULAR STEEL PIPE (885.1KG/M)   |
| 400X1000X42.5MM RECTANGULAR STEEL PIPE (890.08KG/M)   |
| 400X1000X42.75MM RECTANGULAR STEEL PIPE (895.05KG/M)  |
| 400X1000X43MM RECTANGULAR STEEL PIPE (900.02KG/M)     |
| 400X1000X43.25MM RECTANGULAR STEEL PIPE (904.99KG/M)  |
| 400X1000X43.5MM RECTANGULAR STEEL PIPE (909.95KG/M)   |
| 400X1000X43.75MM RECTANGULAR STEEL PIPE (914.91KG/M)  |
| 400X1000X44MM RECTANGULAR STEEL PIPE (919.87KG/M)     |
| 400X1000X44.25MM RECTANGULAR STEEL PIPE (924.82KG/M)  |
| 400X1000X44.5MM RECTANGULAR STEEL PIPE (929.77KG/M)   |
| 400X1000X44.75MM RECTANGULAR STEEL PIPE (934.72KG/M)  |
| 400X1000X45MM RECTANGULAR STEEL PIPE (939.66KG/M)     |
| 400X1000X45.25MM RECTANGULAR STEEL PIPE (944.6KG/M)   |
| 400X1000X45.5MM RECTANGULAR STEEL PIPE (949.54KG/M)   |
| 400X1000X45.75MM RECTANGULAR STEEL PIPE (954.48KG/M)  |
| 400X1000X46MM RECTANGULAR STEEL PIPE (959.41KG/M)     |
| 400X1000X46.25MM RECTANGULAR STEEL PIPE (964.34KG/M)  |
| 400X1000X46.5MM RECTANGULAR STEEL PIPE (969.26KG/M)   |
| 400X1000X46.75MM RECTANGULAR STEEL PIPE (974.19KG/M)  |
| 400X1000X47MM RECTANGULAR STEEL PIPE (979.11KG/M)     |
| 400X1000X47.25MM RECTANGULAR STEEL PIPE (984.02KG/M)  |
| 400X1000X47.5MM RECTANGULAR STEEL PIPE (988.94KG/M)   |
| 400X1000X47.75MM RECTANGULAR STEEL PIPE (993.85KG/M)  |
| 400X1000X48MM RECTANGULAR STEEL PIPE (998.75KG/M)     |
| 400X1000X48.25MM RECTANGULAR STEEL PIPE (1003.66KG/M) |
| 400X1000X48.5MM RECTANGULAR STEEL PIPE (1008.56KG/M)  |
| 400X1000X48.75MM RECTANGULAR STEEL PIPE (1013.46KG/M) |
| 400X1000X49MM RECTANGULAR STEEL PIPE (1018.35KG/M)    |
| 400X1000X49.25MM RECTANGULAR STEEL PIPE (1023.25KG/M) |
| 400X1000X49.5MM RECTANGULAR STEEL PIPE (1028.13KG/M)  |
| 400X1000X49.75MM RECTANGULAR STEEL PIPE (1033.02KG/M) |
| 400X1000X50MM RECTANGULAR STEEL PIPE (1037.9KG/M)     |
| 500X900X9.5MM RECTANGULAR STEEL PIPE (206.69KG/M)     |
| 500X900X9.75MM RECTANGULAR STEEL PIPE (212.07KG/M)    |
| 500X900X10MM RECTANGULAR STEEL PIPE (217.45KG/M)      |
| 500X900X10.25MM RECTANGULAR STEEL PIPE (222.82KG/M)   |
| 500X900X10.5MM RECTANGULAR STEEL PIPE (228.19KG/M)    |
| 500X900X10.75MM RECTANGULAR STEEL PIPE (233.55KG/M)   |
| 500X900X11MM RECTANGULAR STEEL PIPE (238.92KG/M)      |
| 500X900X11.25MM RECTANGULAR STEEL PIPE (244.28KG/M)   |
| 500X900X11.5MM RECTANGULAR STEEL PIPE (249.64KG/M)    |
| 500X900X11.75MM RECTANGULAR STEEL PIPE (254.99KG/M)   |

|   |
|---|
| 500X900X12MM RECTANGULAR STEEL PIPE (260.34KG/M)    |
| 500X900X12.25MM RECTANGULAR STEEL PIPE (265.69KG/M) |
| 500X900X12.5MM RECTANGULAR STEEL PIPE (271.04KG/M)  |
| 500X900X12.75MM RECTANGULAR STEEL PIPE (276.38KG/M) |
| 500X900X13MM RECTANGULAR STEEL PIPE (281.72KG/M)    |
| 500X900X13.25MM RECTANGULAR STEEL PIPE (287.05KG/M) |
| 500X900X13.5MM RECTANGULAR STEEL PIPE (292.39KG/M)  |
| 500X900X13.75MM RECTANGULAR STEEL PIPE (297.72KG/M) |
| 500X900X14MM RECTANGULAR STEEL PIPE (303.04KG/M)    |
| 500X900X14.25MM RECTANGULAR STEEL PIPE (308.37KG/M) |
| 500X900X14.5MM RECTANGULAR STEEL PIPE (313.69KG/M)  |
| 500X900X14.75MM RECTANGULAR STEEL PIPE (319KG/M)    |
| 500X900X15MM RECTANGULAR STEEL PIPE (324.32KG/M)    |
| 500X900X15.25MM RECTANGULAR STEEL PIPE (329.63KG/M) |
| 500X900X15.5MM RECTANGULAR STEEL PIPE (334.94KG/M)  |
| 500X900X15.75MM RECTANGULAR STEEL PIPE (340.24KG/M) |
| 500X900X16MM RECTANGULAR STEEL PIPE (345.54KG/M)    |
| 500X900X16.25MM RECTANGULAR STEEL PIPE (350.84KG/M) |
| 500X900X16.5MM RECTANGULAR STEEL PIPE (356.14KG/M)  |
| 500X900X16.75MM RECTANGULAR STEEL PIPE (361.43KG/M) |
| 500X900X17MM RECTANGULAR STEEL PIPE (366.72KG/M)    |
| 500X900X17.25MM RECTANGULAR STEEL PIPE (372.01KG/M) |
| 500X900X17.5MM RECTANGULAR STEEL PIPE (377.29KG/M)  |
| 500X900X17.75MM RECTANGULAR STEEL PIPE (382.57KG/M) |
| 500X900X18MM RECTANGULAR STEEL PIPE (387.85KG/M)    |
| 500X900X18.25MM RECTANGULAR STEEL PIPE (393.12KG/M) |
| 500X900X18.5MM RECTANGULAR STEEL PIPE (398.4KG/M)   |
| 500X900X18.75MM RECTANGULAR STEEL PIPE (403.66KG/M) |
| 500X900X19MM RECTANGULAR STEEL PIPE (408.93KG/M)    |
| 500X900X19.25MM RECTANGULAR STEEL PIPE (414.19KG/M) |
| 500X900X19.5MM RECTANGULAR STEEL PIPE (419.45KG/M)  |
| 500X900X19.75MM RECTANGULAR STEEL PIPE (424.71KG/M) |
| 500X900X20MM RECTANGULAR STEEL PIPE (429.96KG/M)    |
| 500X900X20.25MM RECTANGULAR STEEL PIPE (435.21KG/M) |
| 500X900X20.5MM RECTANGULAR STEEL PIPE (440.45KG/M)  |
| 500X900X20.75MM RECTANGULAR STEEL PIPE (445.7KG/M)  |
| 500X900X21MM RECTANGULAR STEEL PIPE (450.94KG/M)    |
| 500X900X21.25MM RECTANGULAR STEEL PIPE (456.18KG/M) |
| 500X900X21.5MM RECTANGULAR STEEL PIPE (461.41KG/M)  |
| 500X900X21.75MM RECTANGULAR STEEL PIPE (466.64KG/M) |
| 500X900X22MM RECTANGULAR STEEL PIPE (471.87KG/M)    |
| 500X900X22.25MM RECTANGULAR STEEL PIPE (477.09KG/M) |
| 500X900X22.5MM RECTANGULAR STEEL PIPE (482.32KG/M)  |
| 500X900X22.75MM RECTANGULAR STEEL PIPE (487.53KG/M) |
| 500X900X23MM RECTANGULAR STEEL PIPE (492.75KG/M)    |
| 500X900X23.25MM RECTANGULAR STEEL PIPE (497.96KG/M) |
| 500X900X23.5MM RECTANGULAR STEEL PIPE (503.17KG/M)  |
| 500X900X23.75MM RECTANGULAR STEEL PIPE (508.38KG/M) |
| 500X900X24MM RECTANGULAR STEEL PIPE (513.58KG/M)    |
| 500X900X24.25MM RECTANGULAR STEEL PIPE (518.78KG/M) |
| 500X900X24.5MM RECTANGULAR STEEL PIPE (523.98KG/M)  |
| 500X900X24.75MM RECTANGULAR STEEL PIPE (529.17KG/M) |
| 500X900X25MM RECTANGULAR STEEL PIPE (534.37KG/M)    |
| 500X900X25.25MM RECTANGULAR STEEL PIPE (539.55KG/M) |
| 500X900X25.5MM RECTANGULAR STEEL PIPE (544.74KG/M)  |
| 500X900X25.75MM RECTANGULAR STEEL PIPE (549.92KG/M) |
| 500X900X26MM RECTANGULAR STEEL PIPE (555.1KG/M)     |



|   |
|---|
| 500X900X26.25MM RECTANGULAR STEEL PIPE (560.27KG/M) |
| 500X900X26.5MM RECTANGULAR STEEL PIPE (565.45KG/M)  |
| 500X900X26.75MM RECTANGULAR STEEL PIPE (570.62KG/M) |
| 500X900X27MM RECTANGULAR STEEL PIPE (575.78KG/M)    |
| 500X900X27.25MM RECTANGULAR STEEL PIPE (580.95KG/M) |
| 500X900X27.5MM RECTANGULAR STEEL PIPE (586.11KG/M)  |
| 500X900X27.75MM RECTANGULAR STEEL PIPE (591.26KG/M) |
| 500X900X28MM RECTANGULAR STEEL PIPE (596.42KG/M)    |
| 500X900X28.25MM RECTANGULAR STEEL PIPE (601.57KG/M) |
| 500X900X28.5MM RECTANGULAR STEEL PIPE (606.72KG/M)  |
| 500X900X28.75MM RECTANGULAR STEEL PIPE (611.86KG/M) |
| 500X900X29MM RECTANGULAR STEEL PIPE (617KG/M)       |
| 500X900X29.25MM RECTANGULAR STEEL PIPE (622.14KG/M) |
| 500X900X29.5MM RECTANGULAR STEEL PIPE (627.28KG/M)  |
| 500X900X29.75MM RECTANGULAR STEEL PIPE (632.41KG/M) |
| 500X900X30MM RECTANGULAR STEEL PIPE (637.54KG/M)    |
| 500X900X30.25MM RECTANGULAR STEEL PIPE (642.67KG/M) |
| 500X900X30.5MM RECTANGULAR STEEL PIPE (647.79KG/M)  |
| 500X900X30.75MM RECTANGULAR STEEL PIPE (652.91KG/M) |
| 500X900X31MM RECTANGULAR STEEL PIPE (658.03KG/M)    |
| 500X900X31.25MM RECTANGULAR STEEL PIPE (663.14KG/M) |
| 500X900X31.5MM RECTANGULAR STEEL PIPE (668.25KG/M)  |
| 500X900X31.75MM RECTANGULAR STEEL PIPE (673.36KG/M) |
| 500X900X32MM RECTANGULAR STEEL PIPE (678.46KG/M)    |
| 500X900X32.25MM RECTANGULAR STEEL PIPE (683.56KG/M) |
| 500X900X32.5MM RECTANGULAR STEEL PIPE (688.66KG/M)  |
| 500X900X32.75MM RECTANGULAR STEEL PIPE (693.76KG/M) |
| 500X900X33MM RECTANGULAR STEEL PIPE (698.85KG/M)    |
| 500X900X33.25MM RECTANGULAR STEEL PIPE (703.94KG/M) |
| 500X900X33.5MM RECTANGULAR STEEL PIPE (709.03KG/M)  |
| 500X900X33.75MM RECTANGULAR STEEL PIPE (714.11KG/M) |
| 500X900X34MM RECTANGULAR STEEL PIPE (719.19KG/M)    |
| 500X900X34.25MM RECTANGULAR STEEL PIPE (724.27KG/M) |
| 500X900X34.5MM RECTANGULAR STEEL PIPE (729.34KG/M)  |
| 500X900X34.75MM RECTANGULAR STEEL PIPE (734.41KG/M) |
| 500X900X35MM RECTANGULAR STEEL PIPE (739.48KG/M)    |
| 500X900X35.25MM RECTANGULAR STEEL PIPE (744.54KG/M) |
| 500X900X35.5MM RECTANGULAR STEEL PIPE (749.61KG/M)  |
| 500X900X35.75MM RECTANGULAR STEEL PIPE (754.66KG/M) |
| 500X900X36MM RECTANGULAR STEEL PIPE (759.72KG/M)    |
| 500X900X36.25MM RECTANGULAR STEEL PIPE (764.77KG/M) |
| 500X900X36.5MM RECTANGULAR STEEL PIPE (769.82KG/M)  |
| 500X900X36.75MM RECTANGULAR STEEL PIPE (774.87KG/M) |
| 500X900X37MM RECTANGULAR STEEL PIPE (779.91KG/M)    |
| 500X900X37.25MM RECTANGULAR STEEL PIPE (784.95KG/M) |
| 500X900X37.5MM RECTANGULAR STEEL PIPE (789.99KG/M)  |
| 500X900X37.75MM RECTANGULAR STEEL PIPE (795.02KG/M) |
| 500X900X38MM RECTANGULAR STEEL PIPE (800.05KG/M)    |
| 500X900X38.25MM RECTANGULAR STEEL PIPE (805.08KG/M) |
| 500X900X38.5MM RECTANGULAR STEEL PIPE (810.1KG/M)   |
| 500X900X38.75MM RECTANGULAR STEEL PIPE (815.13KG/M) |
| 500X900X39MM RECTANGULAR STEEL PIPE (820.14KG/M)    |
| 500X900X39.25MM RECTANGULAR STEEL PIPE (825.16KG/M) |
| 500X900X39.5MM RECTANGULAR STEEL PIPE (830.17KG/M)  |
| 500X900X39.75MM RECTANGULAR STEEL PIPE (835.18KG/M) |
| 500X900X40MM RECTANGULAR STEEL PIPE (840.19KG/M)    |
| 500X900X40.25MM RECTANGULAR STEEL PIPE (845.19KG/M) |

|  |
|--|
| 500X900X40.5MM RECTANGULAR STEEL PIPE (850.19KG/M)   |
| 500X900X40.75MM RECTANGULAR STEEL PIPE (855.19KG/M)  |
| 500X900X41MM RECTANGULAR STEEL PIPE (860.18KG/M)     |
| 500X900X41.25MM RECTANGULAR STEEL PIPE (865.17KG/M)  |
| 500X900X41.5MM RECTANGULAR STEEL PIPE (870.16KG/M)   |
| 500X900X41.75MM RECTANGULAR STEEL PIPE (875.14KG/M)  |
| 500X900X42MM RECTANGULAR STEEL PIPE (880.13KG/M)     |
| 500X900X42.25MM RECTANGULAR STEEL PIPE (885.1KG/M)   |
| 500X900X42.5MM RECTANGULAR STEEL PIPE (890.08KG/M)   |
| 500X900X42.75MM RECTANGULAR STEEL PIPE (895.05KG/M)  |
| 500X900X43MM RECTANGULAR STEEL PIPE (900.02KG/M)     |
| 500X900X43.25MM RECTANGULAR STEEL PIPE (904.99KG/M)  |
| 500X900X43.5MM RECTANGULAR STEEL PIPE (909.95KG/M)   |
| 500X900X43.75MM RECTANGULAR STEEL PIPE (914.91KG/M)  |
| 500X900X44MM RECTANGULAR STEEL PIPE (919.87KG/M)     |
| 500X900X44.25MM RECTANGULAR STEEL PIPE (924.82KG/M)  |
| 500X900X44.5MM RECTANGULAR STEEL PIPE (929.77KG/M)   |
| 500X900X44.75MM RECTANGULAR STEEL PIPE (934.72KG/M)  |
| 500X900X45MM RECTANGULAR STEEL PIPE (939.66KG/M)     |
| 500X900X45.25MM RECTANGULAR STEEL PIPE (944.6KG/M)   |
| 500X900X45.5MM RECTANGULAR STEEL PIPE (949.54KG/M)   |
| 500X900X45.75MM RECTANGULAR STEEL PIPE (954.48KG/M)  |
| 500X900X46MM RECTANGULAR STEEL PIPE (959.41KG/M)     |
| 500X900X46.25MM RECTANGULAR STEEL PIPE (964.34KG/M)  |
| 500X900X46.5MM RECTANGULAR STEEL PIPE (969.26KG/M)   |
| 500X900X46.75MM RECTANGULAR STEEL PIPE (974.19KG/M)  |
| 500X900X47MM RECTANGULAR STEEL PIPE (979.11KG/M)     |
| 500X900X47.25MM RECTANGULAR STEEL PIPE (984.02KG/M)  |
| 500X900X47.5MM RECTANGULAR STEEL PIPE (988.94KG/M)   |
| 500X900X47.75MM RECTANGULAR STEEL PIPE (993.85KG/M)  |
| 500X900X48MM RECTANGULAR STEEL PIPE (998.75KG/M)     |
| 500X900X48.25MM RECTANGULAR STEEL PIPE (1003.66KG/M) |
| 500X900X48.5MM RECTANGULAR STEEL PIPE (1008.56KG/M)  |
| 500X900X48.75MM RECTANGULAR STEEL PIPE (1013.46KG/M) |
| 500X900X49MM RECTANGULAR STEEL PIPE (1018.35KG/M)    |
| 500X900X49.25MM RECTANGULAR STEEL PIPE (1023.25KG/M) |
| 500X900X49.5MM RECTANGULAR STEEL PIPE (1028.13KG/M)  |
| 500X900X49.75MM RECTANGULAR STEEL PIPE (1033.02KG/M) |
| 500X900X50MM RECTANGULAR STEEL PIPE (1037.9KG/M)     |
| 600X800X9.5MM RECTANGULAR STEEL PIPE (206.69KG/M)    |
| 600X800X9.75MM RECTANGULAR STEEL PIPE (212.07KG/M)   |
| 600X800X10MM RECTANGULAR STEEL PIPE (217.45KG/M)     |
| 600X800X10.25MM RECTANGULAR STEEL PIPE (222.82KG/M)  |
| 600X800X10.5MM RECTANGULAR STEEL PIPE (228.19KG/M)   |
| 600X800X10.75MM RECTANGULAR STEEL PIPE (233.55KG/M)  |
| 600X800X11MM RECTANGULAR STEEL PIPE (238.92KG/M)     |
| 600X800X11.25MM RECTANGULAR STEEL PIPE (244.28KG/M)  |
| 600X800X11.5MM RECTANGULAR STEEL PIPE (249.64KG/M)   |
| 600X800X11.75MM RECTANGULAR STEEL PIPE (254.99KG/M)  |
| 600X800X12MM RECTANGULAR STEEL PIPE (260.34KG/M)     |
| 600X800X12.25MM RECTANGULAR STEEL PIPE (265.69KG/M)  |
| 600X800X12.5MM RECTANGULAR STEEL PIPE (271.04KG/M)   |
| 600X800X12.75MM RECTANGULAR STEEL PIPE (276.38KG/M)  |
| 600X800X13MM RECTANGULAR STEEL PIPE (281.72KG/M)     |
| 600X800X13.25MM RECTANGULAR STEEL PIPE (287.05KG/M)  |
| 600X800X13.5MM RECTANGULAR STEEL PIPE (292.39KG/M)   |
| 600X800X13.75MM RECTANGULAR STEEL PIPE (297.72KG/M)  |

|   |
|---|
| 600X800X14MM RECTANGULAR STEEL PIPE (303.04KG/M)    |
| 600X800X14.25MM RECTANGULAR STEEL PIPE (308.37KG/M) |
| 600X800X14.5MM RECTANGULAR STEEL PIPE (313.69KG/M)  |
| 600X800X14.75MM RECTANGULAR STEEL PIPE (319KG/M)    |
| 600X800X15MM RECTANGULAR STEEL PIPE (324.32KG/M)    |
| 600X800X15.25MM RECTANGULAR STEEL PIPE (329.63KG/M) |
| 600X800X15.5MM RECTANGULAR STEEL PIPE (334.94KG/M)  |
| 600X800X15.75MM RECTANGULAR STEEL PIPE (340.24KG/M) |
| 600X800X16MM RECTANGULAR STEEL PIPE (345.54KG/M)    |
| 600X800X16.25MM RECTANGULAR STEEL PIPE (350.84KG/M) |
| 600X800X16.5MM RECTANGULAR STEEL PIPE (356.14KG/M)  |
| 600X800X16.75MM RECTANGULAR STEEL PIPE (361.43KG/M) |
| 600X800X17MM RECTANGULAR STEEL PIPE (366.72KG/M)    |
| 600X800X17.25MM RECTANGULAR STEEL PIPE (372.01KG/M) |
| 600X800X17.5MM RECTANGULAR STEEL PIPE (377.29KG/M)  |
| 600X800X17.75MM RECTANGULAR STEEL PIPE (382.57KG/M) |
| 600X800X18MM RECTANGULAR STEEL PIPE (387.85KG/M)    |
| 600X800X18.25MM RECTANGULAR STEEL PIPE (393.12KG/M) |
| 600X800X18.5MM RECTANGULAR STEEL PIPE (398.4KG/M)   |
| 600X800X18.75MM RECTANGULAR STEEL PIPE (403.66KG/M) |
| 600X800X19MM RECTANGULAR STEEL PIPE (408.93KG/M)    |
| 600X800X19.25MM RECTANGULAR STEEL PIPE (414.19KG/M) |
| 600X800X19.5MM RECTANGULAR STEEL PIPE (419.45KG/M)  |
| 600X800X19.75MM RECTANGULAR STEEL PIPE (424.71KG/M) |
| 600X800X20MM RECTANGULAR STEEL PIPE (429.96KG/M)    |
| 600X800X20.25MM RECTANGULAR STEEL PIPE (435.21KG/M) |
| 600X800X20.5MM RECTANGULAR STEEL PIPE (440.45KG/M)  |
| 600X800X20.75MM RECTANGULAR STEEL PIPE (445.7KG/M)  |
| 600X800X21MM RECTANGULAR STEEL PIPE (450.94KG/M)    |
| 600X800X21.25MM RECTANGULAR STEEL PIPE (456.18KG/M) |
| 600X800X21.5MM RECTANGULAR STEEL PIPE (461.41KG/M)  |
| 600X800X21.75MM RECTANGULAR STEEL PIPE (466.64KG/M) |
| 600X800X22MM RECTANGULAR STEEL PIPE (471.87KG/M)    |
| 600X800X22.25MM RECTANGULAR STEEL PIPE (477.09KG/M) |
| 600X800X22.5MM RECTANGULAR STEEL PIPE (482.32KG/M)  |
| 600X800X22.75MM RECTANGULAR STEEL PIPE (487.53KG/M) |
| 600X800X23MM RECTANGULAR STEEL PIPE (492.75KG/M)    |
| 600X800X23.25MM RECTANGULAR STEEL PIPE (497.96KG/M) |
| 600X800X23.5MM RECTANGULAR STEEL PIPE (503.17KG/M)  |
| 600X800X23.75MM RECTANGULAR STEEL PIPE (508.38KG/M) |
| 600X800X24MM RECTANGULAR STEEL PIPE (513.58KG/M)    |
| 600X800X24.25MM RECTANGULAR STEEL PIPE (518.78KG/M) |
| 600X800X24.5MM RECTANGULAR STEEL PIPE (523.98KG/M)  |
| 600X800X24.75MM RECTANGULAR STEEL PIPE (529.17KG/M) |
| 600X800X25MM RECTANGULAR STEEL PIPE (534.37KG/M)    |
| 600X800X25.25MM RECTANGULAR STEEL PIPE (539.55KG/M) |
| 600X800X25.5MM RECTANGULAR STEEL PIPE (544.74KG/M)  |
| 600X800X25.75MM RECTANGULAR STEEL PIPE (549.92KG/M) |
| 600X800X26MM RECTANGULAR STEEL PIPE (555.1KG/M)     |
| 600X800X26.25MM RECTANGULAR STEEL PIPE (560.27KG/M) |
| 600X800X26.5MM RECTANGULAR STEEL PIPE (565.45KG/M)  |
| 600X800X26.75MM RECTANGULAR STEEL PIPE (570.62KG/M) |
| 600X800X27MM RECTANGULAR STEEL PIPE (575.78KG/M)    |
| 600X800X27.25MM RECTANGULAR STEEL PIPE (580.95KG/M) |
| 600X800X27.5MM RECTANGULAR STEEL PIPE (586.11KG/M)  |
| 600X800X27.75MM RECTANGULAR STEEL PIPE (591.26KG/M) |
| 600X800X28MM RECTANGULAR STEEL PIPE (596.42KG/M)    |

|   |
|---|
| 600X800X28.25MM RECTANGULAR STEEL PIPE (601.57KG/M) |
| 600X800X28.5MM RECTANGULAR STEEL PIPE (606.72KG/M)  |
| 600X800X28.75MM RECTANGULAR STEEL PIPE (611.86KG/M) |
| 600X800X29MM RECTANGULAR STEEL PIPE (617KG/M)       |
| 600X800X29.25MM RECTANGULAR STEEL PIPE (622.14KG/M) |
| 600X800X29.5MM RECTANGULAR STEEL PIPE (627.28KG/M)  |
| 600X800X29.75MM RECTANGULAR STEEL PIPE (632.41KG/M) |
| 600X800X30MM RECTANGULAR STEEL PIPE (637.54KG/M)    |
| 600X800X30.25MM RECTANGULAR STEEL PIPE (642.67KG/M) |
| 600X800X30.5MM RECTANGULAR STEEL PIPE (647.79KG/M)  |
| 600X800X30.75MM RECTANGULAR STEEL PIPE (652.91KG/M) |
| 600X800X31MM RECTANGULAR STEEL PIPE (658.03KG/M)    |
| 600X800X31.25MM RECTANGULAR STEEL PIPE (663.14KG/M) |
| 600X800X31.5MM RECTANGULAR STEEL PIPE (668.25KG/M)  |
| 600X800X31.75MM RECTANGULAR STEEL PIPE (673.36KG/M) |
| 600X800X32MM RECTANGULAR STEEL PIPE (678.46KG/M)    |
| 600X800X32.25MM RECTANGULAR STEEL PIPE (683.56KG/M) |
| 600X800X32.5MM RECTANGULAR STEEL PIPE (688.66KG/M)  |
| 600X800X32.75MM RECTANGULAR STEEL PIPE (693.76KG/M) |
| 600X800X33MM RECTANGULAR STEEL PIPE (698.85KG/M)    |
| 600X800X33.25MM RECTANGULAR STEEL PIPE (703.94KG/M) |
| 600X800X33.5MM RECTANGULAR STEEL PIPE (709.03KG/M)  |
| 600X800X33.75MM RECTANGULAR STEEL PIPE (714.11KG/M) |
| 600X800X34MM RECTANGULAR STEEL PIPE (719.19KG/M)    |
| 600X800X34.25MM RECTANGULAR STEEL PIPE (724.27KG/M) |
| 600X800X34.5MM RECTANGULAR STEEL PIPE (729.34KG/M)  |
| 600X800X34.75MM RECTANGULAR STEEL PIPE (734.41KG/M) |
| 600X800X35MM RECTANGULAR STEEL PIPE (739.48KG/M)    |
| 600X800X35.25MM RECTANGULAR STEEL PIPE (744.54KG/M) |
| 600X800X35.5MM RECTANGULAR STEEL PIPE (749.61KG/M)  |
| 600X800X35.75MM RECTANGULAR STEEL PIPE (754.66KG/M) |
| 600X800X36MM RECTANGULAR STEEL PIPE (759.72KG/M)    |
| 600X800X36.25MM RECTANGULAR STEEL PIPE (764.77KG/M) |
| 600X800X36.5MM RECTANGULAR STEEL PIPE (769.82KG/M)  |
| 600X800X36.75MM RECTANGULAR STEEL PIPE (774.87KG/M) |
| 600X800X37MM RECTANGULAR STEEL PIPE (779.91KG/M)    |
| 600X800X37.25MM RECTANGULAR STEEL PIPE (784.95KG/M) |
| 600X800X37.5MM RECTANGULAR STEEL PIPE (789.99KG/M)  |
| 600X800X37.75MM RECTANGULAR STEEL PIPE (795.02KG/M) |
| 600X800X38MM RECTANGULAR STEEL PIPE (800.05KG/M)    |
| 600X800X38.25MM RECTANGULAR STEEL PIPE (805.08KG/M) |
| 600X800X38.5MM RECTANGULAR STEEL PIPE (810.1KG/M)   |
| 600X800X38.75MM RECTANGULAR STEEL PIPE (815.13KG/M) |
| 600X800X39MM RECTANGULAR STEEL PIPE (820.14KG/M)    |
| 600X800X39.25MM RECTANGULAR STEEL PIPE (825.16KG/M) |
| 600X800X39.5MM RECTANGULAR STEEL PIPE (830.17KG/M)  |
| 600X800X39.75MM RECTANGULAR STEEL PIPE (835.18KG/M) |
| 600X800X40MM RECTANGULAR STEEL PIPE (840.19KG/M)    |
| 600X800X40.25MM RECTANGULAR STEEL PIPE (845.19KG/M) |
| 600X800X40.5MM RECTANGULAR STEEL PIPE (850.19KG/M)  |
| 600X800X40.75MM RECTANGULAR STEEL PIPE (855.19KG/M) |
| 600X800X41MM RECTANGULAR STEEL PIPE (860.18KG/M)    |
| 600X800X41.25MM RECTANGULAR STEEL PIPE (865.17KG/M) |
| 600X800X41.5MM RECTANGULAR STEEL PIPE (870.16KG/M)  |
| 600X800X41.75MM RECTANGULAR STEEL PIPE (875.14KG/M) |
| 600X800X42MM RECTANGULAR STEEL PIPE (880.13KG/M)    |
| 600X800X42.25MM RECTANGULAR STEEL PIPE (885.1KG/M)  |

|  |
|--|
| 600X800X42.5MM RECTANGULAR STEEL PIPE (890.08KG/M)   |
| 600X800X42.75MM RECTANGULAR STEEL PIPE (895.05KG/M)  |
| 600X800X43MM RECTANGULAR STEEL PIPE (900.02KG/M)     |
| 600X800X43.25MM RECTANGULAR STEEL PIPE (904.99KG/M)  |
| 600X800X43.5MM RECTANGULAR STEEL PIPE (909.95KG/M)   |
| 600X800X43.75MM RECTANGULAR STEEL PIPE (914.91KG/M)  |
| 600X800X44MM RECTANGULAR STEEL PIPE (919.87KG/M)     |
| 600X800X44.25MM RECTANGULAR STEEL PIPE (924.82KG/M)  |
| 600X800X44.5MM RECTANGULAR STEEL PIPE (929.77KG/M)   |
| 600X800X44.75MM RECTANGULAR STEEL PIPE (934.72KG/M)  |
| 600X800X45MM RECTANGULAR STEEL PIPE (939.66KG/M)     |
| 600X800X45.25MM RECTANGULAR STEEL PIPE (944.6KG/M)   |
| 600X800X45.5MM RECTANGULAR STEEL PIPE (949.54KG/M)   |
| 600X800X45.75MM RECTANGULAR STEEL PIPE (954.48KG/M)  |
| 600X800X46MM RECTANGULAR STEEL PIPE (959.41KG/M)     |
| 600X800X46.25MM RECTANGULAR STEEL PIPE (964.34KG/M)  |
| 600X800X46.5MM RECTANGULAR STEEL PIPE (969.26KG/M)   |
| 600X800X46.75MM RECTANGULAR STEEL PIPE (974.19KG/M)  |
| 600X800X47MM RECTANGULAR STEEL PIPE (979.11KG/M)     |
| 600X800X47.25MM RECTANGULAR STEEL PIPE (984.02KG/M)  |
| 600X800X47.5MM RECTANGULAR STEEL PIPE (988.94KG/M)   |
| 600X800X47.75MM RECTANGULAR STEEL PIPE (993.85KG/M)  |
| 600X800X48MM RECTANGULAR STEEL PIPE (998.75KG/M)     |
| 600X800X48.25MM RECTANGULAR STEEL PIPE (1003.66KG/M) |
| 600X800X48.5MM RECTANGULAR STEEL PIPE (1008.56KG/M)  |
| 600X800X48.75MM RECTANGULAR STEEL PIPE (1013.46KG/M) |
| 600X800X49MM RECTANGULAR STEEL PIPE (1018.35KG/M)    |
| 600X800X49.25MM RECTANGULAR STEEL PIPE (1023.25KG/M) |
| 600X800X49.5MM RECTANGULAR STEEL PIPE (1028.13KG/M)  |
| 600X800X49.75MM RECTANGULAR STEEL PIPE (1033.02KG/M) |
| 600X800X50MM RECTANGULAR STEEL PIPE (1037.9KG/M)     |
| 500X1000X9.5MM RECTANGULAR STEEL PIPE (221.61KG/M)   |
| 500X1000X9.75MM RECTANGULAR STEEL PIPE (227.38KG/M)  |
| 500X1000X10MM RECTANGULAR STEEL PIPE (233.15KG/M)    |
| 500X1000X10.25MM RECTANGULAR STEEL PIPE (238.92KG/M) |
| 500X1000X10.5MM RECTANGULAR STEEL PIPE (244.68KG/M)  |
| 500X1000X10.75MM RECTANGULAR STEEL PIPE (250.44KG/M) |
| 500X1000X11MM RECTANGULAR STEEL PIPE (256.2KG/M)     |
| 500X1000X11.25MM RECTANGULAR STEEL PIPE (261.95KG/M) |
| 500X1000X11.5MM RECTANGULAR STEEL PIPE (267.7KG/M)   |
| 500X1000X11.75MM RECTANGULAR STEEL PIPE (273.45KG/M) |
| 500X1000X12MM RECTANGULAR STEEL PIPE (279.19KG/M)    |
| 500X1000X12.25MM RECTANGULAR STEEL PIPE (284.93KG/M) |
| 500X1000X12.5MM RECTANGULAR STEEL PIPE (290.67KG/M)  |
| 500X1000X12.75MM RECTANGULAR STEEL PIPE (296.41KG/M) |
| 500X1000X13MM RECTANGULAR STEEL PIPE (302.14KG/M)    |
| 500X1000X13.25MM RECTANGULAR STEEL PIPE (307.87KG/M) |
| 500X1000X13.5MM RECTANGULAR STEEL PIPE (313.59KG/M)  |
| 500X1000X13.75MM RECTANGULAR STEEL PIPE (319.31KG/M) |
| 500X1000X14MM RECTANGULAR STEEL PIPE (325.03KG/M)    |
| 500X1000X14.25MM RECTANGULAR STEEL PIPE (330.75KG/M) |
| 500X1000X14.5MM RECTANGULAR STEEL PIPE (336.46KG/M)  |
| 500X1000X14.75MM RECTANGULAR STEEL PIPE (342.17KG/M) |
| 500X1000X15MM RECTANGULAR STEEL PIPE (347.88KG/M)    |
| 500X1000X15.25MM RECTANGULAR STEEL PIPE (353.58KG/M) |
| 500X1000X15.5MM RECTANGULAR STEEL PIPE (359.29KG/M)  |
| 500X1000X15.75MM RECTANGULAR STEEL PIPE (364.98KG/M) |

|  |
|--|
| 500X1000X16MM RECTANGULAR STEEL PIPE (370.68KG/M)    |
| 500X1000X16.25MM RECTANGULAR STEEL PIPE (376.37KG/M) |
| 500X1000X16.5MM RECTANGULAR STEEL PIPE (382.06KG/M)  |
| 500X1000X16.75MM RECTANGULAR STEEL PIPE (387.74KG/M) |
| 500X1000X17MM RECTANGULAR STEEL PIPE (393.43KG/M)    |
| 500X1000X17.25MM RECTANGULAR STEEL PIPE (399.11KG/M) |
| 500X1000X17.5MM RECTANGULAR STEEL PIPE (404.78KG/M)  |
| 500X1000X17.75MM RECTANGULAR STEEL PIPE (410.45KG/M) |
| 500X1000X18MM RECTANGULAR STEEL PIPE (416.12KG/M)    |
| 500X1000X18.25MM RECTANGULAR STEEL PIPE (421.79KG/M) |
| 500X1000X18.5MM RECTANGULAR STEEL PIPE (427.46KG/M)  |
| 500X1000X18.75MM RECTANGULAR STEEL PIPE (433.12KG/M) |
| 500X1000X19MM RECTANGULAR STEEL PIPE (438.77KG/M)    |
| 500X1000X19.25MM RECTANGULAR STEEL PIPE (444.43KG/M) |
| 500X1000X19.5MM RECTANGULAR STEEL PIPE (450.08KG/M)  |
| 500X1000X19.75MM RECTANGULAR STEEL PIPE (455.73KG/M) |
| 500X1000X20MM RECTANGULAR STEEL PIPE (461.37KG/M)    |
| 500X1000X20.25MM RECTANGULAR STEEL PIPE (467.02KG/M) |
| 500X1000X20.5MM RECTANGULAR STEEL PIPE (472.66KG/M)  |
| 500X1000X20.75MM RECTANGULAR STEEL PIPE (478.29KG/M) |
| 500X1000X21MM RECTANGULAR STEEL PIPE (483.93KG/M)    |
| 500X1000X21.25MM RECTANGULAR STEEL PIPE (489.56KG/M) |
| 500X1000X21.5MM RECTANGULAR STEEL PIPE (495.18KG/M)  |
| 500X1000X21.75MM RECTANGULAR STEEL PIPE (500.81KG/M) |
| 500X1000X22MM RECTANGULAR STEEL PIPE (506.43KG/M)    |
| 500X1000X22.25MM RECTANGULAR STEEL PIPE (512.04KG/M) |
| 500X1000X22.5MM RECTANGULAR STEEL PIPE (517.66KG/M)  |
| 500X1000X22.75MM RECTANGULAR STEEL PIPE (523.27KG/M) |
| 500X1000X23MM RECTANGULAR STEEL PIPE (528.88KG/M)    |
| 500X1000X23.25MM RECTANGULAR STEEL PIPE (534.48KG/M) |
| 500X1000X23.5MM RECTANGULAR STEEL PIPE (540.09KG/M)  |
| 500X1000X23.75MM RECTANGULAR STEEL PIPE (545.69KG/M) |
| 500X1000X24MM RECTANGULAR STEEL PIPE (551.28KG/M)    |
| 500X1000X24.25MM RECTANGULAR STEEL PIPE (556.87KG/M) |
| 500X1000X24.5MM RECTANGULAR STEEL PIPE (562.46KG/M)  |
| 500X1000X24.75MM RECTANGULAR STEEL PIPE (568.05KG/M) |
| 500X1000X25MM RECTANGULAR STEEL PIPE (573.64KG/M)    |
| 500X1000X25.25MM RECTANGULAR STEEL PIPE (579.22KG/M) |
| 500X1000X25.5MM RECTANGULAR STEEL PIPE (584.79KG/M)  |
| 500X1000X25.75MM RECTANGULAR STEEL PIPE (590.37KG/M) |
| 500X1000X26MM RECTANGULAR STEEL PIPE (595.94KG/M)    |
| 500X1000X26.25MM RECTANGULAR STEEL PIPE (601.51KG/M) |
| 500X1000X26.5MM RECTANGULAR STEEL PIPE (607.07KG/M)  |
| 500X1000X26.75MM RECTANGULAR STEEL PIPE (612.64KG/M) |
| 500X1000X27MM RECTANGULAR STEEL PIPE (618.19KG/M)    |
| 500X1000X27.25MM RECTANGULAR STEEL PIPE (623.75KG/M) |
| 500X1000X27.5MM RECTANGULAR STEEL PIPE (629.3KG/M)   |
| 500X1000X27.75MM RECTANGULAR STEEL PIPE (634.85KG/M) |
| 500X1000X28MM RECTANGULAR STEEL PIPE (640.4KG/M)     |
| 500X1000X28.25MM RECTANGULAR STEEL PIPE (645.94KG/M) |
| 500X1000X28.5MM RECTANGULAR STEEL PIPE (651.48KG/M)  |
| 500X1000X28.75MM RECTANGULAR STEEL PIPE (657.02KG/M) |
| 500X1000X29MM RECTANGULAR STEEL PIPE (662.56KG/M)    |
| 500X1000X29.25MM RECTANGULAR STEEL PIPE (668.09KG/M) |
| 500X1000X29.5MM RECTANGULAR STEEL PIPE (673.62KG/M)  |
| 500X1000X29.75MM RECTANGULAR STEEL PIPE (679.14KG/M) |
| 500X1000X30MM RECTANGULAR STEEL PIPE (684.66KG/M)    |

|  |
|--|
| 500X1000X30.25MM RECTANGULAR STEEL PIPE (690.18KG/M) |
| 500X1000X30.5MM RECTANGULAR STEEL PIPE (695.7KG/M)   |
| 500X1000X30.75MM RECTANGULAR STEEL PIPE (701.21KG/M) |
| 500X1000X31MM RECTANGULAR STEEL PIPE (706.72KG/M)    |
| 500X1000X31.25MM RECTANGULAR STEEL PIPE (712.23KG/M) |
| 500X1000X31.5MM RECTANGULAR STEEL PIPE (717.73KG/M)  |
| 500X1000X31.75MM RECTANGULAR STEEL PIPE (723.23KG/M) |
| 500X1000X32MM RECTANGULAR STEEL PIPE (728.73KG/M)    |
| 500X1000X32.25MM RECTANGULAR STEEL PIPE (734.22KG/M) |
| 500X1000X32.5MM RECTANGULAR STEEL PIPE (739.71KG/M)  |
| 500X1000X32.75MM RECTANGULAR STEEL PIPE (745.2KG/M)  |
| 500X1000X33MM RECTANGULAR STEEL PIPE (750.69KG/M)    |
| 500X1000X33.25MM RECTANGULAR STEEL PIPE (756.17KG/M) |
| 500X1000X33.5MM RECTANGULAR STEEL PIPE (761.65KG/M)  |
| 500X1000X33.75MM RECTANGULAR STEEL PIPE (767.12KG/M) |
| 500X1000X34MM RECTANGULAR STEEL PIPE (772.6KG/M)     |
| 500X1000X34.25MM RECTANGULAR STEEL PIPE (778.07KG/M) |
| 500X1000X34.5MM RECTANGULAR STEEL PIPE (783.53KG/M)  |
| 500X1000X34.75MM RECTANGULAR STEEL PIPE (789KG/M)    |
| 500X1000X35MM RECTANGULAR STEEL PIPE (794.46KG/M)    |
| 500X1000X35.25MM RECTANGULAR STEEL PIPE (799.92KG/M) |
| 500X1000X35.5MM RECTANGULAR STEEL PIPE (805.37KG/M)  |
| 500X1000X35.75MM RECTANGULAR STEEL PIPE (810.82KG/M) |
| 500X1000X36MM RECTANGULAR STEEL PIPE (816.27KG/M)    |
| 500X1000X36.25MM RECTANGULAR STEEL PIPE (821.71KG/M) |
| 500X1000X36.5MM RECTANGULAR STEEL PIPE (827.16KG/M)  |
| 500X1000X36.75MM RECTANGULAR STEEL PIPE (832.59KG/M) |
| 500X1000X37MM RECTANGULAR STEEL PIPE (838.03KG/M)    |
| 500X1000X37.25MM RECTANGULAR STEEL PIPE (843.46KG/M) |
| 500X1000X37.5MM RECTANGULAR STEEL PIPE (848.89KG/M)  |
| 500X1000X37.75MM RECTANGULAR STEEL PIPE (854.32KG/M) |
| 500X1000X38MM RECTANGULAR STEEL PIPE (859.74KG/M)    |
| 500X1000X38.25MM RECTANGULAR STEEL PIPE (865.16KG/M) |
| 500X1000X38.5MM RECTANGULAR STEEL PIPE (870.58KG/M)  |
| 500X1000X38.75MM RECTANGULAR STEEL PIPE (875.99KG/M) |
| 500X1000X39MM RECTANGULAR STEEL PIPE (881.41KG/M)    |
| 500X1000X39.25MM RECTANGULAR STEEL PIPE (886.81KG/M) |
| 500X1000X39.5MM RECTANGULAR STEEL PIPE (892.22KG/M)  |
| 500X1000X39.75MM RECTANGULAR STEEL PIPE (897.62KG/M) |
| 500X1000X40MM RECTANGULAR STEEL PIPE (903.02KG/M)    |
| 500X1000X40.25MM RECTANGULAR STEEL PIPE (908.42KG/M) |
| 500X1000X40.5MM RECTANGULAR STEEL PIPE (913.81KG/M)  |
| 500X1000X40.75MM RECTANGULAR STEEL PIPE (919.2KG/M)  |
| 500X1000X41MM RECTANGULAR STEEL PIPE (924.58KG/M)    |
| 500X1000X41.25MM RECTANGULAR STEEL PIPE (929.97KG/M) |
| 500X1000X41.5MM RECTANGULAR STEEL PIPE (935.35KG/M)  |
| 500X1000X41.75MM RECTANGULAR STEEL PIPE (940.72KG/M) |
| 500X1000X42MM RECTANGULAR STEEL PIPE (946.1KG/M)     |
| 500X1000X42.25MM RECTANGULAR STEEL PIPE (951.47KG/M) |
| 500X1000X42.5MM RECTANGULAR STEEL PIPE (956.84KG/M)  |
| 500X1000X42.75MM RECTANGULAR STEEL PIPE (962.2KG/M)  |
| 500X1000X43MM RECTANGULAR STEEL PIPE (967.56KG/M)    |
| 500X1000X43.25MM RECTANGULAR STEEL PIPE (972.92KG/M) |
| 500X1000X43.5MM RECTANGULAR STEEL PIPE (978.28KG/M)  |
| 500X1000X43.75MM RECTANGULAR STEEL PIPE (983.63KG/M) |
| 500X1000X44MM RECTANGULAR STEEL PIPE (988.98KG/M)    |
| 500X1000X44.25MM RECTANGULAR STEEL PIPE (994.33KG/M) |

|   |
|---|
| 500X1000X44.5MM RECTANGULAR STEEL PIPE (999.67KG/M)   |
| 500X1000X44.75MM RECTANGULAR STEEL PIPE (1005.01KG/M) |
| 500X1000X45MM RECTANGULAR STEEL PIPE (1010.35KG/M)    |
| 500X1000X45.25MM RECTANGULAR STEEL PIPE (1015.68KG/M) |
| 500X1000X45.5MM RECTANGULAR STEEL PIPE (1021.01KG/M)  |
| 500X1000X45.75MM RECTANGULAR STEEL PIPE (1026.34KG/M) |
| 500X1000X46MM RECTANGULAR STEEL PIPE (1031.67KG/M)    |
| 500X1000X46.25MM RECTANGULAR STEEL PIPE (1036.99KG/M) |
| 500X1000X46.5MM RECTANGULAR STEEL PIPE (1042.31KG/M)  |
| 500X1000X46.75MM RECTANGULAR STEEL PIPE (1047.62KG/M) |
| 500X1000X47MM RECTANGULAR STEEL PIPE (1052.93KG/M)    |
| 500X1000X47.25MM RECTANGULAR STEEL PIPE (1058.24KG/M) |
| 500X1000X47.5MM RECTANGULAR STEEL PIPE (1063.55KG/M)  |
| 500X1000X47.75MM RECTANGULAR STEEL PIPE (1068.85KG/M) |
| 500X1000X48MM RECTANGULAR STEEL PIPE (1074.15KG/M)    |
| 500X1000X48.25MM RECTANGULAR STEEL PIPE (1079.45KG/M) |
| 500X1000X48.5MM RECTANGULAR STEEL PIPE (1084.74KG/M)  |
| 500X1000X48.75MM RECTANGULAR STEEL PIPE (1090.04KG/M) |
| 500X1000X49MM RECTANGULAR STEEL PIPE (1095.32KG/M)    |
| 500X1000X49.25MM RECTANGULAR STEEL PIPE (1100.61KG/M) |
| 500X1000X49.5MM RECTANGULAR STEEL PIPE (1105.89KG/M)  |
| 500X1000X49.75MM RECTANGULAR STEEL PIPE (1111.17KG/M) |
| 500X1000X50MM RECTANGULAR STEEL PIPE (1116.44KG/M)    |
| 600X900X9.5MM RECTANGULAR STEEL PIPE (221.61KG/M)     |
| 600X900X9.75MM RECTANGULAR STEEL PIPE (227.38KG/M)    |
| 600X900X10MM RECTANGULAR STEEL PIPE (233.15KG/M)      |
| 600X900X10.25MM RECTANGULAR STEEL PIPE (238.92KG/M)   |
| 600X900X10.5MM RECTANGULAR STEEL PIPE (244.68KG/M)    |
| 600X900X10.75MM RECTANGULAR STEEL PIPE (250.44KG/M)   |
| 600X900X11MM RECTANGULAR STEEL PIPE (256.2KG/M)       |
| 600X900X11.25MM RECTANGULAR STEEL PIPE (261.95KG/M)   |
| 600X900X11.5MM RECTANGULAR STEEL PIPE (267.7KG/M)     |
| 600X900X11.75MM RECTANGULAR STEEL PIPE (273.45KG/M)   |
| 600X900X12MM RECTANGULAR STEEL PIPE (279.19KG/M)      |
| 600X900X12.25MM RECTANGULAR STEEL PIPE (284.93KG/M)   |
| 600X900X12.5MM RECTANGULAR STEEL PIPE (290.67KG/M)    |
| 600X900X12.75MM RECTANGULAR STEEL PIPE (296.41KG/M)   |
| 600X900X13MM RECTANGULAR STEEL PIPE (302.14KG/M)      |
| 600X900X13.25MM RECTANGULAR STEEL PIPE (307.87KG/M)   |
| 600X900X13.5MM RECTANGULAR STEEL PIPE (313.59KG/M)    |
| 600X900X13.75MM RECTANGULAR STEEL PIPE (319.31KG/M)   |
| 600X900X14MM RECTANGULAR STEEL PIPE (325.03KG/M)      |
| 600X900X14.25MM RECTANGULAR STEEL PIPE (330.75KG/M)   |
| 600X900X14.5MM RECTANGULAR STEEL PIPE (336.46KG/M)    |
| 600X900X14.75MM RECTANGULAR STEEL PIPE (342.17KG/M)   |
| 600X900X15MM RECTANGULAR STEEL PIPE (347.88KG/M)      |
| 600X900X15.25MM RECTANGULAR STEEL PIPE (353.58KG/M)   |
| 600X900X15.5MM RECTANGULAR STEEL PIPE (359.29KG/M)    |
| 600X900X15.75MM RECTANGULAR STEEL PIPE (364.98KG/M)   |
| 600X900X16MM RECTANGULAR STEEL PIPE (370.68KG/M)      |
| 600X900X16.25MM RECTANGULAR STEEL PIPE (376.37KG/M)   |
| 600X900X16.5MM RECTANGULAR STEEL PIPE (382.06KG/M)    |
| 600X900X16.75MM RECTANGULAR STEEL PIPE (387.74KG/M)   |
| 600X900X17MM RECTANGULAR STEEL PIPE (393.43KG/M)      |
| 600X900X17.25MM RECTANGULAR STEEL PIPE (399.11KG/M)   |
| 600X900X17.5MM RECTANGULAR STEEL PIPE (404.78KG/M)    |
| 600X900X17.75MM RECTANGULAR STEEL PIPE (410.45KG/M)   |



|   |
|---|
| 600X900X18MM RECTANGULAR STEEL PIPE (416.12KG/M)    |
| 600X900X18.25MM RECTANGULAR STEEL PIPE (421.79KG/M) |
| 600X900X18.5MM RECTANGULAR STEEL PIPE (427.46KG/M)  |
| 600X900X18.75MM RECTANGULAR STEEL PIPE (433.12KG/M) |
| 600X900X19MM RECTANGULAR STEEL PIPE (438.77KG/M)    |
| 600X900X19.25MM RECTANGULAR STEEL PIPE (444.43KG/M) |
| 600X900X19.5MM RECTANGULAR STEEL PIPE (450.08KG/M)  |
| 600X900X19.75MM RECTANGULAR STEEL PIPE (455.73KG/M) |
| 600X900X20MM RECTANGULAR STEEL PIPE (461.37KG/M)    |
| 600X900X20.25MM RECTANGULAR STEEL PIPE (467.02KG/M) |
| 600X900X20.5MM RECTANGULAR STEEL PIPE (472.66KG/M)  |
| 600X900X20.75MM RECTANGULAR STEEL PIPE (478.29KG/M) |
| 600X900X21MM RECTANGULAR STEEL PIPE (483.93KG/M)    |
| 600X900X21.25MM RECTANGULAR STEEL PIPE (489.56KG/M) |
| 600X900X21.5MM RECTANGULAR STEEL PIPE (495.18KG/M)  |
| 600X900X21.75MM RECTANGULAR STEEL PIPE (500.81KG/M) |
| 600X900X22MM RECTANGULAR STEEL PIPE (506.43KG/M)    |
| 600X900X22.25MM RECTANGULAR STEEL PIPE (512.04KG/M) |
| 600X900X22.5MM RECTANGULAR STEEL PIPE (517.66KG/M)  |
| 600X900X22.75MM RECTANGULAR STEEL PIPE (523.27KG/M) |
| 600X900X23MM RECTANGULAR STEEL PIPE (528.88KG/M)    |
| 600X900X23.25MM RECTANGULAR STEEL PIPE (534.48KG/M) |
| 600X900X23.5MM RECTANGULAR STEEL PIPE (540.09KG/M)  |
| 600X900X23.75MM RECTANGULAR STEEL PIPE (545.69KG/M) |
| 600X900X24MM RECTANGULAR STEEL PIPE (551.28KG/M)    |
| 600X900X24.25MM RECTANGULAR STEEL PIPE (556.87KG/M) |
| 600X900X24.5MM RECTANGULAR STEEL PIPE (562.46KG/M)  |
| 600X900X24.75MM RECTANGULAR STEEL PIPE (568.05KG/M) |
| 600X900X25MM RECTANGULAR STEEL PIPE (573.64KG/M)    |
| 600X900X25.25MM RECTANGULAR STEEL PIPE (579.22KG/M) |
| 600X900X25.5MM RECTANGULAR STEEL PIPE (584.79KG/M)  |
| 600X900X25.75MM RECTANGULAR STEEL PIPE (590.37KG/M) |
| 600X900X26MM RECTANGULAR STEEL PIPE (595.94KG/M)    |
| 600X900X26.25MM RECTANGULAR STEEL PIPE (601.51KG/M) |
| 600X900X26.5MM RECTANGULAR STEEL PIPE (607.07KG/M)  |
| 600X900X26.75MM RECTANGULAR STEEL PIPE (612.64KG/M) |
| 600X900X27MM RECTANGULAR STEEL PIPE (618.19KG/M)    |
| 600X900X27.25MM RECTANGULAR STEEL PIPE (623.75KG/M) |
| 600X900X27.5MM RECTANGULAR STEEL PIPE (629.3KG/M)   |
| 600X900X27.75MM RECTANGULAR STEEL PIPE (634.85KG/M) |
| 600X900X28MM RECTANGULAR STEEL PIPE (640.4KG/M)     |
| 600X900X28.25MM RECTANGULAR STEEL PIPE (645.94KG/M) |
| 600X900X28.5MM RECTANGULAR STEEL PIPE (651.48KG/M)  |
| 600X900X28.75MM RECTANGULAR STEEL PIPE (657.02KG/M) |
| 600X900X29MM RECTANGULAR STEEL PIPE (662.56KG/M)    |
| 600X900X29.25MM RECTANGULAR STEEL PIPE (668.09KG/M) |
| 600X900X29.5MM RECTANGULAR STEEL PIPE (673.62KG/M)  |
| 600X900X29.75MM RECTANGULAR STEEL PIPE (679.14KG/M) |
| 600X900X30MM RECTANGULAR STEEL PIPE (684.66KG/M)    |
| 600X900X30.25MM RECTANGULAR STEEL PIPE (690.18KG/M) |
| 600X900X30.5MM RECTANGULAR STEEL PIPE (695.7KG/M)   |
| 600X900X30.75MM RECTANGULAR STEEL PIPE (701.21KG/M) |
| 600X900X31MM RECTANGULAR STEEL PIPE (706.72KG/M)    |
| 600X900X31.25MM RECTANGULAR STEEL PIPE (712.23KG/M) |
| 600X900X31.5MM RECTANGULAR STEEL PIPE (717.73KG/M)  |
| 600X900X31.75MM RECTANGULAR STEEL PIPE (723.23KG/M) |
| 600X900X32MM RECTANGULAR STEEL PIPE (728.73KG/M)    |

|  |
|--|
| 600X900X32.25MM RECTANGULAR STEEL PIPE (734.22KG/M)  |
| 600X900X32.5MM RECTANGULAR STEEL PIPE (739.71KG/M)   |
| 600X900X32.75MM RECTANGULAR STEEL PIPE (745.2KG/M)   |
| 600X900X33MM RECTANGULAR STEEL PIPE (750.69KG/M)     |
| 600X900X33.25MM RECTANGULAR STEEL PIPE (756.17KG/M)  |
| 600X900X33.5MM RECTANGULAR STEEL PIPE (761.65KG/M)   |
| 600X900X33.75MM RECTANGULAR STEEL PIPE (767.12KG/M)  |
| 600X900X34MM RECTANGULAR STEEL PIPE (772.6KG/M)      |
| 600X900X34.25MM RECTANGULAR STEEL PIPE (778.07KG/M)  |
| 600X900X34.5MM RECTANGULAR STEEL PIPE (783.53KG/M)   |
| 600X900X34.75MM RECTANGULAR STEEL PIPE (789KG/M)     |
| 600X900X35MM RECTANGULAR STEEL PIPE (794.46KG/M)     |
| 600X900X35.25MM RECTANGULAR STEEL PIPE (799.92KG/M)  |
| 600X900X35.5MM RECTANGULAR STEEL PIPE (805.37KG/M)   |
| 600X900X35.75MM RECTANGULAR STEEL PIPE (810.82KG/M)  |
| 600X900X36MM RECTANGULAR STEEL PIPE (816.27KG/M)     |
| 600X900X36.25MM RECTANGULAR STEEL PIPE (821.71KG/M)  |
| 600X900X36.5MM RECTANGULAR STEEL PIPE (827.16KG/M)   |
| 600X900X36.75MM RECTANGULAR STEEL PIPE (832.59KG/M)  |
| 600X900X37MM RECTANGULAR STEEL PIPE (838.03KG/M)     |
| 600X900X37.25MM RECTANGULAR STEEL PIPE (843.46KG/M)  |
| 600X900X37.5MM RECTANGULAR STEEL PIPE (848.89KG/M)   |
| 600X900X37.75MM RECTANGULAR STEEL PIPE (854.32KG/M)  |
| 600X900X38MM RECTANGULAR STEEL PIPE (859.74KG/M)     |
| 600X900X38.25MM RECTANGULAR STEEL PIPE (865.16KG/M)  |
| 600X900X38.5MM RECTANGULAR STEEL PIPE (870.58KG/M)   |
| 600X900X38.75MM RECTANGULAR STEEL PIPE (875.99KG/M)  |
| 600X900X39MM RECTANGULAR STEEL PIPE (881.41KG/M)     |
| 600X900X39.25MM RECTANGULAR STEEL PIPE (886.81KG/M)  |
| 600X900X39.5MM RECTANGULAR STEEL PIPE (892.22KG/M)   |
| 600X900X39.75MM RECTANGULAR STEEL PIPE (897.62KG/M)  |
| 600X900X40MM RECTANGULAR STEEL PIPE (903.02KG/M)     |
| 600X900X40.25MM RECTANGULAR STEEL PIPE (908.42KG/M)  |
| 600X900X40.5MM RECTANGULAR STEEL PIPE (913.81KG/M)   |
| 600X900X40.75MM RECTANGULAR STEEL PIPE (919.2KG/M)   |
| 600X900X41MM RECTANGULAR STEEL PIPE (924.58KG/M)     |
| 600X900X41.25MM RECTANGULAR STEEL PIPE (929.97KG/M)  |
| 600X900X41.5MM RECTANGULAR STEEL PIPE (935.35KG/M)   |
| 600X900X41.75MM RECTANGULAR STEEL PIPE (940.72KG/M)  |
| 600X900X42MM RECTANGULAR STEEL PIPE (946.1KG/M)      |
| 600X900X42.25MM RECTANGULAR STEEL PIPE (951.47KG/M)  |
| 600X900X42.5MM RECTANGULAR STEEL PIPE (956.84KG/M)   |
| 600X900X42.75MM RECTANGULAR STEEL PIPE (962.2KG/M)   |
| 600X900X43MM RECTANGULAR STEEL PIPE (967.56KG/M)     |
| 600X900X43.25MM RECTANGULAR STEEL PIPE (972.92KG/M)  |
| 600X900X43.5MM RECTANGULAR STEEL PIPE (978.28KG/M)   |
| 600X900X43.75MM RECTANGULAR STEEL PIPE (983.63KG/M)  |
| 600X900X44MM RECTANGULAR STEEL PIPE (988.98KG/M)     |
| 600X900X44.25MM RECTANGULAR STEEL PIPE (994.33KG/M)  |
| 600X900X44.5MM RECTANGULAR STEEL PIPE (999.67KG/M)   |
| 600X900X44.75MM RECTANGULAR STEEL PIPE (1005.01KG/M) |
| 600X900X45MM RECTANGULAR STEEL PIPE (1010.35KG/M)    |
| 600X900X45.25MM RECTANGULAR STEEL PIPE (1015.68KG/M) |
| 600X900X45.5MM RECTANGULAR STEEL PIPE (1021.01KG/M)  |
| 600X900X45.75MM RECTANGULAR STEEL PIPE (1026.34KG/M) |
| 600X900X46MM RECTANGULAR STEEL PIPE (1031.67KG/M)    |
| 600X900X46.25MM RECTANGULAR STEEL PIPE (1036.99KG/M) |

|  |
|--|
| 600X900X46.5MM RECTANGULAR STEEL PIPE (1042.31KG/M)  |
| 600X900X46.75MM RECTANGULAR STEEL PIPE (1047.62KG/M) |
| 600X900X47MM RECTANGULAR STEEL PIPE (1052.93KG/M)    |
| 600X900X47.25MM RECTANGULAR STEEL PIPE (1058.24KG/M) |
| 600X900X47.5MM RECTANGULAR STEEL PIPE (1063.55KG/M)  |
| 600X900X47.75MM RECTANGULAR STEEL PIPE (1068.85KG/M) |
| 600X900X48MM RECTANGULAR STEEL PIPE (1074.15KG/M)    |
| 600X900X48.25MM RECTANGULAR STEEL PIPE (1079.45KG/M) |
| 600X900X48.5MM RECTANGULAR STEEL PIPE (1084.74KG/M)  |
| 600X900X48.75MM RECTANGULAR STEEL PIPE (1090.04KG/M) |
| 600X900X49MM RECTANGULAR STEEL PIPE (1095.32KG/M)    |
| 600X900X49.25MM RECTANGULAR STEEL PIPE (1100.61KG/M) |
| 600X900X49.5MM RECTANGULAR STEEL PIPE (1105.89KG/M)  |
| 600X900X49.75MM RECTANGULAR STEEL PIPE (1111.17KG/M) |
| 600X900X50MM RECTANGULAR STEEL PIPE (1116.44KG/M)    |
| 700X800X9.5MM RECTANGULAR STEEL PIPE (221.61KG/M)    |
| 700X800X9.75MM RECTANGULAR STEEL PIPE (227.38KG/M)   |
| 700X800X10MM RECTANGULAR STEEL PIPE (233.15KG/M)     |
| 700X800X10.25MM RECTANGULAR STEEL PIPE (238.92KG/M)  |
| 700X800X10.5MM RECTANGULAR STEEL PIPE (244.68KG/M)   |
| 700X800X10.75MM RECTANGULAR STEEL PIPE (250.44KG/M)  |
| 700X800X11MM RECTANGULAR STEEL PIPE (256.2KG/M)      |
| 700X800X11.25MM RECTANGULAR STEEL PIPE (261.95KG/M)  |
| 700X800X11.5MM RECTANGULAR STEEL PIPE (267.7KG/M)    |
| 700X800X11.75MM RECTANGULAR STEEL PIPE (273.45KG/M)  |
| 700X800X12MM RECTANGULAR STEEL PIPE (279.19KG/M)     |
| 700X800X12.25MM RECTANGULAR STEEL PIPE (284.93KG/M)  |
| 700X800X12.5MM RECTANGULAR STEEL PIPE (290.67KG/M)   |
| 700X800X12.75MM RECTANGULAR STEEL PIPE (296.41KG/M)  |
| 700X800X13MM RECTANGULAR STEEL PIPE (302.14KG/M)     |
| 700X800X13.25MM RECTANGULAR STEEL PIPE (307.87KG/M)  |
| 700X800X13.5MM RECTANGULAR STEEL PIPE (313.59KG/M)   |
| 700X800X13.75MM RECTANGULAR STEEL PIPE (319.31KG/M)  |
| 700X800X14MM RECTANGULAR STEEL PIPE (325.03KG/M)     |
| 700X800X14.25MM RECTANGULAR STEEL PIPE (330.75KG/M)  |
| 700X800X14.5MM RECTANGULAR STEEL PIPE (336.46KG/M)   |
| 700X800X14.75MM RECTANGULAR STEEL PIPE (342.17KG/M)  |
| 700X800X15MM RECTANGULAR STEEL PIPE (347.88KG/M)     |
| 700X800X15.25MM RECTANGULAR STEEL PIPE (353.58KG/M)  |
| 700X800X15.5MM RECTANGULAR STEEL PIPE (359.29KG/M)   |
| 700X800X15.75MM RECTANGULAR STEEL PIPE (364.98KG/M)  |
| 700X800X16MM RECTANGULAR STEEL PIPE (370.68KG/M)     |
| 700X800X16.25MM RECTANGULAR STEEL PIPE (376.37KG/M)  |
| 700X800X16.5MM RECTANGULAR STEEL PIPE (382.06KG/M)   |
| 700X800X16.75MM RECTANGULAR STEEL PIPE (387.74KG/M)  |
| 700X800X17MM RECTANGULAR STEEL PIPE (393.43KG/M)     |
| 700X800X17.25MM RECTANGULAR STEEL PIPE (399.11KG/M)  |
| 700X800X17.5MM RECTANGULAR STEEL PIPE (404.78KG/M)   |
| 700X800X17.75MM RECTANGULAR STEEL PIPE (410.45KG/M)  |
| 700X800X18MM RECTANGULAR STEEL PIPE (416.12KG/M)     |
| 700X800X18.25MM RECTANGULAR STEEL PIPE (421.79KG/M)  |
| 700X800X18.5MM RECTANGULAR STEEL PIPE (427.46KG/M)   |
| 700X800X18.75MM RECTANGULAR STEEL PIPE (433.12KG/M)  |
| 700X800X19MM RECTANGULAR STEEL PIPE (438.77KG/M)     |
| 700X800X19.25MM RECTANGULAR STEEL PIPE (444.43KG/M)  |
| 700X800X19.5MM RECTANGULAR STEEL PIPE (450.08KG/M)   |
| 700X800X19.75MM RECTANGULAR STEEL PIPE (455.73KG/M)  |

|   |
|---|
| 700X800X20MM RECTANGULAR STEEL PIPE (461.37KG/M)    |
| 700X800X20.25MM RECTANGULAR STEEL PIPE (467.02KG/M) |
| 700X800X20.5MM RECTANGULAR STEEL PIPE (472.66KG/M)  |
| 700X800X20.75MM RECTANGULAR STEEL PIPE (478.29KG/M) |
| 700X800X21MM RECTANGULAR STEEL PIPE (483.93KG/M)    |
| 700X800X21.25MM RECTANGULAR STEEL PIPE (489.56KG/M) |
| 700X800X21.5MM RECTANGULAR STEEL PIPE (495.18KG/M)  |
| 700X800X21.75MM RECTANGULAR STEEL PIPE (500.81KG/M) |
| 700X800X22MM RECTANGULAR STEEL PIPE (506.43KG/M)    |
| 700X800X22.25MM RECTANGULAR STEEL PIPE (512.04KG/M) |
| 700X800X22.5MM RECTANGULAR STEEL PIPE (517.66KG/M)  |
| 700X800X22.75MM RECTANGULAR STEEL PIPE (523.27KG/M) |
| 700X800X23MM RECTANGULAR STEEL PIPE (528.88KG/M)    |
| 700X800X23.25MM RECTANGULAR STEEL PIPE (534.48KG/M) |
| 700X800X23.5MM RECTANGULAR STEEL PIPE (540.09KG/M)  |
| 700X800X23.75MM RECTANGULAR STEEL PIPE (545.69KG/M) |
| 700X800X24MM RECTANGULAR STEEL PIPE (551.28KG/M)    |
| 700X800X24.25MM RECTANGULAR STEEL PIPE (556.87KG/M) |
| 700X800X24.5MM RECTANGULAR STEEL PIPE (562.46KG/M)  |
| 700X800X24.75MM RECTANGULAR STEEL PIPE (568.05KG/M) |
| 700X800X25MM RECTANGULAR STEEL PIPE (573.64KG/M)    |
| 700X800X25.25MM RECTANGULAR STEEL PIPE (579.22KG/M) |
| 700X800X25.5MM RECTANGULAR STEEL PIPE (584.79KG/M)  |
| 700X800X25.75MM RECTANGULAR STEEL PIPE (590.37KG/M) |
| 700X800X26MM RECTANGULAR STEEL PIPE (595.94KG/M)    |
| 700X800X26.25MM RECTANGULAR STEEL PIPE (601.51KG/M) |
| 700X800X26.5MM RECTANGULAR STEEL PIPE (607.07KG/M)  |
| 700X800X26.75MM RECTANGULAR STEEL PIPE (612.64KG/M) |
| 700X800X27MM RECTANGULAR STEEL PIPE (618.19KG/M)    |
| 700X800X27.25MM RECTANGULAR STEEL PIPE (623.75KG/M) |
| 700X800X27.5MM RECTANGULAR STEEL PIPE (629.3KG/M)   |
| 700X800X27.75MM RECTANGULAR STEEL PIPE (634.85KG/M) |
| 700X800X28MM RECTANGULAR STEEL PIPE (640.4KG/M)     |
| 700X800X28.25MM RECTANGULAR STEEL PIPE (645.94KG/M) |
| 700X800X28.5MM RECTANGULAR STEEL PIPE (651.48KG/M)  |
| 700X800X28.75MM RECTANGULAR STEEL PIPE (657.02KG/M) |
| 700X800X29MM RECTANGULAR STEEL PIPE (662.56KG/M)    |
| 700X800X29.25MM RECTANGULAR STEEL PIPE (668.09KG/M) |
| 700X800X29.5MM RECTANGULAR STEEL PIPE (673.62KG/M)  |
| 700X800X29.75MM RECTANGULAR STEEL PIPE (679.14KG/M) |
| 700X800X30MM RECTANGULAR STEEL PIPE (684.66KG/M)    |
| 700X800X30.25MM RECTANGULAR STEEL PIPE (690.18KG/M) |
| 700X800X30.5MM RECTANGULAR STEEL PIPE (695.7KG/M)   |
| 700X800X30.75MM RECTANGULAR STEEL PIPE (701.21KG/M) |
| 700X800X31MM RECTANGULAR STEEL PIPE (706.72KG/M)    |
| 700X800X31.25MM RECTANGULAR STEEL PIPE (712.23KG/M) |
| 700X800X31.5MM RECTANGULAR STEEL PIPE (717.73KG/M)  |
| 700X800X31.75MM RECTANGULAR STEEL PIPE (723.23KG/M) |
| 700X800X32MM RECTANGULAR STEEL PIPE (728.73KG/M)    |
| 700X800X32.25MM RECTANGULAR STEEL PIPE (734.22KG/M) |
| 700X800X32.5MM RECTANGULAR STEEL PIPE (739.71KG/M)  |
| 700X800X32.75MM RECTANGULAR STEEL PIPE (745.2KG/M)  |
| 700X800X33MM RECTANGULAR STEEL PIPE (750.69KG/M)    |
| 700X800X33.25MM RECTANGULAR STEEL PIPE (756.17KG/M) |
| 700X800X33.5MM RECTANGULAR STEEL PIPE (761.65KG/M)  |
| 700X800X33.75MM RECTANGULAR STEEL PIPE (767.12KG/M) |
| 700X800X34MM RECTANGULAR STEEL PIPE (772.6KG/M)     |

|  |
|--|
| 700X800X34.25MM RECTANGULAR STEEL PIPE (778.07KG/M)  |
| 700X800X34.5MM RECTANGULAR STEEL PIPE (783.53KG/M)   |
| 700X800X34.75MM RECTANGULAR STEEL PIPE (789KG/M)     |
| 700X800X35MM RECTANGULAR STEEL PIPE (794.46KG/M)     |
| 700X800X35.25MM RECTANGULAR STEEL PIPE (799.92KG/M)  |
| 700X800X35.5MM RECTANGULAR STEEL PIPE (805.37KG/M)   |
| 700X800X35.75MM RECTANGULAR STEEL PIPE (810.82KG/M)  |
| 700X800X36MM RECTANGULAR STEEL PIPE (816.27KG/M)     |
| 700X800X36.25MM RECTANGULAR STEEL PIPE (821.71KG/M)  |
| 700X800X36.5MM RECTANGULAR STEEL PIPE (827.16KG/M)   |
| 700X800X36.75MM RECTANGULAR STEEL PIPE (832.59KG/M)  |
| 700X800X37MM RECTANGULAR STEEL PIPE (838.03KG/M)     |
| 700X800X37.25MM RECTANGULAR STEEL PIPE (843.46KG/M)  |
| 700X800X37.5MM RECTANGULAR STEEL PIPE (848.89KG/M)   |
| 700X800X37.75MM RECTANGULAR STEEL PIPE (854.32KG/M)  |
| 700X800X38MM RECTANGULAR STEEL PIPE (859.74KG/M)     |
| 700X800X38.25MM RECTANGULAR STEEL PIPE (865.16KG/M)  |
| 700X800X38.5MM RECTANGULAR STEEL PIPE (870.58KG/M)   |
| 700X800X38.75MM RECTANGULAR STEEL PIPE (875.99KG/M)  |
| 700X800X39MM RECTANGULAR STEEL PIPE (881.41KG/M)     |
| 700X800X39.25MM RECTANGULAR STEEL PIPE (886.81KG/M)  |
| 700X800X39.5MM RECTANGULAR STEEL PIPE (892.22KG/M)   |
| 700X800X39.75MM RECTANGULAR STEEL PIPE (897.62KG/M)  |
| 700X800X40MM RECTANGULAR STEEL PIPE (903.02KG/M)     |
| 700X800X40.25MM RECTANGULAR STEEL PIPE (908.42KG/M)  |
| 700X800X40.5MM RECTANGULAR STEEL PIPE (913.81KG/M)   |
| 700X800X40.75MM RECTANGULAR STEEL PIPE (919.2KG/M)   |
| 700X800X41MM RECTANGULAR STEEL PIPE (924.58KG/M)     |
| 700X800X41.25MM RECTANGULAR STEEL PIPE (929.97KG/M)  |
| 700X800X41.5MM RECTANGULAR STEEL PIPE (935.35KG/M)   |
| 700X800X41.75MM RECTANGULAR STEEL PIPE (940.72KG/M)  |
| 700X800X42MM RECTANGULAR STEEL PIPE (946.1KG/M)      |
| 700X800X42.25MM RECTANGULAR STEEL PIPE (951.47KG/M)  |
| 700X800X42.5MM RECTANGULAR STEEL PIPE (956.84KG/M)   |
| 700X800X42.75MM RECTANGULAR STEEL PIPE (962.2KG/M)   |
| 700X800X43MM RECTANGULAR STEEL PIPE (967.56KG/M)     |
| 700X800X43.25MM RECTANGULAR STEEL PIPE (972.92KG/M)  |
| 700X800X43.5MM RECTANGULAR STEEL PIPE (978.28KG/M)   |
| 700X800X43.75MM RECTANGULAR STEEL PIPE (983.63KG/M)  |
| 700X800X44MM RECTANGULAR STEEL PIPE (988.98KG/M)     |
| 700X800X44.25MM RECTANGULAR STEEL PIPE (994.33KG/M)  |
| 700X800X44.5MM RECTANGULAR STEEL PIPE (999.67KG/M)   |
| 700X800X44.75MM RECTANGULAR STEEL PIPE (1005.01KG/M) |
| 700X800X45MM RECTANGULAR STEEL PIPE (1010.35KG/M)    |
| 700X800X45.25MM RECTANGULAR STEEL PIPE (1015.68KG/M) |
| 700X800X45.5MM RECTANGULAR STEEL PIPE (1021.01KG/M)  |
| 700X800X45.75MM RECTANGULAR STEEL PIPE (1026.34KG/M) |
| 700X800X46MM RECTANGULAR STEEL PIPE (1031.67KG/M)    |
| 700X800X46.25MM RECTANGULAR STEEL PIPE (1036.99KG/M) |
| 700X800X46.5MM RECTANGULAR STEEL PIPE (1042.31KG/M)  |
| 700X800X46.75MM RECTANGULAR STEEL PIPE (1047.62KG/M) |
| 700X800X47MM RECTANGULAR STEEL PIPE (1052.93KG/M)    |
| 700X800X47.25MM RECTANGULAR STEEL PIPE (1058.24KG/M) |
| 700X800X47.5MM RECTANGULAR STEEL PIPE (1063.55KG/M)  |
| 700X800X47.75MM RECTANGULAR STEEL PIPE (1068.85KG/M) |
| 700X800X48MM RECTANGULAR STEEL PIPE (1074.15KG/M)    |
| 700X800X48.25MM RECTANGULAR STEEL PIPE (1079.45KG/M) |

|  |
|--|
| 700X800X48.5MM RECTANGULAR STEEL PIPE (1084.74KG/M)  |
| 700X800X48.75MM RECTANGULAR STEEL PIPE (1090.04KG/M) |
| 700X800X49MM RECTANGULAR STEEL PIPE (1095.32KG/M)    |
| 700X800X49.25MM RECTANGULAR STEEL PIPE (1100.61KG/M) |
| 700X800X49.5MM RECTANGULAR STEEL PIPE (1105.89KG/M)  |
| 700X800X49.75MM RECTANGULAR STEEL PIPE (1111.17KG/M) |
| 700X800X50MM RECTANGULAR STEEL PIPE (1116.44KG/M)    |
| 500X1100X9.5MM RECTANGULAR STEEL PIPE (236.54KG/M)   |
| 500X1100X9.75MM RECTANGULAR STEEL PIPE (242.7KG/M)   |
| 500X1100X10MM RECTANGULAR STEEL PIPE (248.86KG/M)    |
| 500X1100X10.25MM RECTANGULAR STEEL PIPE (255.02KG/M) |
| 500X1100X10.5MM RECTANGULAR STEEL PIPE (261.17KG/M)  |
| 500X1100X10.75MM RECTANGULAR STEEL PIPE (267.33KG/M) |
| 500X1100X11MM RECTANGULAR STEEL PIPE (273.48KG/M)    |
| 500X1100X11.25MM RECTANGULAR STEEL PIPE (279.62KG/M) |
| 500X1100X11.5MM RECTANGULAR STEEL PIPE (285.77KG/M)  |
| 500X1100X11.75MM RECTANGULAR STEEL PIPE (291.9KG/M)  |
| 500X1100X12MM RECTANGULAR STEEL PIPE (298.04KG/M)    |
| 500X1100X12.25MM RECTANGULAR STEEL PIPE (304.18KG/M) |
| 500X1100X12.5MM RECTANGULAR STEEL PIPE (310.31KG/M)  |
| 500X1100X12.75MM RECTANGULAR STEEL PIPE (316.43KG/M) |
| 500X1100X13MM RECTANGULAR STEEL PIPE (322.56KG/M)    |
| 500X1100X13.25MM RECTANGULAR STEEL PIPE (328.68KG/M) |
| 500X1100X13.5MM RECTANGULAR STEEL PIPE (334.8KG/M)   |
| 500X1100X13.75MM RECTANGULAR STEEL PIPE (340.91KG/M) |
| 500X1100X14MM RECTANGULAR STEEL PIPE (347.02KG/M)    |
| 500X1100X14.25MM RECTANGULAR STEEL PIPE (353.13KG/M) |
| 500X1100X14.5MM RECTANGULAR STEEL PIPE (359.24KG/M)  |
| 500X1100X14.75MM RECTANGULAR STEEL PIPE (365.34KG/M) |
| 500X1100X15MM RECTANGULAR STEEL PIPE (371.44KG/M)    |
| 500X1100X15.25MM RECTANGULAR STEEL PIPE (377.54KG/M) |
| 500X1100X15.5MM RECTANGULAR STEEL PIPE (383.63KG/M)  |
| 500X1100X15.75MM RECTANGULAR STEEL PIPE (389.72KG/M) |
| 500X1100X16MM RECTANGULAR STEEL PIPE (395.81KG/M)    |
| 500X1100X16.25MM RECTANGULAR STEEL PIPE (401.89KG/M) |
| 500X1100X16.5MM RECTANGULAR STEEL PIPE (407.98KG/M)  |
| 500X1100X16.75MM RECTANGULAR STEEL PIPE (414.05KG/M) |
| 500X1100X17MM RECTANGULAR STEEL PIPE (420.13KG/M)    |
| 500X1100X17.25MM RECTANGULAR STEEL PIPE (426.2KG/M)  |
| 500X1100X17.5MM RECTANGULAR STEEL PIPE (432.27KG/M)  |
| 500X1100X17.75MM RECTANGULAR STEEL PIPE (438.34KG/M) |
| 500X1100X18MM RECTANGULAR STEEL PIPE (444.4KG/M)     |
| 500X1100X18.25MM RECTANGULAR STEEL PIPE (450.46KG/M) |
| 500X1100X18.5MM RECTANGULAR STEEL PIPE (456.52KG/M)  |
| 500X1100X18.75MM RECTANGULAR STEEL PIPE (462.57KG/M) |
| 500X1100X19MM RECTANGULAR STEEL PIPE (468.62KG/M)    |
| 500X1100X19.25MM RECTANGULAR STEEL PIPE (474.67KG/M) |
| 500X1100X19.5MM RECTANGULAR STEEL PIPE (480.71KG/M)  |
| 500X1100X19.75MM RECTANGULAR STEEL PIPE (486.75KG/M) |
| 500X1100X20MM RECTANGULAR STEEL PIPE (492.79KG/M)    |
| 500X1100X20.25MM RECTANGULAR STEEL PIPE (498.83KG/M) |
| 500X1100X20.5MM RECTANGULAR STEEL PIPE (504.86KG/M)  |
| 500X1100X20.75MM RECTANGULAR STEEL PIPE (510.89KG/M) |
| 500X1100X21MM RECTANGULAR STEEL PIPE (516.91KG/M)    |
| 500X1100X21.25MM RECTANGULAR STEEL PIPE (522.93KG/M) |
| 500X1100X21.5MM RECTANGULAR STEEL PIPE (528.95KG/M)  |
| 500X1100X21.75MM RECTANGULAR STEEL PIPE (534.97KG/M) |

|  |
|--|
| 500X1100X22MM RECTANGULAR STEEL PIPE (540.98KG/M)    |
| 500X1100X22.25MM RECTANGULAR STEEL PIPE (546.99KG/M) |
| 500X1100X22.5MM RECTANGULAR STEEL PIPE (553KG/M)     |
| 500X1100X22.75MM RECTANGULAR STEEL PIPE (559.01KG/M) |
| 500X1100X23MM RECTANGULAR STEEL PIPE (565.01KG/M)    |
| 500X1100X23.25MM RECTANGULAR STEEL PIPE (571.01KG/M) |
| 500X1100X23.5MM RECTANGULAR STEEL PIPE (577KG/M)     |
| 500X1100X23.75MM RECTANGULAR STEEL PIPE (582.99KG/M) |
| 500X1100X24MM RECTANGULAR STEEL PIPE (588.98KG/M)    |
| 500X1100X24.25MM RECTANGULAR STEEL PIPE (594.97KG/M) |
| 500X1100X24.5MM RECTANGULAR STEEL PIPE (600.95KG/M)  |
| 500X1100X24.75MM RECTANGULAR STEEL PIPE (606.93KG/M) |
| 500X1100X25MM RECTANGULAR STEEL PIPE (612.91KG/M)    |
| 500X1100X25.25MM RECTANGULAR STEEL PIPE (618.88KG/M) |
| 500X1100X25.5MM RECTANGULAR STEEL PIPE (624.85KG/M)  |
| 500X1100X25.75MM RECTANGULAR STEEL PIPE (630.82KG/M) |
| 500X1100X26MM RECTANGULAR STEEL PIPE (636.78KG/M)    |
| 500X1100X26.25MM RECTANGULAR STEEL PIPE (642.74KG/M) |
| 500X1100X26.5MM RECTANGULAR STEEL PIPE (648.7KG/M)   |
| 500X1100X26.75MM RECTANGULAR STEEL PIPE (654.65KG/M) |
| 500X1100X27MM RECTANGULAR STEEL PIPE (660.61KG/M)    |
| 500X1100X27.25MM RECTANGULAR STEEL PIPE (666.55KG/M) |
| 500X1100X27.5MM RECTANGULAR STEEL PIPE (672.5KG/M)   |
| 500X1100X27.75MM RECTANGULAR STEEL PIPE (678.44KG/M) |
| 500X1100X28MM RECTANGULAR STEEL PIPE (684.38KG/M)    |
| 500X1100X28.25MM RECTANGULAR STEEL PIPE (690.32KG/M) |
| 500X1100X28.5MM RECTANGULAR STEEL PIPE (696.25KG/M)  |
| 500X1100X28.75MM RECTANGULAR STEEL PIPE (702.18KG/M) |
| 500X1100X29MM RECTANGULAR STEEL PIPE (708.11KG/M)    |
| 500X1100X29.25MM RECTANGULAR STEEL PIPE (714.03KG/M) |
| 500X1100X29.5MM RECTANGULAR STEEL PIPE (719.95KG/M)  |
| 500X1100X29.75MM RECTANGULAR STEEL PIPE (725.87KG/M) |
| 500X1100X30MM RECTANGULAR STEEL PIPE (731.79KG/M)    |
| 500X1100X30.25MM RECTANGULAR STEEL PIPE (737.7KG/M)  |
| 500X1100X30.5MM RECTANGULAR STEEL PIPE (743.61KG/M)  |
| 500X1100X30.75MM RECTANGULAR STEEL PIPE (749.51KG/M) |
| 500X1100X31MM RECTANGULAR STEEL PIPE (755.42KG/M)    |
| 500X1100X31.25MM RECTANGULAR STEEL PIPE (761.31KG/M) |
| 500X1100X31.5MM RECTANGULAR STEEL PIPE (767.21KG/M)  |
| 500X1100X31.75MM RECTANGULAR STEEL PIPE (773.1KG/M)  |
| 500X1100X32MM RECTANGULAR STEEL PIPE (778.99KG/M)    |
| 500X1100X32.25MM RECTANGULAR STEEL PIPE (784.88KG/M) |
| 500X1100X32.5MM RECTANGULAR STEEL PIPE (790.77KG/M)  |
| 500X1100X32.75MM RECTANGULAR STEEL PIPE (796.65KG/M) |
| 500X1100X33MM RECTANGULAR STEEL PIPE (802.52KG/M)    |
| 500X1100X33.25MM RECTANGULAR STEEL PIPE (808.4KG/M)  |
| 500X1100X33.5MM RECTANGULAR STEEL PIPE (814.27KG/M)  |
| 500X1100X33.75MM RECTANGULAR STEEL PIPE (820.14KG/M) |
| 500X1100X34MM RECTANGULAR STEEL PIPE (826KG/M)       |
| 500X1100X34.25MM RECTANGULAR STEEL PIPE (831.87KG/M) |
| 500X1100X34.5MM RECTANGULAR STEEL PIPE (837.73KG/M)  |
| 500X1100X34.75MM RECTANGULAR STEEL PIPE (843.58KG/M) |
| 500X1100X35MM RECTANGULAR STEEL PIPE (849.44KG/M)    |
| 500X1100X35.25MM RECTANGULAR STEEL PIPE (855.29KG/M) |
| 500X1100X35.5MM RECTANGULAR STEEL PIPE (861.13KG/M)  |
| 500X1100X35.75MM RECTANGULAR STEEL PIPE (866.98KG/M) |
| 500X1100X36MM RECTANGULAR STEEL PIPE (872.82KG/M)    |

|   |
|---|
| 500X1100X36.25MM RECTANGULAR STEEL PIPE (878.66KG/M)  |
| 500X1100X36.5MM RECTANGULAR STEEL PIPE (884.49KG/M)   |
| 500X1100X36.75MM RECTANGULAR STEEL PIPE (890.32KG/M)  |
| 500X1100X37MM RECTANGULAR STEEL PIPE (896.15KG/M)     |
| 500X1100X37.25MM RECTANGULAR STEEL PIPE (901.98KG/M)  |
| 500X1100X37.5MM RECTANGULAR STEEL PIPE (907.8KG/M)    |
| 500X1100X37.75MM RECTANGULAR STEEL PIPE (913.62KG/M)  |
| 500X1100X38MM RECTANGULAR STEEL PIPE (919.43KG/M)     |
| 500X1100X38.25MM RECTANGULAR STEEL PIPE (925.25KG/M)  |
| 500X1100X38.5MM RECTANGULAR STEEL PIPE (931.06KG/M)   |
| 500X1100X38.75MM RECTANGULAR STEEL PIPE (936.86KG/M)  |
| 500X1100X39MM RECTANGULAR STEEL PIPE (942.67KG/M)     |
| 500X1100X39.25MM RECTANGULAR STEEL PIPE (948.47KG/M)  |
| 500X1100X39.5MM RECTANGULAR STEEL PIPE (954.27KG/M)   |
| 500X1100X39.75MM RECTANGULAR STEEL PIPE (960.06KG/M)  |
| 500X1100X40MM RECTANGULAR STEEL PIPE (965.85KG/M)     |
| 500X1100X40.25MM RECTANGULAR STEEL PIPE (971.64KG/M)  |
| 500X1100X40.5MM RECTANGULAR STEEL PIPE (977.42KG/M)   |
| 500X1100X40.75MM RECTANGULAR STEEL PIPE (983.21KG/M)  |
| 500X1100X41MM RECTANGULAR STEEL PIPE (988.99KG/M)     |
| 500X1100X41.25MM RECTANGULAR STEEL PIPE (994.76KG/M)  |
| 500X1100X41.5MM RECTANGULAR STEEL PIPE (1000.54KG/M)  |
| 500X1100X41.75MM RECTANGULAR STEEL PIPE (1006.31KG/M) |
| 500X1100X42MM RECTANGULAR STEEL PIPE (1012.07KG/M)    |
| 500X1100X42.25MM RECTANGULAR STEEL PIPE (1017.84KG/M) |
| 500X1100X42.5MM RECTANGULAR STEEL PIPE (1023.6KG/M)   |
| 500X1100X42.75MM RECTANGULAR STEEL PIPE (1029.35KG/M) |
| 500X1100X43MM RECTANGULAR STEEL PIPE (1035.11KG/M)    |
| 500X1100X43.25MM RECTANGULAR STEEL PIPE (1040.86KG/M) |
| 500X1100X43.5MM RECTANGULAR STEEL PIPE (1046.61KG/M)  |
| 500X1100X43.75MM RECTANGULAR STEEL PIPE (1052.35KG/M) |
| 500X1100X44MM RECTANGULAR STEEL PIPE (1058.1KG/M)     |
| 500X1100X44.25MM RECTANGULAR STEEL PIPE (1063.83KG/M) |
| 500X1100X44.5MM RECTANGULAR STEEL PIPE (1069.57KG/M)  |
| 500X1100X44.75MM RECTANGULAR STEEL PIPE (1075.3KG/M)  |
| 500X1100X45MM RECTANGULAR STEEL PIPE (1081.03KG/M)    |
| 500X1100X45.25MM RECTANGULAR STEEL PIPE (1086.76KG/M) |
| 500X1100X45.5MM RECTANGULAR STEEL PIPE (1092.48KG/M)  |
| 500X1100X45.75MM RECTANGULAR STEEL PIPE (1098.2KG/M)  |
| 500X1100X46MM RECTANGULAR STEEL PIPE (1103.92KG/M)    |
| 500X1100X46.25MM RECTANGULAR STEEL PIPE (1109.64KG/M) |
| 500X1100X46.5MM RECTANGULAR STEEL PIPE (1115.35KG/M)  |
| 500X1100X46.75MM RECTANGULAR STEEL PIPE (1121.06KG/M) |
| 500X1100X47MM RECTANGULAR STEEL PIPE (1126.76KG/M)    |
| 500X1100X47.25MM RECTANGULAR STEEL PIPE (1132.46KG/M) |
| 500X1100X47.5MM RECTANGULAR STEEL PIPE (1138.16KG/M)  |
| 500X1100X47.75MM RECTANGULAR STEEL PIPE (1143.86KG/M) |
| 500X1100X48MM RECTANGULAR STEEL PIPE (1149.55KG/M)    |
| 500X1100X48.25MM RECTANGULAR STEEL PIPE (1155.24KG/M) |
| 500X1100X48.5MM RECTANGULAR STEEL PIPE (1160.93KG/M)  |
| 500X1100X48.75MM RECTANGULAR STEEL PIPE (1166.61KG/M) |
| 500X1100X49MM RECTANGULAR STEEL PIPE (1172.29KG/M)    |
| 500X1100X49.25MM RECTANGULAR STEEL PIPE (1177.97KG/M) |
| 500X1100X49.5MM RECTANGULAR STEEL PIPE (1183.64KG/M)  |
| 500X1100X49.75MM RECTANGULAR STEEL PIPE (1189.32KG/M) |
| 500X1100X50MM RECTANGULAR STEEL PIPE (1194.98KG/M)    |
| 600X1000X9.5MM RECTANGULAR STEEL PIPE (236.54KG/M)    |



|  |
|--|
| 600X1000X9.75MM RECTANGULAR STEEL PIPE (242.7KG/M)   |
| 600X1000X10MM RECTANGULAR STEEL PIPE (248.86KG/M)    |
| 600X1000X10.25MM RECTANGULAR STEEL PIPE (255.02KG/M) |
| 600X1000X10.5MM RECTANGULAR STEEL PIPE (261.17KG/M)  |
| 600X1000X10.75MM RECTANGULAR STEEL PIPE (267.33KG/M) |
| 600X1000X11MM RECTANGULAR STEEL PIPE (273.48KG/M)    |
| 600X1000X11.25MM RECTANGULAR STEEL PIPE (279.62KG/M) |
| 600X1000X11.5MM RECTANGULAR STEEL PIPE (285.77KG/M)  |
| 600X1000X11.75MM RECTANGULAR STEEL PIPE (291.9KG/M)  |
| 600X1000X12MM RECTANGULAR STEEL PIPE (298.04KG/M)    |
| 600X1000X12.25MM RECTANGULAR STEEL PIPE (304.18KG/M) |
| 600X1000X12.5MM RECTANGULAR STEEL PIPE (310.31KG/M)  |
| 600X1000X12.75MM RECTANGULAR STEEL PIPE (316.43KG/M) |
| 600X1000X13MM RECTANGULAR STEEL PIPE (322.56KG/M)    |
| 600X1000X13.25MM RECTANGULAR STEEL PIPE (328.68KG/M) |
| 600X1000X13.5MM RECTANGULAR STEEL PIPE (334.8KG/M)   |
| 600X1000X13.75MM RECTANGULAR STEEL PIPE (340.91KG/M) |
| 600X1000X14MM RECTANGULAR STEEL PIPE (347.02KG/M)    |
| 600X1000X14.25MM RECTANGULAR STEEL PIPE (353.13KG/M) |
| 600X1000X14.5MM RECTANGULAR STEEL PIPE (359.24KG/M)  |
| 600X1000X14.75MM RECTANGULAR STEEL PIPE (365.34KG/M) |
| 600X1000X15MM RECTANGULAR STEEL PIPE (371.44KG/M)    |
| 600X1000X15.25MM RECTANGULAR STEEL PIPE (377.54KG/M) |
| 600X1000X15.5MM RECTANGULAR STEEL PIPE (383.63KG/M)  |
| 600X1000X15.75MM RECTANGULAR STEEL PIPE (389.72KG/M) |
| 600X1000X16MM RECTANGULAR STEEL PIPE (395.81KG/M)    |
| 600X1000X16.25MM RECTANGULAR STEEL PIPE (401.89KG/M) |
| 600X1000X16.5MM RECTANGULAR STEEL PIPE (407.98KG/M)  |
| 600X1000X16.75MM RECTANGULAR STEEL PIPE (414.05KG/M) |
| 600X1000X17MM RECTANGULAR STEEL PIPE (420.13KG/M)    |
| 600X1000X17.25MM RECTANGULAR STEEL PIPE (426.2KG/M)  |
| 600X1000X17.5MM RECTANGULAR STEEL PIPE (432.27KG/M)  |
| 600X1000X17.75MM RECTANGULAR STEEL PIPE (438.34KG/M) |
| 600X1000X18MM RECTANGULAR STEEL PIPE (444.4KG/M)     |
| 600X1000X18.25MM RECTANGULAR STEEL PIPE (450.46KG/M) |
| 600X1000X18.5MM RECTANGULAR STEEL PIPE (456.52KG/M)  |
| 600X1000X18.75MM RECTANGULAR STEEL PIPE (462.57KG/M) |
| 600X1000X19MM RECTANGULAR STEEL PIPE (468.62KG/M)    |
| 600X1000X19.25MM RECTANGULAR STEEL PIPE (474.67KG/M) |
| 600X1000X19.5MM RECTANGULAR STEEL PIPE (480.71KG/M)  |
| 600X1000X19.75MM RECTANGULAR STEEL PIPE (486.75KG/M) |
| 600X1000X20MM RECTANGULAR STEEL PIPE (492.79KG/M)    |
| 600X1000X20.25MM RECTANGULAR STEEL PIPE (498.83KG/M) |
| 600X1000X20.5MM RECTANGULAR STEEL PIPE (504.86KG/M)  |
| 600X1000X20.75MM RECTANGULAR STEEL PIPE (510.89KG/M) |
| 600X1000X21MM RECTANGULAR STEEL PIPE (516.91KG/M)    |
| 600X1000X21.25MM RECTANGULAR STEEL PIPE (522.93KG/M) |
| 600X1000X21.5MM RECTANGULAR STEEL PIPE (528.95KG/M)  |
| 600X1000X21.75MM RECTANGULAR STEEL PIPE (534.97KG/M) |
| 600X1000X22MM RECTANGULAR STEEL PIPE (540.98KG/M)    |
| 600X1000X22.25MM RECTANGULAR STEEL PIPE (546.99KG/M) |
| 600X1000X22.5MM RECTANGULAR STEEL PIPE (553KG/M)     |
| 600X1000X22.75MM RECTANGULAR STEEL PIPE (559.01KG/M) |
| 600X1000X23MM RECTANGULAR STEEL PIPE (565.01KG/M)    |
| 600X1000X23.25MM RECTANGULAR STEEL PIPE (571.01KG/M) |
| 600X1000X23.5MM RECTANGULAR STEEL PIPE (577KG/M)     |
| 600X1000X23.75MM RECTANGULAR STEEL PIPE (582.99KG/M) |

|  |
|--|
| 600X1000X24MM RECTANGULAR STEEL PIPE (588.98KG/M)    |
| 600X1000X24.25MM RECTANGULAR STEEL PIPE (594.97KG/M) |
| 600X1000X24.5MM RECTANGULAR STEEL PIPE (600.95KG/M)  |
| 600X1000X24.75MM RECTANGULAR STEEL PIPE (606.93KG/M) |
| 600X1000X25MM RECTANGULAR STEEL PIPE (612.91KG/M)    |
| 600X1000X25.25MM RECTANGULAR STEEL PIPE (618.88KG/M) |
| 600X1000X25.5MM RECTANGULAR STEEL PIPE (624.85KG/M)  |
| 600X1000X25.75MM RECTANGULAR STEEL PIPE (630.82KG/M) |
| 600X1000X26MM RECTANGULAR STEEL PIPE (636.78KG/M)    |
| 600X1000X26.25MM RECTANGULAR STEEL PIPE (642.74KG/M) |
| 600X1000X26.5MM RECTANGULAR STEEL PIPE (648.7KG/M)   |
| 600X1000X26.75MM RECTANGULAR STEEL PIPE (654.65KG/M) |
| 600X1000X27MM RECTANGULAR STEEL PIPE (660.61KG/M)    |
| 600X1000X27.25MM RECTANGULAR STEEL PIPE (666.55KG/M) |
| 600X1000X27.5MM RECTANGULAR STEEL PIPE (672.5KG/M)   |
| 600X1000X27.75MM RECTANGULAR STEEL PIPE (678.44KG/M) |
| 600X1000X28MM RECTANGULAR STEEL PIPE (684.38KG/M)    |
| 600X1000X28.25MM RECTANGULAR STEEL PIPE (690.32KG/M) |
| 600X1000X28.5MM RECTANGULAR STEEL PIPE (696.25KG/M)  |
| 600X1000X28.75MM RECTANGULAR STEEL PIPE (702.18KG/M) |
| 600X1000X29MM RECTANGULAR STEEL PIPE (708.11KG/M)    |
| 600X1000X29.25MM RECTANGULAR STEEL PIPE (714.03KG/M) |
| 600X1000X29.5MM RECTANGULAR STEEL PIPE (719.95KG/M)  |
| 600X1000X29.75MM RECTANGULAR STEEL PIPE (725.87KG/M) |
| 600X1000X30MM RECTANGULAR STEEL PIPE (731.79KG/M)    |
| 600X1000X30.25MM RECTANGULAR STEEL PIPE (737.7KG/M)  |
| 600X1000X30.5MM RECTANGULAR STEEL PIPE (743.61KG/M)  |
| 600X1000X30.75MM RECTANGULAR STEEL PIPE (749.51KG/M) |
| 600X1000X31MM RECTANGULAR STEEL PIPE (755.42KG/M)    |
| 600X1000X31.25MM RECTANGULAR STEEL PIPE (761.31KG/M) |
| 600X1000X31.5MM RECTANGULAR STEEL PIPE (767.21KG/M)  |
| 600X1000X31.75MM RECTANGULAR STEEL PIPE (773.1KG/M)  |
| 600X1000X32MM RECTANGULAR STEEL PIPE (778.99KG/M)    |
| 600X1000X32.25MM RECTANGULAR STEEL PIPE (784.88KG/M) |
| 600X1000X32.5MM RECTANGULAR STEEL PIPE (790.77KG/M)  |
| 600X1000X32.75MM RECTANGULAR STEEL PIPE (796.65KG/M) |
| 600X1000X33MM RECTANGULAR STEEL PIPE (802.52KG/M)    |
| 600X1000X33.25MM RECTANGULAR STEEL PIPE (808.4KG/M)  |
| 600X1000X33.5MM RECTANGULAR STEEL PIPE (814.27KG/M)  |
| 600X1000X33.75MM RECTANGULAR STEEL PIPE (820.14KG/M) |
| 600X1000X34MM RECTANGULAR STEEL PIPE (826KG/M)       |
| 600X1000X34.25MM RECTANGULAR STEEL PIPE (831.87KG/M) |
| 600X1000X34.5MM RECTANGULAR STEEL PIPE (837.73KG/M)  |
| 600X1000X34.75MM RECTANGULAR STEEL PIPE (843.58KG/M) |
| 600X1000X35MM RECTANGULAR STEEL PIPE (849.44KG/M)    |
| 600X1000X35.25MM RECTANGULAR STEEL PIPE (855.29KG/M) |
| 600X1000X35.5MM RECTANGULAR STEEL PIPE (861.13KG/M)  |
| 600X1000X35.75MM RECTANGULAR STEEL PIPE (866.98KG/M) |
| 600X1000X36MM RECTANGULAR STEEL PIPE (872.82KG/M)    |
| 600X1000X36.25MM RECTANGULAR STEEL PIPE (878.66KG/M) |
| 600X1000X36.5MM RECTANGULAR STEEL PIPE (884.49KG/M)  |
| 600X1000X36.75MM RECTANGULAR STEEL PIPE (890.32KG/M) |
| 600X1000X37MM RECTANGULAR STEEL PIPE (896.15KG/M)    |
| 600X1000X37.25MM RECTANGULAR STEEL PIPE (901.98KG/M) |
| 600X1000X37.5MM RECTANGULAR STEEL PIPE (907.8KG/M)   |
| 600X1000X37.75MM RECTANGULAR STEEL PIPE (913.62KG/M) |
| 600X1000X38MM RECTANGULAR STEEL PIPE (919.43KG/M)    |

|   |
|---|
| 600X1000X38.25MM RECTANGULAR STEEL PIPE (925.25KG/M)  |
| 600X1000X38.5MM RECTANGULAR STEEL PIPE (931.06KG/M)   |
| 600X1000X38.75MM RECTANGULAR STEEL PIPE (936.86KG/M)  |
| 600X1000X39MM RECTANGULAR STEEL PIPE (942.67KG/M)     |
| 600X1000X39.25MM RECTANGULAR STEEL PIPE (948.47KG/M)  |
| 600X1000X39.5MM RECTANGULAR STEEL PIPE (954.27KG/M)   |
| 600X1000X39.75MM RECTANGULAR STEEL PIPE (960.06KG/M)  |
| 600X1000X40MM RECTANGULAR STEEL PIPE (965.85KG/M)     |
| 600X1000X40.25MM RECTANGULAR STEEL PIPE (971.64KG/M)  |
| 600X1000X40.5MM RECTANGULAR STEEL PIPE (977.42KG/M)   |
| 600X1000X40.75MM RECTANGULAR STEEL PIPE (983.21KG/M)  |
| 600X1000X41MM RECTANGULAR STEEL PIPE (988.99KG/M)     |
| 600X1000X41.25MM RECTANGULAR STEEL PIPE (994.76KG/M)  |
| 600X1000X41.5MM RECTANGULAR STEEL PIPE (1000.54KG/M)  |
| 600X1000X41.75MM RECTANGULAR STEEL PIPE (1006.31KG/M) |
| 600X1000X42MM RECTANGULAR STEEL PIPE (1012.07KG/M)    |
| 600X1000X42.25MM RECTANGULAR STEEL PIPE (1017.84KG/M) |
| 600X1000X42.5MM RECTANGULAR STEEL PIPE (1023.6KG/M)   |
| 600X1000X42.75MM RECTANGULAR STEEL PIPE (1029.35KG/M) |
| 600X1000X43MM RECTANGULAR STEEL PIPE (1035.11KG/M)    |
| 600X1000X43.25MM RECTANGULAR STEEL PIPE (1040.86KG/M) |
| 600X1000X43.5MM RECTANGULAR STEEL PIPE (1046.61KG/M)  |
| 600X1000X43.75MM RECTANGULAR STEEL PIPE (1052.35KG/M) |
| 600X1000X44MM RECTANGULAR STEEL PIPE (1058.1KG/M)     |
| 600X1000X44.25MM RECTANGULAR STEEL PIPE (1063.83KG/M) |
| 600X1000X44.5MM RECTANGULAR STEEL PIPE (1069.57KG/M)  |
| 600X1000X44.75MM RECTANGULAR STEEL PIPE (1075.3KG/M)  |
| 600X1000X45MM RECTANGULAR STEEL PIPE (1081.03KG/M)    |
| 600X1000X45.25MM RECTANGULAR STEEL PIPE (1086.76KG/M) |
| 600X1000X45.5MM RECTANGULAR STEEL PIPE (1092.48KG/M)  |
| 600X1000X45.75MM RECTANGULAR STEEL PIPE (1098.2KG/M)  |
| 600X1000X46MM RECTANGULAR STEEL PIPE (1103.92KG/M)    |
| 600X1000X46.25MM RECTANGULAR STEEL PIPE (1109.64KG/M) |
| 600X1000X46.5MM RECTANGULAR STEEL PIPE (1115.35KG/M)  |
| 600X1000X46.75MM RECTANGULAR STEEL PIPE (1121.06KG/M) |
| 600X1000X47MM RECTANGULAR STEEL PIPE (1126.76KG/M)    |
| 600X1000X47.25MM RECTANGULAR STEEL PIPE (1132.46KG/M) |
| 600X1000X47.5MM RECTANGULAR STEEL PIPE (1138.16KG/M)  |
| 600X1000X47.75MM RECTANGULAR STEEL PIPE (1143.86KG/M) |
| 600X1000X48MM RECTANGULAR STEEL PIPE (1149.55KG/M)    |
| 600X1000X48.25MM RECTANGULAR STEEL PIPE (1155.24KG/M) |
| 600X1000X48.5MM RECTANGULAR STEEL PIPE (1160.93KG/M)  |
| 600X1000X48.75MM RECTANGULAR STEEL PIPE (1166.61KG/M) |
| 600X1000X49MM RECTANGULAR STEEL PIPE (1172.29KG/M)    |
| 600X1000X49.25MM RECTANGULAR STEEL PIPE (1177.97KG/M) |
| 600X1000X49.5MM RECTANGULAR STEEL PIPE (1183.64KG/M)  |
| 600X1000X49.75MM RECTANGULAR STEEL PIPE (1189.32KG/M) |
| 600X1000X50MM RECTANGULAR STEEL PIPE (1194.98KG/M)    |
| 700X900X9.5MM RECTANGULAR STEEL PIPE (236.54KG/M)     |
| 700X900X9.75MM RECTANGULAR STEEL PIPE (242.7KG/M)     |
| 700X900X10MM RECTANGULAR STEEL PIPE (248.86KG/M)      |
| 700X900X10.25MM RECTANGULAR STEEL PIPE (255.02KG/M)   |
| 700X900X10.5MM RECTANGULAR STEEL PIPE (261.17KG/M)    |
| 700X900X10.75MM RECTANGULAR STEEL PIPE (267.33KG/M)   |
| 700X900X11MM RECTANGULAR STEEL PIPE (273.48KG/M)      |
| 700X900X11.25MM RECTANGULAR STEEL PIPE (279.62KG/M)   |
| 700X900X11.5MM RECTANGULAR STEEL PIPE (285.77KG/M)    |

|   |
|---|
| 700X900X11.75MM RECTANGULAR STEEL PIPE (291.9KG/M)  |
| 700X900X12MM RECTANGULAR STEEL PIPE (298.04KG/M)    |
| 700X900X12.25MM RECTANGULAR STEEL PIPE (304.18KG/M) |
| 700X900X12.5MM RECTANGULAR STEEL PIPE (310.31KG/M)  |
| 700X900X12.75MM RECTANGULAR STEEL PIPE (316.43KG/M) |
| 700X900X13MM RECTANGULAR STEEL PIPE (322.56KG/M)    |
| 700X900X13.25MM RECTANGULAR STEEL PIPE (328.68KG/M) |
| 700X900X13.5MM RECTANGULAR STEEL PIPE (334.8KG/M)   |
| 700X900X13.75MM RECTANGULAR STEEL PIPE (340.91KG/M) |
| 700X900X14MM RECTANGULAR STEEL PIPE (347.02KG/M)    |
| 700X900X14.25MM RECTANGULAR STEEL PIPE (353.13KG/M) |
| 700X900X14.5MM RECTANGULAR STEEL PIPE (359.24KG/M)  |
| 700X900X14.75MM RECTANGULAR STEEL PIPE (365.34KG/M) |
| 700X900X15MM RECTANGULAR STEEL PIPE (371.44KG/M)    |
| 700X900X15.25MM RECTANGULAR STEEL PIPE (377.54KG/M) |
| 700X900X15.5MM RECTANGULAR STEEL PIPE (383.63KG/M)  |
| 700X900X15.75MM RECTANGULAR STEEL PIPE (389.72KG/M) |
| 700X900X16MM RECTANGULAR STEEL PIPE (395.81KG/M)    |
| 700X900X16.25MM RECTANGULAR STEEL PIPE (401.89KG/M) |
| 700X900X16.5MM RECTANGULAR STEEL PIPE (407.98KG/M)  |
| 700X900X16.75MM RECTANGULAR STEEL PIPE (414.05KG/M) |
| 700X900X17MM RECTANGULAR STEEL PIPE (420.13KG/M)    |
| 700X900X17.25MM RECTANGULAR STEEL PIPE (426.2KG/M)  |
| 700X900X17.5MM RECTANGULAR STEEL PIPE (432.27KG/M)  |
| 700X900X17.75MM RECTANGULAR STEEL PIPE (438.34KG/M) |
| 700X900X18MM RECTANGULAR STEEL PIPE (444.4KG/M)     |
| 700X900X18.25MM RECTANGULAR STEEL PIPE (450.46KG/M) |
| 700X900X18.5MM RECTANGULAR STEEL PIPE (456.52KG/M)  |
| 700X900X18.75MM RECTANGULAR STEEL PIPE (462.57KG/M) |
| 700X900X19MM RECTANGULAR STEEL PIPE (468.62KG/M)    |
| 700X900X19.25MM RECTANGULAR STEEL PIPE (474.67KG/M) |
| 700X900X19.5MM RECTANGULAR STEEL PIPE (480.71KG/M)  |
| 700X900X19.75MM RECTANGULAR STEEL PIPE (486.75KG/M) |
| 700X900X20MM RECTANGULAR STEEL PIPE (492.79KG/M)    |
| 700X900X20.25MM RECTANGULAR STEEL PIPE (498.83KG/M) |
| 700X900X20.5MM RECTANGULAR STEEL PIPE (504.86KG/M)  |
| 700X900X20.75MM RECTANGULAR STEEL PIPE (510.89KG/M) |
| 700X900X21MM RECTANGULAR STEEL PIPE (516.91KG/M)    |
| 700X900X21.25MM RECTANGULAR STEEL PIPE (522.93KG/M) |
| 700X900X21.5MM RECTANGULAR STEEL PIPE (528.95KG/M)  |
| 700X900X21.75MM RECTANGULAR STEEL PIPE (534.97KG/M) |
| 700X900X22MM RECTANGULAR STEEL PIPE (540.98KG/M)    |
| 700X900X22.25MM RECTANGULAR STEEL PIPE (546.99KG/M) |
| 700X900X22.5MM RECTANGULAR STEEL PIPE (553KG/M)     |
| 700X900X22.75MM RECTANGULAR STEEL PIPE (559.01KG/M) |
| 700X900X23MM RECTANGULAR STEEL PIPE (565.01KG/M)    |
| 700X900X23.25MM RECTANGULAR STEEL PIPE (571.01KG/M) |
| 700X900X23.5MM RECTANGULAR STEEL PIPE (577KG/M)     |
| 700X900X23.75MM RECTANGULAR STEEL PIPE (582.99KG/M) |
| 700X900X24MM RECTANGULAR STEEL PIPE (588.98KG/M)    |
| 700X900X24.25MM RECTANGULAR STEEL PIPE (594.97KG/M) |
| 700X900X24.5MM RECTANGULAR STEEL PIPE (600.95KG/M)  |
| 700X900X24.75MM RECTANGULAR STEEL PIPE (606.93KG/M) |
| 700X900X25MM RECTANGULAR STEEL PIPE (612.91KG/M)    |
| 700X900X25.25MM RECTANGULAR STEEL PIPE (618.88KG/M) |
| 700X900X25.5MM RECTANGULAR STEEL PIPE (624.85KG/M)  |
| 700X900X25.75MM RECTANGULAR STEEL PIPE (630.82KG/M) |

|   |
|---|
| 700X900X26MM RECTANGULAR STEEL PIPE (636.78KG/M)    |
| 700X900X26.25MM RECTANGULAR STEEL PIPE (642.74KG/M) |
| 700X900X26.5MM RECTANGULAR STEEL PIPE (648.7KG/M)   |
| 700X900X26.75MM RECTANGULAR STEEL PIPE (654.65KG/M) |
| 700X900X27MM RECTANGULAR STEEL PIPE (660.61KG/M)    |
| 700X900X27.25MM RECTANGULAR STEEL PIPE (666.55KG/M) |
| 700X900X27.5MM RECTANGULAR STEEL PIPE (672.5KG/M)   |
| 700X900X27.75MM RECTANGULAR STEEL PIPE (678.44KG/M) |
| 700X900X28MM RECTANGULAR STEEL PIPE (684.38KG/M)    |
| 700X900X28.25MM RECTANGULAR STEEL PIPE (690.32KG/M) |
| 700X900X28.5MM RECTANGULAR STEEL PIPE (696.25KG/M)  |
| 700X900X28.75MM RECTANGULAR STEEL PIPE (702.18KG/M) |
| 700X900X29MM RECTANGULAR STEEL PIPE (708.11KG/M)    |
| 700X900X29.25MM RECTANGULAR STEEL PIPE (714.03KG/M) |
| 700X900X29.5MM RECTANGULAR STEEL PIPE (719.95KG/M)  |
| 700X900X29.75MM RECTANGULAR STEEL PIPE (725.87KG/M) |
| 700X900X30MM RECTANGULAR STEEL PIPE (731.79KG/M)    |
| 700X900X30.25MM RECTANGULAR STEEL PIPE (737.7KG/M)  |
| 700X900X30.5MM RECTANGULAR STEEL PIPE (743.61KG/M)  |
| 700X900X30.75MM RECTANGULAR STEEL PIPE (749.51KG/M) |
| 700X900X31MM RECTANGULAR STEEL PIPE (755.42KG/M)    |
| 700X900X31.25MM RECTANGULAR STEEL PIPE (761.31KG/M) |
| 700X900X31.5MM RECTANGULAR STEEL PIPE (767.21KG/M)  |
| 700X900X31.75MM RECTANGULAR STEEL PIPE (773.1KG/M)  |
| 700X900X32MM RECTANGULAR STEEL PIPE (778.99KG/M)    |
| 700X900X32.25MM RECTANGULAR STEEL PIPE (784.88KG/M) |
| 700X900X32.5MM RECTANGULAR STEEL PIPE (790.77KG/M)  |
| 700X900X32.75MM RECTANGULAR STEEL PIPE (796.65KG/M) |
| 700X900X33MM RECTANGULAR STEEL PIPE (802.52KG/M)    |
| 700X900X33.25MM RECTANGULAR STEEL PIPE (808.4KG/M)  |
| 700X900X33.5MM RECTANGULAR STEEL PIPE (814.27KG/M)  |
| 700X900X33.75MM RECTANGULAR STEEL PIPE (820.14KG/M) |
| 700X900X34MM RECTANGULAR STEEL PIPE (826KG/M)       |
| 700X900X34.25MM RECTANGULAR STEEL PIPE (831.87KG/M) |
| 700X900X34.5MM RECTANGULAR STEEL PIPE (837.73KG/M)  |
| 700X900X34.75MM RECTANGULAR STEEL PIPE (843.58KG/M) |
| 700X900X35MM RECTANGULAR STEEL PIPE (849.44KG/M)    |
| 700X900X35.25MM RECTANGULAR STEEL PIPE (855.29KG/M) |
| 700X900X35.5MM RECTANGULAR STEEL PIPE (861.13KG/M)  |
| 700X900X35.75MM RECTANGULAR STEEL PIPE (866.98KG/M) |
| 700X900X36MM RECTANGULAR STEEL PIPE (872.82KG/M)    |
| 700X900X36.25MM RECTANGULAR STEEL PIPE (878.66KG/M) |
| 700X900X36.5MM RECTANGULAR STEEL PIPE (884.49KG/M)  |
| 700X900X36.75MM RECTANGULAR STEEL PIPE (890.32KG/M) |
| 700X900X37MM RECTANGULAR STEEL PIPE (896.15KG/M)    |
| 700X900X37.25MM RECTANGULAR STEEL PIPE (901.98KG/M) |
| 700X900X37.5MM RECTANGULAR STEEL PIPE (907.8KG/M)   |
| 700X900X37.75MM RECTANGULAR STEEL PIPE (913.62KG/M) |
| 700X900X38MM RECTANGULAR STEEL PIPE (919.43KG/M)    |
| 700X900X38.25MM RECTANGULAR STEEL PIPE (925.25KG/M) |
| 700X900X38.5MM RECTANGULAR STEEL PIPE (931.06KG/M)  |
| 700X900X38.75MM RECTANGULAR STEEL PIPE (936.86KG/M) |
| 700X900X39MM RECTANGULAR STEEL PIPE (942.67KG/M)    |
| 700X900X39.25MM RECTANGULAR STEEL PIPE (948.47KG/M) |
| 700X900X39.5MM RECTANGULAR STEEL PIPE (954.27KG/M)  |
| 700X900X39.75MM RECTANGULAR STEEL PIPE (960.06KG/M) |
| 700X900X40MM RECTANGULAR STEEL PIPE (965.85KG/M)    |

|  |
|--|
| 700X900X40.25MM RECTANGULAR STEEL PIPE (971.64KG/M)  |
| 700X900X40.5MM RECTANGULAR STEEL PIPE (977.42KG/M)   |
| 700X900X40.75MM RECTANGULAR STEEL PIPE (983.21KG/M)  |
| 700X900X41MM RECTANGULAR STEEL PIPE (988.99KG/M)     |
| 700X900X41.25MM RECTANGULAR STEEL PIPE (994.76KG/M)  |
| 700X900X41.5MM RECTANGULAR STEEL PIPE (1000.54KG/M)  |
| 700X900X41.75MM RECTANGULAR STEEL PIPE (1006.31KG/M) |
| 700X900X42MM RECTANGULAR STEEL PIPE (1012.07KG/M)    |
| 700X900X42.25MM RECTANGULAR STEEL PIPE (1017.84KG/M) |
| 700X900X42.5MM RECTANGULAR STEEL PIPE (1023.6KG/M)   |
| 700X900X42.75MM RECTANGULAR STEEL PIPE (1029.35KG/M) |
| 700X900X43MM RECTANGULAR STEEL PIPE (1035.11KG/M)    |
| 700X900X43.25MM RECTANGULAR STEEL PIPE (1040.86KG/M) |
| 700X900X43.5MM RECTANGULAR STEEL PIPE (1046.61KG/M)  |
| 700X900X43.75MM RECTANGULAR STEEL PIPE (1052.35KG/M) |
| 700X900X44MM RECTANGULAR STEEL PIPE (1058.1KG/M)     |
| 700X900X44.25MM RECTANGULAR STEEL PIPE (1063.83KG/M) |
| 700X900X44.5MM RECTANGULAR STEEL PIPE (1069.57KG/M)  |
| 700X900X44.75MM RECTANGULAR STEEL PIPE (1075.3KG/M)  |
| 700X900X45MM RECTANGULAR STEEL PIPE (1081.03KG/M)    |
| 700X900X45.25MM RECTANGULAR STEEL PIPE (1086.76KG/M) |
| 700X900X45.5MM RECTANGULAR STEEL PIPE (1092.48KG/M)  |
| 700X900X45.75MM RECTANGULAR STEEL PIPE (1098.2KG/M)  |
| 700X900X46MM RECTANGULAR STEEL PIPE (1103.92KG/M)    |
| 700X900X46.25MM RECTANGULAR STEEL PIPE (1109.64KG/M) |
| 700X900X46.5MM RECTANGULAR STEEL PIPE (1115.35KG/M)  |
| 700X900X46.75MM RECTANGULAR STEEL PIPE (1121.06KG/M) |
| 700X900X47MM RECTANGULAR STEEL PIPE (1126.76KG/M)    |
| 700X900X47.25MM RECTANGULAR STEEL PIPE (1132.46KG/M) |
| 700X900X47.5MM RECTANGULAR STEEL PIPE (1138.16KG/M)  |
| 700X900X47.75MM RECTANGULAR STEEL PIPE (1143.86KG/M) |
| 700X900X48MM RECTANGULAR STEEL PIPE (1149.55KG/M)    |
| 700X900X48.25MM RECTANGULAR STEEL PIPE (1155.24KG/M) |
| 700X900X48.5MM RECTANGULAR STEEL PIPE (1160.93KG/M)  |
| 700X900X48.75MM RECTANGULAR STEEL PIPE (1166.61KG/M) |
| 700X900X49MM RECTANGULAR STEEL PIPE (1172.29KG/M)    |
| 700X900X49.25MM RECTANGULAR STEEL PIPE (1177.97KG/M) |
| 700X900X49.5MM RECTANGULAR STEEL PIPE (1183.64KG/M)  |
| 700X900X49.75MM RECTANGULAR STEEL PIPE (1189.32KG/M) |
| 700X900X50MM RECTANGULAR STEEL PIPE (1194.98KG/M)    |
| 600X1100X9.5MM RECTANGULAR STEEL PIPE (251.46KG/M)   |
| 600X1100X9.75MM RECTANGULAR STEEL PIPE (258.02KG/M)  |
| 600X1100X10MM RECTANGULAR STEEL PIPE (264.57KG/M)    |
| 600X1100X10.25MM RECTANGULAR STEEL PIPE (271.12KG/M) |
| 600X1100X10.5MM RECTANGULAR STEEL PIPE (277.67KG/M)  |
| 600X1100X10.75MM RECTANGULAR STEEL PIPE (284.21KG/M) |
| 600X1100X11MM RECTANGULAR STEEL PIPE (290.75KG/M)    |
| 600X1100X11.25MM RECTANGULAR STEEL PIPE (297.29KG/M) |
| 600X1100X11.5MM RECTANGULAR STEEL PIPE (303.83KG/M)  |
| 600X1100X11.75MM RECTANGULAR STEEL PIPE (310.36KG/M) |
| 600X1100X12MM RECTANGULAR STEEL PIPE (316.89KG/M)    |
| 600X1100X12.25MM RECTANGULAR STEEL PIPE (323.42KG/M) |
| 600X1100X12.5MM RECTANGULAR STEEL PIPE (329.94KG/M)  |
| 600X1100X12.75MM RECTANGULAR STEEL PIPE (336.46KG/M) |
| 600X1100X13MM RECTANGULAR STEEL PIPE (342.98KG/M)    |
| 600X1100X13.25MM RECTANGULAR STEEL PIPE (349.49KG/M) |
| 600X1100X13.5MM RECTANGULAR STEEL PIPE (356KG/M)     |

|  |
|--|
| 600X1100X13.75MM RECTANGULAR STEEL PIPE (362.51KG/M) |
| 600X1100X14MM RECTANGULAR STEEL PIPE (369.02KG/M)    |
| 600X1100X14.25MM RECTANGULAR STEEL PIPE (375.52KG/M) |
| 600X1100X14.5MM RECTANGULAR STEEL PIPE (382.02KG/M)  |
| 600X1100X14.75MM RECTANGULAR STEEL PIPE (388.51KG/M) |
| 600X1100X15MM RECTANGULAR STEEL PIPE (395KG/M)       |
| 600X1100X15.25MM RECTANGULAR STEEL PIPE (401.49KG/M) |
| 600X1100X15.5MM RECTANGULAR STEEL PIPE (407.98KG/M)  |
| 600X1100X15.75MM RECTANGULAR STEEL PIPE (414.46KG/M) |
| 600X1100X16MM RECTANGULAR STEEL PIPE (420.94KG/M)    |
| 600X1100X16.25MM RECTANGULAR STEEL PIPE (427.42KG/M) |
| 600X1100X16.5MM RECTANGULAR STEEL PIPE (433.89KG/M)  |
| 600X1100X16.75MM RECTANGULAR STEEL PIPE (440.37KG/M) |
| 600X1100X17MM RECTANGULAR STEEL PIPE (446.83KG/M)    |
| 600X1100X17.25MM RECTANGULAR STEEL PIPE (453.3KG/M)  |
| 600X1100X17.5MM RECTANGULAR STEEL PIPE (459.76KG/M)  |
| 600X1100X17.75MM RECTANGULAR STEEL PIPE (466.22KG/M) |
| 600X1100X18MM RECTANGULAR STEEL PIPE (472.67KG/M)    |
| 600X1100X18.25MM RECTANGULAR STEEL PIPE (479.13KG/M) |
| 600X1100X18.5MM RECTANGULAR STEEL PIPE (485.57KG/M)  |
| 600X1100X18.75MM RECTANGULAR STEEL PIPE (492.02KG/M) |
| 600X1100X19MM RECTANGULAR STEEL PIPE (498.46KG/M)    |
| 600X1100X19.25MM RECTANGULAR STEEL PIPE (504.9KG/M)  |
| 600X1100X19.5MM RECTANGULAR STEEL PIPE (511.34KG/M)  |
| 600X1100X19.75MM RECTANGULAR STEEL PIPE (517.78KG/M) |
| 600X1100X20MM RECTANGULAR STEEL PIPE (524.21KG/M)    |
| 600X1100X20.25MM RECTANGULAR STEEL PIPE (530.63KG/M) |
| 600X1100X20.5MM RECTANGULAR STEEL PIPE (537.06KG/M)  |
| 600X1100X20.75MM RECTANGULAR STEEL PIPE (543.48KG/M) |
| 600X1100X21MM RECTANGULAR STEEL PIPE (549.9KG/M)     |
| 600X1100X21.25MM RECTANGULAR STEEL PIPE (556.31KG/M) |
| 600X1100X21.5MM RECTANGULAR STEEL PIPE (562.73KG/M)  |
| 600X1100X21.75MM RECTANGULAR STEEL PIPE (569.14KG/M) |
| 600X1100X22MM RECTANGULAR STEEL PIPE (575.54KG/M)    |
| 600X1100X22.25MM RECTANGULAR STEEL PIPE (581.94KG/M) |
| 600X1100X22.5MM RECTANGULAR STEEL PIPE (588.34KG/M)  |
| 600X1100X22.75MM RECTANGULAR STEEL PIPE (594.74KG/M) |
| 600X1100X23MM RECTANGULAR STEEL PIPE (601.14KG/M)    |
| 600X1100X23.25MM RECTANGULAR STEEL PIPE (607.53KG/M) |
| 600X1100X23.5MM RECTANGULAR STEEL PIPE (613.91KG/M)  |
| 600X1100X23.75MM RECTANGULAR STEEL PIPE (620.3KG/M)  |
| 600X1100X24MM RECTANGULAR STEEL PIPE (626.68KG/M)    |
| 600X1100X24.25MM RECTANGULAR STEEL PIPE (633.06KG/M) |
| 600X1100X24.5MM RECTANGULAR STEEL PIPE (639.43KG/M)  |
| 600X1100X24.75MM RECTANGULAR STEEL PIPE (645.81KG/M) |
| 600X1100X25MM RECTANGULAR STEEL PIPE (652.17KG/M)    |
| 600X1100X25.25MM RECTANGULAR STEEL PIPE (658.54KG/M) |
| 600X1100X25.5MM RECTANGULAR STEEL PIPE (664.9KG/M)   |
| 600X1100X25.75MM RECTANGULAR STEEL PIPE (671.26KG/M) |
| 600X1100X26MM RECTANGULAR STEEL PIPE (677.62KG/M)    |
| 600X1100X26.25MM RECTANGULAR STEEL PIPE (683.97KG/M) |
| 600X1100X26.5MM RECTANGULAR STEEL PIPE (690.33KG/M)  |
| 600X1100X26.75MM RECTANGULAR STEEL PIPE (696.67KG/M) |
| 600X1100X27MM RECTANGULAR STEEL PIPE (703.02KG/M)    |
| 600X1100X27.25MM RECTANGULAR STEEL PIPE (709.36KG/M) |
| 600X1100X27.5MM RECTANGULAR STEEL PIPE (715.7KG/M)   |
| 600X1100X27.75MM RECTANGULAR STEEL PIPE (722.03KG/M) |

|   |
|---|
| 600X1100X28MM RECTANGULAR STEEL PIPE (728.36KG/M)     |
| 600X1100X28.25MM RECTANGULAR STEEL PIPE (734.69KG/M)  |
| 600X1100X28.5MM RECTANGULAR STEEL PIPE (741.02KG/M)   |
| 600X1100X28.75MM RECTANGULAR STEEL PIPE (747.34KG/M)  |
| 600X1100X29MM RECTANGULAR STEEL PIPE (753.66KG/M)     |
| 600X1100X29.25MM RECTANGULAR STEEL PIPE (759.98KG/M)  |
| 600X1100X29.5MM RECTANGULAR STEEL PIPE (766.29KG/M)   |
| 600X1100X29.75MM RECTANGULAR STEEL PIPE (772.6KG/M)   |
| 600X1100X30MM RECTANGULAR STEEL PIPE (778.91KG/M)     |
| 600X1100X30.25MM RECTANGULAR STEEL PIPE (785.22KG/M)  |
| 600X1100X30.5MM RECTANGULAR STEEL PIPE (791.52KG/M)   |
| 600X1100X30.75MM RECTANGULAR STEEL PIPE (797.81KG/M)  |
| 600X1100X31MM RECTANGULAR STEEL PIPE (804.11KG/M)     |
| 600X1100X31.25MM RECTANGULAR STEEL PIPE (810.4KG/M)   |
| 600X1100X31.5MM RECTANGULAR STEEL PIPE (816.69KG/M)   |
| 600X1100X31.75MM RECTANGULAR STEEL PIPE (822.98KG/M)  |
| 600X1100X32MM RECTANGULAR STEEL PIPE (829.26KG/M)     |
| 600X1100X32.25MM RECTANGULAR STEEL PIPE (835.54KG/M)  |
| 600X1100X32.5MM RECTANGULAR STEEL PIPE (841.82KG/M)   |
| 600X1100X32.75MM RECTANGULAR STEEL PIPE (848.09KG/M)  |
| 600X1100X33MM RECTANGULAR STEEL PIPE (854.36KG/M)     |
| 600X1100X33.25MM RECTANGULAR STEEL PIPE (860.63KG/M)  |
| 600X1100X33.5MM RECTANGULAR STEEL PIPE (866.89KG/M)   |
| 600X1100X33.75MM RECTANGULAR STEEL PIPE (873.15KG/M)  |
| 600X1100X34MM RECTANGULAR STEEL PIPE (879.41KG/M)     |
| 600X1100X34.25MM RECTANGULAR STEEL PIPE (885.67KG/M)  |
| 600X1100X34.5MM RECTANGULAR STEEL PIPE (891.92KG/M)   |
| 600X1100X34.75MM RECTANGULAR STEEL PIPE (898.17KG/M)  |
| 600X1100X35MM RECTANGULAR STEEL PIPE (904.41KG/M)     |
| 600X1100X35.25MM RECTANGULAR STEEL PIPE (910.66KG/M)  |
| 600X1100X35.5MM RECTANGULAR STEEL PIPE (916.9KG/M)    |
| 600X1100X35.75MM RECTANGULAR STEEL PIPE (923.13KG/M)  |
| 600X1100X36MM RECTANGULAR STEEL PIPE (929.37KG/M)     |
| 600X1100X36.25MM RECTANGULAR STEEL PIPE (935.6KG/M)   |
| 600X1100X36.5MM RECTANGULAR STEEL PIPE (941.82KG/M)   |
| 600X1100X36.75MM RECTANGULAR STEEL PIPE (948.05KG/M)  |
| 600X1100X37MM RECTANGULAR STEEL PIPE (954.27KG/M)     |
| 600X1100X37.25MM RECTANGULAR STEEL PIPE (960.49KG/M)  |
| 600X1100X37.5MM RECTANGULAR STEEL PIPE (966.7KG/M)    |
| 600X1100X37.75MM RECTANGULAR STEEL PIPE (972.91KG/M)  |
| 600X1100X38MM RECTANGULAR STEEL PIPE (979.12KG/M)     |
| 600X1100X38.25MM RECTANGULAR STEEL PIPE (985.33KG/M)  |
| 600X1100X38.5MM RECTANGULAR STEEL PIPE (991.53KG/M)   |
| 600X1100X38.75MM RECTANGULAR STEEL PIPE (997.73KG/M)  |
| 600X1100X39MM RECTANGULAR STEEL PIPE (1003.93KG/M)    |
| 600X1100X39.25MM RECTANGULAR STEEL PIPE (1010.12KG/M) |
| 600X1100X39.5MM RECTANGULAR STEEL PIPE (1016.31KG/M)  |
| 600X1100X39.75MM RECTANGULAR STEEL PIPE (1022.5KG/M)  |
| 600X1100X40MM RECTANGULAR STEEL PIPE (1028.68KG/M)    |
| 600X1100X40.25MM RECTANGULAR STEEL PIPE (1034.86KG/M) |
| 600X1100X40.5MM RECTANGULAR STEEL PIPE (1041.04KG/M)  |
| 600X1100X40.75MM RECTANGULAR STEEL PIPE (1047.22KG/M) |
| 600X1100X41MM RECTANGULAR STEEL PIPE (1053.39KG/M)    |
| 600X1100X41.25MM RECTANGULAR STEEL PIPE (1059.56KG/M) |
| 600X1100X41.5MM RECTANGULAR STEEL PIPE (1065.72KG/M)  |
| 600X1100X41.75MM RECTANGULAR STEEL PIPE (1071.89KG/M) |
| 600X1100X42MM RECTANGULAR STEEL PIPE (1078.05KG/M)    |



|   |
|---|
| 600X1100X42.25MM RECTANGULAR STEEL PIPE (1084.2KG/M)  |
| 600X1100X42.5MM RECTANGULAR STEEL PIPE (1090.36KG/M)  |
| 600X1100X42.75MM RECTANGULAR STEEL PIPE (1096.51KG/M) |
| 600X1100X43MM RECTANGULAR STEEL PIPE (1102.65KG/M)    |
| 600X1100X43.25MM RECTANGULAR STEEL PIPE (1108.8KG/M)  |
| 600X1100X43.5MM RECTANGULAR STEEL PIPE (1114.94KG/M)  |
| 600X1100X43.75MM RECTANGULAR STEEL PIPE (1121.08KG/M) |
| 600X1100X44MM RECTANGULAR STEEL PIPE (1127.21KG/M)    |
| 600X1100X44.25MM RECTANGULAR STEEL PIPE (1133.34KG/M) |
| 600X1100X44.5MM RECTANGULAR STEEL PIPE (1139.47KG/M)  |
| 600X1100X44.75MM RECTANGULAR STEEL PIPE (1145.6KG/M)  |
| 600X1100X45MM RECTANGULAR STEEL PIPE (1151.72KG/M)    |
| 600X1100X45.25MM RECTANGULAR STEEL PIPE (1157.84KG/M) |
| 600X1100X45.5MM RECTANGULAR STEEL PIPE (1163.96KG/M)  |
| 600X1100X45.75MM RECTANGULAR STEEL PIPE (1170.07KG/M) |
| 600X1100X46MM RECTANGULAR STEEL PIPE (1176.18KG/M)    |
| 600X1100X46.25MM RECTANGULAR STEEL PIPE (1182.29KG/M) |
| 600X1100X46.5MM RECTANGULAR STEEL PIPE (1188.39KG/M)  |
| 600X1100X46.75MM RECTANGULAR STEEL PIPE (1194.49KG/M) |
| 600X1100X47MM RECTANGULAR STEEL PIPE (1200.59KG/M)    |
| 600X1100X47.25MM RECTANGULAR STEEL PIPE (1206.68KG/M) |
| 600X1100X47.5MM RECTANGULAR STEEL PIPE (1212.78KG/M)  |
| 600X1100X47.75MM RECTANGULAR STEEL PIPE (1218.86KG/M) |
| 600X1100X48MM RECTANGULAR STEEL PIPE (1224.95KG/M)    |
| 600X1100X48.25MM RECTANGULAR STEEL PIPE (1231.03KG/M) |
| 600X1100X48.5MM RECTANGULAR STEEL PIPE (1237.11KG/M)  |
| 600X1100X48.75MM RECTANGULAR STEEL PIPE (1243.19KG/M) |
| 600X1100X49MM RECTANGULAR STEEL PIPE (1249.26KG/M)    |
| 600X1100X49.25MM RECTANGULAR STEEL PIPE (1255.33KG/M) |
| 600X1100X49.5MM RECTANGULAR STEEL PIPE (1261.4KG/M)   |
| 600X1100X49.75MM RECTANGULAR STEEL PIPE (1267.46KG/M) |
| 600X1100X50MM RECTANGULAR STEEL PIPE (1273.52KG/M)    |
| 700X1000X9.5MM RECTANGULAR STEEL PIPE (251.46KG/M)    |
| 700X1000X9.75MM RECTANGULAR STEEL PIPE (258.02KG/M)   |
| 700X1000X10MM RECTANGULAR STEEL PIPE (264.57KG/M)     |
| 700X1000X10.25MM RECTANGULAR STEEL PIPE (271.12KG/M)  |
| 700X1000X10.5MM RECTANGULAR STEEL PIPE (277.67KG/M)   |
| 700X1000X10.75MM RECTANGULAR STEEL PIPE (284.21KG/M)  |
| 700X1000X11MM RECTANGULAR STEEL PIPE (290.75KG/M)     |
| 700X1000X11.25MM RECTANGULAR STEEL PIPE (297.29KG/M)  |
| 700X1000X11.5MM RECTANGULAR STEEL PIPE (303.83KG/M)   |
| 700X1000X11.75MM RECTANGULAR STEEL PIPE (310.36KG/M)  |
| 700X1000X12MM RECTANGULAR STEEL PIPE (316.89KG/M)     |
| 700X1000X12.25MM RECTANGULAR STEEL PIPE (323.42KG/M)  |
| 700X1000X12.5MM RECTANGULAR STEEL PIPE (329.94KG/M)   |
| 700X1000X12.75MM RECTANGULAR STEEL PIPE (336.46KG/M)  |
| 700X1000X13MM RECTANGULAR STEEL PIPE (342.98KG/M)     |
| 700X1000X13.25MM RECTANGULAR STEEL PIPE (349.49KG/M)  |
| 700X1000X13.5MM RECTANGULAR STEEL PIPE (356KG/M)      |
| 700X1000X13.75MM RECTANGULAR STEEL PIPE (362.51KG/M)  |
| 700X1000X14MM RECTANGULAR STEEL PIPE (369.02KG/M)     |
| 700X1000X14.25MM RECTANGULAR STEEL PIPE (375.52KG/M)  |
| 700X1000X14.5MM RECTANGULAR STEEL PIPE (382.02KG/M)   |
| 700X1000X14.75MM RECTANGULAR STEEL PIPE (388.51KG/M)  |
| 700X1000X15MM RECTANGULAR STEEL PIPE (395KG/M)        |
| 700X1000X15.25MM RECTANGULAR STEEL PIPE (401.49KG/M)  |
| 700X1000X15.5MM RECTANGULAR STEEL PIPE (407.98KG/M)   |

|  |
|--|
| 700X1000X15.75MM RECTANGULAR STEEL PIPE (414.46KG/M) |
| 700X1000X16MM RECTANGULAR STEEL PIPE (420.94KG/M)    |
| 700X1000X16.25MM RECTANGULAR STEEL PIPE (427.42KG/M) |
| 700X1000X16.5MM RECTANGULAR STEEL PIPE (433.89KG/M)  |
| 700X1000X16.75MM RECTANGULAR STEEL PIPE (440.37KG/M) |
| 700X1000X17MM RECTANGULAR STEEL PIPE (446.83KG/M)    |
| 700X1000X17.25MM RECTANGULAR STEEL PIPE (453.3KG/M)  |
| 700X1000X17.5MM RECTANGULAR STEEL PIPE (459.76KG/M)  |
| 700X1000X17.75MM RECTANGULAR STEEL PIPE (466.22KG/M) |
| 700X1000X18MM RECTANGULAR STEEL PIPE (472.67KG/M)    |
| 700X1000X18.25MM RECTANGULAR STEEL PIPE (479.13KG/M) |
| 700X1000X18.5MM RECTANGULAR STEEL PIPE (485.57KG/M)  |
| 700X1000X18.75MM RECTANGULAR STEEL PIPE (492.02KG/M) |
| 700X1000X19MM RECTANGULAR STEEL PIPE (498.46KG/M)    |
| 700X1000X19.25MM RECTANGULAR STEEL PIPE (504.9KG/M)  |
| 700X1000X19.5MM RECTANGULAR STEEL PIPE (511.34KG/M)  |
| 700X1000X19.75MM RECTANGULAR STEEL PIPE (517.78KG/M) |
| 700X1000X20MM RECTANGULAR STEEL PIPE (524.21KG/M)    |
| 700X1000X20.25MM RECTANGULAR STEEL PIPE (530.63KG/M) |
| 700X1000X20.5MM RECTANGULAR STEEL PIPE (537.06KG/M)  |
| 700X1000X20.75MM RECTANGULAR STEEL PIPE (543.48KG/M) |
| 700X1000X21MM RECTANGULAR STEEL PIPE (549.9KG/M)     |
| 700X1000X21.25MM RECTANGULAR STEEL PIPE (556.31KG/M) |
| 700X1000X21.5MM RECTANGULAR STEEL PIPE (562.73KG/M)  |
| 700X1000X21.75MM RECTANGULAR STEEL PIPE (569.14KG/M) |
| 700X1000X22MM RECTANGULAR STEEL PIPE (575.54KG/M)    |
| 700X1000X22.25MM RECTANGULAR STEEL PIPE (581.94KG/M) |
| 700X1000X22.5MM RECTANGULAR STEEL PIPE (588.34KG/M)  |
| 700X1000X22.75MM RECTANGULAR STEEL PIPE (594.74KG/M) |
| 700X1000X23MM RECTANGULAR STEEL PIPE (601.14KG/M)    |
| 700X1000X23.25MM RECTANGULAR STEEL PIPE (607.53KG/M) |
| 700X1000X23.5MM RECTANGULAR STEEL PIPE (613.91KG/M)  |
| 700X1000X23.75MM RECTANGULAR STEEL PIPE (620.3KG/M)  |
| 700X1000X24MM RECTANGULAR STEEL PIPE (626.68KG/M)    |
| 700X1000X24.25MM RECTANGULAR STEEL PIPE (633.06KG/M) |
| 700X1000X24.5MM RECTANGULAR STEEL PIPE (639.43KG/M)  |
| 700X1000X24.75MM RECTANGULAR STEEL PIPE (645.81KG/M) |
| 700X1000X25MM RECTANGULAR STEEL PIPE (652.17KG/M)    |
| 700X1000X25.25MM RECTANGULAR STEEL PIPE (658.54KG/M) |
| 700X1000X25.5MM RECTANGULAR STEEL PIPE (664.9KG/M)   |
| 700X1000X25.75MM RECTANGULAR STEEL PIPE (671.26KG/M) |
| 700X1000X26MM RECTANGULAR STEEL PIPE (677.62KG/M)    |
| 700X1000X26.25MM RECTANGULAR STEEL PIPE (683.97KG/M) |
| 700X1000X26.5MM RECTANGULAR STEEL PIPE (690.33KG/M)  |
| 700X1000X26.75MM RECTANGULAR STEEL PIPE (696.67KG/M) |
| 700X1000X27MM RECTANGULAR STEEL PIPE (703.02KG/M)    |
| 700X1000X27.25MM RECTANGULAR STEEL PIPE (709.36KG/M) |
| 700X1000X27.5MM RECTANGULAR STEEL PIPE (715.7KG/M)   |
| 700X1000X27.75MM RECTANGULAR STEEL PIPE (722.03KG/M) |
| 700X1000X28MM RECTANGULAR STEEL PIPE (728.36KG/M)    |
| 700X1000X28.25MM RECTANGULAR STEEL PIPE (734.69KG/M) |
| 700X1000X28.5MM RECTANGULAR STEEL PIPE (741.02KG/M)  |
| 700X1000X28.75MM RECTANGULAR STEEL PIPE (747.34KG/M) |
| 700X1000X29MM RECTANGULAR STEEL PIPE (753.66KG/M)    |
| 700X1000X29.25MM RECTANGULAR STEEL PIPE (759.98KG/M) |
| 700X1000X29.5MM RECTANGULAR STEEL PIPE (766.29KG/M)  |
| 700X1000X29.75MM RECTANGULAR STEEL PIPE (772.6KG/M)  |

|   |
|---|
| 700X1000X30MM RECTANGULAR STEEL PIPE (778.91KG/M)     |
| 700X1000X30.25MM RECTANGULAR STEEL PIPE (785.22KG/M)  |
| 700X1000X30.5MM RECTANGULAR STEEL PIPE (791.52KG/M)   |
| 700X1000X30.75MM RECTANGULAR STEEL PIPE (797.81KG/M)  |
| 700X1000X31MM RECTANGULAR STEEL PIPE (804.11KG/M)     |
| 700X1000X31.25MM RECTANGULAR STEEL PIPE (810.4KG/M)   |
| 700X1000X31.5MM RECTANGULAR STEEL PIPE (816.69KG/M)   |
| 700X1000X31.75MM RECTANGULAR STEEL PIPE (822.98KG/M)  |
| 700X1000X32MM RECTANGULAR STEEL PIPE (829.26KG/M)     |
| 700X1000X32.25MM RECTANGULAR STEEL PIPE (835.54KG/M)  |
| 700X1000X32.5MM RECTANGULAR STEEL PIPE (841.82KG/M)   |
| 700X1000X32.75MM RECTANGULAR STEEL PIPE (848.09KG/M)  |
| 700X1000X33MM RECTANGULAR STEEL PIPE (854.36KG/M)     |
| 700X1000X33.25MM RECTANGULAR STEEL PIPE (860.63KG/M)  |
| 700X1000X33.5MM RECTANGULAR STEEL PIPE (866.89KG/M)   |
| 700X1000X33.75MM RECTANGULAR STEEL PIPE (873.15KG/M)  |
| 700X1000X34MM RECTANGULAR STEEL PIPE (879.41KG/M)     |
| 700X1000X34.25MM RECTANGULAR STEEL PIPE (885.67KG/M)  |
| 700X1000X34.5MM RECTANGULAR STEEL PIPE (891.92KG/M)   |
| 700X1000X34.75MM RECTANGULAR STEEL PIPE (898.17KG/M)  |
| 700X1000X35MM RECTANGULAR STEEL PIPE (904.41KG/M)     |
| 700X1000X35.25MM RECTANGULAR STEEL PIPE (910.66KG/M)  |
| 700X1000X35.5MM RECTANGULAR STEEL PIPE (916.9KG/M)    |
| 700X1000X35.75MM RECTANGULAR STEEL PIPE (923.13KG/M)  |
| 700X1000X36MM RECTANGULAR STEEL PIPE (929.37KG/M)     |
| 700X1000X36.25MM RECTANGULAR STEEL PIPE (935.6KG/M)   |
| 700X1000X36.5MM RECTANGULAR STEEL PIPE (941.82KG/M)   |
| 700X1000X36.75MM RECTANGULAR STEEL PIPE (948.05KG/M)  |
| 700X1000X37MM RECTANGULAR STEEL PIPE (954.27KG/M)     |
| 700X1000X37.25MM RECTANGULAR STEEL PIPE (960.49KG/M)  |
| 700X1000X37.5MM RECTANGULAR STEEL PIPE (966.7KG/M)    |
| 700X1000X37.75MM RECTANGULAR STEEL PIPE (972.91KG/M)  |
| 700X1000X38MM RECTANGULAR STEEL PIPE (979.12KG/M)     |
| 700X1000X38.25MM RECTANGULAR STEEL PIPE (985.33KG/M)  |
| 700X1000X38.5MM RECTANGULAR STEEL PIPE (991.53KG/M)   |
| 700X1000X38.75MM RECTANGULAR STEEL PIPE (997.73KG/M)  |
| 700X1000X39MM RECTANGULAR STEEL PIPE (1003.93KG/M)    |
| 700X1000X39.25MM RECTANGULAR STEEL PIPE (1010.12KG/M) |
| 700X1000X39.5MM RECTANGULAR STEEL PIPE (1016.31KG/M)  |
| 700X1000X39.75MM RECTANGULAR STEEL PIPE (1022.5KG/M)  |
| 700X1000X40MM RECTANGULAR STEEL PIPE (1028.68KG/M)    |
| 700X1000X40.25MM RECTANGULAR STEEL PIPE (1034.86KG/M) |
| 700X1000X40.5MM RECTANGULAR STEEL PIPE (1041.04KG/M)  |
| 700X1000X40.75MM RECTANGULAR STEEL PIPE (1047.22KG/M) |
| 700X1000X41MM RECTANGULAR STEEL PIPE (1053.39KG/M)    |
| 700X1000X41.25MM RECTANGULAR STEEL PIPE (1059.56KG/M) |
| 700X1000X41.5MM RECTANGULAR STEEL PIPE (1065.72KG/M)  |
| 700X1000X41.75MM RECTANGULAR STEEL PIPE (1071.89KG/M) |
| 700X1000X42MM RECTANGULAR STEEL PIPE (1078.05KG/M)    |
| 700X1000X42.25MM RECTANGULAR STEEL PIPE (1084.2KG/M)  |
| 700X1000X42.5MM RECTANGULAR STEEL PIPE (1090.36KG/M)  |
| 700X1000X42.75MM RECTANGULAR STEEL PIPE (1096.51KG/M) |
| 700X1000X43MM RECTANGULAR STEEL PIPE (1102.65KG/M)    |
| 700X1000X43.25MM RECTANGULAR STEEL PIPE (1108.8KG/M)  |
| 700X1000X43.5MM RECTANGULAR STEEL PIPE (1114.94KG/M)  |
| 700X1000X43.75MM RECTANGULAR STEEL PIPE (1121.08KG/M) |
| 700X1000X44MM RECTANGULAR STEEL PIPE (1127.21KG/M)    |

|   |
|---|
| 700X1000X44.25MM RECTANGULAR STEEL PIPE (1133.34KG/M) |
| 700X1000X44.5MM RECTANGULAR STEEL PIPE (1139.47KG/M)  |
| 700X1000X44.75MM RECTANGULAR STEEL PIPE (1145.6KG/M)  |
| 700X1000X45MM RECTANGULAR STEEL PIPE (1151.72KG/M)    |
| 700X1000X45.25MM RECTANGULAR STEEL PIPE (1157.84KG/M) |
| 700X1000X45.5MM RECTANGULAR STEEL PIPE (1163.96KG/M)  |
| 700X1000X45.75MM RECTANGULAR STEEL PIPE (1170.07KG/M) |
| 700X1000X46MM RECTANGULAR STEEL PIPE (1176.18KG/M)    |
| 700X1000X46.25MM RECTANGULAR STEEL PIPE (1182.29KG/M) |
| 700X1000X46.5MM RECTANGULAR STEEL PIPE (1188.39KG/M)  |
| 700X1000X46.75MM RECTANGULAR STEEL PIPE (1194.49KG/M) |
| 700X1000X47MM RECTANGULAR STEEL PIPE (1200.59KG/M)    |
| 700X1000X47.25MM RECTANGULAR STEEL PIPE (1206.68KG/M) |
| 700X1000X47.5MM RECTANGULAR STEEL PIPE (1212.78KG/M)  |
| 700X1000X47.75MM RECTANGULAR STEEL PIPE (1218.86KG/M) |
| 700X1000X48MM RECTANGULAR STEEL PIPE (1224.95KG/M)    |
| 700X1000X48.25MM RECTANGULAR STEEL PIPE (1231.03KG/M) |
| 700X1000X48.5MM RECTANGULAR STEEL PIPE (1237.11KG/M)  |
| 700X1000X48.75MM RECTANGULAR STEEL PIPE (1243.19KG/M) |
| 700X1000X49MM RECTANGULAR STEEL PIPE (1249.26KG/M)    |
| 700X1000X49.25MM RECTANGULAR STEEL PIPE (1255.33KG/M) |
| 700X1000X49.5MM RECTANGULAR STEEL PIPE (1261.4KG/M)   |
| 700X1000X49.75MM RECTANGULAR STEEL PIPE (1267.46KG/M) |
| 700X1000X50MM RECTANGULAR STEEL PIPE (1273.52KG/M)    |
| 800X900X9.5MM RECTANGULAR STEEL PIPE (251.46KG/M)     |
| 800X900X9.75MM RECTANGULAR STEEL PIPE (258.02KG/M)    |
| 800X900X10MM RECTANGULAR STEEL PIPE (264.57KG/M)      |
| 800X900X10.25MM RECTANGULAR STEEL PIPE (271.12KG/M)   |
| 800X900X10.5MM RECTANGULAR STEEL PIPE (277.67KG/M)    |
| 800X900X10.75MM RECTANGULAR STEEL PIPE (284.21KG/M)   |
| 800X900X11MM RECTANGULAR STEEL PIPE (290.75KG/M)      |
| 800X900X11.25MM RECTANGULAR STEEL PIPE (297.29KG/M)   |
| 800X900X11.5MM RECTANGULAR STEEL PIPE (303.83KG/M)    |
| 800X900X11.75MM RECTANGULAR STEEL PIPE (310.36KG/M)   |
| 800X900X12MM RECTANGULAR STEEL PIPE (316.89KG/M)      |
| 800X900X12.25MM RECTANGULAR STEEL PIPE (323.42KG/M)   |
| 800X900X12.5MM RECTANGULAR STEEL PIPE (329.94KG/M)    |
| 800X900X12.75MM RECTANGULAR STEEL PIPE (336.46KG/M)   |
| 800X900X13MM RECTANGULAR STEEL PIPE (342.98KG/M)      |
| 800X900X13.25MM RECTANGULAR STEEL PIPE (349.49KG/M)   |
| 800X900X13.5MM RECTANGULAR STEEL PIPE (356KG/M)       |
| 800X900X13.75MM RECTANGULAR STEEL PIPE (362.51KG/M)   |
| 800X900X14MM RECTANGULAR STEEL PIPE (369.02KG/M)      |
| 800X900X14.25MM RECTANGULAR STEEL PIPE (375.52KG/M)   |
| 800X900X14.5MM RECTANGULAR STEEL PIPE (382.02KG/M)    |
| 800X900X14.75MM RECTANGULAR STEEL PIPE (388.51KG/M)   |
| 800X900X15MM RECTANGULAR STEEL PIPE (395KG/M)         |
| 800X900X15.25MM RECTANGULAR STEEL PIPE (401.49KG/M)   |
| 800X900X15.5MM RECTANGULAR STEEL PIPE (407.98KG/M)    |
| 800X900X15.75MM RECTANGULAR STEEL PIPE (414.46KG/M)   |
| 800X900X16MM RECTANGULAR STEEL PIPE (420.94KG/M)      |
| 800X900X16.25MM RECTANGULAR STEEL PIPE (427.42KG/M)   |
| 800X900X16.5MM RECTANGULAR STEEL PIPE (433.89KG/M)    |
| 800X900X16.75MM RECTANGULAR STEEL PIPE (440.37KG/M)   |
| 800X900X17MM RECTANGULAR STEEL PIPE (446.83KG/M)      |
| 800X900X17.25MM RECTANGULAR STEEL PIPE (453.3KG/M)    |
| 800X900X17.5MM RECTANGULAR STEEL PIPE (459.76KG/M)    |

|   |
|---|
| 800X900X17.75MM RECTANGULAR STEEL PIPE (466.22KG/M) |
| 800X900X18MM RECTANGULAR STEEL PIPE (472.67KG/M)    |
| 800X900X18.25MM RECTANGULAR STEEL PIPE (479.13KG/M) |
| 800X900X18.5MM RECTANGULAR STEEL PIPE (485.57KG/M)  |
| 800X900X18.75MM RECTANGULAR STEEL PIPE (492.02KG/M) |
| 800X900X19MM RECTANGULAR STEEL PIPE (498.46KG/M)    |
| 800X900X19.25MM RECTANGULAR STEEL PIPE (504.9KG/M)  |
| 800X900X19.5MM RECTANGULAR STEEL PIPE (511.34KG/M)  |
| 800X900X19.75MM RECTANGULAR STEEL PIPE (517.78KG/M) |
| 800X900X20MM RECTANGULAR STEEL PIPE (524.21KG/M)    |
| 800X900X20.25MM RECTANGULAR STEEL PIPE (530.63KG/M) |
| 800X900X20.5MM RECTANGULAR STEEL PIPE (537.06KG/M)  |
| 800X900X20.75MM RECTANGULAR STEEL PIPE (543.48KG/M) |
| 800X900X21MM RECTANGULAR STEEL PIPE (549.9KG/M)     |
| 800X900X21.25MM RECTANGULAR STEEL PIPE (556.31KG/M) |
| 800X900X21.5MM RECTANGULAR STEEL PIPE (562.73KG/M)  |
| 800X900X21.75MM RECTANGULAR STEEL PIPE (569.14KG/M) |
| 800X900X22MM RECTANGULAR STEEL PIPE (575.54KG/M)    |
| 800X900X22.25MM RECTANGULAR STEEL PIPE (581.94KG/M) |
| 800X900X22.5MM RECTANGULAR STEEL PIPE (588.34KG/M)  |
| 800X900X22.75MM RECTANGULAR STEEL PIPE (594.74KG/M) |
| 800X900X23MM RECTANGULAR STEEL PIPE (601.14KG/M)    |
| 800X900X23.25MM RECTANGULAR STEEL PIPE (607.53KG/M) |
| 800X900X23.5MM RECTANGULAR STEEL PIPE (613.91KG/M)  |
| 800X900X23.75MM RECTANGULAR STEEL PIPE (620.3KG/M)  |
| 800X900X24MM RECTANGULAR STEEL PIPE (626.68KG/M)    |
| 800X900X24.25MM RECTANGULAR STEEL PIPE (633.06KG/M) |
| 800X900X24.5MM RECTANGULAR STEEL PIPE (639.43KG/M)  |
| 800X900X24.75MM RECTANGULAR STEEL PIPE (645.81KG/M) |
| 800X900X25MM RECTANGULAR STEEL PIPE (652.17KG/M)    |
| 800X900X25.25MM RECTANGULAR STEEL PIPE (658.54KG/M) |
| 800X900X25.5MM RECTANGULAR STEEL PIPE (664.9KG/M)   |
| 800X900X25.75MM RECTANGULAR STEEL PIPE (671.26KG/M) |
| 800X900X26MM RECTANGULAR STEEL PIPE (677.62KG/M)    |
| 800X900X26.25MM RECTANGULAR STEEL PIPE (683.97KG/M) |
| 800X900X26.5MM RECTANGULAR STEEL PIPE (690.33KG/M)  |
| 800X900X26.75MM RECTANGULAR STEEL PIPE (696.67KG/M) |
| 800X900X27MM RECTANGULAR STEEL PIPE (703.02KG/M)    |
| 800X900X27.25MM RECTANGULAR STEEL PIPE (709.36KG/M) |
| 800X900X27.5MM RECTANGULAR STEEL PIPE (715.7KG/M)   |
| 800X900X27.75MM RECTANGULAR STEEL PIPE (722.03KG/M) |
| 800X900X28MM RECTANGULAR STEEL PIPE (728.36KG/M)    |
| 800X900X28.25MM RECTANGULAR STEEL PIPE (734.69KG/M) |
| 800X900X28.5MM RECTANGULAR STEEL PIPE (741.02KG/M)  |
| 800X900X28.75MM RECTANGULAR STEEL PIPE (747.34KG/M) |
| 800X900X29MM RECTANGULAR STEEL PIPE (753.66KG/M)    |
| 800X900X29.25MM RECTANGULAR STEEL PIPE (759.98KG/M) |
| 800X900X29.5MM RECTANGULAR STEEL PIPE (766.29KG/M)  |
| 800X900X29.75MM RECTANGULAR STEEL PIPE (772.6KG/M)  |
| 800X900X30MM RECTANGULAR STEEL PIPE (778.91KG/M)    |
| 800X900X30.25MM RECTANGULAR STEEL PIPE (785.22KG/M) |
| 800X900X30.5MM RECTANGULAR STEEL PIPE (791.52KG/M)  |
| 800X900X30.75MM RECTANGULAR STEEL PIPE (797.81KG/M) |
| 800X900X31MM RECTANGULAR STEEL PIPE (804.11KG/M)    |
| 800X900X31.25MM RECTANGULAR STEEL PIPE (810.4KG/M)  |
| 800X900X31.5MM RECTANGULAR STEEL PIPE (816.69KG/M)  |
| 800X900X31.75MM RECTANGULAR STEEL PIPE (822.98KG/M) |

|  |
|--|
| 800X900X32MM RECTANGULAR STEEL PIPE (829.26KG/M)     |
| 800X900X32.25MM RECTANGULAR STEEL PIPE (835.54KG/M)  |
| 800X900X32.5MM RECTANGULAR STEEL PIPE (841.82KG/M)   |
| 800X900X32.75MM RECTANGULAR STEEL PIPE (848.09KG/M)  |
| 800X900X33MM RECTANGULAR STEEL PIPE (854.36KG/M)     |
| 800X900X33.25MM RECTANGULAR STEEL PIPE (860.63KG/M)  |
| 800X900X33.5MM RECTANGULAR STEEL PIPE (866.89KG/M)   |
| 800X900X33.75MM RECTANGULAR STEEL PIPE (873.15KG/M)  |
| 800X900X34MM RECTANGULAR STEEL PIPE (879.41KG/M)     |
| 800X900X34.25MM RECTANGULAR STEEL PIPE (885.67KG/M)  |
| 800X900X34.5MM RECTANGULAR STEEL PIPE (891.92KG/M)   |
| 800X900X34.75MM RECTANGULAR STEEL PIPE (898.17KG/M)  |
| 800X900X35MM RECTANGULAR STEEL PIPE (904.41KG/M)     |
| 800X900X35.25MM RECTANGULAR STEEL PIPE (910.66KG/M)  |
| 800X900X35.5MM RECTANGULAR STEEL PIPE (916.9KG/M)    |
| 800X900X35.75MM RECTANGULAR STEEL PIPE (923.13KG/M)  |
| 800X900X36MM RECTANGULAR STEEL PIPE (929.37KG/M)     |
| 800X900X36.25MM RECTANGULAR STEEL PIPE (935.6KG/M)   |
| 800X900X36.5MM RECTANGULAR STEEL PIPE (941.82KG/M)   |
| 800X900X36.75MM RECTANGULAR STEEL PIPE (948.05KG/M)  |
| 800X900X37MM RECTANGULAR STEEL PIPE (954.27KG/M)     |
| 800X900X37.25MM RECTANGULAR STEEL PIPE (960.49KG/M)  |
| 800X900X37.5MM RECTANGULAR STEEL PIPE (966.7KG/M)    |
| 800X900X37.75MM RECTANGULAR STEEL PIPE (972.91KG/M)  |
| 800X900X38MM RECTANGULAR STEEL PIPE (979.12KG/M)     |
| 800X900X38.25MM RECTANGULAR STEEL PIPE (985.33KG/M)  |
| 800X900X38.5MM RECTANGULAR STEEL PIPE (991.53KG/M)   |
| 800X900X38.75MM RECTANGULAR STEEL PIPE (997.73KG/M)  |
| 800X900X39MM RECTANGULAR STEEL PIPE (1003.93KG/M)    |
| 800X900X39.25MM RECTANGULAR STEEL PIPE (1010.12KG/M) |
| 800X900X39.5MM RECTANGULAR STEEL PIPE (1016.31KG/M)  |
| 800X900X39.75MM RECTANGULAR STEEL PIPE (1022.5KG/M)  |
| 800X900X40MM RECTANGULAR STEEL PIPE (1028.68KG/M)    |
| 800X900X40.25MM RECTANGULAR STEEL PIPE (1034.86KG/M) |
| 800X900X40.5MM RECTANGULAR STEEL PIPE (1041.04KG/M)  |
| 800X900X40.75MM RECTANGULAR STEEL PIPE (1047.22KG/M) |
| 800X900X41MM RECTANGULAR STEEL PIPE (1053.39KG/M)    |
| 800X900X41.25MM RECTANGULAR STEEL PIPE (1059.56KG/M) |
| 800X900X41.5MM RECTANGULAR STEEL PIPE (1065.72KG/M)  |
| 800X900X41.75MM RECTANGULAR STEEL PIPE (1071.89KG/M) |
| 800X900X42MM RECTANGULAR STEEL PIPE (1078.05KG/M)    |
| 800X900X42.25MM RECTANGULAR STEEL PIPE (1084.2KG/M)  |
| 800X900X42.5MM RECTANGULAR STEEL PIPE (1090.36KG/M)  |
| 800X900X42.75MM RECTANGULAR STEEL PIPE (1096.51KG/M) |
| 800X900X43MM RECTANGULAR STEEL PIPE (1102.65KG/M)    |
| 800X900X43.25MM RECTANGULAR STEEL PIPE (1108.8KG/M)  |
| 800X900X43.5MM RECTANGULAR STEEL PIPE (1114.94KG/M)  |
| 800X900X43.75MM RECTANGULAR STEEL PIPE (1121.08KG/M) |
| 800X900X44MM RECTANGULAR STEEL PIPE (1127.21KG/M)    |
| 800X900X44.25MM RECTANGULAR STEEL PIPE (1133.34KG/M) |
| 800X900X44.5MM RECTANGULAR STEEL PIPE (1139.47KG/M)  |
| 800X900X44.75MM RECTANGULAR STEEL PIPE (1145.6KG/M)  |
| 800X900X45MM RECTANGULAR STEEL PIPE (1151.72KG/M)    |
| 800X900X45.25MM RECTANGULAR STEEL PIPE (1157.84KG/M) |
| 800X900X45.5MM RECTANGULAR STEEL PIPE (1163.96KG/M)  |
| 800X900X45.75MM RECTANGULAR STEEL PIPE (1170.07KG/M) |
| 800X900X46MM RECTANGULAR STEEL PIPE (1176.18KG/M)    |

|  |
|--|
| 800X900X46.25MM RECTANGULAR STEEL PIPE (1182.29KG/M) |
| 800X900X46.5MM RECTANGULAR STEEL PIPE (1188.39KG/M)  |
| 800X900X46.75MM RECTANGULAR STEEL PIPE (1194.49KG/M) |
| 800X900X47MM RECTANGULAR STEEL PIPE (1200.59KG/M)    |
| 800X900X47.25MM RECTANGULAR STEEL PIPE (1206.68KG/M) |
| 800X900X47.5MM RECTANGULAR STEEL PIPE (1212.78KG/M)  |
| 800X900X47.75MM RECTANGULAR STEEL PIPE (1218.86KG/M) |
| 800X900X48MM RECTANGULAR STEEL PIPE (1224.95KG/M)    |
| 800X900X48.25MM RECTANGULAR STEEL PIPE (1231.03KG/M) |
| 800X900X48.5MM RECTANGULAR STEEL PIPE (1237.11KG/M)  |
| 800X900X48.75MM RECTANGULAR STEEL PIPE (1243.19KG/M) |
| 800X900X49MM RECTANGULAR STEEL PIPE (1249.26KG/M)    |
| 800X900X49.25MM RECTANGULAR STEEL PIPE (1255.33KG/M) |
| 800X900X49.5MM RECTANGULAR STEEL PIPE (1261.4KG/M)   |
| 800X900X49.75MM RECTANGULAR STEEL PIPE (1267.46KG/M) |
| 800X900X50MM RECTANGULAR STEEL PIPE (1273.52KG/M)    |
| 700X1100X9.5MM RECTANGULAR STEEL PIPE (266.38KG/M)   |
| 700X1100X9.75MM RECTANGULAR STEEL PIPE (273.33KG/M)  |
| 700X1100X10MM RECTANGULAR STEEL PIPE (280.28KG/M)    |
| 700X1100X10.25MM RECTANGULAR STEEL PIPE (287.22KG/M) |
| 700X1100X10.5MM RECTANGULAR STEEL PIPE (294.16KG/M)  |
| 700X1100X10.75MM RECTANGULAR STEEL PIPE (301.1KG/M)  |
| 700X1100X11MM RECTANGULAR STEEL PIPE (308.03KG/M)    |
| 700X1100X11.25MM RECTANGULAR STEEL PIPE (314.97KG/M) |
| 700X1100X11.5MM RECTANGULAR STEEL PIPE (321.89KG/M)  |
| 700X1100X11.75MM RECTANGULAR STEEL PIPE (328.82KG/M) |
| 700X1100X12MM RECTANGULAR STEEL PIPE (335.74KG/M)    |
| 700X1100X12.25MM RECTANGULAR STEEL PIPE (342.66KG/M) |
| 700X1100X12.5MM RECTANGULAR STEEL PIPE (349.58KG/M)  |
| 700X1100X12.75MM RECTANGULAR STEEL PIPE (356.49KG/M) |
| 700X1100X13MM RECTANGULAR STEEL PIPE (363.4KG/M)     |
| 700X1100X13.25MM RECTANGULAR STEEL PIPE (370.31KG/M) |
| 700X1100X13.5MM RECTANGULAR STEEL PIPE (377.21KG/M)  |
| 700X1100X13.75MM RECTANGULAR STEEL PIPE (384.11KG/M) |
| 700X1100X14MM RECTANGULAR STEEL PIPE (391.01KG/M)    |
| 700X1100X14.25MM RECTANGULAR STEEL PIPE (397.9KG/M)  |
| 700X1100X14.5MM RECTANGULAR STEEL PIPE (404.79KG/M)  |
| 700X1100X14.75MM RECTANGULAR STEEL PIPE (411.68KG/M) |
| 700X1100X15MM RECTANGULAR STEEL PIPE (418.57KG/M)    |
| 700X1100X15.25MM RECTANGULAR STEEL PIPE (425.45KG/M) |
| 700X1100X15.5MM RECTANGULAR STEEL PIPE (432.33KG/M)  |
| 700X1100X15.75MM RECTANGULAR STEEL PIPE (439.2KG/M)  |
| 700X1100X16MM RECTANGULAR STEEL PIPE (446.08KG/M)    |
| 700X1100X16.25MM RECTANGULAR STEEL PIPE (452.95KG/M) |
| 700X1100X16.5MM RECTANGULAR STEEL PIPE (459.81KG/M)  |
| 700X1100X16.75MM RECTANGULAR STEEL PIPE (466.68KG/M) |
| 700X1100X17MM RECTANGULAR STEEL PIPE (473.54KG/M)    |
| 700X1100X17.25MM RECTANGULAR STEEL PIPE (480.39KG/M) |
| 700X1100X17.5MM RECTANGULAR STEEL PIPE (487.25KG/M)  |
| 700X1100X17.75MM RECTANGULAR STEEL PIPE (494.1KG/M)  |
| 700X1100X18MM RECTANGULAR STEEL PIPE (500.95KG/M)    |
| 700X1100X18.25MM RECTANGULAR STEEL PIPE (507.79KG/M) |
| 700X1100X18.5MM RECTANGULAR STEEL PIPE (514.63KG/M)  |
| 700X1100X18.75MM RECTANGULAR STEEL PIPE (521.47KG/M) |
| 700X1100X19MM RECTANGULAR STEEL PIPE (528.31KG/M)    |
| 700X1100X19.25MM RECTANGULAR STEEL PIPE (535.14KG/M) |
| 700X1100X19.5MM RECTANGULAR STEEL PIPE (541.97KG/M)  |

|  |
|--|
| 700X1100X19.75MM RECTANGULAR STEEL PIPE (548.8KG/M)  |
| 700X1100X20MM RECTANGULAR STEEL PIPE (555.62KG/M)    |
| 700X1100X20.25MM RECTANGULAR STEEL PIPE (562.44KG/M) |
| 700X1100X20.5MM RECTANGULAR STEEL PIPE (569.26KG/M)  |
| 700X1100X20.75MM RECTANGULAR STEEL PIPE (576.07KG/M) |
| 700X1100X21MM RECTANGULAR STEEL PIPE (582.89KG/M)    |
| 700X1100X21.25MM RECTANGULAR STEEL PIPE (589.69KG/M) |
| 700X1100X21.5MM RECTANGULAR STEEL PIPE (596.5KG/M)   |
| 700X1100X21.75MM RECTANGULAR STEEL PIPE (603.3KG/M)  |
| 700X1100X22MM RECTANGULAR STEEL PIPE (610.1KG/M)     |
| 700X1100X22.25MM RECTANGULAR STEEL PIPE (616.89KG/M) |
| 700X1100X22.5MM RECTANGULAR STEEL PIPE (623.69KG/M)  |
| 700X1100X22.75MM RECTANGULAR STEEL PIPE (630.48KG/M) |
| 700X1100X23MM RECTANGULAR STEEL PIPE (637.26KG/M)    |
| 700X1100X23.25MM RECTANGULAR STEEL PIPE (644.05KG/M) |
| 700X1100X23.5MM RECTANGULAR STEEL PIPE (650.83KG/M)  |
| 700X1100X23.75MM RECTANGULAR STEEL PIPE (657.6KG/M)  |
| 700X1100X24MM RECTANGULAR STEEL PIPE (664.38KG/M)    |
| 700X1100X24.25MM RECTANGULAR STEEL PIPE (671.15KG/M) |
| 700X1100X24.5MM RECTANGULAR STEEL PIPE (677.92KG/M)  |
| 700X1100X24.75MM RECTANGULAR STEEL PIPE (684.68KG/M) |
| 700X1100X25MM RECTANGULAR STEEL PIPE (691.44KG/M)    |
| 700X1100X25.25MM RECTANGULAR STEEL PIPE (698.2KG/M)  |
| 700X1100X25.5MM RECTANGULAR STEEL PIPE (704.96KG/M)  |
| 700X1100X25.75MM RECTANGULAR STEEL PIPE (711.71KG/M) |
| 700X1100X26MM RECTANGULAR STEEL PIPE (718.46KG/M)    |
| 700X1100X26.25MM RECTANGULAR STEEL PIPE (725.21KG/M) |
| 700X1100X26.5MM RECTANGULAR STEEL PIPE (731.95KG/M)  |
| 700X1100X26.75MM RECTANGULAR STEEL PIPE (738.69KG/M) |
| 700X1100X27MM RECTANGULAR STEEL PIPE (745.43KG/M)    |
| 700X1100X27.25MM RECTANGULAR STEEL PIPE (752.16KG/M) |
| 700X1100X27.5MM RECTANGULAR STEEL PIPE (758.89KG/M)  |
| 700X1100X27.75MM RECTANGULAR STEEL PIPE (765.62KG/M) |
| 700X1100X28MM RECTANGULAR STEEL PIPE (772.35KG/M)    |
| 700X1100X28.25MM RECTANGULAR STEEL PIPE (779.07KG/M) |
| 700X1100X28.5MM RECTANGULAR STEEL PIPE (785.79KG/M)  |
| 700X1100X28.75MM RECTANGULAR STEEL PIPE (792.5KG/M)  |
| 700X1100X29MM RECTANGULAR STEEL PIPE (799.22KG/M)    |
| 700X1100X29.25MM RECTANGULAR STEEL PIPE (805.92KG/M) |
| 700X1100X29.5MM RECTANGULAR STEEL PIPE (812.63KG/M)  |
| 700X1100X29.75MM RECTANGULAR STEEL PIPE (819.33KG/M) |
| 700X1100X30MM RECTANGULAR STEEL PIPE (826.03KG/M)    |
| 700X1100X30.25MM RECTANGULAR STEEL PIPE (832.73KG/M) |
| 700X1100X30.5MM RECTANGULAR STEEL PIPE (839.43KG/M)  |
| 700X1100X30.75MM RECTANGULAR STEEL PIPE (846.12KG/M) |
| 700X1100X31MM RECTANGULAR STEEL PIPE (852.8KG/M)     |
| 700X1100X31.25MM RECTANGULAR STEEL PIPE (859.49KG/M) |
| 700X1100X31.5MM RECTANGULAR STEEL PIPE (866.17KG/M)  |
| 700X1100X31.75MM RECTANGULAR STEEL PIPE (872.85KG/M) |
| 700X1100X32MM RECTANGULAR STEEL PIPE (879.53KG/M)    |
| 700X1100X32.25MM RECTANGULAR STEEL PIPE (886.2KG/M)  |
| 700X1100X32.5MM RECTANGULAR STEEL PIPE (892.87KG/M)  |
| 700X1100X32.75MM RECTANGULAR STEEL PIPE (899.53KG/M) |
| 700X1100X33MM RECTANGULAR STEEL PIPE (906.2KG/M)     |
| 700X1100X33.25MM RECTANGULAR STEEL PIPE (912.86KG/M) |
| 700X1100X33.5MM RECTANGULAR STEEL PIPE (919.51KG/M)  |
| 700X1100X33.75MM RECTANGULAR STEEL PIPE (926.17KG/M) |



|   |
|---|
| 700X1100X34MM RECTANGULAR STEEL PIPE (932.82KG/M)     |
| 700X1100X34.25MM RECTANGULAR STEEL PIPE (939.47KG/M)  |
| 700X1100X34.5MM RECTANGULAR STEEL PIPE (946.11KG/M)   |
| 700X1100X34.75MM RECTANGULAR STEEL PIPE (952.75KG/M)  |
| 700X1100X35MM RECTANGULAR STEEL PIPE (959.39KG/M)     |
| 700X1100X35.25MM RECTANGULAR STEEL PIPE (966.03KG/M)  |
| 700X1100X35.5MM RECTANGULAR STEEL PIPE (972.66KG/M)   |
| 700X1100X35.75MM RECTANGULAR STEEL PIPE (979.29KG/M)  |
| 700X1100X36MM RECTANGULAR STEEL PIPE (985.91KG/M)     |
| 700X1100X36.25MM RECTANGULAR STEEL PIPE (992.54KG/M)  |
| 700X1100X36.5MM RECTANGULAR STEEL PIPE (999.16KG/M)   |
| 700X1100X36.75MM RECTANGULAR STEEL PIPE (1005.77KG/M) |
| 700X1100X37MM RECTANGULAR STEEL PIPE (1012.39KG/M)    |
| 700X1100X37.25MM RECTANGULAR STEEL PIPE (1019KG/M)    |
| 700X1100X37.5MM RECTANGULAR STEEL PIPE (1025.61KG/M)  |
| 700X1100X37.75MM RECTANGULAR STEEL PIPE (1032.21KG/M) |
| 700X1100X38MM RECTANGULAR STEEL PIPE (1038.81KG/M)    |
| 700X1100X38.25MM RECTANGULAR STEEL PIPE (1045.41KG/M) |
| 700X1100X38.5MM RECTANGULAR STEEL PIPE (1052.01KG/M)  |
| 700X1100X38.75MM RECTANGULAR STEEL PIPE (1058.6KG/M)  |
| 700X1100X39MM RECTANGULAR STEEL PIPE (1065.19KG/M)    |
| 700X1100X39.25MM RECTANGULAR STEEL PIPE (1071.77KG/M) |
| 700X1100X39.5MM RECTANGULAR STEEL PIPE (1078.36KG/M)  |
| 700X1100X39.75MM RECTANGULAR STEEL PIPE (1084.94KG/M) |
| 700X1100X40MM RECTANGULAR STEEL PIPE (1091.51KG/M)    |
| 700X1100X40.25MM RECTANGULAR STEEL PIPE (1098.09KG/M) |
| 700X1100X40.5MM RECTANGULAR STEEL PIPE (1104.66KG/M)  |
| 700X1100X40.75MM RECTANGULAR STEEL PIPE (1111.23KG/M) |
| 700X1100X41MM RECTANGULAR STEEL PIPE (1117.79KG/M)    |
| 700X1100X41.25MM RECTANGULAR STEEL PIPE (1124.35KG/M) |
| 700X1100X41.5MM RECTANGULAR STEEL PIPE (1130.91KG/M)  |
| 700X1100X41.75MM RECTANGULAR STEEL PIPE (1137.47KG/M) |
| 700X1100X42MM RECTANGULAR STEEL PIPE (1144.02KG/M)    |
| 700X1100X42.25MM RECTANGULAR STEEL PIPE (1150.57KG/M) |
| 700X1100X42.5MM RECTANGULAR STEEL PIPE (1157.11KG/M)  |
| 700X1100X42.75MM RECTANGULAR STEEL PIPE (1163.66KG/M) |
| 700X1100X43MM RECTANGULAR STEEL PIPE (1170.2KG/M)     |
| 700X1100X43.25MM RECTANGULAR STEEL PIPE (1176.73KG/M) |
| 700X1100X43.5MM RECTANGULAR STEEL PIPE (1183.27KG/M)  |
| 700X1100X43.75MM RECTANGULAR STEEL PIPE (1189.8KG/M)  |
| 700X1100X44MM RECTANGULAR STEEL PIPE (1196.33KG/M)    |
| 700X1100X44.25MM RECTANGULAR STEEL PIPE (1202.85KG/M) |
| 700X1100X44.5MM RECTANGULAR STEEL PIPE (1209.37KG/M)  |
| 700X1100X44.75MM RECTANGULAR STEEL PIPE (1215.89KG/M) |
| 700X1100X45MM RECTANGULAR STEEL PIPE (1222.41KG/M)    |
| 700X1100X45.25MM RECTANGULAR STEEL PIPE (1228.92KG/M) |
| 700X1100X45.5MM RECTANGULAR STEEL PIPE (1235.43KG/M)  |
| 700X1100X45.75MM RECTANGULAR STEEL PIPE (1241.93KG/M) |
| 700X1100X46MM RECTANGULAR STEEL PIPE (1248.44KG/M)    |
| 700X1100X46.25MM RECTANGULAR STEEL PIPE (1254.94KG/M) |
| 700X1100X46.5MM RECTANGULAR STEEL PIPE (1261.43KG/M)  |
| 700X1100X46.75MM RECTANGULAR STEEL PIPE (1267.93KG/M) |
| 700X1100X47MM RECTANGULAR STEEL PIPE (1274.42KG/M)    |
| 700X1100X47.25MM RECTANGULAR STEEL PIPE (1280.9KG/M)  |
| 700X1100X47.5MM RECTANGULAR STEEL PIPE (1287.39KG/M)  |
| 700X1100X47.75MM RECTANGULAR STEEL PIPE (1293.87KG/M) |
| 700X1100X48MM RECTANGULAR STEEL PIPE (1300.35KG/M)    |

|   |
|---|
| 700X1100X48.25MM RECTANGULAR STEEL PIPE (1306.82KG/M) |
| 700X1100X48.5MM RECTANGULAR STEEL PIPE (1313.3KG/M)   |
| 700X1100X48.75MM RECTANGULAR STEEL PIPE (1319.76KG/M) |
| 700X1100X49MM RECTANGULAR STEEL PIPE (1326.23KG/M)    |
| 700X1100X49.25MM RECTANGULAR STEEL PIPE (1332.69KG/M) |
| 700X1100X49.5MM RECTANGULAR STEEL PIPE (1339.15KG/M)  |
| 700X1100X49.75MM RECTANGULAR STEEL PIPE (1345.61KG/M) |
| 700X1100X50MM RECTANGULAR STEEL PIPE (1352.06KG/M)    |
| 800X1000X9.5MM RECTANGULAR STEEL PIPE (266.38KG/M)    |
| 800X1000X9.75MM RECTANGULAR STEEL PIPE (273.33KG/M)   |
| 800X1000X10MM RECTANGULAR STEEL PIPE (280.28KG/M)     |
| 800X1000X10.25MM RECTANGULAR STEEL PIPE (287.22KG/M)  |
| 800X1000X10.5MM RECTANGULAR STEEL PIPE (294.16KG/M)   |
| 800X1000X10.75MM RECTANGULAR STEEL PIPE (301.1KG/M)   |
| 800X1000X11MM RECTANGULAR STEEL PIPE (308.03KG/M)     |
| 800X1000X11.25MM RECTANGULAR STEEL PIPE (314.97KG/M)  |
| 800X1000X11.5MM RECTANGULAR STEEL PIPE (321.89KG/M)   |
| 800X1000X11.75MM RECTANGULAR STEEL PIPE (328.82KG/M)  |
| 800X1000X12MM RECTANGULAR STEEL PIPE (335.74KG/M)     |
| 800X1000X12.25MM RECTANGULAR STEEL PIPE (342.66KG/M)  |
| 800X1000X12.5MM RECTANGULAR STEEL PIPE (349.58KG/M)   |
| 800X1000X12.75MM RECTANGULAR STEEL PIPE (356.49KG/M)  |
| 800X1000X13MM RECTANGULAR STEEL PIPE (363.4KG/M)      |
| 800X1000X13.25MM RECTANGULAR STEEL PIPE (370.31KG/M)  |
| 800X1000X13.5MM RECTANGULAR STEEL PIPE (377.21KG/M)   |
| 800X1000X13.75MM RECTANGULAR STEEL PIPE (384.11KG/M)  |
| 800X1000X14MM RECTANGULAR STEEL PIPE (391.01KG/M)     |
| 800X1000X14.25MM RECTANGULAR STEEL PIPE (397.9KG/M)   |
| 800X1000X14.5MM RECTANGULAR STEEL PIPE (404.79KG/M)   |
| 800X1000X14.75MM RECTANGULAR STEEL PIPE (411.68KG/M)  |
| 800X1000X15MM RECTANGULAR STEEL PIPE (418.57KG/M)     |
| 800X1000X15.25MM RECTANGULAR STEEL PIPE (425.45KG/M)  |
| 800X1000X15.5MM RECTANGULAR STEEL PIPE (432.33KG/M)   |
| 800X1000X15.75MM RECTANGULAR STEEL PIPE (439.2KG/M)   |
| 800X1000X16MM RECTANGULAR STEEL PIPE (446.08KG/M)     |
| 800X1000X16.25MM RECTANGULAR STEEL PIPE (452.95KG/M)  |
| 800X1000X16.5MM RECTANGULAR STEEL PIPE (459.81KG/M)   |
| 800X1000X16.75MM RECTANGULAR STEEL PIPE (466.68KG/M)  |
| 800X1000X17MM RECTANGULAR STEEL PIPE (473.54KG/M)     |
| 800X1000X17.25MM RECTANGULAR STEEL PIPE (480.39KG/M)  |
| 800X1000X17.5MM RECTANGULAR STEEL PIPE (487.25KG/M)   |
| 800X1000X17.75MM RECTANGULAR STEEL PIPE (494.1KG/M)   |
| 800X1000X18MM RECTANGULAR STEEL PIPE (500.95KG/M)     |
| 800X1000X18.25MM RECTANGULAR STEEL PIPE (507.79KG/M)  |
| 800X1000X18.5MM RECTANGULAR STEEL PIPE (514.63KG/M)   |
| 800X1000X18.75MM RECTANGULAR STEEL PIPE (521.47KG/M)  |
| 800X1000X19MM RECTANGULAR STEEL PIPE (528.31KG/M)     |
| 800X1000X19.25MM RECTANGULAR STEEL PIPE (535.14KG/M)  |
| 800X1000X19.5MM RECTANGULAR STEEL PIPE (541.97KG/M)   |
| 800X1000X19.75MM RECTANGULAR STEEL PIPE (548.8KG/M)   |
| 800X1000X20MM RECTANGULAR STEEL PIPE (555.62KG/M)     |
| 800X1000X20.25MM RECTANGULAR STEEL PIPE (562.44KG/M)  |
| 800X1000X20.5MM RECTANGULAR STEEL PIPE (569.26KG/M)   |
| 800X1000X20.75MM RECTANGULAR STEEL PIPE (576.07KG/M)  |
| 800X1000X21MM RECTANGULAR STEEL PIPE (582.89KG/M)     |
| 800X1000X21.25MM RECTANGULAR STEEL PIPE (589.69KG/M)  |
| 800X1000X21.5MM RECTANGULAR STEEL PIPE (596.5KG/M)    |

|  |
|--|
| 800X1000X21.75MM RECTANGULAR STEEL PIPE (603.3KG/M)  |
| 800X1000X22MM RECTANGULAR STEEL PIPE (610.1KG/M)     |
| 800X1000X22.25MM RECTANGULAR STEEL PIPE (616.89KG/M) |
| 800X1000X22.5MM RECTANGULAR STEEL PIPE (623.69KG/M)  |
| 800X1000X22.75MM RECTANGULAR STEEL PIPE (630.48KG/M) |
| 800X1000X23MM RECTANGULAR STEEL PIPE (637.26KG/M)    |
| 800X1000X23.25MM RECTANGULAR STEEL PIPE (644.05KG/M) |
| 800X1000X23.5MM RECTANGULAR STEEL PIPE (650.83KG/M)  |
| 800X1000X23.75MM RECTANGULAR STEEL PIPE (657.6KG/M)  |
| 800X1000X24MM RECTANGULAR STEEL PIPE (664.38KG/M)    |
| 800X1000X24.25MM RECTANGULAR STEEL PIPE (671.15KG/M) |
| 800X1000X24.5MM RECTANGULAR STEEL PIPE (677.92KG/M)  |
| 800X1000X24.75MM RECTANGULAR STEEL PIPE (684.68KG/M) |
| 800X1000X25MM RECTANGULAR STEEL PIPE (691.44KG/M)    |
| 800X1000X25.25MM RECTANGULAR STEEL PIPE (698.2KG/M)  |
| 800X1000X25.5MM RECTANGULAR STEEL PIPE (704.96KG/M)  |
| 800X1000X25.75MM RECTANGULAR STEEL PIPE (711.71KG/M) |
| 800X1000X26MM RECTANGULAR STEEL PIPE (718.46KG/M)    |
| 800X1000X26.25MM RECTANGULAR STEEL PIPE (725.21KG/M) |
| 800X1000X26.5MM RECTANGULAR STEEL PIPE (731.95KG/M)  |
| 800X1000X26.75MM RECTANGULAR STEEL PIPE (738.69KG/M) |
| 800X1000X27MM RECTANGULAR STEEL PIPE (745.43KG/M)    |
| 800X1000X27.25MM RECTANGULAR STEEL PIPE (752.16KG/M) |
| 800X1000X27.5MM RECTANGULAR STEEL PIPE (758.89KG/M)  |
| 800X1000X27.75MM RECTANGULAR STEEL PIPE (765.62KG/M) |
| 800X1000X28MM RECTANGULAR STEEL PIPE (772.35KG/M)    |
| 800X1000X28.25MM RECTANGULAR STEEL PIPE (779.07KG/M) |
| 800X1000X28.5MM RECTANGULAR STEEL PIPE (785.79KG/M)  |
| 800X1000X28.75MM RECTANGULAR STEEL PIPE (792.5KG/M)  |
| 800X1000X29MM RECTANGULAR STEEL PIPE (799.22KG/M)    |
| 800X1000X29.25MM RECTANGULAR STEEL PIPE (805.92KG/M) |
| 800X1000X29.5MM RECTANGULAR STEEL PIPE (812.63KG/M)  |
| 800X1000X29.75MM RECTANGULAR STEEL PIPE (819.33KG/M) |
| 800X1000X30MM RECTANGULAR STEEL PIPE (826.03KG/M)    |
| 800X1000X30.25MM RECTANGULAR STEEL PIPE (832.73KG/M) |
| 800X1000X30.5MM RECTANGULAR STEEL PIPE (839.43KG/M)  |
| 800X1000X30.75MM RECTANGULAR STEEL PIPE (846.12KG/M) |
| 800X1000X31MM RECTANGULAR STEEL PIPE (852.8KG/M)     |
| 800X1000X31.25MM RECTANGULAR STEEL PIPE (859.49KG/M) |
| 800X1000X31.5MM RECTANGULAR STEEL PIPE (866.17KG/M)  |
| 800X1000X31.75MM RECTANGULAR STEEL PIPE (872.85KG/M) |
| 800X1000X32MM RECTANGULAR STEEL PIPE (879.53KG/M)    |
| 800X1000X32.25MM RECTANGULAR STEEL PIPE (886.2KG/M)  |
| 800X1000X32.5MM RECTANGULAR STEEL PIPE (892.87KG/M)  |
| 800X1000X32.75MM RECTANGULAR STEEL PIPE (899.53KG/M) |
| 800X1000X33MM RECTANGULAR STEEL PIPE (906.2KG/M)     |
| 800X1000X33.25MM RECTANGULAR STEEL PIPE (912.86KG/M) |
| 800X1000X33.5MM RECTANGULAR STEEL PIPE (919.51KG/M)  |
| 800X1000X33.75MM RECTANGULAR STEEL PIPE (926.17KG/M) |
| 800X1000X34MM RECTANGULAR STEEL PIPE (932.82KG/M)    |
| 800X1000X34.25MM RECTANGULAR STEEL PIPE (939.47KG/M) |
| 800X1000X34.5MM RECTANGULAR STEEL PIPE (946.11KG/M)  |
| 800X1000X34.75MM RECTANGULAR STEEL PIPE (952.75KG/M) |
| 800X1000X35MM RECTANGULAR STEEL PIPE (959.39KG/M)    |
| 800X1000X35.25MM RECTANGULAR STEEL PIPE (966.03KG/M) |
| 800X1000X35.5MM RECTANGULAR STEEL PIPE (972.66KG/M)  |
| 800X1000X35.75MM RECTANGULAR STEEL PIPE (979.29KG/M) |

|   |
|---|
| 800X1000X36MM RECTANGULAR STEEL PIPE (985.91KG/M)     |
| 800X1000X36.25MM RECTANGULAR STEEL PIPE (992.54KG/M)  |
| 800X1000X36.5MM RECTANGULAR STEEL PIPE (999.16KG/M)   |
| 800X1000X36.75MM RECTANGULAR STEEL PIPE (1005.77KG/M) |
| 800X1000X37MM RECTANGULAR STEEL PIPE (1012.39KG/M)    |
| 800X1000X37.25MM RECTANGULAR STEEL PIPE (1019KG/M)    |
| 800X1000X37.5MM RECTANGULAR STEEL PIPE (1025.61KG/M)  |
| 800X1000X37.75MM RECTANGULAR STEEL PIPE (1032.21KG/M) |
| 800X1000X38MM RECTANGULAR STEEL PIPE (1038.81KG/M)    |
| 800X1000X38.25MM RECTANGULAR STEEL PIPE (1045.41KG/M) |
| 800X1000X38.5MM RECTANGULAR STEEL PIPE (1052.01KG/M)  |
| 800X1000X38.75MM RECTANGULAR STEEL PIPE (1058.6KG/M)  |
| 800X1000X39MM RECTANGULAR STEEL PIPE (1065.19KG/M)    |
| 800X1000X39.25MM RECTANGULAR STEEL PIPE (1071.77KG/M) |
| 800X1000X39.5MM RECTANGULAR STEEL PIPE (1078.36KG/M)  |
| 800X1000X39.75MM RECTANGULAR STEEL PIPE (1084.94KG/M) |
| 800X1000X40MM RECTANGULAR STEEL PIPE (1091.51KG/M)    |
| 800X1000X40.25MM RECTANGULAR STEEL PIPE (1098.09KG/M) |
| 800X1000X40.5MM RECTANGULAR STEEL PIPE (1104.66KG/M)  |
| 800X1000X40.75MM RECTANGULAR STEEL PIPE (1111.23KG/M) |
| 800X1000X41MM RECTANGULAR STEEL PIPE (1117.79KG/M)    |
| 800X1000X41.25MM RECTANGULAR STEEL PIPE (1124.35KG/M) |
| 800X1000X41.5MM RECTANGULAR STEEL PIPE (1130.91KG/M)  |
| 800X1000X41.75MM RECTANGULAR STEEL PIPE (1137.47KG/M) |
| 800X1000X42MM RECTANGULAR STEEL PIPE (1144.02KG/M)    |
| 800X1000X42.25MM RECTANGULAR STEEL PIPE (1150.57KG/M) |
| 800X1000X42.5MM RECTANGULAR STEEL PIPE (1157.11KG/M)  |
| 800X1000X42.75MM RECTANGULAR STEEL PIPE (1163.66KG/M) |
| 800X1000X43MM RECTANGULAR STEEL PIPE (1170.2KG/M)     |
| 800X1000X43.25MM RECTANGULAR STEEL PIPE (1176.73KG/M) |
| 800X1000X43.5MM RECTANGULAR STEEL PIPE (1183.27KG/M)  |
| 800X1000X43.75MM RECTANGULAR STEEL PIPE (1189.8KG/M)  |
| 800X1000X44MM RECTANGULAR STEEL PIPE (1196.33KG/M)    |
| 800X1000X44.25MM RECTANGULAR STEEL PIPE (1202.85KG/M) |
| 800X1000X44.5MM RECTANGULAR STEEL PIPE (1209.37KG/M)  |
| 800X1000X44.75MM RECTANGULAR STEEL PIPE (1215.89KG/M) |
| 800X1000X45MM RECTANGULAR STEEL PIPE (1222.41KG/M)    |
| 800X1000X45.25MM RECTANGULAR STEEL PIPE (1228.92KG/M) |
| 800X1000X45.5MM RECTANGULAR STEEL PIPE (1235.43KG/M)  |
| 800X1000X45.75MM RECTANGULAR STEEL PIPE (1241.93KG/M) |
| 800X1000X46MM RECTANGULAR STEEL PIPE (1248.44KG/M)    |
| 800X1000X46.25MM RECTANGULAR STEEL PIPE (1254.94KG/M) |
| 800X1000X46.5MM RECTANGULAR STEEL PIPE (1261.43KG/M)  |
| 800X1000X46.75MM RECTANGULAR STEEL PIPE (1267.93KG/M) |
| 800X1000X47MM RECTANGULAR STEEL PIPE (1274.42KG/M)    |
| 800X1000X47.25MM RECTANGULAR STEEL PIPE (1280.9KG/M)  |
| 800X1000X47.5MM RECTANGULAR STEEL PIPE (1287.39KG/M)  |
| 800X1000X47.75MM RECTANGULAR STEEL PIPE (1293.87KG/M) |
| 800X1000X48MM RECTANGULAR STEEL PIPE (1300.35KG/M)    |
| 800X1000X48.25MM RECTANGULAR STEEL PIPE (1306.82KG/M) |
| 800X1000X48.5MM RECTANGULAR STEEL PIPE (1313.3KG/M)   |
| 800X1000X48.75MM RECTANGULAR STEEL PIPE (1319.76KG/M) |
| 800X1000X49MM RECTANGULAR STEEL PIPE (1326.23KG/M)    |
| 800X1000X49.25MM RECTANGULAR STEEL PIPE (1332.69KG/M) |
| 800X1000X49.5MM RECTANGULAR STEEL PIPE (1339.15KG/M)  |
| 800X1000X49.75MM RECTANGULAR STEEL PIPE (1345.61KG/M) |
| 800X1000X50MM RECTANGULAR STEEL PIPE (1352.06KG/M)    |

|  |
|--|
| 800X1100X9.5MM RECTANGULAR STEEL PIPE (281.3KG/M)    |
| 800X1100X9.75MM RECTANGULAR STEEL PIPE (288.65KG/M)  |
| 800X1100X10MM RECTANGULAR STEEL PIPE (295.99KG/M)    |
| 800X1100X10.25MM RECTANGULAR STEEL PIPE (303.32KG/M) |
| 800X1100X10.5MM RECTANGULAR STEEL PIPE (310.65KG/M)  |
| 800X1100X10.75MM RECTANGULAR STEEL PIPE (317.99KG/M) |
| 800X1100X11MM RECTANGULAR STEEL PIPE (325.31KG/M)    |
| 800X1100X11.25MM RECTANGULAR STEEL PIPE (332.64KG/M) |
| 800X1100X11.5MM RECTANGULAR STEEL PIPE (339.96KG/M)  |
| 800X1100X11.75MM RECTANGULAR STEEL PIPE (347.28KG/M) |
| 800X1100X12MM RECTANGULAR STEEL PIPE (354.59KG/M)    |
| 800X1100X12.25MM RECTANGULAR STEEL PIPE (361.9KG/M)  |
| 800X1100X12.5MM RECTANGULAR STEEL PIPE (369.21KG/M)  |
| 800X1100X12.75MM RECTANGULAR STEEL PIPE (376.52KG/M) |
| 800X1100X13MM RECTANGULAR STEEL PIPE (383.82KG/M)    |
| 800X1100X13.25MM RECTANGULAR STEEL PIPE (391.12KG/M) |
| 800X1100X13.5MM RECTANGULAR STEEL PIPE (398.41KG/M)  |
| 800X1100X13.75MM RECTANGULAR STEEL PIPE (405.71KG/M) |
| 800X1100X14MM RECTANGULAR STEEL PIPE (413KG/M)       |
| 800X1100X14.25MM RECTANGULAR STEEL PIPE (420.29KG/M) |
| 800X1100X14.5MM RECTANGULAR STEEL PIPE (427.57KG/M)  |
| 800X1100X14.75MM RECTANGULAR STEEL PIPE (434.85KG/M) |
| 800X1100X15MM RECTANGULAR STEEL PIPE (442.13KG/M)    |
| 800X1100X15.25MM RECTANGULAR STEEL PIPE (449.4KG/M)  |
| 800X1100X15.5MM RECTANGULAR STEEL PIPE (456.67KG/M)  |
| 800X1100X15.75MM RECTANGULAR STEEL PIPE (463.94KG/M) |
| 800X1100X16MM RECTANGULAR STEEL PIPE (471.21KG/M)    |
| 800X1100X16.25MM RECTANGULAR STEEL PIPE (478.47KG/M) |
| 800X1100X16.5MM RECTANGULAR STEEL PIPE (485.73KG/M)  |
| 800X1100X16.75MM RECTANGULAR STEEL PIPE (492.99KG/M) |
| 800X1100X17MM RECTANGULAR STEEL PIPE (500.24KG/M)    |
| 800X1100X17.25MM RECTANGULAR STEEL PIPE (507.49KG/M) |
| 800X1100X17.5MM RECTANGULAR STEEL PIPE (514.74KG/M)  |
| 800X1100X17.75MM RECTANGULAR STEEL PIPE (521.98KG/M) |
| 800X1100X18MM RECTANGULAR STEEL PIPE (529.22KG/M)    |
| 800X1100X18.25MM RECTANGULAR STEEL PIPE (536.46KG/M) |
| 800X1100X18.5MM RECTANGULAR STEEL PIPE (543.69KG/M)  |
| 800X1100X18.75MM RECTANGULAR STEEL PIPE (550.93KG/M) |
| 800X1100X19MM RECTANGULAR STEEL PIPE (558.15KG/M)    |
| 800X1100X19.25MM RECTANGULAR STEEL PIPE (565.38KG/M) |
| 800X1100X19.5MM RECTANGULAR STEEL PIPE (572.6KG/M)   |
| 800X1100X19.75MM RECTANGULAR STEEL PIPE (579.82KG/M) |
| 800X1100X20MM RECTANGULAR STEEL PIPE (587.04KG/M)    |
| 800X1100X20.25MM RECTANGULAR STEEL PIPE (594.25KG/M) |
| 800X1100X20.5MM RECTANGULAR STEEL PIPE (601.46KG/M)  |
| 800X1100X20.75MM RECTANGULAR STEEL PIPE (608.67KG/M) |
| 800X1100X21MM RECTANGULAR STEEL PIPE (615.87KG/M)    |
| 800X1100X21.25MM RECTANGULAR STEEL PIPE (623.07KG/M) |
| 800X1100X21.5MM RECTANGULAR STEEL PIPE (630.27KG/M)  |
| 800X1100X21.75MM RECTANGULAR STEEL PIPE (637.47KG/M) |
| 800X1100X22MM RECTANGULAR STEEL PIPE (644.66KG/M)    |
| 800X1100X22.25MM RECTANGULAR STEEL PIPE (651.85KG/M) |
| 800X1100X22.5MM RECTANGULAR STEEL PIPE (659.03KG/M)  |
| 800X1100X22.75MM RECTANGULAR STEEL PIPE (666.21KG/M) |
| 800X1100X23MM RECTANGULAR STEEL PIPE (673.39KG/M)    |
| 800X1100X23.25MM RECTANGULAR STEEL PIPE (680.57KG/M) |
| 800X1100X23.5MM RECTANGULAR STEEL PIPE (687.74KG/M)  |

|   |
|---|
| 800X1100X23.75MM RECTANGULAR STEEL PIPE (694.91KG/M)  |
| 800X1100X24MM RECTANGULAR STEEL PIPE (702.08KG/M)     |
| 800X1100X24.25MM RECTANGULAR STEEL PIPE (709.24KG/M)  |
| 800X1100X24.5MM RECTANGULAR STEEL PIPE (716.4KG/M)    |
| 800X1100X24.75MM RECTANGULAR STEEL PIPE (723.56KG/M)  |
| 800X1100X25MM RECTANGULAR STEEL PIPE (730.71KG/M)     |
| 800X1100X25.25MM RECTANGULAR STEEL PIPE (737.87KG/M)  |
| 800X1100X25.5MM RECTANGULAR STEEL PIPE (745.01KG/M)   |
| 800X1100X25.75MM RECTANGULAR STEEL PIPE (752.16KG/M)  |
| 800X1100X26MM RECTANGULAR STEEL PIPE (759.3KG/M)      |
| 800X1100X26.25MM RECTANGULAR STEEL PIPE (766.44KG/M)  |
| 800X1100X26.5MM RECTANGULAR STEEL PIPE (773.58KG/M)   |
| 800X1100X26.75MM RECTANGULAR STEEL PIPE (780.71KG/M)  |
| 800X1100X27MM RECTANGULAR STEEL PIPE (787.84KG/M)     |
| 800X1100X27.25MM RECTANGULAR STEEL PIPE (794.97KG/M)  |
| 800X1100X27.5MM RECTANGULAR STEEL PIPE (802.09KG/M)   |
| 800X1100X27.75MM RECTANGULAR STEEL PIPE (809.21KG/M)  |
| 800X1100X28MM RECTANGULAR STEEL PIPE (816.33KG/M)     |
| 800X1100X28.25MM RECTANGULAR STEEL PIPE (823.44KG/M)  |
| 800X1100X28.5MM RECTANGULAR STEEL PIPE (830.55KG/M)   |
| 800X1100X28.75MM RECTANGULAR STEEL PIPE (837.66KG/M)  |
| 800X1100X29MM RECTANGULAR STEEL PIPE (844.77KG/M)     |
| 800X1100X29.25MM RECTANGULAR STEEL PIPE (851.87KG/M)  |
| 800X1100X29.5MM RECTANGULAR STEEL PIPE (858.97KG/M)   |
| 800X1100X29.75MM RECTANGULAR STEEL PIPE (866.07KG/M)  |
| 800X1100X30MM RECTANGULAR STEEL PIPE (873.16KG/M)     |
| 800X1100X30.25MM RECTANGULAR STEEL PIPE (880.25KG/M)  |
| 800X1100X30.5MM RECTANGULAR STEEL PIPE (887.34KG/M)   |
| 800X1100X30.75MM RECTANGULAR STEEL PIPE (894.42KG/M)  |
| 800X1100X31MM RECTANGULAR STEEL PIPE (901.5KG/M)      |
| 800X1100X31.25MM RECTANGULAR STEEL PIPE (908.58KG/M)  |
| 800X1100X31.5MM RECTANGULAR STEEL PIPE (915.65KG/M)   |
| 800X1100X31.75MM RECTANGULAR STEEL PIPE (922.72KG/M)  |
| 800X1100X32MM RECTANGULAR STEEL PIPE (929.79KG/M)     |
| 800X1100X32.25MM RECTANGULAR STEEL PIPE (936.86KG/M)  |
| 800X1100X32.5MM RECTANGULAR STEEL PIPE (943.92KG/M)   |
| 800X1100X32.75MM RECTANGULAR STEEL PIPE (950.98KG/M)  |
| 800X1100X33MM RECTANGULAR STEEL PIPE (958.03KG/M)     |
| 800X1100X33.25MM RECTANGULAR STEEL PIPE (965.09KG/M)  |
| 800X1100X33.5MM RECTANGULAR STEEL PIPE (972.14KG/M)   |
| 800X1100X33.75MM RECTANGULAR STEEL PIPE (979.18KG/M)  |
| 800X1100X34MM RECTANGULAR STEEL PIPE (986.23KG/M)     |
| 800X1100X34.25MM RECTANGULAR STEEL PIPE (993.27KG/M)  |
| 800X1100X34.5MM RECTANGULAR STEEL PIPE (1000.3KG/M)   |
| 800X1100X34.75MM RECTANGULAR STEEL PIPE (1007.34KG/M) |
| 800X1100X35MM RECTANGULAR STEEL PIPE (1014.37KG/M)    |
| 800X1100X35.25MM RECTANGULAR STEEL PIPE (1021.4KG/M)  |
| 800X1100X35.5MM RECTANGULAR STEEL PIPE (1028.42KG/M)  |
| 800X1100X35.75MM RECTANGULAR STEEL PIPE (1035.44KG/M) |
| 800X1100X36MM RECTANGULAR STEEL PIPE (1042.46KG/M)    |
| 800X1100X36.25MM RECTANGULAR STEEL PIPE (1049.48KG/M) |
| 800X1100X36.5MM RECTANGULAR STEEL PIPE (1056.49KG/M)  |
| 800X1100X36.75MM RECTANGULAR STEEL PIPE (1063.5KG/M)  |
| 800X1100X37MM RECTANGULAR STEEL PIPE (1070.51KG/M)    |
| 800X1100X37.25MM RECTANGULAR STEEL PIPE (1077.51KG/M) |
| 800X1100X37.5MM RECTANGULAR STEEL PIPE (1084.51KG/M)  |
| 800X1100X37.75MM RECTANGULAR STEEL PIPE (1091.51KG/M) |

|   |
|---|
| 800X1100X38MM RECTANGULAR STEEL PIPE (1098.5KG/M)     |
| 800X1100X38.25MM RECTANGULAR STEEL PIPE (1105.49KG/M) |
| 800X1100X38.5MM RECTANGULAR STEEL PIPE (1112.48KG/M)  |
| 800X1100X38.75MM RECTANGULAR STEEL PIPE (1119.47KG/M) |
| 800X1100X39MM RECTANGULAR STEEL PIPE (1126.45KG/M)    |
| 800X1100X39.25MM RECTANGULAR STEEL PIPE (1133.43KG/M) |
| 800X1100X39.5MM RECTANGULAR STEEL PIPE (1140.4KG/M)   |
| 800X1100X39.75MM RECTANGULAR STEEL PIPE (1147.38KG/M) |
| 800X1100X40MM RECTANGULAR STEEL PIPE (1154.35KG/M)    |
| 800X1100X40.25MM RECTANGULAR STEEL PIPE (1161.31KG/M) |
| 800X1100X40.5MM RECTANGULAR STEEL PIPE (1168.28KG/M)  |
| 800X1100X40.75MM RECTANGULAR STEEL PIPE (1175.24KG/M) |
| 800X1100X41MM RECTANGULAR STEEL PIPE (1182.19KG/M)    |
| 800X1100X41.25MM RECTANGULAR STEEL PIPE (1189.15KG/M) |
| 800X1100X41.5MM RECTANGULAR STEEL PIPE (1196.1KG/M)   |
| 800X1100X41.75MM RECTANGULAR STEEL PIPE (1203.05KG/M) |
| 800X1100X42MM RECTANGULAR STEEL PIPE (1209.99KG/M)    |
| 800X1100X42.25MM RECTANGULAR STEEL PIPE (1216.93KG/M) |
| 800X1100X42.5MM RECTANGULAR STEEL PIPE (1223.87KG/M)  |
| 800X1100X42.75MM RECTANGULAR STEEL PIPE (1230.81KG/M) |
| 800X1100X43MM RECTANGULAR STEEL PIPE (1237.74KG/M)    |
| 800X1100X43.25MM RECTANGULAR STEEL PIPE (1244.67KG/M) |
| 800X1100X43.5MM RECTANGULAR STEEL PIPE (1251.6KG/M)   |
| 800X1100X43.75MM RECTANGULAR STEEL PIPE (1258.52KG/M) |
| 800X1100X44MM RECTANGULAR STEEL PIPE (1265.44KG/M)    |
| 800X1100X44.25MM RECTANGULAR STEEL PIPE (1272.36KG/M) |
| 800X1100X44.5MM RECTANGULAR STEEL PIPE (1279.27KG/M)  |
| 800X1100X44.75MM RECTANGULAR STEEL PIPE (1286.18KG/M) |
| 800X1100X45MM RECTANGULAR STEEL PIPE (1293.09KG/M)    |
| 800X1100X45.25MM RECTANGULAR STEEL PIPE (1300KG/M)    |
| 800X1100X45.5MM RECTANGULAR STEEL PIPE (1306.9KG/M)   |
| 800X1100X45.75MM RECTANGULAR STEEL PIPE (1313.8KG/M)  |
| 800X1100X46MM RECTANGULAR STEEL PIPE (1320.69KG/M)    |
| 800X1100X46.25MM RECTANGULAR STEEL PIPE (1327.58KG/M) |
| 800X1100X46.5MM RECTANGULAR STEEL PIPE (1334.47KG/M)  |
| 800X1100X46.75MM RECTANGULAR STEEL PIPE (1341.36KG/M) |
| 800X1100X47MM RECTANGULAR STEEL PIPE (1348.24KG/M)    |
| 800X1100X47.25MM RECTANGULAR STEEL PIPE (1355.12KG/M) |
| 800X1100X47.5MM RECTANGULAR STEEL PIPE (1362KG/M)     |
| 800X1100X47.75MM RECTANGULAR STEEL PIPE (1368.88KG/M) |
| 800X1100X48MM RECTANGULAR STEEL PIPE (1375.75KG/M)    |
| 800X1100X48.25MM RECTANGULAR STEEL PIPE (1382.61KG/M) |
| 800X1100X48.5MM RECTANGULAR STEEL PIPE (1389.48KG/M)  |
| 800X1100X48.75MM RECTANGULAR STEEL PIPE (1396.34KG/M) |
| 800X1100X49MM RECTANGULAR STEEL PIPE (1403.2KG/M)     |
| 800X1100X49.25MM RECTANGULAR STEEL PIPE (1410.05KG/M) |
| 800X1100X49.5MM RECTANGULAR STEEL PIPE (1416.91KG/M)  |
| 800X1100X49.75MM RECTANGULAR STEEL PIPE (1423.76KG/M) |
| 800X1100X50MM RECTANGULAR STEEL PIPE (1430.6KG/M)     |
| 900X1000X9.5MM RECTANGULAR STEEL PIPE (281.3KG/M)     |
| 900X1000X9.75MM RECTANGULAR STEEL PIPE (288.65KG/M)   |
| 900X1000X10MM RECTANGULAR STEEL PIPE (295.99KG/M)     |
| 900X1000X10.25MM RECTANGULAR STEEL PIPE (303.32KG/M)  |
| 900X1000X10.5MM RECTANGULAR STEEL PIPE (310.65KG/M)   |
| 900X1000X10.75MM RECTANGULAR STEEL PIPE (317.99KG/M)  |
| 900X1000X11MM RECTANGULAR STEEL PIPE (325.31KG/M)     |
| 900X1000X11.25MM RECTANGULAR STEEL PIPE (332.64KG/M)  |

|  |
|--|
| 900X1000X11.5MM RECTANGULAR STEEL PIPE (339.96KG/M)  |
| 900X1000X11.75MM RECTANGULAR STEEL PIPE (347.28KG/M) |
| 900X1000X12MM RECTANGULAR STEEL PIPE (354.59KG/M)    |
| 900X1000X12.25MM RECTANGULAR STEEL PIPE (361.9KG/M)  |
| 900X1000X12.5MM RECTANGULAR STEEL PIPE (369.21KG/M)  |
| 900X1000X12.75MM RECTANGULAR STEEL PIPE (376.52KG/M) |
| 900X1000X13MM RECTANGULAR STEEL PIPE (383.82KG/M)    |
| 900X1000X13.25MM RECTANGULAR STEEL PIPE (391.12KG/M) |
| 900X1000X13.5MM RECTANGULAR STEEL PIPE (398.41KG/M)  |
| 900X1000X13.75MM RECTANGULAR STEEL PIPE (405.71KG/M) |
| 900X1000X14MM RECTANGULAR STEEL PIPE (413KG/M)       |
| 900X1000X14.25MM RECTANGULAR STEEL PIPE (420.29KG/M) |
| 900X1000X14.5MM RECTANGULAR STEEL PIPE (427.57KG/M)  |
| 900X1000X14.75MM RECTANGULAR STEEL PIPE (434.85KG/M) |
| 900X1000X15MM RECTANGULAR STEEL PIPE (442.13KG/M)    |
| 900X1000X15.25MM RECTANGULAR STEEL PIPE (449.4KG/M)  |
| 900X1000X15.5MM RECTANGULAR STEEL PIPE (456.67KG/M)  |
| 900X1000X15.75MM RECTANGULAR STEEL PIPE (463.94KG/M) |
| 900X1000X16MM RECTANGULAR STEEL PIPE (471.21KG/M)    |
| 900X1000X16.25MM RECTANGULAR STEEL PIPE (478.47KG/M) |
| 900X1000X16.5MM RECTANGULAR STEEL PIPE (485.73KG/M)  |
| 900X1000X16.75MM RECTANGULAR STEEL PIPE (492.99KG/M) |
| 900X1000X17MM RECTANGULAR STEEL PIPE (500.24KG/M)    |
| 900X1000X17.25MM RECTANGULAR STEEL PIPE (507.49KG/M) |
| 900X1000X17.5MM RECTANGULAR STEEL PIPE (514.74KG/M)  |
| 900X1000X17.75MM RECTANGULAR STEEL PIPE (521.98KG/M) |
| 900X1000X18MM RECTANGULAR STEEL PIPE (529.22KG/M)    |
| 900X1000X18.25MM RECTANGULAR STEEL PIPE (536.46KG/M) |
| 900X1000X18.5MM RECTANGULAR STEEL PIPE (543.69KG/M)  |
| 900X1000X18.75MM RECTANGULAR STEEL PIPE (550.93KG/M) |
| 900X1000X19MM RECTANGULAR STEEL PIPE (558.15KG/M)    |
| 900X1000X19.25MM RECTANGULAR STEEL PIPE (565.38KG/M) |
| 900X1000X19.5MM RECTANGULAR STEEL PIPE (572.6KG/M)   |
| 900X1000X19.75MM RECTANGULAR STEEL PIPE (579.82KG/M) |
| 900X1000X20MM RECTANGULAR STEEL PIPE (587.04KG/M)    |
| 900X1000X20.25MM RECTANGULAR STEEL PIPE (594.25KG/M) |
| 900X1000X20.5MM RECTANGULAR STEEL PIPE (601.46KG/M)  |
| 900X1000X20.75MM RECTANGULAR STEEL PIPE (608.67KG/M) |
| 900X1000X21MM RECTANGULAR STEEL PIPE (615.87KG/M)    |
| 900X1000X21.25MM RECTANGULAR STEEL PIPE (623.07KG/M) |
| 900X1000X21.5MM RECTANGULAR STEEL PIPE (630.27KG/M)  |
| 900X1000X21.75MM RECTANGULAR STEEL PIPE (637.47KG/M) |
| 900X1000X22MM RECTANGULAR STEEL PIPE (644.66KG/M)    |
| 900X1000X22.25MM RECTANGULAR STEEL PIPE (651.85KG/M) |
| 900X1000X22.5MM RECTANGULAR STEEL PIPE (659.03KG/M)  |
| 900X1000X22.75MM RECTANGULAR STEEL PIPE (666.21KG/M) |
| 900X1000X23MM RECTANGULAR STEEL PIPE (673.39KG/M)    |
| 900X1000X23.25MM RECTANGULAR STEEL PIPE (680.57KG/M) |
| 900X1000X23.5MM RECTANGULAR STEEL PIPE (687.74KG/M)  |
| 900X1000X23.75MM RECTANGULAR STEEL PIPE (694.91KG/M) |
| 900X1000X24MM RECTANGULAR STEEL PIPE (702.08KG/M)    |
| 900X1000X24.25MM RECTANGULAR STEEL PIPE (709.24KG/M) |
| 900X1000X24.5MM RECTANGULAR STEEL PIPE (716.4KG/M)   |
| 900X1000X24.75MM RECTANGULAR STEEL PIPE (723.56KG/M) |
| 900X1000X25MM RECTANGULAR STEEL PIPE (730.71KG/M)    |
| 900X1000X25.25MM RECTANGULAR STEEL PIPE (737.87KG/M) |
| 900X1000X25.5MM RECTANGULAR STEEL PIPE (745.01KG/M)  |



|   |
|---|
| 900X1000X25.75MM RECTANGULAR STEEL PIPE (752.16KG/M)  |
| 900X1000X26MM RECTANGULAR STEEL PIPE (759.3KG/M)      |
| 900X1000X26.25MM RECTANGULAR STEEL PIPE (766.44KG/M)  |
| 900X1000X26.5MM RECTANGULAR STEEL PIPE (773.58KG/M)   |
| 900X1000X26.75MM RECTANGULAR STEEL PIPE (780.71KG/M)  |
| 900X1000X27MM RECTANGULAR STEEL PIPE (787.84KG/M)     |
| 900X1000X27.25MM RECTANGULAR STEEL PIPE (794.97KG/M)  |
| 900X1000X27.5MM RECTANGULAR STEEL PIPE (802.09KG/M)   |
| 900X1000X27.75MM RECTANGULAR STEEL PIPE (809.21KG/M)  |
| 900X1000X28MM RECTANGULAR STEEL PIPE (816.33KG/M)     |
| 900X1000X28.25MM RECTANGULAR STEEL PIPE (823.44KG/M)  |
| 900X1000X28.5MM RECTANGULAR STEEL PIPE (830.55KG/M)   |
| 900X1000X28.75MM RECTANGULAR STEEL PIPE (837.66KG/M)  |
| 900X1000X29MM RECTANGULAR STEEL PIPE (844.77KG/M)     |
| 900X1000X29.25MM RECTANGULAR STEEL PIPE (851.87KG/M)  |
| 900X1000X29.5MM RECTANGULAR STEEL PIPE (858.97KG/M)   |
| 900X1000X29.75MM RECTANGULAR STEEL PIPE (866.07KG/M)  |
| 900X1000X30MM RECTANGULAR STEEL PIPE (873.16KG/M)     |
| 900X1000X30.25MM RECTANGULAR STEEL PIPE (880.25KG/M)  |
| 900X1000X30.5MM RECTANGULAR STEEL PIPE (887.34KG/M)   |
| 900X1000X30.75MM RECTANGULAR STEEL PIPE (894.42KG/M)  |
| 900X1000X31MM RECTANGULAR STEEL PIPE (901.5KG/M)      |
| 900X1000X31.25MM RECTANGULAR STEEL PIPE (908.58KG/M)  |
| 900X1000X31.5MM RECTANGULAR STEEL PIPE (915.65KG/M)   |
| 900X1000X31.75MM RECTANGULAR STEEL PIPE (922.72KG/M)  |
| 900X1000X32MM RECTANGULAR STEEL PIPE (929.79KG/M)     |
| 900X1000X32.25MM RECTANGULAR STEEL PIPE (936.86KG/M)  |
| 900X1000X32.5MM RECTANGULAR STEEL PIPE (943.92KG/M)   |
| 900X1000X32.75MM RECTANGULAR STEEL PIPE (950.98KG/M)  |
| 900X1000X33MM RECTANGULAR STEEL PIPE (958.03KG/M)     |
| 900X1000X33.25MM RECTANGULAR STEEL PIPE (965.09KG/M)  |
| 900X1000X33.5MM RECTANGULAR STEEL PIPE (972.14KG/M)   |
| 900X1000X33.75MM RECTANGULAR STEEL PIPE (979.18KG/M)  |
| 900X1000X34MM RECTANGULAR STEEL PIPE (986.23KG/M)     |
| 900X1000X34.25MM RECTANGULAR STEEL PIPE (993.27KG/M)  |
| 900X1000X34.5MM RECTANGULAR STEEL PIPE (1000.3KG/M)   |
| 900X1000X34.75MM RECTANGULAR STEEL PIPE (1007.34KG/M) |
| 900X1000X35MM RECTANGULAR STEEL PIPE (1014.37KG/M)    |
| 900X1000X35.25MM RECTANGULAR STEEL PIPE (1021.4KG/M)  |
| 900X1000X35.5MM RECTANGULAR STEEL PIPE (1028.42KG/M)  |
| 900X1000X35.75MM RECTANGULAR STEEL PIPE (1035.44KG/M) |
| 900X1000X36MM RECTANGULAR STEEL PIPE (1042.46KG/M)    |
| 900X1000X36.25MM RECTANGULAR STEEL PIPE (1049.48KG/M) |
| 900X1000X36.5MM RECTANGULAR STEEL PIPE (1056.49KG/M)  |
| 900X1000X36.75MM RECTANGULAR STEEL PIPE (1063.5KG/M)  |
| 900X1000X37MM RECTANGULAR STEEL PIPE (1070.51KG/M)    |
| 900X1000X37.25MM RECTANGULAR STEEL PIPE (1077.51KG/M) |
| 900X1000X37.5MM RECTANGULAR STEEL PIPE (1084.51KG/M)  |
| 900X1000X37.75MM RECTANGULAR STEEL PIPE (1091.51KG/M) |
| 900X1000X38MM RECTANGULAR STEEL PIPE (1098.5KG/M)     |
| 900X1000X38.25MM RECTANGULAR STEEL PIPE (1105.49KG/M) |
| 900X1000X38.5MM RECTANGULAR STEEL PIPE (1112.48KG/M)  |
| 900X1000X38.75MM RECTANGULAR STEEL PIPE (1119.47KG/M) |
| 900X1000X39MM RECTANGULAR STEEL PIPE (1126.45KG/M)    |
| 900X1000X39.25MM RECTANGULAR STEEL PIPE (1133.43KG/M) |
| 900X1000X39.5MM RECTANGULAR STEEL PIPE (1140.4KG/M)   |
| 900X1000X39.75MM RECTANGULAR STEEL PIPE (1147.38KG/M) |

|   |
|---|
| 900X1000X40MM RECTANGULAR STEEL PIPE (1154.35KG/M)    |
| 900X1000X40.25MM RECTANGULAR STEEL PIPE (1161.31KG/M) |
| 900X1000X40.5MM RECTANGULAR STEEL PIPE (1168.28KG/M)  |
| 900X1000X40.75MM RECTANGULAR STEEL PIPE (1175.24KG/M) |
| 900X1000X41MM RECTANGULAR STEEL PIPE (1182.19KG/M)    |
| 900X1000X41.25MM RECTANGULAR STEEL PIPE (1189.15KG/M) |
| 900X1000X41.5MM RECTANGULAR STEEL PIPE (1196.1KG/M)   |
| 900X1000X41.75MM RECTANGULAR STEEL PIPE (1203.05KG/M) |
| 900X1000X42MM RECTANGULAR STEEL PIPE (1209.99KG/M)    |
| 900X1000X42.25MM RECTANGULAR STEEL PIPE (1216.93KG/M) |
| 900X1000X42.5MM RECTANGULAR STEEL PIPE (1223.87KG/M)  |
| 900X1000X42.75MM RECTANGULAR STEEL PIPE (1230.81KG/M) |
| 900X1000X43MM RECTANGULAR STEEL PIPE (1237.74KG/M)    |
| 900X1000X43.25MM RECTANGULAR STEEL PIPE (1244.67KG/M) |
| 900X1000X43.5MM RECTANGULAR STEEL PIPE (1251.6KG/M)   |
| 900X1000X43.75MM RECTANGULAR STEEL PIPE (1258.52KG/M) |
| 900X1000X44MM RECTANGULAR STEEL PIPE (1265.44KG/M)    |
| 900X1000X44.25MM RECTANGULAR STEEL PIPE (1272.36KG/M) |
| 900X1000X44.5MM RECTANGULAR STEEL PIPE (1279.27KG/M)  |
| 900X1000X44.75MM RECTANGULAR STEEL PIPE (1286.18KG/M) |
| 900X1000X45MM RECTANGULAR STEEL PIPE (1293.09KG/M)    |
| 900X1000X45.25MM RECTANGULAR STEEL PIPE (1300KG/M)    |
| 900X1000X45.5MM RECTANGULAR STEEL PIPE (1306.9KG/M)   |
| 900X1000X45.75MM RECTANGULAR STEEL PIPE (1313.8KG/M)  |
| 900X1000X46MM RECTANGULAR STEEL PIPE (1320.69KG/M)    |
| 900X1000X46.25MM RECTANGULAR STEEL PIPE (1327.58KG/M) |
| 900X1000X46.5MM RECTANGULAR STEEL PIPE (1334.47KG/M)  |
| 900X1000X46.75MM RECTANGULAR STEEL PIPE (1341.36KG/M) |
| 900X1000X47MM RECTANGULAR STEEL PIPE (1348.24KG/M)    |
| 900X1000X47.25MM RECTANGULAR STEEL PIPE (1355.12KG/M) |
| 900X1000X47.5MM RECTANGULAR STEEL PIPE (1362KG/M)     |
| 900X1000X47.75MM RECTANGULAR STEEL PIPE (1368.88KG/M) |
| 900X1000X48MM RECTANGULAR STEEL PIPE (1375.75KG/M)    |
| 900X1000X48.25MM RECTANGULAR STEEL PIPE (1382.61KG/M) |
| 900X1000X48.5MM RECTANGULAR STEEL PIPE (1389.48KG/M)  |
| 900X1000X48.75MM RECTANGULAR STEEL PIPE (1396.34KG/M) |
| 900X1000X49MM RECTANGULAR STEEL PIPE (1403.2KG/M)     |
| 900X1000X49.25MM RECTANGULAR STEEL PIPE (1410.05KG/M) |
| 900X1000X49.5MM RECTANGULAR STEEL PIPE (1416.91KG/M)  |
| 900X1000X49.75MM RECTANGULAR STEEL PIPE (1423.76KG/M) |
| 900X1000X50MM RECTANGULAR STEEL PIPE (1430.6KG/M)     |
| 900X1100X20MM RECTANGULAR STEEL PIPE (618.45KG/M)     |
| 900X1100X20.25MM RECTANGULAR STEEL PIPE (626.06KG/M)  |
| 900X1100X20.5MM RECTANGULAR STEEL PIPE (633.66KG/M)   |
| 900X1100X20.75MM RECTANGULAR STEEL PIPE (641.26KG/M)  |
| 900X1100X21MM RECTANGULAR STEEL PIPE (648.86KG/M)     |
| 900X1100X21.25MM RECTANGULAR STEEL PIPE (656.45KG/M)  |
| 900X1100X21.5MM RECTANGULAR STEEL PIPE (664.04KG/M)   |
| 900X1100X21.75MM RECTANGULAR STEEL PIPE (671.63KG/M)  |
| 900X1100X22MM RECTANGULAR STEEL PIPE (679.21KG/M)     |
| 900X1100X22.25MM RECTANGULAR STEEL PIPE (686.8KG/M)   |
| 900X1100X22.5MM RECTANGULAR STEEL PIPE (694.37KG/M)   |
| 900X1100X22.75MM RECTANGULAR STEEL PIPE (701.95KG/M)  |
| 900X1100X23MM RECTANGULAR STEEL PIPE (709.52KG/M)     |
| 900X1100X23.25MM RECTANGULAR STEEL PIPE (717.09KG/M)  |
| 900X1100X23.5MM RECTANGULAR STEEL PIPE (724.65KG/M)   |
| 900X1100X23.75MM RECTANGULAR STEEL PIPE (732.22KG/M)  |

|   |
|---|
| 900X1100X24MM RECTANGULAR STEEL PIPE (739.78KG/M)     |
| 900X1100X24.25MM RECTANGULAR STEEL PIPE (747.33KG/M)  |
| 900X1100X24.5MM RECTANGULAR STEEL PIPE (754.89KG/M)   |
| 900X1100X24.75MM RECTANGULAR STEEL PIPE (762.44KG/M)  |
| 900X1100X25MM RECTANGULAR STEEL PIPE (769.98KG/M)     |
| 900X1100X25.25MM RECTANGULAR STEEL PIPE (777.53KG/M)  |
| 900X1100X25.5MM RECTANGULAR STEEL PIPE (785.07KG/M)   |
| 900X1100X25.75MM RECTANGULAR STEEL PIPE (792.61KG/M)  |
| 900X1100X26MM RECTANGULAR STEEL PIPE (800.14KG/M)     |
| 900X1100X26.25MM RECTANGULAR STEEL PIPE (807.67KG/M)  |
| 900X1100X26.5MM RECTANGULAR STEEL PIPE (815.2KG/M)    |
| 900X1100X26.75MM RECTANGULAR STEEL PIPE (822.73KG/M)  |
| 900X1100X27MM RECTANGULAR STEEL PIPE (830.25KG/M)     |
| 900X1100X27.25MM RECTANGULAR STEEL PIPE (837.77KG/M)  |
| 900X1100X27.5MM RECTANGULAR STEEL PIPE (845.29KG/M)   |
| 900X1100X27.75MM RECTANGULAR STEEL PIPE (852.8KG/M)   |
| 900X1100X28MM RECTANGULAR STEEL PIPE (860.31KG/M)     |
| 900X1100X28.25MM RECTANGULAR STEEL PIPE (867.82KG/M)  |
| 900X1100X28.5MM RECTANGULAR STEEL PIPE (875.32KG/M)   |
| 900X1100X28.75MM RECTANGULAR STEEL PIPE (882.82KG/M)  |
| 900X1100X29MM RECTANGULAR STEEL PIPE (890.32KG/M)     |
| 900X1100X29.25MM RECTANGULAR STEEL PIPE (897.82KG/M)  |
| 900X1100X29.5MM RECTANGULAR STEEL PIPE (905.31KG/M)   |
| 900X1100X29.75MM RECTANGULAR STEEL PIPE (912.8KG/M)   |
| 900X1100X30MM RECTANGULAR STEEL PIPE (920.28KG/M)     |
| 900X1100X30.25MM RECTANGULAR STEEL PIPE (927.76KG/M)  |
| 900X1100X30.5MM RECTANGULAR STEEL PIPE (935.24KG/M)   |
| 900X1100X30.75MM RECTANGULAR STEEL PIPE (942.72KG/M)  |
| 900X1100X31MM RECTANGULAR STEEL PIPE (950.19KG/M)     |
| 900X1100X31.25MM RECTANGULAR STEEL PIPE (957.66KG/M)  |
| 900X1100X31.5MM RECTANGULAR STEEL PIPE (965.13KG/M)   |
| 900X1100X31.75MM RECTANGULAR STEEL PIPE (972.6KG/M)   |
| 900X1100X32MM RECTANGULAR STEEL PIPE (980.06KG/M)     |
| 900X1100X32.25MM RECTANGULAR STEEL PIPE (987.51KG/M)  |
| 900X1100X32.5MM RECTANGULAR STEEL PIPE (994.97KG/M)   |
| 900X1100X32.75MM RECTANGULAR STEEL PIPE (1002.42KG/M) |
| 900X1100X33MM RECTANGULAR STEEL PIPE (1009.87KG/M)    |
| 900X1100X33.25MM RECTANGULAR STEEL PIPE (1017.31KG/M) |
| 900X1100X33.5MM RECTANGULAR STEEL PIPE (1024.76KG/M)  |
| 900X1100X33.75MM RECTANGULAR STEEL PIPE (1032.2KG/M)  |
| 900X1100X34MM RECTANGULAR STEEL PIPE (1039.63KG/M)    |
| 900X1100X34.25MM RECTANGULAR STEEL PIPE (1047.07KG/M) |
| 900X1100X34.5MM RECTANGULAR STEEL PIPE (1054.5KG/M)   |
| 900X1100X34.75MM RECTANGULAR STEEL PIPE (1061.92KG/M) |
| 900X1100X35MM RECTANGULAR STEEL PIPE (1069.35KG/M)    |
| 900X1100X35.25MM RECTANGULAR STEEL PIPE (1076.77KG/M) |
| 900X1100X35.5MM RECTANGULAR STEEL PIPE (1084.19KG/M)  |
| 900X1100X35.75MM RECTANGULAR STEEL PIPE (1091.6KG/M)  |
| 900X1100X36MM RECTANGULAR STEEL PIPE (1099.01KG/M)    |
| 900X1100X36.25MM RECTANGULAR STEEL PIPE (1106.42KG/M) |
| 900X1100X36.5MM RECTANGULAR STEEL PIPE (1113.83KG/M)  |
| 900X1100X36.75MM RECTANGULAR STEEL PIPE (1121.23KG/M) |
| 900X1100X37MM RECTANGULAR STEEL PIPE (1128.63KG/M)    |
| 900X1100X37.25MM RECTANGULAR STEEL PIPE (1136.02KG/M) |
| 900X1100X37.5MM RECTANGULAR STEEL PIPE (1143.42KG/M)  |
| 900X1100X37.75MM RECTANGULAR STEEL PIPE (1150.81KG/M) |
| 900X1100X38MM RECTANGULAR STEEL PIPE (1158.19KG/M)    |

|   |
|---|
| 900X1100X38.25MM RECTANGULAR STEEL PIPE (1165.58KG/M) |
| 900X1100X38.5MM RECTANGULAR STEEL PIPE (1172.96KG/M)  |
| 900X1100X38.75MM RECTANGULAR STEEL PIPE (1180.34KG/M) |
| 900X1100X39MM RECTANGULAR STEEL PIPE (1187.71KG/M)    |
| 900X1100X39.25MM RECTANGULAR STEEL PIPE (1195.08KG/M) |
| 900X1100X39.5MM RECTANGULAR STEEL PIPE (1202.45KG/M)  |
| 900X1100X39.75MM RECTANGULAR STEEL PIPE (1209.82KG/M) |
| 900X1100X40MM RECTANGULAR STEEL PIPE (1217.18KG/M)    |
| 900X1100X40.25MM RECTANGULAR STEEL PIPE (1224.54KG/M) |
| 900X1100X40.5MM RECTANGULAR STEEL PIPE (1231.89KG/M)  |
| 900X1100X40.75MM RECTANGULAR STEEL PIPE (1239.25KG/M) |
| 900X1100X41MM RECTANGULAR STEEL PIPE (1246.6KG/M)     |
| 900X1100X41.25MM RECTANGULAR STEEL PIPE (1253.94KG/M) |
| 900X1100X41.5MM RECTANGULAR STEEL PIPE (1261.29KG/M)  |
| 900X1100X41.75MM RECTANGULAR STEEL PIPE (1268.63KG/M) |
| 900X1100X42MM RECTANGULAR STEEL PIPE (1275.97KG/M)    |
| 900X1100X42.25MM RECTANGULAR STEEL PIPE (1283.3KG/M)  |
| 900X1100X42.5MM RECTANGULAR STEEL PIPE (1290.63KG/M)  |
| 900X1100X42.75MM RECTANGULAR STEEL PIPE (1297.96KG/M) |
| 900X1100X43MM RECTANGULAR STEEL PIPE (1305.29KG/M)    |
| 900X1100X43.25MM RECTANGULAR STEEL PIPE (1312.61KG/M) |
| 900X1100X43.5MM RECTANGULAR STEEL PIPE (1319.93KG/M)  |
| 900X1100X43.75MM RECTANGULAR STEEL PIPE (1327.24KG/M) |
| 900X1100X44MM RECTANGULAR STEEL PIPE (1334.56KG/M)    |
| 900X1100X44.25MM RECTANGULAR STEEL PIPE (1341.87KG/M) |
| 900X1100X44.5MM RECTANGULAR STEEL PIPE (1349.17KG/M)  |
| 900X1100X44.75MM RECTANGULAR STEEL PIPE (1356.48KG/M) |
| 900X1100X45MM RECTANGULAR STEEL PIPE (1363.78KG/M)    |
| 900X1100X45.25MM RECTANGULAR STEEL PIPE (1371.07KG/M) |
| 900X1100X45.5MM RECTANGULAR STEEL PIPE (1378.37KG/M)  |
| 900X1100X45.75MM RECTANGULAR STEEL PIPE (1385.66KG/M) |
| 900X1100X46MM RECTANGULAR STEEL PIPE (1392.95KG/M)    |
| 900X1100X46.25MM RECTANGULAR STEEL PIPE (1400.23KG/M) |
| 900X1100X46.5MM RECTANGULAR STEEL PIPE (1407.52KG/M)  |
| 900X1100X46.75MM RECTANGULAR STEEL PIPE (1414.8KG/M)  |
| 900X1100X47MM RECTANGULAR STEEL PIPE (1422.07KG/M)    |
| 900X1100X47.25MM RECTANGULAR STEEL PIPE (1429.34KG/M) |
| 900X1100X47.5MM RECTANGULAR STEEL PIPE (1436.61KG/M)  |
| 900X1100X47.75MM RECTANGULAR STEEL PIPE (1443.88KG/M) |
| 900X1100X48MM RECTANGULAR STEEL PIPE (1451.14KG/M)    |
| 900X1100X48.25MM RECTANGULAR STEEL PIPE (1458.4KG/M)  |
| 900X1100X48.5MM RECTANGULAR STEEL PIPE (1465.66KG/M)  |
| 900X1100X48.75MM RECTANGULAR STEEL PIPE (1472.92KG/M) |
| 900X1100X49MM RECTANGULAR STEEL PIPE (1480.17KG/M)    |
| 900X1100X49.25MM RECTANGULAR STEEL PIPE (1487.42KG/M) |
| 900X1100X49.5MM RECTANGULAR STEEL PIPE (1494.66KG/M)  |
| 900X1100X49.75MM RECTANGULAR STEEL PIPE (1501.9KG/M)  |
| 900X1100X50MM RECTANGULAR STEEL PIPE (1509.14KG/M)    |
| 900X1100X50.25MM RECTANGULAR STEEL PIPE (1516.38KG/M) |
| 900X1100X50.5MM RECTANGULAR STEEL PIPE (1523.61KG/M)  |
| 900X1100X50.75MM RECTANGULAR STEEL PIPE (1530.84KG/M) |
| 900X1100X51MM RECTANGULAR STEEL PIPE (1538.07KG/M)    |
| 900X1100X51.25MM RECTANGULAR STEEL PIPE (1545.29KG/M) |
| 900X1100X51.5MM RECTANGULAR STEEL PIPE (1552.51KG/M)  |
| 900X1100X51.75MM RECTANGULAR STEEL PIPE (1559.73KG/M) |
| 900X1100X52MM RECTANGULAR STEEL PIPE (1566.94KG/M)    |
| 900X1100X52.25MM RECTANGULAR STEEL PIPE (1574.15KG/M) |

|   |
|---|
| 900X1100X52.5MM RECTANGULAR STEEL PIPE (1581.36KG/M)  |
| 900X1100X52.75MM RECTANGULAR STEEL PIPE (1588.57KG/M) |
| 900X1100X53MM RECTANGULAR STEEL PIPE (1595.77KG/M)    |
| 900X1100X53.25MM RECTANGULAR STEEL PIPE (1602.97KG/M) |
| 900X1100X53.5MM RECTANGULAR STEEL PIPE (1610.16KG/M)  |
| 900X1100X53.75MM RECTANGULAR STEEL PIPE (1617.36KG/M) |
| 900X1100X54MM RECTANGULAR STEEL PIPE (1624.55KG/M)    |
| 900X1100X54.25MM RECTANGULAR STEEL PIPE (1631.73KG/M) |
| 900X1100X54.5MM RECTANGULAR STEEL PIPE (1638.92KG/M)  |
| 900X1100X54.75MM RECTANGULAR STEEL PIPE (1646.1KG/M)  |
| 900X1100X55MM RECTANGULAR STEEL PIPE (1653.27KG/M)    |
| 900X1100X55.25MM RECTANGULAR STEEL PIPE (1660.45KG/M) |
| 900X1100X55.5MM RECTANGULAR STEEL PIPE (1667.62KG/M)  |
| 900X1100X55.75MM RECTANGULAR STEEL PIPE (1674.79KG/M) |
| 900X1100X56MM RECTANGULAR STEEL PIPE (1681.95KG/M)    |
| 900X1100X56.25MM RECTANGULAR STEEL PIPE (1689.12KG/M) |
| 900X1100X56.5MM RECTANGULAR STEEL PIPE (1696.27KG/M)  |
| 900X1100X56.75MM RECTANGULAR STEEL PIPE (1703.43KG/M) |
| 900X1100X57MM RECTANGULAR STEEL PIPE (1710.58KG/M)    |
| 900X1100X57.25MM RECTANGULAR STEEL PIPE (1717.73KG/M) |
| 900X1100X57.5MM RECTANGULAR STEEL PIPE (1724.88KG/M)  |
| 900X1100X57.75MM RECTANGULAR STEEL PIPE (1732.02KG/M) |
| 900X1100X58MM RECTANGULAR STEEL PIPE (1739.16KG/M)    |
| 900X1100X58.25MM RECTANGULAR STEEL PIPE (1746.3KG/M)  |
| 900X1100X58.5MM RECTANGULAR STEEL PIPE (1753.43KG/M)  |
| 900X1100X58.75MM RECTANGULAR STEEL PIPE (1760.56KG/M) |
| 900X1100X59MM RECTANGULAR STEEL PIPE (1767.69KG/M)    |
| 900X1100X59.25MM RECTANGULAR STEEL PIPE (1774.82KG/M) |
| 900X1100X59.5MM RECTANGULAR STEEL PIPE (1781.94KG/M)  |
| 900X1100X59.75MM RECTANGULAR STEEL PIPE (1789.06KG/M) |
| 900X1100X60MM RECTANGULAR STEEL PIPE (1796.17KG/M)    |
| 800X1200X20MM RECTANGULAR STEEL PIPE (618.45KG/M)     |
| 800X1200X20.25MM RECTANGULAR STEEL PIPE (626.06KG/M)  |
| 800X1200X20.5MM RECTANGULAR STEEL PIPE (633.66KG/M)   |
| 800X1200X20.75MM RECTANGULAR STEEL PIPE (641.26KG/M)  |
| 800X1200X21MM RECTANGULAR STEEL PIPE (648.86KG/M)     |
| 800X1200X21.25MM RECTANGULAR STEEL PIPE (656.45KG/M)  |
| 800X1200X21.5MM RECTANGULAR STEEL PIPE (664.04KG/M)   |
| 800X1200X21.75MM RECTANGULAR STEEL PIPE (671.63KG/M)  |
| 800X1200X22MM RECTANGULAR STEEL PIPE (679.21KG/M)     |
| 800X1200X22.25MM RECTANGULAR STEEL PIPE (686.8KG/M)   |
| 800X1200X22.5MM RECTANGULAR STEEL PIPE (694.37KG/M)   |
| 800X1200X22.75MM RECTANGULAR STEEL PIPE (701.95KG/M)  |
| 800X1200X23MM RECTANGULAR STEEL PIPE (709.52KG/M)     |
| 800X1200X23.25MM RECTANGULAR STEEL PIPE (717.09KG/M)  |
| 800X1200X23.5MM RECTANGULAR STEEL PIPE (724.65KG/M)   |
| 800X1200X23.75MM RECTANGULAR STEEL PIPE (732.22KG/M)  |
| 800X1200X24MM RECTANGULAR STEEL PIPE (739.78KG/M)     |
| 800X1200X24.25MM RECTANGULAR STEEL PIPE (747.33KG/M)  |
| 800X1200X24.5MM RECTANGULAR STEEL PIPE (754.89KG/M)   |
| 800X1200X24.75MM RECTANGULAR STEEL PIPE (762.44KG/M)  |
| 800X1200X25MM RECTANGULAR STEEL PIPE (769.98KG/M)     |
| 800X1200X25.25MM RECTANGULAR STEEL PIPE (777.53KG/M)  |
| 800X1200X25.5MM RECTANGULAR STEEL PIPE (785.07KG/M)   |
| 800X1200X25.75MM RECTANGULAR STEEL PIPE (792.61KG/M)  |
| 800X1200X26MM RECTANGULAR STEEL PIPE (800.14KG/M)     |
| 800X1200X26.25MM RECTANGULAR STEEL PIPE (807.67KG/M)  |

|   |
|---|
| 800X1200X26.5MM RECTANGULAR STEEL PIPE (815.2KG/M)    |
| 800X1200X26.75MM RECTANGULAR STEEL PIPE (822.73KG/M)  |
| 800X1200X27MM RECTANGULAR STEEL PIPE (830.25KG/M)     |
| 800X1200X27.25MM RECTANGULAR STEEL PIPE (837.77KG/M)  |
| 800X1200X27.5MM RECTANGULAR STEEL PIPE (845.29KG/M)   |
| 800X1200X27.75MM RECTANGULAR STEEL PIPE (852.8KG/M)   |
| 800X1200X28MM RECTANGULAR STEEL PIPE (860.31KG/M)     |
| 800X1200X28.25MM RECTANGULAR STEEL PIPE (867.82KG/M)  |
| 800X1200X28.5MM RECTANGULAR STEEL PIPE (875.32KG/M)   |
| 800X1200X28.75MM RECTANGULAR STEEL PIPE (882.82KG/M)  |
| 800X1200X29MM RECTANGULAR STEEL PIPE (890.32KG/M)     |
| 800X1200X29.25MM RECTANGULAR STEEL PIPE (897.82KG/M)  |
| 800X1200X29.5MM RECTANGULAR STEEL PIPE (905.31KG/M)   |
| 800X1200X29.75MM RECTANGULAR STEEL PIPE (912.8KG/M)   |
| 800X1200X30MM RECTANGULAR STEEL PIPE (920.28KG/M)     |
| 800X1200X30.25MM RECTANGULAR STEEL PIPE (927.76KG/M)  |
| 800X1200X30.5MM RECTANGULAR STEEL PIPE (935.24KG/M)   |
| 800X1200X30.75MM RECTANGULAR STEEL PIPE (942.72KG/M)  |
| 800X1200X31MM RECTANGULAR STEEL PIPE (950.19KG/M)     |
| 800X1200X31.25MM RECTANGULAR STEEL PIPE (957.66KG/M)  |
| 800X1200X31.5MM RECTANGULAR STEEL PIPE (965.13KG/M)   |
| 800X1200X31.75MM RECTANGULAR STEEL PIPE (972.6KG/M)   |
| 800X1200X32MM RECTANGULAR STEEL PIPE (980.06KG/M)     |
| 800X1200X32.25MM RECTANGULAR STEEL PIPE (987.51KG/M)  |
| 800X1200X32.5MM RECTANGULAR STEEL PIPE (994.97KG/M)   |
| 800X1200X32.75MM RECTANGULAR STEEL PIPE (1002.42KG/M) |
| 800X1200X33MM RECTANGULAR STEEL PIPE (1009.87KG/M)    |
| 800X1200X33.25MM RECTANGULAR STEEL PIPE (1017.31KG/M) |
| 800X1200X33.5MM RECTANGULAR STEEL PIPE (1024.76KG/M)  |
| 800X1200X33.75MM RECTANGULAR STEEL PIPE (1032.2KG/M)  |
| 800X1200X34MM RECTANGULAR STEEL PIPE (1039.63KG/M)    |
| 800X1200X34.25MM RECTANGULAR STEEL PIPE (1047.07KG/M) |
| 800X1200X34.5MM RECTANGULAR STEEL PIPE (1054.5KG/M)   |
| 800X1200X34.75MM RECTANGULAR STEEL PIPE (1061.92KG/M) |
| 800X1200X35MM RECTANGULAR STEEL PIPE (1069.35KG/M)    |
| 800X1200X35.25MM RECTANGULAR STEEL PIPE (1076.77KG/M) |
| 800X1200X35.5MM RECTANGULAR STEEL PIPE (1084.19KG/M)  |
| 800X1200X35.75MM RECTANGULAR STEEL PIPE (1091.6KG/M)  |
| 800X1200X36MM RECTANGULAR STEEL PIPE (1099.01KG/M)    |
| 800X1200X36.25MM RECTANGULAR STEEL PIPE (1106.42KG/M) |
| 800X1200X36.5MM RECTANGULAR STEEL PIPE (1113.83KG/M)  |
| 800X1200X36.75MM RECTANGULAR STEEL PIPE (1121.23KG/M) |
| 800X1200X37MM RECTANGULAR STEEL PIPE (1128.63KG/M)    |
| 800X1200X37.25MM RECTANGULAR STEEL PIPE (1136.02KG/M) |
| 800X1200X37.5MM RECTANGULAR STEEL PIPE (1143.42KG/M)  |
| 800X1200X37.75MM RECTANGULAR STEEL PIPE (1150.81KG/M) |
| 800X1200X38MM RECTANGULAR STEEL PIPE (1158.19KG/M)    |
| 800X1200X38.25MM RECTANGULAR STEEL PIPE (1165.58KG/M) |
| 800X1200X38.5MM RECTANGULAR STEEL PIPE (1172.96KG/M)  |
| 800X1200X38.75MM RECTANGULAR STEEL PIPE (1180.34KG/M) |
| 800X1200X39MM RECTANGULAR STEEL PIPE (1187.71KG/M)    |
| 800X1200X39.25MM RECTANGULAR STEEL PIPE (1195.08KG/M) |
| 800X1200X39.5MM RECTANGULAR STEEL PIPE (1202.45KG/M)  |
| 800X1200X39.75MM RECTANGULAR STEEL PIPE (1209.82KG/M) |
| 800X1200X40MM RECTANGULAR STEEL PIPE (1217.18KG/M)    |
| 800X1200X40.25MM RECTANGULAR STEEL PIPE (1224.54KG/M) |
| 800X1200X40.5MM RECTANGULAR STEEL PIPE (1231.89KG/M)  |

|   |
|---|
| 800X1200X40.75MM RECTANGULAR STEEL PIPE (1239.25KG/M) |
| 800X1200X41MM RECTANGULAR STEEL PIPE (1246.6KG/M)     |
| 800X1200X41.25MM RECTANGULAR STEEL PIPE (1253.94KG/M) |
| 800X1200X41.5MM RECTANGULAR STEEL PIPE (1261.29KG/M)  |
| 800X1200X41.75MM RECTANGULAR STEEL PIPE (1268.63KG/M) |
| 800X1200X42MM RECTANGULAR STEEL PIPE (1275.97KG/M)    |
| 800X1200X42.25MM RECTANGULAR STEEL PIPE (1283.3KG/M)  |
| 800X1200X42.5MM RECTANGULAR STEEL PIPE (1290.63KG/M)  |
| 800X1200X42.75MM RECTANGULAR STEEL PIPE (1297.96KG/M) |
| 800X1200X43MM RECTANGULAR STEEL PIPE (1305.29KG/M)    |
| 800X1200X43.25MM RECTANGULAR STEEL PIPE (1312.61KG/M) |
| 800X1200X43.5MM RECTANGULAR STEEL PIPE (1319.93KG/M)  |
| 800X1200X43.75MM RECTANGULAR STEEL PIPE (1327.24KG/M) |
| 800X1200X44MM RECTANGULAR STEEL PIPE (1334.56KG/M)    |
| 800X1200X44.25MM RECTANGULAR STEEL PIPE (1341.87KG/M) |
| 800X1200X44.5MM RECTANGULAR STEEL PIPE (1349.17KG/M)  |
| 800X1200X44.75MM RECTANGULAR STEEL PIPE (1356.48KG/M) |
| 800X1200X45MM RECTANGULAR STEEL PIPE (1363.78KG/M)    |
| 800X1200X45.25MM RECTANGULAR STEEL PIPE (1371.07KG/M) |
| 800X1200X45.5MM RECTANGULAR STEEL PIPE (1378.37KG/M)  |
| 800X1200X45.75MM RECTANGULAR STEEL PIPE (1385.66KG/M) |
| 800X1200X46MM RECTANGULAR STEEL PIPE (1392.95KG/M)    |
| 800X1200X46.25MM RECTANGULAR STEEL PIPE (1400.23KG/M) |
| 800X1200X46.5MM RECTANGULAR STEEL PIPE (1407.52KG/M)  |
| 800X1200X46.75MM RECTANGULAR STEEL PIPE (1414.8KG/M)  |
| 800X1200X47MM RECTANGULAR STEEL PIPE (1422.07KG/M)    |
| 800X1200X47.25MM RECTANGULAR STEEL PIPE (1429.34KG/M) |
| 800X1200X47.5MM RECTANGULAR STEEL PIPE (1436.61KG/M)  |
| 800X1200X47.75MM RECTANGULAR STEEL PIPE (1443.88KG/M) |
| 800X1200X48MM RECTANGULAR STEEL PIPE (1451.14KG/M)    |
| 800X1200X48.25MM RECTANGULAR STEEL PIPE (1458.4KG/M)  |
| 800X1200X48.5MM RECTANGULAR STEEL PIPE (1465.66KG/M)  |
| 800X1200X48.75MM RECTANGULAR STEEL PIPE (1472.92KG/M) |
| 800X1200X49MM RECTANGULAR STEEL PIPE (1480.17KG/M)    |
| 800X1200X49.25MM RECTANGULAR STEEL PIPE (1487.42KG/M) |
| 800X1200X49.5MM RECTANGULAR STEEL PIPE (1494.66KG/M)  |
| 800X1200X49.75MM RECTANGULAR STEEL PIPE (1501.9KG/M)  |
| 800X1200X50MM RECTANGULAR STEEL PIPE (1509.14KG/M)    |
| 800X1200X50.25MM RECTANGULAR STEEL PIPE (1516.38KG/M) |
| 800X1200X50.5MM RECTANGULAR STEEL PIPE (1523.61KG/M)  |
| 800X1200X50.75MM RECTANGULAR STEEL PIPE (1530.84KG/M) |
| 800X1200X51MM RECTANGULAR STEEL PIPE (1538.07KG/M)    |
| 800X1200X51.25MM RECTANGULAR STEEL PIPE (1545.29KG/M) |
| 800X1200X51.5MM RECTANGULAR STEEL PIPE (1552.51KG/M)  |
| 800X1200X51.75MM RECTANGULAR STEEL PIPE (1559.73KG/M) |
| 800X1200X52MM RECTANGULAR STEEL PIPE (1566.94KG/M)    |
| 800X1200X52.25MM RECTANGULAR STEEL PIPE (1574.15KG/M) |
| 800X1200X52.5MM RECTANGULAR STEEL PIPE (1581.36KG/M)  |
| 800X1200X52.75MM RECTANGULAR STEEL PIPE (1588.57KG/M) |
| 800X1200X53MM RECTANGULAR STEEL PIPE (1595.77KG/M)    |
| 800X1200X53.25MM RECTANGULAR STEEL PIPE (1602.97KG/M) |
| 800X1200X53.5MM RECTANGULAR STEEL PIPE (1610.16KG/M)  |
| 800X1200X53.75MM RECTANGULAR STEEL PIPE (1617.36KG/M) |
| 800X1200X54MM RECTANGULAR STEEL PIPE (1624.55KG/M)    |
| 800X1200X54.25MM RECTANGULAR STEEL PIPE (1631.73KG/M) |
| 800X1200X54.5MM RECTANGULAR STEEL PIPE (1638.92KG/M)  |
| 800X1200X54.75MM RECTANGULAR STEEL PIPE (1646.1KG/M)  |

|   |
|---|
| 800X1200X55MM RECTANGULAR STEEL PIPE (1653.27KG/M)    |
| 800X1200X55.25MM RECTANGULAR STEEL PIPE (1660.45KG/M) |
| 800X1200X55.5MM RECTANGULAR STEEL PIPE (1667.62KG/M)  |
| 800X1200X55.75MM RECTANGULAR STEEL PIPE (1674.79KG/M) |
| 800X1200X56MM RECTANGULAR STEEL PIPE (1681.95KG/M)    |
| 800X1200X56.25MM RECTANGULAR STEEL PIPE (1689.12KG/M) |
| 800X1200X56.5MM RECTANGULAR STEEL PIPE (1696.27KG/M)  |
| 800X1200X56.75MM RECTANGULAR STEEL PIPE (1703.43KG/M) |
| 800X1200X57MM RECTANGULAR STEEL PIPE (1710.58KG/M)    |
| 800X1200X57.25MM RECTANGULAR STEEL PIPE (1717.73KG/M) |
| 800X1200X57.5MM RECTANGULAR STEEL PIPE (1724.88KG/M)  |
| 800X1200X57.75MM RECTANGULAR STEEL PIPE (1732.02KG/M) |
| 800X1200X58MM RECTANGULAR STEEL PIPE (1739.16KG/M)    |
| 800X1200X58.25MM RECTANGULAR STEEL PIPE (1746.3KG/M)  |
| 800X1200X58.5MM RECTANGULAR STEEL PIPE (1753.43KG/M)  |
| 800X1200X58.75MM RECTANGULAR STEEL PIPE (1760.56KG/M) |
| 800X1200X59MM RECTANGULAR STEEL PIPE (1767.69KG/M)    |
| 800X1200X59.25MM RECTANGULAR STEEL PIPE (1774.82KG/M) |
| 800X1200X59.5MM RECTANGULAR STEEL PIPE (1781.94KG/M)  |
| 800X1200X59.75MM RECTANGULAR STEEL PIPE (1789.06KG/M) |
| 800X1200X60MM RECTANGULAR STEEL PIPE (1796.17KG/M)    |
| 1100X1000X20MM RECTANGULAR STEEL PIPE (649.87KG/M)    |
| 1100X1000X20.25MM RECTANGULAR STEEL PIPE (657.87KG/M) |
| 1100X1000X20.5MM RECTANGULAR STEEL PIPE (665.86KG/M)  |
| 1100X1000X20.75MM RECTANGULAR STEEL PIPE (673.86KG/M) |
| 1100X1000X21MM RECTANGULAR STEEL PIPE (681.85KG/M)    |
| 1100X1000X21.25MM RECTANGULAR STEEL PIPE (689.83KG/M) |
| 1100X1000X21.5MM RECTANGULAR STEEL PIPE (697.81KG/M)  |
| 1100X1000X21.75MM RECTANGULAR STEEL PIPE (705.79KG/M) |
| 1100X1000X22MM RECTANGULAR STEEL PIPE (713.77KG/M)    |
| 1100X1000X22.25MM RECTANGULAR STEEL PIPE (721.75KG/M) |
| 1100X1000X22.5MM RECTANGULAR STEEL PIPE (729.72KG/M)  |
| 1100X1000X22.75MM RECTANGULAR STEEL PIPE (737.68KG/M) |
| 1100X1000X23MM RECTANGULAR STEEL PIPE (745.65KG/M)    |
| 1100X1000X23.25MM RECTANGULAR STEEL PIPE (753.61KG/M) |
| 1100X1000X23.5MM RECTANGULAR STEEL PIPE (761.57KG/M)  |
| 1100X1000X23.75MM RECTANGULAR STEEL PIPE (769.52KG/M) |
| 1100X1000X24MM RECTANGULAR STEEL PIPE (777.48KG/M)    |
| 1100X1000X24.25MM RECTANGULAR STEEL PIPE (785.43KG/M) |
| 1100X1000X24.5MM RECTANGULAR STEEL PIPE (793.37KG/M)  |
| 1100X1000X24.75MM RECTANGULAR STEEL PIPE (801.31KG/M) |
| 1100X1000X25MM RECTANGULAR STEEL PIPE (809.25KG/M)    |
| 1100X1000X25.25MM RECTANGULAR STEEL PIPE (817.19KG/M) |
| 1100X1000X25.5MM RECTANGULAR STEEL PIPE (825.13KG/M)  |
| 1100X1000X25.75MM RECTANGULAR STEEL PIPE (833.06KG/M) |
| 1100X1000X26MM RECTANGULAR STEEL PIPE (840.98KG/M)    |
| 1100X1000X26.25MM RECTANGULAR STEEL PIPE (848.91KG/M) |
| 1100X1000X26.5MM RECTANGULAR STEEL PIPE (856.83KG/M)  |
| 1100X1000X26.75MM RECTANGULAR STEEL PIPE (864.75KG/M) |
| 1100X1000X27MM RECTANGULAR STEEL PIPE (872.66KG/M)    |
| 1100X1000X27.25MM RECTANGULAR STEEL PIPE (880.58KG/M) |
| 1100X1000X27.5MM RECTANGULAR STEEL PIPE (888.48KG/M)  |
| 1100X1000X27.75MM RECTANGULAR STEEL PIPE (896.39KG/M) |
| 1100X1000X28MM RECTANGULAR STEEL PIPE (904.29KG/M)    |
| 1100X1000X28.25MM RECTANGULAR STEEL PIPE (912.19KG/M) |
| 1100X1000X28.5MM RECTANGULAR STEEL PIPE (920.09KG/M)  |
| 1100X1000X28.75MM RECTANGULAR STEEL PIPE (927.98KG/M) |



|  |
|--|
| 1100X1000X29MM RECTANGULAR STEEL PIPE (935.87KG/M)     |
| 1100X1000X29.25MM RECTANGULAR STEEL PIPE (943.76KG/M)  |
| 1100X1000X29.5MM RECTANGULAR STEEL PIPE (951.65KG/M)   |
| 1100X1000X29.75MM RECTANGULAR STEEL PIPE (959.53KG/M)  |
| 1100X1000X30MM RECTANGULAR STEEL PIPE (967.41KG/M)     |
| 1100X1000X30.25MM RECTANGULAR STEEL PIPE (975.28KG/M)  |
| 1100X1000X30.5MM RECTANGULAR STEEL PIPE (983.15KG/M)   |
| 1100X1000X30.75MM RECTANGULAR STEEL PIPE (991.02KG/M)  |
| 1100X1000X31MM RECTANGULAR STEEL PIPE (998.89KG/M)     |
| 1100X1000X31.25MM RECTANGULAR STEEL PIPE (1006.75KG/M) |
| 1100X1000X31.5MM RECTANGULAR STEEL PIPE (1014.61KG/M)  |
| 1100X1000X31.75MM RECTANGULAR STEEL PIPE (1022.47KG/M) |
| 1100X1000X32MM RECTANGULAR STEEL PIPE (1030.32KG/M)    |
| 1100X1000X32.25MM RECTANGULAR STEEL PIPE (1038.17KG/M) |
| 1100X1000X32.5MM RECTANGULAR STEEL PIPE (1046.02KG/M)  |
| 1100X1000X32.75MM RECTANGULAR STEEL PIPE (1053.86KG/M) |
| 1100X1000X33MM RECTANGULAR STEEL PIPE (1061.71KG/M)    |
| 1100X1000X33.25MM RECTANGULAR STEEL PIPE (1069.54KG/M) |
| 1100X1000X33.5MM RECTANGULAR STEEL PIPE (1077.38KG/M)  |
| 1100X1000X33.75MM RECTANGULAR STEEL PIPE (1085.21KG/M) |
| 1100X1000X34MM RECTANGULAR STEEL PIPE (1093.04KG/M)    |
| 1100X1000X34.25MM RECTANGULAR STEEL PIPE (1100.87KG/M) |
| 1100X1000X34.5MM RECTANGULAR STEEL PIPE (1108.69KG/M)  |
| 1100X1000X34.75MM RECTANGULAR STEEL PIPE (1116.51KG/M) |
| 1100X1000X35MM RECTANGULAR STEEL PIPE (1124.32KG/M)    |
| 1100X1000X35.25MM RECTANGULAR STEEL PIPE (1132.14KG/M) |
| 1100X1000X35.5MM RECTANGULAR STEEL PIPE (1139.95KG/M)  |
| 1100X1000X35.75MM RECTANGULAR STEEL PIPE (1147.76KG/M) |
| 1100X1000X36MM RECTANGULAR STEEL PIPE (1155.56KG/M)    |
| 1100X1000X36.25MM RECTANGULAR STEEL PIPE (1163.36KG/M) |
| 1100X1000X36.5MM RECTANGULAR STEEL PIPE (1171.16KG/M)  |
| 1100X1000X36.75MM RECTANGULAR STEEL PIPE (1178.96KG/M) |
| 1100X1000X37MM RECTANGULAR STEEL PIPE (1186.75KG/M)    |
| 1100X1000X37.25MM RECTANGULAR STEEL PIPE (1194.54KG/M) |
| 1100X1000X37.5MM RECTANGULAR STEEL PIPE (1202.32KG/M)  |
| 1100X1000X37.75MM RECTANGULAR STEEL PIPE (1210.1KG/M)  |
| 1100X1000X38MM RECTANGULAR STEEL PIPE (1217.88KG/M)    |
| 1100X1000X38.25MM RECTANGULAR STEEL PIPE (1225.66KG/M) |
| 1100X1000X38.5MM RECTANGULAR STEEL PIPE (1233.43KG/M)  |
| 1100X1000X38.75MM RECTANGULAR STEEL PIPE (1241.2KG/M)  |
| 1100X1000X39MM RECTANGULAR STEEL PIPE (1248.97KG/M)    |
| 1100X1000X39.25MM RECTANGULAR STEEL PIPE (1256.74KG/M) |
| 1100X1000X39.5MM RECTANGULAR STEEL PIPE (1264.5KG/M)   |
| 1100X1000X39.75MM RECTANGULAR STEEL PIPE (1272.26KG/M) |
| 1100X1000X40MM RECTANGULAR STEEL PIPE (1280.01KG/M)    |
| 1100X1000X40.25MM RECTANGULAR STEEL PIPE (1287.76KG/M) |
| 1100X1000X40.5MM RECTANGULAR STEEL PIPE (1295.51KG/M)  |
| 1100X1000X40.75MM RECTANGULAR STEEL PIPE (1303.26KG/M) |
| 1100X1000X41MM RECTANGULAR STEEL PIPE (1311KG/M)       |
| 1100X1000X41.25MM RECTANGULAR STEEL PIPE (1318.74KG/M) |
| 1100X1000X41.5MM RECTANGULAR STEEL PIPE (1326.48KG/M)  |
| 1100X1000X41.75MM RECTANGULAR STEEL PIPE (1334.21KG/M) |
| 1100X1000X42MM RECTANGULAR STEEL PIPE (1341.94KG/M)    |
| 1100X1000X42.25MM RECTANGULAR STEEL PIPE (1349.67KG/M) |
| 1100X1000X42.5MM RECTANGULAR STEEL PIPE (1357.39KG/M)  |
| 1100X1000X42.75MM RECTANGULAR STEEL PIPE (1365.11KG/M) |
| 1100X1000X43MM RECTANGULAR STEEL PIPE (1372.83KG/M)    |

|  |
|--|
| 1100X1000X43.25MM RECTANGULAR STEEL PIPE (1380.54KG/M) |
| 1100X1000X43.5MM RECTANGULAR STEEL PIPE (1388.26KG/M)  |
| 1100X1000X43.75MM RECTANGULAR STEEL PIPE (1395.97KG/M) |
| 1100X1000X44MM RECTANGULAR STEEL PIPE (1403.67KG/M)    |
| 1100X1000X44.25MM RECTANGULAR STEEL PIPE (1411.37KG/M) |
| 1100X1000X44.5MM RECTANGULAR STEEL PIPE (1419.07KG/M)  |
| 1100X1000X44.75MM RECTANGULAR STEEL PIPE (1426.77KG/M) |
| 1100X1000X45MM RECTANGULAR STEEL PIPE (1434.46KG/M)    |
| 1100X1000X45.25MM RECTANGULAR STEEL PIPE (1442.15KG/M) |
| 1100X1000X45.5MM RECTANGULAR STEEL PIPE (1449.84KG/M)  |
| 1100X1000X45.75MM RECTANGULAR STEEL PIPE (1457.52KG/M) |
| 1100X1000X46MM RECTANGULAR STEEL PIPE (1465.21KG/M)    |
| 1100X1000X46.25MM RECTANGULAR STEEL PIPE (1472.88KG/M) |
| 1100X1000X46.5MM RECTANGULAR STEEL PIPE (1480.56KG/M)  |
| 1100X1000X46.75MM RECTANGULAR STEEL PIPE (1488.23KG/M) |
| 1100X1000X47MM RECTANGULAR STEEL PIPE (1495.9KG/M)     |
| 1100X1000X47.25MM RECTANGULAR STEEL PIPE (1503.56KG/M) |
| 1100X1000X47.5MM RECTANGULAR STEEL PIPE (1511.23KG/M)  |
| 1100X1000X47.75MM RECTANGULAR STEEL PIPE (1518.89KG/M) |
| 1100X1000X48MM RECTANGULAR STEEL PIPE (1526.54KG/M)    |
| 1100X1000X48.25MM RECTANGULAR STEEL PIPE (1534.2KG/M)  |
| 1100X1000X48.5MM RECTANGULAR STEEL PIPE (1541.85KG/M)  |
| 1100X1000X48.75MM RECTANGULAR STEEL PIPE (1549.49KG/M) |
| 1100X1000X49MM RECTANGULAR STEEL PIPE (1557.14KG/M)    |
| 1100X1000X49.25MM RECTANGULAR STEEL PIPE (1564.78KG/M) |
| 1100X1000X49.5MM RECTANGULAR STEEL PIPE (1572.42KG/M)  |
| 1100X1000X49.75MM RECTANGULAR STEEL PIPE (1580.05KG/M) |
| 1100X1000X50MM RECTANGULAR STEEL PIPE (1587.68KG/M)    |
| 1100X1000X50.25MM RECTANGULAR STEEL PIPE (1595.31KG/M) |
| 1100X1000X50.5MM RECTANGULAR STEEL PIPE (1602.94KG/M)  |
| 1100X1000X50.75MM RECTANGULAR STEEL PIPE (1610.56KG/M) |
| 1100X1000X51MM RECTANGULAR STEEL PIPE (1618.18KG/M)    |
| 1100X1000X51.25MM RECTANGULAR STEEL PIPE (1625.79KG/M) |
| 1100X1000X51.5MM RECTANGULAR STEEL PIPE (1633.41KG/M)  |
| 1100X1000X51.75MM RECTANGULAR STEEL PIPE (1641.02KG/M) |
| 1100X1000X52MM RECTANGULAR STEEL PIPE (1648.62KG/M)    |
| 1100X1000X52.25MM RECTANGULAR STEEL PIPE (1656.23KG/M) |
| 1100X1000X52.5MM RECTANGULAR STEEL PIPE (1663.83KG/M)  |
| 1100X1000X52.75MM RECTANGULAR STEEL PIPE (1671.43KG/M) |
| 1100X1000X53MM RECTANGULAR STEEL PIPE (1679.02KG/M)    |
| 1100X1000X53.25MM RECTANGULAR STEEL PIPE (1686.61KG/M) |
| 1100X1000X53.5MM RECTANGULAR STEEL PIPE (1694.2KG/M)   |
| 1100X1000X53.75MM RECTANGULAR STEEL PIPE (1701.79KG/M) |
| 1100X1000X54MM RECTANGULAR STEEL PIPE (1709.37KG/M)    |
| 1100X1000X54.25MM RECTANGULAR STEEL PIPE (1716.95KG/M) |
| 1100X1000X54.5MM RECTANGULAR STEEL PIPE (1724.53KG/M)  |
| 1100X1000X54.75MM RECTANGULAR STEEL PIPE (1732.1KG/M)  |
| 1100X1000X55MM RECTANGULAR STEEL PIPE (1739.67KG/M)    |
| 1100X1000X55.25MM RECTANGULAR STEEL PIPE (1747.24KG/M) |
| 1100X1000X55.5MM RECTANGULAR STEEL PIPE (1754.8KG/M)   |
| 1100X1000X55.75MM RECTANGULAR STEEL PIPE (1762.36KG/M) |
| 1100X1000X56MM RECTANGULAR STEEL PIPE (1769.92KG/M)    |
| 1100X1000X56.25MM RECTANGULAR STEEL PIPE (1777.47KG/M) |
| 1100X1000X56.5MM RECTANGULAR STEEL PIPE (1785.02KG/M)  |
| 1100X1000X56.75MM RECTANGULAR STEEL PIPE (1792.57KG/M) |
| 1100X1000X57MM RECTANGULAR STEEL PIPE (1800.12KG/M)    |
| 1100X1000X57.25MM RECTANGULAR STEEL PIPE (1807.66KG/M) |

|   |
|---|
| <b>1100X1000X57.5MM RECTANGULAR STEEL PIPE (1815.2KG/M)</b>   |
| <b>1100X1000X57.75MM RECTANGULAR STEEL PIPE (1822.74KG/M)</b> |
| <b>1100X1000X58MM RECTANGULAR STEEL PIPE (1830.27KG/M)</b>    |
| <b>1100X1000X58.25MM RECTANGULAR STEEL PIPE (1837.8KG/M)</b>  |
| <b>1100X1000X58.5MM RECTANGULAR STEEL PIPE (1845.33KG/M)</b>  |
| <b>1100X1000X58.75MM RECTANGULAR STEEL PIPE (1852.85KG/M)</b> |
| <b>1100X1000X59MM RECTANGULAR STEEL PIPE (1860.37KG/M)</b>    |
| <b>1100X1000X59.25MM RECTANGULAR STEEL PIPE (1867.89KG/M)</b> |
| <b>1100X1000X59.5MM RECTANGULAR STEEL PIPE (1875.4KG/M)</b>   |
| <b>1100X1000X59.75MM RECTANGULAR STEEL PIPE (1882.91KG/M)</b> |
| <b>1100X1000X60MM RECTANGULAR STEEL PIPE (1890.42KG/M)</b>    |