




ZMIE Chain No	Rich	Rich cluster	Width between inner plates	Fin cluster		Fin length		Inner plate depth	Plate thickness	Ultimate tensile strength	Weight per meter	Type
	P	d1 max	b1 min	d2 max	d3 min	L max	Lc max	h2 max	t/T max	Q min	q	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m	
8HP	254	159	158	114	81	325	338	240	33	500	23	A
C20HP	254	80	79	56	40	165	176	120	15	110	05	B
C25HP	318	102	94	72	51	205	218	150	20	204	08	B
C26HP	318	119	127	83	60	258	268	170	24	240	10	B
C28HP	508	159	158	114	81	325	338	240	33	500	18	B
HP30F1	500	260	145	200	147	353	362	400	31	300	40	B

Type A





Type B





ZMIE Chain No	Pitch	Roller diameter	Width between inner plates	Pin diameter		Pin length		Inner plate depth	Plate thickness	Ultimate tensile strength	Weight per meter	Type
	P	d1 max	b1 min	d2 max	d3 min	L max	Lc max	h2 max	t/T max	Q min	q	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m	
10B-B	159	102	97	59	40	193	206	147	17	170	09	A
12B-P	191	121	117	65	40	216	228	159	19	236	11	A
60B	191	119	127	70	50	255	266	180	24	200	14	A
HP35	350	200	160	134	102	304	316	263	25	235	20	A
HP302	500	310	150	132	102	355	38	250	40	400	34	B

ZMIE Chain No	Pitch	Roller diameter	Width between inner plates	Pin diameter		Pin length		Inner plate depth	Plate thickness	Ultimate tensile strength	Weight per meter	Type
	P	d1 max	b1 min	d2 max	d3 min	L max	Lc max	h2 max	t/T max	Q min	q	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m	
HB31	381	200	80	80	53	196	207	173	20	250	10	B
HB08	508	300	105	114	82	274	286	260	31	500	26	B
HB3	630	300	100	114	81	267	281	265	31	500	21	B
HB00	1000	300	105	114	82	274	286	260	31	500	16	B



ZMIE Chain No	Pitch	Pinner diameter	Width between inner plates	Pin diameter		Pin length		Inner plate depth	Plate thickness	Ultimate tensile strength	Weight per meter
	P	dL max	bL min	d2 max	d3 min	L max	Lc max	h2 max	t/T max	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KN	kgm
C201HP	254	159	79	56	40	165	176	120	15	110	08
C251HP	318	191	95	72	51	205	218	150	20	204	13
C261HP	331	222	127	83	60	258	268	170	24	240	17
C281HP	508	286	158	114	81	324	338	240	33	500	28
C251HPF1	318	191	94	70	51	200	215	153	19	150	12
C201HP	254	159	79	56	40	188	199	120	20	110	10
C251HP	318	191	95	72	51	221	234	150	24	204	14

ZME Chain No	Pitch	Roller diameter	Width between inner plates	Pin diameter		Pin length		Inner plate depth	Plate thickness	Ultimate tensile strength	Weight per meter
	P	dL mm	bL mm	d2 mm	d3 mm	L mm	Lc mm	h2 mm	t/T mm	Q kN	q kg/m
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m
C202HP	381	222	127	83	60	292	302	170	33	240	20
C202HP	508	286	158	114	81	352	376	240	40	500	33
HPD	400	220	88	90	60	230	242	180	25	200	15
HPD	500	310	145	132	104	311	325	250	31	300	33
HPD4	500	310	150	132	102	355	38	250	40	400	37
63HP1	630	400	150	160	121	350	362	285	40	500	42
402HP	508	318	150	140	101	353	39	260	38	420	38
403HP	762	318	150	140	101	353	39	260	38	420	30
403HP	889	318	150	140	101	353	39	260	38	420	28
404HP	1016	318	150	140	101	353	39	260	38	420	26
803HP	762	476	190	191	136	438	463	320	51/38	843	68
804HP	1061	476	190	191	136	438	463	320	51/38	843	58
806HP	1524	476	190	191	136	438	463	320	51/38	843	52

Type A

Type B


ZMIE Chain No	Pitch	Pinner diameter	Width between inner plates	Pin diameter		Pin length		Inner plate depth	Plate thickness	Ultimate tensile strength	Weight per meter	Type
	P	d1 max	b1 min	d2 max	d3 min	L max	Lc max	h2 max	t/T max	Q min	q	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m	
08BHP2	127	85	132	67	52	180	192	118	16/13	100	05	A
10BHP1	159	102	134	70	50	192	202	140	19	131	08	A
12BHP1	191	121	160	80	54	227	239	158	19	250	11	A
16BHP1	254	159	256	115	81	360	376	210	41/31	450	22	A
6HP2	191	119	112	56	41	165	176	104	15	100	06	A
6HP	630	400	235	160	120	353	383	286	40	650	41	B

ZMIE Chain No	Rich	Roller diameter	Width between inner plates	Pin diameter		Pin length		Inner plate depth	Plate thickness	Ultimate tensile strength	Weight per meter	Type
	P	d1 mm	b1 mm	d2 mm	d3 mm	L mm	Lc mm	h2 mm	t/T mm	Q mm	q	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KN	kgm	
63HP2	630	400	258	140	82	391	411	200	50	500	42	B
63HP4	630	400	25	160	123	347	377	286	40	440	41	B
63HP6	630	400	289	160	103	418	434	286	40	440	52	B
C212HP1	762	476	290	178	127	433	447	331	48	533	7.1	B