

# High speed 3M model fish mask body machine


**IN STOCK**



## FULL-AUTO 3M FISH TYPE MASK MACHINE WITH STAPLED HEAD WEARING STRAP

SPONGE STRIP BREATHING VALVE PUNCHING

**25-35 PCS/MIN**




**IN STOCK**



## FULL-AUTO 3M FISH TYPE MASK MACHINE WITH STAPLED HEAD WEARING STRAP

SPONGE STRIP BREATHING VALVE PUNCHING

**25-35 PCS/MIN**



# DETAILS OF 3m model mask machine

25-35 PCS/MIN


FULL-AUTO 3M FISH TYPE MASK MACHINE  
WITH STAPLED HEAD WEARING STRAP



SPONGE STRIP BREATHING VALVE PUNCHING


3 ULTRASOUNDS

4 XINJE SERVO MOTORS


3 STEPPER MOTORS









QUALITY ASSURANCE




POWERFUL  
MANUFACTURER



WORRY-FREE  
AFTER-SALES



SUPPORT  
CUSTOMIZATION




REAL STUFF

Item Name	3m model fish mask machine
EXW PRICE IN USD	
Speed	25-35cs per min
Mask Type	Big fish 3m model mask
Mask Size	Customized or standard 3m model size
Structure	2 mask body machine, 1 stapled head band device ; punching device ; 1 rack , 1 conveyor, 1 sets rectifying device , 1 sets tensioner
Main electrical configuration	PLC, TOUCH SCREEN ; ultrasound
Machine size	12800mm(L)×1600mm(W)×1950mm(H)
Power	220V 50Hz/60Hz,
Packing size	235x75x192cm; 166x82x82cm; 177x152x171cm; 160x82x159cm; 185x90x192cm; 110x116x174cm; 3500kg 18CBM/SET
Mulit-Language	Chinese, English, Turkish, Korean, and others as the request

# DETAILS

## FULLY AUTOMATED PRODUCTION LABOR SAVING

**25-35 PCS/MIN**



F U L L Y   A U T O M A T I C   E Q U I P M E N T

### DEVICE INFORMATION

**[EQUIPMENT NAME]**

FULL-AUTO 3M FISH TYPE MASK MACHINE  
WITH STAPLED HEAD WEARING STRAP

**[POWER]**

5 KW

**[DIMENSIONS]**

12800\*1600\*1950 mm

**[EQUIPMENT WEIGHT]**

ABOUT 1500 KG

**[POWER SPECIFICATIONS]**

220V 60HZ

**[PRODUCTIVITY]**

25-35 PCS/MIN

**[EXPORT WOODEN BOX SIZE AND WEIGHT]**

Winding machine:	2350*750*1920 mm	260 kg
Main machine 1:	1660*820*1820 mm	600 kg
Main machine 2:	1770*1520*1710 mm	750 kg
Main machine 3:	1600*820*1590 mm	480 kg
Nail mechanism:	1850*900*1920 mm	730 kg
Slicing + conveying:	1100*1160*1740 mm	480 kg
Total weight:	3500 kg	






# DETAILS


## MECHANICAL OPERATION PROCESS

ONE-TIME MOLDING, EFFICIENT AND STABLE, LABOR-SAVING

EFFICIENT AND PRACTICAL BEST-SELLING MODEL, FULLY AUTOMATIC PRODUCTION, STABLE AND RELIABLE,  
HIGH EFFICIENCY, WITH GOOD VERSATILITY AND COMPATIBILITY



## PRODUCTION SAMPLE DETAIL DISPLAY



THE BREATHING VALVE CAN BE INSTALLED WITH A  
SEMI-AUTOMATIC BREATHING VALVE CRIMPING MACHINE



STRONG EDGE BANDING, PRECISE KNIFE WORK  
COMFORTABLE AND BEAUTIFUL



SPONGE STRIP BREATHING VALVE PUNCHING

# DETAILS


## SHOW DETAILS

HIGH-STRENGTH MANUFACTURING, DURABLE,  
STRONG ENDURANCE, GOOD PROCESSING ACCURACY

### 4 XINJE SERVO MOTORS 3 STEPPING MOTORS




SMART TOUCH SCREEN



SHAFTS

### ULTRASONIC 3 SETS




CORRECTOR




ANTI-COUNTERFEITING  
MARK WELDING




# DETAILS




PIERCING THE  
BRIDGE OF THE NOSE



PRINTING WELDING



HEADBAND PLACEMENT



STAPLING HEADBAND



STICKING SPONGE  
STRIP MECHANISM



FABRIC FOLDING



SHAPE CUTTING



WASTE RECYCLING

# DETAILS



**Lily Miao**

**[lily@automachine51.com](mailto:lily@automachine51.com)**

**wechat/whatsapp:008613715588365**

## Lily Miao



**0086 13715588365**



**0086 13715588365**



**[lily@automachine51.com](mailto:lily@automachine51.com)**



**1. [www.maskmachine51.com](http://www.maskmachine51.com)**





**2. [www.terminalcrimp.com](http://www.terminalcrimp.com)**



# DETAILS

## PRODUCTS SHOW



<https://youtu.be/fi6rxMusaYQ>