



ELECTRIC FENCING

INSULATORS FENCE TOOLS ACCESSORIES

FENCE TESTERS FENCE ENERGIZERS



As a leading Chinese manufacturer of electric fences, H.P.S. Exports its products around the world.
Our goal is to achieve a “one-stop” service for farmers.



PRODUCT CATALOGUE

01	COMPANY PROFILE
02-03	ENERGIZERS
04	FENCE TESTERS
05-08	ROPES & TAPES
09-10	FENCE TOOLS
11-22	INSULATORS
23-29	OTHER FENCING ACCESSORIES
30	ANIMAL TRAPS
31	ANIMAL DRINKERS & FEEDERS
32-35	CHICKEN COOP DOOR OPENERS
36-39	CHICKEN NETTINGS
40-42	ELECTRIC NETTINGS
43-46	PET PRODUCTS



COMPANY PROFILE

WELCOME TO H.P.S. FENCE SUPPLIER CO., LTD.

H.P.S. was created in 2013 with the aim of our main products being farm tools. Since then we have gradually moved into the plastics and electronics industries by constantly developing electric fencing products. As a leading Chinese manufacturer of electric fences, H.P.S. Exports its products around the world.

Through technological innovation and product optimization, we continue to improve our products. We offer a wide range which include insulators, fence tools, fence testers, fence energizers, and accessories. We export our technology worldwide.

We are not only sales exporters, but are the manufacturer of the majority products we sell. We have our own factory set up with the purpose manufacturer only for H.P.S.. We have worked in cooperation with our customers to meet their needs which have also witnessed our growth. We treat every customer's enquiry with honesty and integrity to allow us to answer each customer's question with the best solution at the most competitive and reliable price, and to the most attentive service to meet customers' requirements. Our goal is to achieve a "one-stop" service for farmers.

ENERGIZERS

The HPS fence energizer is for containment of sheep, poultry, the exclusion of wild predators and special applications. HPS fence energizer with controlled up to 0.5, 1.0 and 2.0 joules. Easy to operate main equipment for short runs of fence up to 5 KM, with little vegetation for cattle and horses. Very easy to install, with steel earth stick. It is waterproof, low average current use, it is long battery life. And it runs on a 12V battery.

Their reduced weight and compact design, their robustness make them the ideal solution for electrification of mobile or subdivision fencing.

Energizer includes :

- 1X battery electric fence energizer
- 1X1000MM battery wire with plastic covered crocodile clips
- 1X1000MM fence wire
- 1X1000MM earth wire
- 2X200MM earth stakes





HP\$050

Battery fence energizer



HP\$100

Adapter fence energizer



HP\$200

Solar fence energizer

1



2



Item				
050	12.5KV	2.5KV	0.5J	0.375J
100	12.5KV	3KV	1J	0.75J
200	12.5KV	4KV	2J	1.5J

Accessories						
HP\$050/100/200	●	●	●			
HP\$A050/100/200	●			●		
HP\$S050/100/200	●	●	●		●	●

FENCE TESTERS



FTR001

6 lamps voltmeter with user range
between 1000V and 60000V
PP, UV resistance
72.8g/pc
Size: 130*45*15mm



FTR002

6 lamps voltmeter with user range
between 1000V and 10000V
PP, UV resistance
76.8g/pc
Size: 130*45*15mm



FTR003

8 lamps voltmeter with user range
between 600V and 7000V
PP, UV resistance
71.7g/pc
Size: 100*45*15mm



FTR004

10 lamps voltmeter with user range
between 1000V and 10000V
PP, UV resistance
79.6g/pc
Size: 158*50*14mm



FTR005

Digital fault finder
With a fault finding function
175.3g/pc
Size: 162*73*28mm



FTR006

Mini portable LED fence tester
between 1000V and 10000V
29.2g/pc
Size: 95*46*20mm

ROPES & TAPES






ROPE

Electric fence conductors





ROPES


Specification can be customized according to clients' requirements.



ROPE	ITEM NO	Standard			LENGTH	PACKING
		DIA mm	Number of \$\$	Dia of \$\$		
1	R239015	2.3	9	0.15	500	spool/tube
2	R256019	2.5	6	0.19	500	spool/tube
3	R276030	2.7	6	0.30	200	spool/tube
4	R326019	3.2	6	0.19	500	spool/tube
5	R402050	4.0	2	0.50	500	spool/tube
6	R503035	5.0	3	0.35	250	spool/tube
7	R606030	6.0	6	0.30	500	spool/tube
8	R153015	1.5	3	0.15	200	spool/tube
9	R203019	2.0	3	0.19	500	spool/tube
10	R206015	2.0	6	0.15	500	spool/tube
11	R236015	2.3	6	0.15	500	spool/tube
12	R236017	2.3	6	0.17	500	spool/tube
13	R309019	3.0	9	0.19	200	spool/tube

TAPES





Specification can be customized according to clients' requirements.



ROPE	ITEM NO	Standard			LENGTH	PACKING
		DIA mm	Number of \$\$	Dia of \$\$		
1	T1204015	12.0	04	0.15	200	spool/tube
2	T1205019	12.0	05	0.19	200	spool/tube
3	T2005030	20.0	05	0.30	500	spool/tube
4	T4006025	40.0	06	0.25	500	spool/tube
5	T4008035	40.0	08	0.35	250	spool/tube
6	T1204050	12.0	04	0.50	200	spool/tube
7	T1205015	12.0	05	0.15	200	spool/tube
8	T1206017	12.0	06	0.17	200	spool/tube
9	T1206019	12.0	06	0.19	400	spool/tube

FENCE TOOLS



Photo	Product	Art.nr.	Description
1	Post Driver	WD-FT001	Outer Dia 60mm, Inner Dia 53mm, fit for Y posts, T posts and many others
2	Steel Post Clamp	WD-FT003	1m/1.22m/1.525m/1.83m ect.
3	Chain Strainer	WD-FT004	Dia60mm, thickness: 3.5mm, length: 800mm fit for Y posts, T posts and many others
4	Chain Strainer	WD-FT0041	4m chain, single hook with grabs, BZP
5	Post Lifter	WD-FT005	Dimensions(L x W x H): 82cm x 20.5cm x 36cm




Photo	Product	Art.nr.	Description
1	Spinning Jenny	WD-FT007	Adjustable Collapsible, total height: 75cm, weight: 7kgs
2	Spinning Jenny	WD-FT0072	Tough steel construction, easy assembly, quick-wire guide fingers Cone breaking to reduce wire tangling
3	Wire Spinner	WD-FT0073	Accommodates all coil sizes, including coated wire
4	Crimp Tool	WD-FT008	Length: 18", solt: 3, fit for 2.5mm, 5mm, 5.5mm aluminm sleeves
5	Tightener Handle	WD-FT010	Total: 290mm, handle length: 20mm, width between: 40mm
6	Steel Post Clamp	WD-FT011S	Hot dip galvanised, single & double, compatible with most mesh & netting fence.
7	Wire Puller	WD-FT012	Total length: 650mm, handle legth: 400mm, gold Zinc plated handle
8	Tightener Handle	WD-FT014	Length: 480mm, width: 180mm, rod dia.: 10mm, handle length: 130mm weight: 80g, used for In-line strainer LJQ007
9	Wire Twisting Tool	WTT001	Steel tool is ideal for bending wire in small spaces such as splicing lines on woven wire
10	Fencing Plier	FCP10	10", cuts and twists wire, lifts and pulls staples, has a hammer face and comfortable non-slip handles
11	Post Driver	WD-FT017	800mm long, 75mm diameter pipe and weighs 9.5kg with solid striking dolly.

INSULATORS



JYZ001

Plastic ring insulator
Screw in wooden post
19g/pc
PP, UV resistance
For ropes max.9.5mm



JYZ005

Plastic ring insulator
Screw in wooden post
16.5g/pc
PP, UV resistance
For ropes max.5mm



JYZ002

Plastic ring insulator
Screw in wooden post
20g/pc
PP, UV resistance
For ropes max.10mm



JYZ003

Plastic ring insulator
Screw in wooden post
24.3g/pc
PP, UV resistance
For ropes max.12mm



JYZ004

Plastic ring insulator
Screw in wooden post
23g/pc
PP, UV resistance
For ropes max.12mm

INSULATORS



JYZ006

Plastic ring insulator
Screw in wooden post
25g/pc
PP, UV resistance
For ropes max.8mm



JYZ007

Plastic ring insulator
Screw in wooden post
23g/pc
PP, UV resistance
For ropes max.10mm



JYZ008

Plastic ring insulator
Screw in wooden post
30g/pc
PP, UV resistance
For ropes max.10mm



JYZ009

Plastic ring insulator
Screw in wooden post
with Ø4.5mm hole
20g/pc
PP, UV resistance
For ropes max.9.5mm





JYZo10

Multi purpose insulator
Screw in wooden post
23g/pc
PP, UV resistance
For ropes max.9mm
For tapes max.20mm



JYZo12

Plastic tape insulator
Screw in wooden post
20g/pc
PP, UV resistance
For ropes max.40mm



JYZo11

Plastic insulator with bolt
Installed into metal post
26g/pc
PP, UV resistance
For ropes max.9mm
For tapes max.20mm



JYZo14

Plastic tape insulator
Screw in wooden post
26g/pc
PP, UV resistance
For ropes max.30mm

INSULATORS

INSULATORS



JYZ013

Distance offset insulator
Screw in wooden post
60g/pc
PP, UV resistance
For ropes max.6mm
For tapes max.30mm



JYZ018

Corner pulley insulator
Screw in wooden post
49.8g/pc
PP, UV resistance
For ropes max.10mm



JYZ019

Wire insulator
Screw in wooden post
20g/pc
PP, UV resistance
For wires max.3mm



JYZ015

Offset ring insulator
Installed into metal post
56g/pc
PP, UV resistance
20cm length offset
For ropes max.20mm



JYZ016

Distance offset insulator
Screw in wooden post
58g/pc
PP, UV resistance
20cm length offset
For ropes max.10mm



JYZ017

Plastic insulator with bolt
Installed into metal post
58g/pc
PP, UV resistance
20cm length offset
For ropes max.10mm
For tapes max.40mm

INSULATORS



JYZo20

Corner pulley insulator
Screw in wooden post
96g/pc
PP, UV resistance
For tapes max.40mm



JYZo21

Ring insulator
Used for steel post
34g/pc
PP, UV resistance
For ropes max.9.5mm



JYZo22

Double U end corner insulator
Used on end and corner post
37.7g/pc
PP, UV resistance
For wires max.5mm



JYZo23

Rope tape insulator
Nail on wooden post
15g/pc
PP, UV resistance
For ropes max.9.5mm
For tapes max.40mm



JYZo24

Tape insulator
Nail on wooden post
82g/pc/ 43g/pc
PP, UV resistance
For tapes max.55mm



JYZo25

Plastic pinlock insulator
Used for steel post
11g/pc
PP, UV resistance
For wires max.4.5mm

INSULATORS



JYZ026

Plastic pinlock insulator
Used for steel post
14.1g/pc
PP, UV resistance
For wires max.5mm



JYZ027

Plastic pinlock insulator
Nail on wooden post
17.5g/pc
PP, UV resistance
For ropes max.8mm



JYZ028

Plastic pinlock insulator
Fixed on T-post
18g/pc
PP, UV resistance
For ropes max.8mm



JYZ029

Nail on insulator
Nail on wooden post
10g/pc
PP, UV resistance
For wires max.2mm

INSULATORS



JYZ030

Nail on insulator
Nail on wooden post
11.5g/pc
PP, UV resistance
For wires max.4mm



JYZ031

Rod post insulator
Fixed on rod post
12.9g/pc
PP, UV resistance
For wires max.5mm
For rod post max.10mm



JYZ032

Rod post insulator
Fixed on rod post
28g/pc
PP, UV resistance
For wires max.4mm
For rod post max.18mm



JYZ033

Rope tape insulator
Fixed on rod post
29g/pc
PP, UV resistance
For ropes max.7mm
For tapes max.40mm



JYZ034

Plastic claw insulator
Nail on wooden post
18g/pc
PP, UV resistance
For ropes max.7mm



INSULATORS



JYZ035

Distance offset insulator
Screw in wooden post
61g/pc
PP, UV resistance
For ropes max.9mm



JYZ036

Plastic claw insulator
Fixed on metal plate
35g/pc
PP, UV resistance
For wires max.4mm



JYZ037

Plastic claw insulator
Nail on wooden post
26g/pc
PP, UV resistance
For tapes max.40mm



JYZ038

Egg wire strainer insulator
Used for wires tensioning
34g/pc
PP, UV resistance
For ropes max.11mm



JYZ039

Egg wire strainer insulator
Used for wires tensioning
25g/pc
PP, UV resistance
For ropes max.8mm



JYZ040

Gate handle insulator
Screw in wooden post
54g/pc
PP, UV resistance



JYZ041

Tape clamp connection
Used for tape connecting
8g/pc
PP, UV resistance
For tapes max.60mm

INSULATORS



JYZo42

Tape insulator
Nail on wooden post
27g/pc
PP, UV resistance
For tapes max.40mm



JYZo43

Plastic post cap
Used for post
2.4g/pc
PP, UV resistance
For wires max.3mm
For post max.11mm



JYZo44

Plastic post cap
Used for T-post
61g/pc
PP, UV resistance
For ropes max.12mm
For tapes max.36mm



JYZo45

Wire strainer insulator
Used for wire tensioning
25g/pc
PP, UV resistance
For wires max.3mm



JYZo46

Tape insulator
Nail on wooden post
20g/pc
PP, UV resistance
For tapes max.35mm&50mm



JYZo47

Rope corner insulator
Nail on wooden post
65g/pc
PP, UV resistance
For ropes max.9.5mm

INSULATORS



JYZo48

Tape corner insulator
Nail on wooden post
75g/pc
PP, UV resistance
For ropes max.11mm
For tapes max.41mm



JYZo49

Multi rope tape insulator
Screw in wooden post
24g/pc
PP, UV resistance
For ropes max.7mm
For tapes max.40mm



JYZo50

Multi rope tape insulator
Installed into metal post
28g/pc
PP, UV resistance
For ropes max.7mm
For tapes max.40mm



JYZo51

Wire insulator
Nail on wooden post
17.3g/pc
PP, UV resistance
For wires max.5mm



JYZo52

Insulator spinner
Insulator tool
68g/pc
PP, UV resistance



JYZo53

Tape insulator
Screw in wooden post
30g/pc
PP, UV resistance
For tapes max.40mm



JYZo57

Tape clamp connection
Nail on wooden post
129g/pc
PP, UV resistance
For tapes max.37mm

INSULATORS



JYZ054

Distance offset insulator
Screw in wooden post
58g/pc
PP, UV resistance
For tapes max.40mm
For ropes max.7mm



JYZ055

Distance offset insulator
Installed into metal post
60g/pc
PP, UV resistance
For tapes max.40mm
For ropes max.7mm



JYZ056

Distance offset insulator
Screw in wooden post
60g/pc
PP, UV resistance
For ropes max.8mm



JYZ061

Distance offset insulator
Installed into metal post
50.9g/pc
PP, UV resistance
For ropes max.10mm



JYZ060

Distance offset insulator
Screw in wooden post
58.1g/pc
PP, UV resistance
For ropes max.9mm



JYZ058

Standoff bracket insulator
Clip straight into the star post
40.7g/pc
PP, UV resistance
For wires max.5mm



JYZ059

Plastic post cap
Used for Y-post
28.7g/pc
PP, UV resistance

FENCE POSTS



Photo	Product	Art.nr.	Description
1	Step In Post	PP110	Length: 1100mm, Spike: 97*5mm
2	Step In Post	PP120	Length: 1200mm, Spike: 175*8mm
3	Step In Post	PP150	Length: 1500mm, Spike: 175*8mm
4	Fiberglass Post	FRP190	Length: 900mm, Spike: 175*8mm
5	Fiberglass Post	FRP290	Length: 900mm, Spike: 175*8mm
6	Fiberglass Post	FRP390	Length: 900mm
7	Fiberglass Post	FRP490	Length: 900mm, Spike: 175*8mm

ACCESSORIES





Photo	Product	Art,nr.	Description
1	Fence Switch	SWH001	Fence maintenance made easy, simply turn power ON or OFF to selected area
2	Fence Reel	FWL001	Large geared 1:3 for 200 mtr tape/500 mtr polywire
3	Fence Reel	FWL002	Large geared 1:1 for 200 mtr tape/500 mtr polywire
4	Fence Reel	FWL003	1:1 gear ratio, wheel size: 260mm, wheel spool: 80mm
5	Insulated Strainer	LJQ001	Dimensions: 13 x 3.5cm, Aluminum casted tooth wheel with HDG frame
6	Ratchet Strainer	LJQ003	Aluminum casted tooth wheel with electric galvanised frame
7	Ratchet Strainer	LJQ005	Aluminum casted tooth wheel with electric galvanised frame
8	Ratchet Strainer	LJQ006	Aluminum casted tooth wheel with electric galvanised frame
9	Daisy Strainer	LJQ007	Aluminum casted tooth wheel
10	Large Raddiseur	LRS	Steel, Hot galvanised
11	Unilok winder	FLS	Steel, Hot galvanised
12	Ferrule locking strainer	VW	Steel, Hot galvanised
13	Ratchet Strainer	LJQ009	Steel, Hot galvanised

ACCESSORIES



Photo	Product	Art.nr.	Description
1	Gate Handle	MBS001	Steel or stainless steel
2	Gate Handle	MBS002	Overlength: 250mm, handle dia.: 30mm
3	Gate Handle	MBS003	UV stabilized virgin polypropylene plastic for longer life, with non-slip grip and high tensile galvanized spring
4	Gate Handle	MBS004	Total length: 22cm, spring length: 13.5cm
5	Gate Handle	MBS005	Strong galvanised hook & spring, with large protective guards, positive non slip insulated handle
6	Spring Gate Handle	MBS006	Gate kit with 5m extension spring and extended up to 5 meters
7	Spring Gate Kit	MBS007	Gate Kit with 5M Extension Spring and 2pcs insulators
8	Spring Gate Kit	MBS008	Spring Gate for opening up to 5m in width. Spring gate kit include 2 x screw in gate anchors, 5m spring and a gate handle
9	Gate Handle	MBS009	Spring Gate Handles with Tape connector for up to 40mm tape

ACCESSORIES






Photo	Product	Art.nr.	Description
1	Roller Gate	MBS010	Works with horse, livestock, garden fence & More
2	Roller Gate	MBS011	Can extend up to 6 meters
3	Polywire Joiner	WNR001	Size: 2mm/3mm/4mm/5mm/6mm/8mm, galvanised
4	Claw Joint Clamps	WNR002	Hot dip galvanised, suitable for wire up to 4mm
5	Joint Clamps	WNR004	For connecting iron-aluminum-and steel wire 2.5mm
6	Crimp Sleeves	WNR005	Aluminum, Sleeve ID: 2.5mm
7	Crimp Sleeves	WNR006	Used for 2.5mm fencing wire
8	Rope Connectors	WNR007/008/009	3 Size: 4mm/5mm/6mm, galvanised, with wing nuts

ACCESSORIES

1



2



3



4



5



6



7



Photo	Product	Art,nr.	Description
1	Tape Connectors	TPR002	2 size: 42.5*42.5mm/22.5*47mm
2	Tape Connectors	TPR003	2 size: 20mm/40mm, made of stainless steel
3	Tape Connectors	TPR004	2 size: 20mm/40mm, made of stainless steel
4	Ring Insulator Tool	NTL001	This tool makes it quick and easy to install ring insulators for offset electric wires
5	Tension Spring	SPW002	Used to indicate tension of wire. one inch of compression equals 150 pounds of pull.
6	Warning Sign	WS001	Length: 24.5cm, Width: 13cm, Thickness: 2mm
7	Battery	4R25	6V



ANIMAL TRAPS

1



Product	Art,nr.	Size	Function
Trap	BSL2215	22.5*15*10cm	Unfoldable

2



Product	Art,nr.	Size	Function
Trap	BSL1810	18.5*10*7cm	Unfoldable
Trap	BSL3115	31*15*16.5cm	Unfoldable

3



Product	Art,nr.	Size	Function
Trap	BSL6623	66*23*26cm	Collapsible
Trap	BSL9434	94*34*37cm	Collapsible
Trap	BSL10840	108*40*45cm	Collapsible
Trap	BSL15050	150*50*55cm	Collapsible

ANIMAL DRINKERS & FEEDERS



CD001

Chicken feeder

580g/pcs

Size: 5.5L

Color can be customized



CD002

Chicken feeder

Size: 1.5kg/3kg/6kg/9kg

Material: pp

Color: Red&white



CD003

Chicken feeder

Size: 1L/1.5L/3L/6L/11L/15L

Material: pp

Color: Red&white



ACF002

Auto chicken feeder

Size: 51*32*19cm

Surface treatment: Powder painting

Capacity: 5kg/s

CHICKEN COOP DOOR OPENERS



CHICKEN COOP DOOR OPENERS



AD001 More Basically

Lightsensor
Adjustable light sensor control the door opening in the morning and closing at dusk

AD002 More Exactly

Lightsensor&timer with 4 working modes,
Timer controls the door opening and closing at set times

AD002R More Lovely

Lightsensor&timer with recording function,
Voice recorder enable your chicken hear your voice

AD002E More safely

Lightsensor + timer with automatic energize function,
Electric energizer can be automatically energized in the morning and at the dusk to protect your chicken

No.	Light Sensor	Timer	Voice Recorder	Stimulate Energizer
AD001	●	○	○	○
AD002	●	●	○	○
AD002R	●	●	●	○
AD002E	●	●	○	●

● Existing Function ○ Optional Function



CHICKEN COOP DOOR OPENERS



AD003

Chicken door opener with adapter

Light sensor & timer with 4 working modes

Adapter working voltage: 110v~240v

Chicken door opener working voltage: 12v

Adapter socket type: US, EU, AUS type and so on.

Advantages:

1. Applicable for 4 AA battery and AC power.
2. Easy to install and use.
3. Set and use with Lumen.
4. Set opening position by manual.



AD004

Chicken door opener with adapter & actuator

Light sensor & timer with 4 working modes

Adapter working voltage: 110v~240v



Chicken door opener working voltage: 12v

Adapter socket type: US, EU, AUS type and so on.


Actuator data: 300mm stroke, 10mm/s, 100N, DC12v, 1.1kg/pcs.

Advantages:

1. Lift more than 5kg doors.
2. Adapter power supply.
3. Waterproof shell.
4. LCD screen display.
5. Exact Lumen value measuring unit.
6. Manual opening and closing.
7. Built-in button battery offers power when adapter power cut.
8. Anti-pinch function will not let your chickens be hurt by door.



CHICKEN COOP DOOR OPENERS



AD005 *New*

Chicken door opener with adapter



Light sensor & timer with 4 working modes

Power supply: 4 pieces of AA battery

Chicken door opener working voltage: 6v

Advantages:

1. External buttons is easy to operate.
2. Waterproof shell.
3. LCD screen display.
4. Customizable boot screen.
5. Battery power display.
6. Exact Lumen value measuring unit.
7. External screw mounting hole.
8. Manual opening.
9. Customized different language.



AD006 *New*

Chicken door opener


Light sensor & timer with 4 working modes

Power supply: 4 pieces of AA battery or 6V battery

Chicken door opener working voltage: 6V

Advantages:

1. External buttons is easy to operate.
2. LCD screen display.
3. Manual opening.
4. Customizable boot screen.
5. Battery power display.
6. Exact Lumen value measuring unit.
7. Customized different language
8. Metal gear lifter instead of wire.
9. Automatic locked door will prevent predator lift the door.
10. Anti-pinch function will not let your chickens be hurt by doo



CHICKEN NETTINGS



H.P.S. CHICKEN NETTING INSTRUCTION

If you're looking for poultry netting to fence in your chickens, this is a great choice.

CHICKEN NETTINGS




Use this poultry fencing to keep your chickens within an area, giving them more space to roam or, of course, out of a part of your garden, like your prized vegetable patch!





You can design the range of chicken' s raising by yourself according to your imagination.T

his netting is without electricity. It is ok for you to set the electric fence outside the net. Then your chickens will away from dangerous.



CHICKEN NETTINGS



Netting Length	Pole	Gate Pole	Peg	Guy Line
1.25x12M	6	1	16	4
1.25x21M	10	1	24	4
1.25x24M	12	1	32	4

It can be customized according to clients' requirements.

CHICKEN NETTINGS

TALLER THAN MOST FENCING


With an overall height of 1.25m, (which is taller than most chicken fencing), you can be confident that even the most determined of your feathered friends won't make a great escape!

This poultry fencing is also suitable for use with smaller birds like bantams. The bottom section of the fencing has holes that are only 50mm wide to stop them wriggling their way through. The holes higher up are 100mm wide.


Please note:

This netting is intended as a means of keeping your chickens in a contained area. It is not predator proof and cannot be electrified.

H.P.S Netting



Typical height of normal chicken netting



ELECTRIC NETTINGS




Electric netting offers a simple way to protect your animals. Including the chicken, duck, sheep, rabbit, etc. You will need an energizer to offer power by connecting the netting.

This netting is removable, you can put it away when you're not using. It is both suitable for family and big farm. You can use around the chicken coop or just put in your garden. You can install the netting in any shapes you want.


The solid PE netting is made of UV resistance material, with high conductive and quality stainless steel wire. The post is used fiberglass material, with metal head, so it will be easy to inserted into the soil. And the door will not lie on the ground because of the special design.




ELECTRIC NETTINGS






Electric netting for chicken is according to their flying ability (55cm-85cm, even to 120cm). 3-4 fire lines (red line) is reasonable.



Fire lines' height for rabbits.



Fire lines' height for sheep.



Netting Length	Pole	Gate Pole	Peg	Guy Line
12M	5	1	16	4
21M	9	1	24	4
50M	17	1	42	4

For different animals, customized different electric netting. Color and size of netting are customizable.

Color:     

ELECTRIC NETTINGS



Our electric netting is with 4 pcs guy line, that make our netting more tightly and firmly.



Our electric netting is with fiberglass post, is very strong.



Our electric netting aperture is 45*45mm and 100*100mm.

Advantages



Our electric netting pole cap can adjust the tension of netting.



Our electric netting is with a short gate post, it locks securely.



Our electric netting is with a simple crocodile clip for connect energizer.

ANIMAL CLIPPER



PIC.	ITEM NO.	Voltage[V]	Power[W]
1	SCP001	110/220-240	350
2	SCP002	110/220-240	500



PET PRODUCTS



PET PRODUCTS



BL01

Dog ball launcher
Material: ABS Plastic
Range: 1~11m
Color: ● ● ●



CCT001

Cat chasing toy
Material: PP Plastic
Dia: 25cm
Color: ● ●



CT002

Cat tunnel
Material: Polyester & steel wire
Size: 80*55*25cm
Features: Collapsible
Color: ● ● ● ● ● ●



LFB001

Leakge food ball
Material: ABS Plastic
Height: 13cm
Weight: 307g
Dia. of top: 5.5cm
Dia. of bottom: 12.5cm



PCS001

Safety pet seat
Features: Multiduty
Color: ● ● ● ●



PF003

Temporary pet cage
Material: Powder coating steel
Size: S:61*60cm, M:61*76cm, L:61*91cm
Panel: 8pcs/set
Features: Collapsible

PET PRODUCTS



MS001

Measure spoon

Material: ABS Plastic

Capacity: Around 250ml

Power supply: CR2032 3v battery



DTB001

Dog toothbrush

Weight: M:135g, L:278g

Size: M:4*10*15cm, L:5*13*18cm

Packing: OPP bag or skin packing

Color: ● ●



PHR001

Pet hair remover

Material: PP,ABS & Polyester

Color: ● ● ● ● ● ●



DW004

Pet grooming brush

Material: Silicone & ABS plastic

Color: ● ● ● ● ●



PWC001

Pet water cup

Capacity: 300ml

Size: 64*64*188mm

Material: PC & ABS Plastic

Color: ● ● ● ●



SPB001

Silicone pet bowl

Material: Silicone

Feature: Collapsible

Color: ● ●

HAMSTER PRODUCTS



HRB001

Hamster run exercise ball

Material: PP

Dia: 12cm, 14cm, 16cm, 20cm

Color:   



HH001

Hamster house

Material: Natural wood

Size: 17*16*15cm

Weight: 250g



HRT001

Hamster running track

Material: PP Plastic

Qty: 4 pcs/set or 6 pcs/set

Color:  





H.P.S FENCE SUPPLIES CO.,LTD

Tel: 86-571-89774060

Fax: 86-571-89774057

Email: hps01@hpsunionpower.com

Add: D406, No.11, Xiyuan 8th Road, West Lake Science & Technology Park Hangzhou, China, 310030

www.hpsfence.com

<http://hpsfence.en.alibaba.com>