



Foshan ALK Electric Appliance Co., Ltd

Website: <http://www.alkappliance.com>

Contact Person: Shelly Lee

Phone/WhatsApp/WeChat: 008613925919627

Email: shelly@alkbarrierfree.com

Built-in Tempered Glass Gas Hob

| Model No. | Picture | Specification | Packing Details | Price | MOQ(pcs) |
|-----------|--|--|--|------------|----------|
| ALK-DB01 |  | 7mm tempered glass panel; 120mm cast iron burner; SS water tray; Enamel pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 430*320*7mm G.W: 6.5kg N.W: 5.5kg | Product size: 430*320mm Hole size: 385*275mm Carton size: 460*360*180mm Loading quantity: 1000/20'GP 1928/40GP 2428/40'HQ | US\$27.08 | 200 |
| ALK-DB02 |  | 7mm tempered glass panel; 120mm cast iron burner; SS water tray; Enamel pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 430*320*7mm G.W: 6.5kg N.W: 5.5kg | Product size: 430*320mm Hole size: 385*275mm Carton size: 460*360*180mm Loading quantity: 1000/20'GP 1928/40GP 2428/40'HQ | US\$26.00 | 200 |
| DB06 |  | 7mm tempered glass panel; 120mm copper burner; SS water tray; Enamel pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 430*320*7mm G.W: 7.2kg N.W: 6.2kg | Product size: 430*320mm Hole size: 385*275mm Carton size: 460*360*180mm Loading quantity: 1000/20'GP 1928/40GP 2428/40'HQ | US\$38.56 | 200 |
| DB05 |  8305 | 7mm tempered glass panel; 120mm copper burner; SS water tray; Enamel pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 430*320*7mm G.W: 7.2kg N.W: 6.2kg | Product size: 430*320mm Hole size: 385*275mm Carton size: 460*360*180mm Loading quantity: 1000/20'GP 1928/40GP 2428/40'HQ | US\$32.42 | 200 |
| ALK-G401 |  | 7mm real thickness TEMPERED glass in black; With 2 burners; Heavy cast iron pan support; Chinese Sabaf burner; Enamel water tray; Electric ignition with BS plug; 1 x 130mm Triple ring wok burner 3.3kW; 1 x 55mm auxiliary burner 1.0kW. With safety device Metal knobs | Product size: 310*510mm Hole size: 275*470mm Carton size: 360*550*140mm Loading quantity: 1110/20'GP 2500/40'HQ | US\$53.93 | 200 |
| ALK-B838 |  | 8mm tempered glass panel; Time set system; 120mm copper burner&copper cap; Enamel water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 900*460mm G.W: 22.5kg N.W: 21.5kg | Product size: 900*460mm Hole size: 700*400mm Carton size: 950*510*170mm Loading quantity: 339/20'GP 655/40GP 825/40'HQ | US\$146.62 | 200 |

| | | | | | |
|----------|---|--|---|------------|-----|
| D9045 |  | 8mm tempered glass panel Safety device: yes Pan support: cast iron Ignition type: auto ignition Burner cap: copper Burner: ϕ 120 copper burner Knob: metal stainless steel water tray G.W: 12kg | Product size: 760*450*190mm Hole size: 650*300mm Carton size: 815*490*220mm Loading quantity: 430/20'GP 830/40GP 1046/40'HQ | US\$89.94 | 200 |
| ALK-B889 |  | 8mm tempered glass panel; Copper burner&copper cap; Enamel water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 900*500mm G.W: 24.9kg N.W: 223.5kg | Product size: 900*500mm Hole size: 700*400mm Carton size: 950*560*170mm Loading quantity: 307/20'GP 593/40GP 747/40'HQ | US\$177.23 | 200 |
| ALK-B888 |  | 8mm tempered glass panel; Copper burner&copper cap; Enamel water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 900*500mm G.W: 24.9kg N.W: 223.5kg | Product size: 900*500mm Hole size: 700*400mm Carton size: 950*560*170mm Loading quantity: 307/20'GP 593/40GP 747/40'HQ | US\$192.40 | 200 |
| ALK-B816 |  | 7mm tempered glass panel; Time set system; 120mm copper burner&copper cap; SS water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 900*460mm G.W: 20.5kg N.W: 19kg | Product size: 900*460mm Hole size: 700*400mm Carton size: 950*510*170mm Loading quantity: 339/20'GP 655/40GP 825/40'HQ | US\$149.06 | 200 |
| ALK-B818 |  | 8mm tempered glass panel; Time set system; 120mm copper burner&copper cap; SS water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 900*460mm G.W: 24.5kg N.W: 23.5kg | Product size: 900*460mm Hole size: 700*400mm Carton size: 950*510*170mm Loading quantity: 339/20'GP 655/40GP 825/40'HQ | US\$157.73 | 200 |
| ALK-B819 |  | 7mm tempered glass panel; Time set system; 120mm copper burner&copper cap; SS water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 900*460mm G.W: 21.5kg N.W: 20kg | Product size: 900*460mm Hole size: 700*400mm Carton size: 950*510*170mm Loading quantity: 339/20'GP 655/40GP 825/40'HQ | US\$159.90 | 200 |
| ALK-2008 |  | 7mm tempered glass panel; 120mm copper burner&copper cap; SS water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 780*450mm G.W: 21.5kg N.W: 20kg | Product size: 780*450mm Hole size: 680*380mm Carton size: 840*510*170mm Loading quantity: 383/20'GP 739/40GP 931/40'HQ | US\$133.90 | 200 |

| | | | | | |
|------------|---|--|---|------------|-----|
| ALK-BA802 |  | 7mm tempered glass panel; 120mm aluminum burner; SS water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 780*450mm G.W: 14.5kg N.W: 12.6kg | Product size: 780*450mm Hole size: 680*380mm Carton size: 825*495*220mmmm Loading quantity: 311/20'GP 600/40GP 755/40'HQ | US\$92.73 | 200 |
| BA811 |  | 7mm tempered glass panel; 120mm aluminum burner; SS water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 780*450mm G.W: 14.5kg N.W: 12.6kg | Product size: 780*450mm Hole size: 680*380mm Carton size: 825*495*220mmmm Loading quantity: 311/20'GP 600/40GP 755/40'HQ | US\$84.06 | 200 |
| ALK-BA808 |  | 7mm tempered glass panel; 120mm copper burner&copper cap; SS water tray; Heavy cast iron pan support; Bottom material thickness: 10mm; Pulse ignition with battery; Single-wire thermocouple safety device; Panel size: 780*450mm G.W: 15.4kg N.W: 13.5kg | Product size: 780*450mm Hole size: 680*380mm Carton size: 825*495*220mmmm Loading quantity: 311/20'GP 600/40GP 755/40'HQ | US\$123.06 | 200 |
| ALK-G3801 |  | 8mm tempered glass panel; with 2 burners; Heavy cast iron pan support; Chinese Sabaf burner; Electric ignition with BS Plug Enamel water tray; 2 x 130mm Triple ring wok burner 3.3kW; Metal knobs | Product size: 870*510mm Hole size: 840*480mm Carton size: 910*550*140mm Loading quantity: 400/20'GP 970/40'HQ | US\$73.65 | 200 |
| ALK-G3801C |  | 8mm tempered glass panel ; with 2 burners; Heavy cast iron pan support; Chinese Sabaf burner; Electric ignition with BS Plug; Enamel water tray; 2 x 130mm Triple ring wok burner 3.3kW; 1 ceramic stove 1.8kW; Metal knobs | Product size: 870*510mm Hole size: 840*480mm Carton size: 910*550*140mm Loading quantity: 400/20'GP 970/40'HQ | US\$88.19 | 200 |
| ALK-G9032 |  | 8mm tempered glass panel; Bottom material thickness: 0.6mm; Heavy cast-iron pan support; Chinese burners with flame failure device; Auto-ignition by electricity, with power cord; Front control with bakelite knobs; Wok burner: 2 x 3.4kW Semi-rapid burner: 1 x 1.8kW | Product size: 874 * 510 * 100mm Hole size: 840*480mm Carton size: 965*565*170mm Loading quantity: 320pcs / 20'GP 650pcs / 40'GP 745pcs / 40'HQ | US\$120.32 | 200 |
| ALK-G3701 |  | 7mm real thickness TEMPERED glass in black ; with 3 burners; Heavy cast iron pan support; Chinese Sabaf burner; stainless steel water tray; Electric ignition with BS plug; 2 x 130mm Triple ring wok burner 3.3kW; 1 x 55mm auxiliary burner 1.0kW. With safety device Metal knobs | Product size: 760*450mm Carton size: 810*475*195mm Loading quantity: 350/20'GP 870/40'HQ | US\$74.34 | 200 |
| ALK-G9041 |  | Tempered glass cooktop, with thickness of 8mm; Bottom material thickness: 0.6mm; Heavy cast-iron pan support; Chinese burners with flame failure device; Auto-ignition by electricity, with power cord; Front control with bakelite knobs; Wok burner: 1 x 3.4kW Rapid burner: 1 x 2.4kW Semi-rapid burner: 1 x 1.8kW Auxiliary burner: 1 x 1.0kW | Product size: 870*510*100mm Hole size: 840*480mm Carton size: 920*565*170mm Loading quantity: 330pcs / 20'GP 680pcs / 40'GP 780pcs / 40'HQ | US\$116.78 | 200 |

| | | | | | |
|-----------|---|--|--|------------|-----|
| ALK-G9043 |  | <p>Tempered glass cooktop, with thickness of 8mm; Bottom material thickness: 0.6mm; Aluminum strips on both front and back sides; Heavy cast-iron pan support; Chinese burners with flame failure device; Auto-ignition by electricity, with power cord; Front control with bakelite knobs; Wok burner: 1 x 3.4kW Rapid burner: 1 x 2.4kW Semi-rapid burner: 1 x 1.8kW Auxiliary burner: 1 x 1.0kW</p> | <p>Product size: 874*518*100mm Hole size: 840*480mm Carton size: 965*565*170mm Loading quantity: 320pcs / 20'GP 650pcs / 40'GP 745pcs / 40'HQ</p> | US\$140.14 | 200 |
| ALK-G4608 |  | <p>8mm thickness glass cooktop in black; with 4 burners; Heavy cast iron pan support; Chinese Sabaf burner; Enamel water tray; Electric ignition with BS plug; 1 x 130mm Triple ring wok burner 3.3kW; 2 x 75mm Semi rapid burner 1.75kW; 1 x 55mm Auxiliary burner 1.0kW; with safety device Metal knobs</p> | <p>Product size: 590X510mm Carton size: 640x550x140mm Loading quantity: 550/20'GP 1300/40'HQ</p> | US\$87.46 | 200 |
| HBG4601 |  | <p>7mm real thickness 60cm TEMPERED glass in black ; with 4 burners; Heavy cast iron pan support; Chinese Sabaf burner; stainless steel water tray; Electric ignition with BS plug; 1 x 130mm Triple ring wok burner 3.3kW; 2 x 75mm Semi rapid burner 1.75kW; 1 x 55mm auxiliary burner 1.0kW. with safety device Metal knobs</p> | <p>Product size: 590X510mm Carton size: 640x550x140mm Loading quantity: 550/20'GP 1300/40'HQ</p> | US\$80.17 | 200 |
| ALK-G5806 |  | <p>8mm real thickness 87cm TEMPERED glass ; with 5 burners; Heavy cast iron pan support; Chinese Sabaf burner; Electric ignition with BS Plug; Stainless steel water tray; 1 x 130mm Triple ring wok burner 3.3kW; 1 x 100mm rapid burner 3.0kW; 2 x 75mm Semi-rapid burner 1.75kW; 1 x 55mm Auxiliary burner 1.0kW; with safety device Metal knobs</p> | <p>Product size: 870X510mm Carton size: 910X550X140mm Loading quantity: 400/20'GP 970/40'HQ</p> | US\$99.12 | 200 |
| ALK-G5810 |  | <p>8mm real thickness 87cm TEMPERED glass ; with 5 burners; Heavy cast iron pan support; Chinese Sabaf burner; Electric ignition with BS Plug Enamel water tray; 1 x 130mm Triple ring wok burner 3.3kW; 1 x 100mm rapid burner 3.0kW; 1 x 75mm Semi-rapid burner 1.75kW; 1 x 55mm Auxiliary burner 1.0kW; 1 ceramic stove 1.8kw Metal knobs with safety device Metal knobs</p> | <p>Product size: 870X510mm Carton size: 910X550X140mm Loading quantity: 400/20'GP 970/40'HQ</p> | US\$122.45 | 200 |