

On-time Delivery

- 1,100,000 Units
(annual production capacity)

Contineous Innovation

- Over 20 Professional engineers
- Over 3% Continuous investment per year

Reliable Quality

- 7 Inspection position
- National standard testing lab

Professional Logistics

- Export to over 40 countries
- 500 Containers delivery per year



Greaidea Gas and Electrical Appliances Co.,Ltd

Address: Building A, Shuntai Industry Park, No.2 Huajin Street,
Nantou town, Zhongshan city, GD, China.

Web: www.greaidea.com / www.cehob.com

Email: info@greaidea.com



Russian *Gas Hob Catalog*

Gas Hob & Water Heater ODM Leader

2024



Gas Hob ODM Leader
Since 2000

Greaidea Gas and Electrical Appliances Co.,Ltd

About Us

Over 20 Years Of OEM & ODM Experience In Gas Hob,
Gas Water Heater and Range Hood

- OEM & ODM gas hob, gas water heater and range hood since 2000.

- Established in 2000, the past over 20 years witnessed great chances of our product, R&D, quality level, and service as well. From now on, Greaidea has its own two production bases with over 500 employees, covering 100,000m². In order to meet the growing marketing needs, we have equipped with 10 assembly lines for gas hob and range hood, 5 assembly lines for gas water heater.

20⁺Y 2 500+ 100,000m² 15
Since 2000 Production bases Staffs Area Assembly lines

Kitchen Appliance Division

Greaidea has over 20 year's experience in manufacturing high quality gas hob and range hood. Our factory locates in Nantou town, Zhongshan city. In our R&D department, 16 engineers are employed to guarantee our R&D advantage and continuous improvement. Every year, 3% of revenue will be invested to R&D . With excellent manufacturing team & QC team, we can realize the annual output 800,000pcs gas hob and 300,000pcs range hood product with optimal quality.

Gas hob : 800,000 pcs / year
Range hood : 300,000 pcs / year





Final Assembly



▶ Online Key Position : 7 Times Inspection



Strict QC System



GLASS SERIES



• **MGBG-312T**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 350(D) x 153 (H)
Loading (20'/40'/40HQ)	990 / 1810 / 2040



• **MGBG-604T**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-775T**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	816 (W) x 556(D) x 155 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



S/S PANEL SERIES

• **MGBS-312T**



SS / BL NP
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



• **MGBS-604T**



SS / BL NP
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-765T**



SS / BL NP
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 510 (D) x 97(H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	820 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



GLASS SERIES



• **MGBG-312C**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 350(D) x 153 (H)
Loading (20'/40'/40HQ)	990 / 1810 / 2040



• **MGBG-604C**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-905C**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	960 (W) x 568 (D) x 178 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



S/S PANEL SERIES

• **MGBS-312TB**



SS / BL NP
● ●

Panel	Black Nano-Painting
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



• **MGBS-604TB**



SS / BL
● ●

Panel	Black Nano-Painting
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-765TB**



Panel	Black Nano-Painting
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 510 (D) x 97(H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	820 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



GLASS SERIES



• **MGBG-604M**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-604C**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-604**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



S/S PANEL SERIES

• **MGBS-604B4**



SS / BL
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-604D**



SS / BL
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-604A**



SS / BL
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310





• **MGBG-604ME**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-604CE**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-604FE**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBS-604B4E**



SS / BL
● ●

Panel	Stainless steel
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-604DE**



SS / BL
● ●

Panel	Stainless steel
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-604AE**



SS / BL
● ●

Panel	Stainless steel
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310





• **MGBG-604M**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-453M**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	450 (W) x 500 (D) x 105 (H)
Cut-out Size (mm)	410 (W) x 465 (D)
Packing Size (mm)	515 (W) x 565 (D) x 147 (H)
Loading (20'/40'/40HQ)	654 / 1355 / 1589



• **MGBG-312M**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 350(D) x 153 (H)
Loading (20'/40'/40HQ)	990 / 1810 / 2040



• **MGBS-604B4**



SS / BL NP
● ●

Panel	Black Nano-Painting
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-603A**



SS / BL NP
● ●

Panel	Black Nano-Painting
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-312B4**



SS / BL NP
● ●

Panel	Black Nano-Painting
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040





• **MGBG-604ME**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



• **MGBG-453ME**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	450 (W) x 500 (D) x 105 (H)
Cut-out Size (mm)	410 (W) x 465 (D)
Packing Size (mm)	515 (W) x 565 (D) x 147 (H)
Loading (20'/40'/40HQ)	654 / 1355 / 1589



• **MGBG-312ME**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 350(D) x 153 (H)
Loading (20'/40'/40HQ)	990 / 1810 / 2040



• **MGBS-604B4E**



SS / BL E
● ●

Panel	Black Enamelled
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-603AE**



SS / BL E
● ●

Panel	Black Enamelled
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



• **MGBS-312B4E**



SS / BL E
● ●

Panel	Black Enamelled
Pan support	Wire
Knob material	Bakelite
Heat Power(KW)	1.0 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



• **MGBG-705M**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	700 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	745 (W) x 570 (D) x 180 (H)
Loading (20'/40'/40HQ)	320 / 630 / 750



• **MGBS-765A**



SS / BL
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 510 (D) x 97(H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	820 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



• **MGBG-775G**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	816 (W) x 556(D) x 155 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



• **MGBS-765B4**



SS / BL
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 510 (D) x 97(H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	820 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



• **MGBG-875G**



BL / WH / IV
● ○ ●

Panel	Tempered glass
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	870 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	946 (W) x 551(D) x 155 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



• **MGBS-865B4**



SS / BL
● ●

Panel	Stainless steel
Pan support	Cast iron
Knob material	Metal
Heat Power(KW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	860 (W) x 510 (D) x 97(H)
Cut-out Size (mm)	830 (W) x 480 (D)
Packing Size (mm)	920 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710

