

### On-time Delivery

- 1,100,000 units  
(annual production capacity)

### Continuous Innovation

- Over 20 professional engineers
- Over 3% continuous investment per year



**Greaidea**<sup>®</sup>  
Gas Hob & Water Heater ODM Leader  
Since 2000

### Reliable Quality

- 7 Inspection positions
- National standard testing lab

### Professional Logistics

- Export to over 49 countries
- 500 containers delivery per year



### Greaidea Gas and Electrical Appliances Co.,Ltd

Address: Building A, Shuntai Industry Park, No.2 Huajin Street,  
Nantou town, Zhongshan city, GD, China.


Web: [www.greaidea.com](http://www.greaidea.com) / [www.cehob.com](http://www.cehob.com)

Email: [info@greaidea.com](mailto:info@greaidea.com)



# TIGER BEARD SERIES

## Product Catalog





**MGBS-604T**

SS ● / BL ●

<b>Panel</b>	Stainless steel
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	585 (W) x 505 (D) x 95 (H)
<b>Cut-out Size (mm)</b>	560 (W) x 480 (D)
<b>Packing Size (mm)</b>	640 (W) x 540(D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	540/1120/1310



**MGBS-765T**

SS ● / BL ●

<b>Panel</b>	Stainless steel
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 2.7 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	760 (W) x 500 (D) x 95 (H)
<b>Cut-out Size (mm)</b>	730(W) x 480 (D)
<b>Packing Size (mm)</b>	820 (W) x 540 (D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	420 / 870 / 1020



**MGBS-865T**

SS ● / BL ●

<b>Panel</b>	Stainless steel
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 2.7 / 3.3 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	860 (W) x 500 (D) x 95 (H)
<b>Cut-out Size (mm)</b>	830(W) x 470 (D)
<b>Packing Size (mm)</b>	920 (W) x 540 (D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	290 / 600 / 710



**MGBS-604TN/E**

SS ● / BL ●

<b>Panel</b>	Nano-Painting/Enamelled
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	585 (W) x 505 (D) x 95 (H)
<b>Cut-out Size (mm)</b>	560 (W) x 480 (D)
<b>Packing Size (mm)</b>	640 (W) x 540(D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	540/1120/1310



**MGBS-765TN/E**

SS ● / BL ●

<b>Panel</b>	Nano-Painting/Enamelled
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 2.7 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	760 (W) x 500 (D) x 95 (H)
<b>Cut-out Size (mm)</b>	730(W) x 480 (D)
<b>Packing Size (mm)</b>	820 (W) x 540 (D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	420 / 870 / 1020



**MGBS-865TN/E**

SS ● / BL ●

<b>Panel</b>	Nano-Painting/Enamelled
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 2.7 / 3.3 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	860 (W) x 500 (D) x 95 (H)
<b>Cut-out Size (mm)</b>	830(W) x 470 (D)
<b>Packing Size (mm)</b>	920 (W) x 540 (D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	290 / 600 / 710



**MGBG-302T** BL ● / WH ○ / IV ○

<b>Panel</b>	Tempered glass
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	310 (W) x 515 (D) x 105 (H)
<b>Cut-out Size (mm)</b>	265 (W) x 475 (D)
<b>Packing Size (mm)</b>	550 (W) x 360 (D) x 153 (H)
<b>Loading (20'/40'/40HQ)</b>	990/1810/2040



**MGBG-603T** BL ● / WH ○ / IV ○

<b>Panel</b>	Tempered glass
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.75 / 2.7 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	600 (W) x 510 (D) x 110 (H)
<b>Cut-out Size (mm)</b>	560 (W) x 480 (D)
<b>Packing Size (mm)</b>	640 (W) x 540(D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	540/1120/1310



**MGBG-604T** BL ● / WH ○ / IV ○

<b>Panel</b>	Tempered glass
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	600 (W) x 510 (D) x 110 (H)
<b>Cut-out Size (mm)</b>	560 (W) x 480 (D)
<b>Packing Size (mm)</b>	640 (W) x 540(D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	540/1120/1310



**MGBG-775T** BL ● / WH ○ / IV ○

<b>Panel</b>	Tempered glass
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 2.7 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	770 (W) x 510 (D) x 97 (H)
<b>Cut-out Size (mm)</b>	730 (W) x 480 (D)
<b>Packing Size (mm)</b>	820 (W) x 540 (D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	420 / 870 / 1020



**MGBG-875T** BL ● / WH ○ / IV ○

<b>Panel</b>	Tempered glass
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 2.7 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	870 (W) x 510 (D) x 105 (H)
<b>Cut-out Size (mm)</b>	830 (W) x 470 (D)
<b>Packing Size (mm)</b>	920 (W) x 540 (D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	290 / 600 / 710



**MGBG-876T** BL ● / WH ○ / IV ○

<b>Panel</b>	Tempered glass
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.0 / 1.75 / 1.75 / 1.75 / 2.7 / 3.3
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	870 (W) x 510 (D) x 105 (H)
<b>Cut-out Size (mm)</b>	830 (W) x 470 (D)
<b>Packing Size (mm)</b>	920 (W) x 540 (D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	290 / 600 / 710



**MHBS-604T**

<b>Panel</b>	Stainless steel
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.5KW (Electricity) 1.0KW / 1.75KW /3.3KW (Gas)
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	600 (W) x 510 (D) x 110 (H)
<b>Cut-out Size (mm)</b>	560 (W) x 480 (D)
<b>Packing Size (mm)</b>	640 (W) x 540(D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	540/1120/1310



**MHBS-604TN**

<b>Panel</b>	Nano-Painting
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.5KW (Electricity) 1.0KW / 1.75KW /3.3KW (Gas)
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	600 (W) x 510 (D) x 110 (H)
<b>Cut-out Size (mm)</b>	560 (W) x 480 (D)
<b>Packing Size (mm)</b>	640 (W) x 540(D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	540/1120/1310



**MHBS-604TE**

<b>Panel</b>	Enamelled
<b>Panel Support</b>	Cast iron
<b>Knob Material</b>	Metal
<b>Heat Power(KW)</b>	1.5KW (Electricity) 1.0KW / 1.75KW /3.3KW (Gas)
<b>Optional</b>	Safety device (FFD)
<b>Product Size (mm)</b>	600 (W) x 510 (D) x 110 (H)
<b>Cut-out Size (mm)</b>	560 (W) x 480 (D)
<b>Packing Size (mm)</b>	640 (W) x 540(D) x 150 (H)
<b>Loading (20'/40'/40HQ)</b>	540/1120/1310