

On-time Delivery

- 500,000 Units
(annual production capacity)

Continuous Innovation

- Over 200 patents
- Over 3% Continuous investment per year



Reliable Quality

- 2 Inspection position
- National standard testing lab

Professional Logistics

- Export to over 40 countries
- 120 Containers delivery per year



Greaidea GEA Co.,Ltd

Address: No.1 Weihua Road, Gaoli New High Tech Industry Zone, Ronggui Town,
Shunde District, Foshan, Guangdong, China
Web: www.greaidea.com / www.cehob.com
Email: info@greaidea.com



Europe | America

Cooking Appliance Catalog

**26+ Years
Experience**
26 
Your First Choice

About Us

Over 26 Years Of OEM & ODM Experience In Gas Hob, Range Hood and Gas Water Heater

- OEM & ODM gas hob, gas water heater and range hood since 2000.
- Established in 2000, the past over 25 years witnessed great chances of our product, R&D, quality level, and service as well. From now on, Greaidea has its own two production bases with over 500 employees, covering 100,000m². In order to meet the growing marketing needs, we have equipped with 10 assembly lines for gas hob and range hood, 5 assembly lines for gas water heater.

26⁺Y
Since 2000

2
Production bases

500+
Staffs

100,000m²
Area

15
Assembly lines

Kitchen Appliance Division

Greaidea has over 26 year's experience in manufacturing high quality gas hob and range hood. Our factory locates in Ronggui town, Shunde city. In our R&D department, 16 engineers are employed to guarantee our R&D advantage and continuous improvement. Every year, 3% of revenue will be invested to R&D . With excellent manufacturing team & QC team, we can realize the annual output 800,000pcs gas hob and 300,000pcs range hood product with optimal quality.



Gas hob : 800,000 pcs / year
Range hood : 300,000 pcs / year





Final Assembly Line



▶ Online Key Position : 7 Times Inspection



Strict QC System





CERTIFICATION



TIGER BEARD SERIES



MGBS-312T



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



MGBS-604T



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-765T



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBG-312T



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



MGBG-604T




Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-775T



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 97 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBS-312B4



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



MGBS-604B4



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-765B4



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBS-866B4



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	860 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	830(W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



Suitable For
Natural Gas
Or LP Gas



Easy To Clean
& Install



Made From
High-strength
Stainless Steel



Electronic
Ignition



Energy efficiency
&
Safety Certification

MAT-ENAMEL PANEL SERIES



MGBS-603B4M



Panel	Mat-Enamel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-604B4M



Panel	Mat-Enamel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-765B4M



Panel	Mat-Enamel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760(W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820(W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBS-865B4M



Panel	Mat-Enamel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	860 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	830(W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



S/S PANEL SERIES



MGBS-312A



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



MGBS-603A



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-604D



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-604F



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-604A



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310

MGBS-765A



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020

MGBS-604S



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310

MGBS-765S



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBS-865A



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	860 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	830(W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710

MGBS-866A



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	860 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	830(W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710

MGBS-765S1



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020

MGBS-865S



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	860 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	830(W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



MGBS-604HS



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	665 (W) x 560(D) x 135 (H)
Loading (20'/40'/40HQ)	540/1120/1310

MGBS-905HS



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.5 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	830(W) x 470 (D)
Packing Size (mm)	965 (W) x 556 (D) x 156 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



MGBS-604HS1



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	665 (W) x 560(D) x 135 (H)
Loading (20'/40'/40HQ)	540/1120/1310

MGBS-765HS1



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.5 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	810 (W) x 556 (D) x 156 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBS-604H



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310

MGBS-765H



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBS-604A1



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310


MGBS-866A1



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	860 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	830(W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



Classic S/S Built-in Gas Hob



BEST-SELLING GAS HOB



MGBS-604P



Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1140/1330



MGBS-604PE



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.0
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1140/1330



MGBS-604C3




Panel	Stainless steel
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310




MGBS-604C3



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.0
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



Suitable For
Natural Gas
Or LP Gas



Easy To Clean
& Install



Built-in Gas Hob
With Tempered
Glass Panel



Electronic
Ignition



Energy efficiency
&
Safety Certification



GLASS SERIES



MGBG-312



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



MGBG-603



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-604C



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-604



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-775



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 97 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020

MGBG-875



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	870 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710

MGBG-604DE6



Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 2.7 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200

MGBG-604D6



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 3.3 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



MGBG-905



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 480 (D)
Packing Size (mm)	910 (W) x 555 (D) x 170 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710

MGBG-876



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	870 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	920 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710

MGBG-905D6



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 480 (D)
Packing Size (mm)	910 (W) x 555 (D) x 170 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710

MGBG-905D64



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 2.7 / 2.7 / 4.0
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 480 (D)
Packing Size (mm)	910 (W) x 555 (D) x 170 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



GLASS SERIES



Black Water Tray



Metal Knob



High Power Burner



MGBG-312M



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



MGBG-603M



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-604M



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



MGBG-705M



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	700 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	745 (W) x 570 (D) x 180 (H)
Loading (20'/40'/40HQ)	320 / 630 / 750



MGBG-905M



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	960 (W) x 568 (D) x 178 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



MGBG-906M



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	960 (W) x 568 (D) x 178 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



MGBG-775G



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	816 (W) x 556 (D) x 155 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBG-875G



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	870 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	946 (W) x 551 (D) x 155 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



MGBG-312M1



Panel	Tempered glass white
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040



MGBG-604M1



Panel	Tempered glass white
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



MGBG-604M2



Panel	Tempered glass ivory
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



MGBG-906M1



Panel	Tempered glass ivory
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	960 (W) x 568 (D) x 178 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



MGBG-604S



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



MGBG-775S



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	816 (W) x 556 (D) x 155 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBG-604D



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200




MGBG-906D



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	960 (W) x 568 (D) x 178 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



 Cast Iron Pan Support
 NG & LPG Convertible
 Table Top or Built-In
 Black Tempered Glass Easy To Clean



MGBG-604P



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-604PE



Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.0
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



 **FFD**

**180 Min
Timer**

Flame off

Flame on

LED Knob

Press and rotate



MGBS-604I



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Required	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	646 (W) x 560 (D) x 155 (H)
Loading (20'/40'/40HQ)	540 / 1080 / 1200



MGBG-604I



Panel	Tempered glass
Panel Support	Cast iron
Knob Material	Metal
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7 / 3.3
Required	Safety device (FFD)
Product Size (mm)	900 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	830 (W) x 470 (D)
Packing Size (mm)	960 (W) x 568 (D) x 178 (H)
Loading (20'/40'/40HQ)	290 / 600 / 710



 **FFD**

**Precise Flame Control
9 Stage Valve**


1 2 3 4 5 6 7 8 9



TOUCH CONTROLS  **FFD**

9 Stage Valve & 180min Timer





MGBS-312E



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040

MGBG-312AE



Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 350(D) x 153 (H)
Loading (20'/40'/40HQ)	990 / 1810 / 2040



MGBS-604E



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-604AE




Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-765E



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBG-775AE



Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	816 (W) x 556 (D) x 155 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBS-312AE



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 510 (D) x 95 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 360 (D) x 153 (H)
Loading (20'/40'/40HQ)	990/1810/2040

MGBG-312E



Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 350(D) x 153 (H)
Loading (20'/40'/40HQ)	990 / 1810 / 2040



MGBS-604AE



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	585 (W) x 505 (D) x 95 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBS-765AE



Panel	Stainless steel
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	760 (W) x 500 (D) x 95 (H)
Cut-out Size (mm)	730(W) x 480 (D)
Packing Size (mm)	820 (W) x 540 (D) x 150 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBG-604E



Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310



MGBG-775E



Panel	Tempered glass
Panel Support	Enamel Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 1.75 / 3.3
Optional	Safety device (FFD)
Product Size (mm)	770 (W) x 510 (D) x 105 (H)
Cut-out Size (mm)	730 (W) x 480 (D)
Packing Size (mm)	816 (W) x 556 (D) x 155 (H)
Loading (20'/40'/40HQ)	420 / 870 / 1020



MGBG-31DE



Panel	Tempered glass
Panel Support	Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	310 (W) x 515 (D) x 105 (H)
Cut-out Size (mm)	265 (W) x 475 (D)
Packing Size (mm)	550 (W) x 350(D) x 153 (H)
Loading (20'/40'/40HQ)	990 / 1810 / 2040

MGBG-31DE



Panel	Tempered glass
Panel Support	Wire
Knob Material	Bakelite
Heat Power(kW)	1.0 / 1.75 / 1.75 / 2.7
Optional	Safety device (FFD)
Product Size (mm)	600 (W) x 510 (D) x 110 (H)
Cut-out Size (mm)	560 (W) x 480 (D)
Packing Size (mm)	640 (W) x 540(D) x 150 (H)
Loading (20'/40'/40HQ)	540/1120/1310

GAS HOB ACCESSORIES

Built-in Multi-Burner Gas Hob Key Parts Option

Shape Round Square Rectangular	Technique Cast Iron Wire Enamel	Coating Matte Glossy
Burner #1 #2 #3 #4 Chinese Classic Burner (Max. -3.3kw) #1 #2 #3 #4 Full Brass Chinese Classic Burner(Max. -3.5kw) #1 #2 #3 #4 Italy Classic Burner (Max. -5.0Kw) #1 #2 #3 #4 Semi-Brass Burner (Max. -4.5kw)		
Shape Round Square	Coating S/S Black S/S Teflon Embossing	

Built-in Multi-Burner Gas Hob Panel Option

Stainless Steel S/S Black S/S	Black SS	Enamel Black White Ivory
Color Black White Ivory Glass	Edge No Bevel Single Bevel Multi-Bevel Glass	Surface Glossy Matte Glass

Built-in Multi-Burner Gas Hob Knob Option

K1	K2	K3	K4	K5	K6
K7	K8	K9	K10	K11	K12
Pan Option Pan A	Pan B	Pan C	Pan D		



Super Slim



GCHS-60/75/90H



Width	600/750/900mm
Material	Painted body or S/S body
Airflow	180m ³ /h
Motor Type	1x100W
Control Type	Piano switch control Touch control & Wave control
Level of Speed	3 speeds
Lighting	1x2W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	120mm
Packing size	633x522x132mm (600mm) 783x522x132mm (750mm) 933x522x132mm (900mm)
Loading QTY(20/40/40HQ)	640 / 1320 / 1550 (600mm) 510 / 1070 / 1260 (750mm) 430 / 900 / 1050 (900mm)

GCHS-60/75/90C




Width	600/750/900mm
Material	Painted body or S/S body
Airflow	200m ³ /h
Motor Type	1x75W
Control Type	Piano switch control Touch control & Wave control
Level of Speed	3 speeds
Lighting	1x1.5W LED Lamp
Filter Type	3 Layer aluminium grease filter
Air Outlet	120mm
Packing size	630x490x115mm (600mm) 780x490x115mm (750mm) 930x490x115mm (900mm)
Loading QTY(20/40/40HQ)	800 / 1600 / 1900 (600mm) 630 / 1310 / 1540 (750mm) 530 / 1100 / 1290 (900mm)





**Larger Loading
Quantity 1500+/40HQ**



**3 Exhaust
Fan Speeds**



LED Strip






GCHS-60/75/90D




Width	600/750/900mm
Material	Painted body or S/S body
Airflow	200m ³ /h
Motor Type	1x75W
Control Type	Piano switch control Touch control & Wave control
Level of Speed	3 speeds
Lighting	1x1.5W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	120mm
Packing size	635x520x140mm (600mm) 785x520x140mm (750mm) 935x520x140mm (900mm)
Loading QTY(20/40/40HQ)	640 / 1320 / 1550 (600mm) 510 / 1070 / 1260 (750mm) 430 / 900 / 1050 (900mm)



GCHA-60/75/90




Width	600/750/900mm
Material	Painted body or S/S body
Airflow	180m ³ /h
Motor Type	1x100W
Control Type	Piano switch control
Level of Speed	3 speeds
Lighting	1x2W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	120mm
Packing size	633x522x132mm (600mm) 783x522x132mm (750mm) 933x522x132mm (900mm)
Loading QTY(20/40/40HQ)	640 / 1320 / 1550 (600mm) 510 / 1070 / 1260 (750mm) 430 / 900 / 1050 (900mm)



GCHD-60/75/90B




Width	600/750/900mm
Material	Painted body or S/S body
Airflow	220m ³ /h
Motor Type	1x100W
Control Type	Mechanical Rocker Control
Level of Speed	2 speeds
Lighting	2x1.5W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	150mm
Packing size	650x260x358mm (600mm) 800x260x358mm (750mm) 950x260x358mm (900mm)
Loading QTY(20/40/40HQ)	530 / 1100 / 1270 (600mm) 460 / 960 / 1100 (750mm) 365 / 750 / 870 (900mm)



GCHD-60/75/90ST



Width	600/750/900mm
Material	Painted body or S/S body
Airflow	220m ³ /h
Motor Type	1x100W
Control Type	Touch control & Wave control
Level of Speed	2 speeds
Lighting	2x1.5W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	150mm
Packing size	650x260x358mm (600mm) 800x260x358mm (750mm) 950x260x358mm (900mm)
Loading QTY(20/40/40HQ)	530 / 1100 / 1270 (600mm) 460 / 960 / 1100 (750mm) 365 / 750 / 870 (900mm)





MCHS-60/75/905BE





Width	600/750/900mm
Material	Stainless steel body+Black tempered glass
Airflow	600m ³ /h
Motor Type	1x220W
Control Type	Touch control & Wave control
Level of Speed	3 speeds
Lighting	2x3W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	150mm
Packing size	650x365x357mm (600mm)
Loading QTY(20/40/40HQ)	390 / 800 / 940 (600mm)

MCHS-60/75/905T



Width	600/750/900mm
Material	Painted body or S/S body
Airflow	260m ³ /h
Motor Type	1x120W
Control Type	Piano switch control
Level of Speed	3 speeds
Lighting	2x3W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	160mm
Packing size	650x345x345mm (600mm)
Loading QTY(20/40/40HQ)	360 / 740 / 870 (600mm)



MCHS-600YB





Width	600mm
Material	Stainless steel body+Black tempered glass
Airflow	650m ³ /h
Motor Type	1x200W
Control Type	Touch control
Level of Speed	3 speeds
Lighting	1x6W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	150mm
Packing size	615x360x370mm (600mm)
Loading QTY(20/40/40HQ)	340 / 700 / 830 (600mm)



MCHS-600YC



Width	600mm
Material	Stainless steel body+Black tempered glass
Airflow	650m ³ /h
Motor Type	1x200W
Control Type	Touch control & Wave control
Level of Speed	3 speeds
Lighting	1x6W LED Lamp
Filter Type	3 Layer aluminium grease filter Activated carbon filter
Air Outlet	150mm
Packing size	615x360x370mm (600mm)
Loading QTY(20/40/40HQ)	340 / 700 / 830 (600mm)



Range Hood Panel Option



Curated Kitchen Hood & Hob Combo Packages

Four Classic Pairings, Unlock Smart Cooking

A COMBO A



Telescopic Range Hood 600mm

+



2 Burner Gas Hob 300mm

B COMBO B



Built-in Range Hood 600mm

+



2 Burner Gas Hob 300mm

C COMBO C



Slim Range Hood 600mm

+



4 Burner Gas Hob 600mm

D COMBO D



Slim Range Hood 750mm

+



5 Burner Gas Hob 770mm



MHBS-312H

- 300mm SS
- Heat Power(kW) : 2 (Electricity)
1.0 (Gas)
- Product Size (mm): 310 (W) x 510 (D) x 95 (H)
- Cut-out Size (mm): 265 (W) x 475 (D)
- Packing Size (mm): 550 (W) x 360 (D) x 153 (H)
- Loading (20'/40'/40HQ): 990/1810/2040



MHBS-604H

- 600mm SS
- Heat Power(kW) : 1.5 (Electricity)
1.0 / 1.75 / 3.3 (Gas)
- Product Size (mm): 585 (W) x 505 (D) x 95(H)
- Cut-out Size (mm): 560 (W) x 480 (D) x R20
- Packing Size (mm): 640 (W) x 540(D) x 150 (H)
- Loading (20'/40'/40HQ): 540/1120/1310



MHBS-865H

- 860mm SS
- Heat Power(kW) : 1.5 (Electricity)
1.0 / 1.75 / 1.75 / 3.0 (Gas)
- Product Size (mm): 860 (W) x 510 (D) x 115(H)
- Cut-out Size (mm): 830 (W) x 470 (D)
- Packing Size (mm): 900 (W) x 550(D) x 145 (H)
- Loading (20'/40'/40HQ): 390/800/940



MHBG-604C

- 600mm Tempered glass
- Heat Power(kW) : 1.5 (Electricity)
1.0 / 1.75 / 3.3 (Gas)
- Product Size (mm): 600 (W) x 510 (D) x 105 (H)
- Cut-out Size (mm): 560 (W) x 480 (D)
- Packing Size (mm): 646 (W) x 560 (D) x 155 (H)
- Loading (20'/40'/40HQ): 540/1080/1200



MHBG-604C2

- 600mm Tempered glass
- Heat Power(kW) : 1.5 x 2 (Electricity)
1.0 / 1.75 (Gas)
- Product Size (mm): 600 (W) x 510 (D) x 105 (H)
- Cut-out Size (mm): 560 (W) x 480 (D)
- Packing Size (mm): 646 (W) x 560 (D) x 155 (H)
- Loading (20'/40'/40HQ): 540/1080/1200



MHBG-905C

- 900mm SS
- Heat Power(kW) : 1.5 (Electricity)
1.0 / 1.75 / 2.7 / 3.3 (Gas)
- Product Size (mm): 900 (W) x 520 (D) x 100(H)
- Cut-out Size (mm): 850 (W) x 485 (D)
- Packing Size (mm): 960 (W) x 560(D) x 140 (H)
- Loading (20'/40'/40HQ): 370/770/900

