



DN50-DN300



DN350-DN600



TOP FLANGE

6	BUSHING	PTFE	3
5	O-RING	NBR	2
4	STEM	SS431	2
3	DISC	CF8M	1
2	SEAT	EPDM/NBR/VITON/PTFE	1
1	BODY	CF8M	1

TEST PRESSURE	NO.	PARTS NAME	SHELL		SEAL		QTY
			1.5"-12"	14"-24"	1.5"-12"	14"-24"	
HYDROSTATIC			300 psi	225 psi	220 psi	165 psi	
		AIR					

STAND-ARD	DESIGN CODE		API 609	
	INSPECTION & TEST		API 598	
	END STANDARD		ANSI 150LB	
	FACE TO FACE		API 609	

TITLE : WAFER BUTTERFLY VALVE

APPROVED				REV
CHECKED				
DRAWN				
DESIGNED		SCALE		UNIT mm
SIGNATURE				

SIZE		HA	HB	HC	L	φA	φC	n-M	φD	φE	φF	□M
DN	Inch											
50	2"	80	156	30	43	12.7	120.5					
65	2.5"	89	162	30	46	12.7	139.5	4-5/8"-11	65	50	7.5	9
80	3"	95	170	30	46	12.7	152.5					
100	4"	114	185	30	52	15.8	190.5	8-5/8"-11				11
125	5"	127	207	30	56	19.05	216		90	70	10	14
150	6"	139	216	30	56	19.05	241.5	8-3/4"-10				14
200	8"	175	256	36	60	22.2	298.5					17
250	10"	203	248	36	68	28.6	362					22
300	12"	242	280	36	78	31.8	432	12-7/8"-9	125	102	12	22
350	14"	265	373	36	78	31.8	476	12-1"-8				22
400	16"	308	403	51	102	33.3	539.5	16-1"-8	175	140	18	27
450	18"	320	425	51	114	38	578	16-1 1/8"-7				27
500	20"	354	478	64	127	41.15	635	20-1 1/8"-7	210	165	22	27
600	24"	460	560	71	154	50.65	749.5	20-1 1/4"-7				36